
References

In this reference list, the arrangement is alphabetical by author surname. Chronological order is used within each group of identical authors. Where there are references that include the first-named author with others, the sole-author works are listed chronologically first, followed by all the dual author references (alphabetically), followed by all the references with three or more authors are listed (alphabetically).

- Ahmad, M. U. (1967) Some geophysical observations on the Great Glen Fault. *Nature*, 213, 275–77.
- Aitchison, J. C. (1998) A Lower Ordovician (Arenig) radiolarian fauna from the Ballantrae Complex, Scotland. *Scottish Journal of Geology*, 34, 73–81.
- Al Jawadi, A. F. (1987) Minor igneous intrusions of the Lake District; geochronology, geochemistry and petrology. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Alderton, D. H. M. (1986) Hessite and electrum from the Ratagain intrusion, northwest Scotland. *Mineralogical Magazine*, 50, 179.
- Alderton, D. H. M. (1988) Ag-Au-Te mineralisation in the Ratagain complex, northwest Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, 97, 171–80.
- Allan, W. C. (1970) The Morven–Cabrach basic intrusion. *Scottish Journal of Geology*, 6, 53–72.
- Allen, J. R. L. and Williams, B. P. J. (1981) Sedimentology and stratigraphy of the Townsend Tuff Bed (Lower Old Red Sandstone) in South Wales and the Welsh Borders. *Journal of the Geological Society of London*, 138, 15–29.
- Allen, P. M. (1987) The Solway line is not the Iapetus suture. *Geological Magazine*, 124, 485–6.
- Allen, P. M., Bide, P. J., Cooper, D. C., Parker, M. E. and Haslam, H. W. (1981) Copper-bearing rocks at Cairngarroch Bay, south-west Scotland. *Mineral Reconnaissance Programme Report, Institute of Geological Sciences*, No. 39.
- Allport, S. (1879) On the diorites of the Warwickshire coal-field. *Quarterly Journal of the Geological Society of London*, 35, 637–42.
- Allsop, J. M. (1987) Patterns of late Caledonian intrusive activity in eastern and northern England from geophysics, radiometric dating and basement geology. *Proceedings of the Yorkshire Geological Society*, 46, 335–53.
- Allsop, J. M. and Arthur, M. J. (1983) A possible extension of the South Leicestershire Diorite complex. *Report of the Institute of Geological Sciences*, No. 83/10, 25–30.
- Anderson, J. G. C. (1935a) The Arrochar intrusive complex. *Geological Magazine*, 72, 263–83.
- Anderson, J. G. C. (1935b) The marginal intrusions of Ben Nevis, the Coille Lianachain complex, and the Ben Nevis dyke swarm. *Transactions of the Geological Society of Glasgow*, 19, 225–69.
- Anderson, J. G. C. (1936) Age of the Girvan -Ballantrae serpentine. *Geological Magazine*, 73, 535–45.
- Anderson, J. G. C. (1937) The Etive granite complex. *Journal of the Geological Society of London*, 93, 487–533.
- Anderson, J. G. C. (1947) The geology of the Highland Border, Stonehaven to Arran. *Transactions of the Royal Society of Edinburgh*, 61, 479–515.
- Anderson, J. G. C. (1956) The Moinian and Dalradian rocks between Glen Roy and the Monadhliath mountains, Inverness-shire. *Transactions of the Royal Society of Edinburgh*, 63, 15–36.

- Anderson, J. G. C. and Pringle, J. (1944) The Arenig rocks of Arran, and their relationship to the Dalradian Series. *Geological Magazine*, 81, 81–7.
- Anderson, J. G. C. and Tyrell, G. W. (1937) Xenolithic minor intrusions in the Loch Lomond District. *Transactions of the Geological Society of Glasgow*, 19, 373–84.
- Anderson, J. L. (1996) Status of thermobarometry in granitic batholiths. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 87, 125–38.
- Anon. (1972) Ophiolites. *Geotimes*, 17(12), 24–5.
- Ansari, S. M. (1983) Petrology and petrochemistry of the Eskdale and adjacent intrusions (Cumbria) with special reference to mineralization. Unpublished PhD thesis, University of Nottingham.
- Armstrong, H. A., Owen, A. W., Scrutton, C. T., Clarkson, E. N. K. and Taylor, C. M. (1996) Evolution of the Northern Belt, Southern Uplands: implications for the Southern Uplands controversy. *Journal of the Geological Society of London*, 153, 197–205.
- Armstrong, M. and Paterson, I. B. (1970) The Lower Old Red Sandstone of the Strathmore region. *Report of the Institute of Geological Sciences*, No. 70/12.
- Armstrong, M., Paterson, I. B. and Browne, M. A. E. (1985) Geology of the Perth and Dundee district. *Memoir of the British Geological Survey*, Sheets 48W, 48E and 49 (Scotland).
- Ashcroft, W. A. and Munro, M. (1978) The structure of the eastern part of the Insch Mafic Intrusion, Aberdeenshire. *Scottish Journal of Geology*, 14, 55–79.
- Ashcroft, W. A., Kneller, B. C., Leslie, A. G. and Munro, M. (1984) Major shear zones and autochthonous Dalradian in the northeast Scottish Caledonides. *Nature*, 310, 760–2.
- Astin, T. R. (1982) The Devonian geology of the Walls Peninsula, Shetland. Unpublished PhD thesis, University of Cambridge.
- Astin, T. R. (1983) Discussion on implications for Caledonian plate tectonic models of chemical data from volcanic rocks of the British Old Red Sandstone. *Journal of the Geological Society of London*, 140, 315–18.
- Astin, T. R. (1985) The palaeogeography of the Middle Devonian Lower Eday Sandstone, Orkney. *Scottish Journal of Geology*, 21, 353–75.
- Astin, T. R. (1990) The Devonian lacustrine sediments of Orkney, Scotland; implications for climatic cyclicity, basin structure and maturation history. *Journal of the Geological Society of London*, 147, 141–51.
- Atherton, M. P. (1993) Granite magmatism. *Journal of the Geological Society of London*, 150, 1009–23.
- Atherton, M. P. and Plant, J. A. (1985) High heat producing granites and the evolution of the Andean and Caledonian continental margins. In *High Heat Production (HHP) Granites, Hydrothermal Circulation and Ore Genesis*, Institution of Mining and Metallurgy, London, pp. 263–285.
- Bailey, E. B. (1935) The Glencoul Nappe and the Assynt Culmination. *Geological Magazine*, 72, 151–65.
- Bailey, E. B. (1960) The geology of Ben Nevis and Glencoe and the surrounding country; 2nd edition. *Memoir of the Geological Survey of Great Britain*, Sheet 53 (Scotland).
- Bailey, E. B. and Anderson, E. M. (1925) The Geology of Staffa, Iona and western Mull. *Memoir of the Geological Survey of Great Britain*, Sheet 43 (Scotland).

- Bailey, E. B. and Maufe, H. B. (1916) The geology of Ben Nevis and Glen Coe and the surrounding country; 1st edn. *Memoir of the Geological Survey of Great Britain*, Sheet 53 (Scotland).
- Bailey, E. B. and McCallien, W J. (1934) Pre-Cambrian Association excursion to Scotland. *Geological Magazine*, 71, 553–5.
- Bailey, E. B. and McCallien, W J. (1957) The Ballantrae Serpentine, Ayrshire. *Transactions of the Edinburgh Geological Society*, 17, 33–53.
- Baker, J. W and Hughes, C. P (1979) Summer (1973) field meeting in Central Wales, 31 August to 7 September 1973. Report by the organising directors. *Proceedings of the Geologists' Association*, 90, 65–79.
- Ball, T. K. and Merriman, R. J. (1989) The petrology and geochemistry of the Ordovician Llewelyn Volcanic Group, Snowdonia, North Wales. *British Geological Survey Research Report*, No. SG/89/1.
- Balsillie, D. (1932) The Ballantrae Igneous Complex, South Ayrshire. *Geological Magazine*, 69, 107–31.
- Balsillie, D. (1937) Further observations on the Ballantrae Igneous Complex, South Ayrshire. *Geological Magazine*, 74, 20–33.
- Barber, A. J., Beach, A., Park, R. G. Tarney, J., and Stewart A. D. (1978) The Lewisian and Torridonian rocks of North-West Scotland. *Geologists' Association Guide*, No. 21. Barber, P. L., Dobson, M. R. and Whittington, R. J. (1979) The geology of the Firth of Lorne, as determined by seismic and dive sampling methods. *Scottish Journal of Geology*, 15, 217–30.
- Barnes, R. P and Fettes, D. J. (1996) Creetown and Cairnsmore of Fleet: igneous intrusion and tectonic deformation. In *Geology in South-west Scotland: an Excursion Guide* (ed. P. Stone), British Geological Survey, Keyworth, Nottingham, pp. 140–150.
- Barnes, R. P, Lintern, B. C. and Stone, P. (1989) Timing and regional implications of deformation in the Southern Uplands of Scotland. *Journal of the Geological Society of London*, 146, 905–8.
- Barnes, R. P, Phillips, E. R. and Boland, M. P. (1995) The Orlock Bridge Fault in the Southern Uplands of SW Scotland: a terrane boundary? *Geological Magazine*, 132, 523–9.
- Barnes, R. P, Rock, N. M. S. and Gaskarth, J. W (1986) The Caledonian dyke swarms in Southern Scotland: new field and petrological data for the Wigtown Peninsula, Galloway. *Geological Journal*, 21, 101–25.
- Barr, D., Roberts, A. M., Highton, A. J., Parson, L. M. and Harris, A. L. (1985) Structural setting and geochronological significance of the West Highland Granitic Gneiss, a deformed early granite within Proterozoic, Moine rocks of NW Scotland. *Journal of the Geological Society of London*, 142, 663–76.
- Barritt, S. D. (1983) The controls of radioelement distribution in the Etive and Cairngorm granites: implications for heat production. Unpublished PhD thesis, The Open University.
- Barrow, G. and Cunningham Craig, E. H. (1912) The geology of the districts of Braemar, Ballater and Glen Clova. *Memoir of the Geological Survey of Great Britain*, Sheet 65 (Scotland).
- Barrow, G., Hinxman, L. W and Cunningham Craig, E. H. (1913) The geology of Upper Strathspey Gaick and the Forest of Atholl. *Memoir of the Geological Survey of Great Britain*, Sheet 64 (Scotland).
- Bartholomew, I. D. (1993) The interaction and geometries of diapiric uprise centres along mid-ocean ridges — evidence from mantle fabric studies of ophiolite complexes. In *Magmatic Processes and Plate Tectonics* (eds H. M. Prichard, T. Alabaster, N. B. W Harris and C. R. Neary), *Geological Society Special Publication*, No. 76, pp. 245–56.

- Bassett, M. G. (1982) Silurian rocks of the Marloes and Pembroke peninsulas. In *Geological Excursions in Dyfed, South-West Wales* (ed. M. G. Bassett), National Museum of Wales, Cardiff, pp. 103–122.
- Batchelor, R. A. (1987) Geochemical and petrological characteristics of the Etive granitoid complex, Argyll. *Scottish Journal of Geology*, 23, 227–49.
- Beamish, D. and Smythe, D. B. (1986) Geophysical images of the deep crust: the Iapetus suture. *Journal of the Geological Society of London*, 143, 489–97.
- Beavon, R. V. (1963) The succession and structure east of the Glaslyn river, North Wales. *Quarterly Journal of the Geological Society of London*, 119, 479–512.
- Beavon, R. V. (1980) A resurgent cauldron in the early Palaeozoic of Wales, U.K. *Journal of Volcanology and Geothermal Research*, 7, 157–74.
- Beckinsale, R. D. and Obradovich, J. D. (1973) Potassium-argon ages for minerals from the Ross of Mull, Argyllshire, Scotland. *Scottish Journal of Geology*, 9, 147–56.
- Beddoe-Stephens, B. (1990) Pressures and temperatures of Dalradian metamorphism and the andalusite-kyanite transformation in the northeast Grampians. *Scottish Journal of Geology*, 26, 3–14.
- Beddoe-Stephens, B. (1999) The Glen Tilt diorite: crystallization, petrogenesis and relation to granitic rocks. *Scottish Journal of Geology*, 35, 157–78.
- Bevier, M. L. and Whalen, J. B. (1990) Tectonic significance of Silurian magmatism in the Canadian Appalachians. *Geology*, 18, 411–14.
- Bevins, R. E. (1979) The geology of the Strumble Head-Fishguard region, Dyfed. Unpublished PhD thesis, University of Keele.
- Bevins, R. E. (1982) Petrology and geochemistry of the Fishguard Volcanic Complex, Wales. *Geological journal*, 17, 1–21.
- Bevins, R. E. and Metcalfe, R. (1993) Ordovician igneous rocks of the Builth Inlier. In *Geological Excursions in Powys, Central Wales* (eds N. H. Woodcock and M. G. Bassett), National Museum of Wales, Cardiff, pp. 243–58.
- Bevins, R. E. and Roach, R. A. (1979a) Early Ordovician volcanism in Dyfed, SW Wales. In *The Caledonides of the British Isles Reviewed*, (eds A. L. Harris, C. H. Holland and B. E. Leake), *Geological Society of London Special Publication*, No. 8, pp. 603–9.
- Bevins, R. E. and Roach, R. A. (1979b) Pillow lava and isolated-pillow breccia of rhyodacitic composition from the Fishguard Volcanic Group, Lower Ordovician, SW Wales, U.K. *Journal of Geology*, 87, 193–201.
- Bevins, R. E. and Roach, R. A. (1982) Ordovician igneous activity in south-west Dyfed. In *Geological excursions in Dyfed, South-West Wales* (ed. M. G. Bassett), National Musuem of Wales, Cardiff, pp. 65–80.
- Bevins, R. E., Bluck, B. J., Brenchley, P J., Fortey, R. A., Hughes, C. P et al. (1992) Ordovician. In *Atlas of Palaeogeography and Lithofacies* (eds J. C. W Cope, J. K. Ingham and P. F. Rawson), The Geological Society of London, pp. 19–36.
- Bevins, R. E., Kokelaar, B. P. and Dunkley, P N. (1984) Petrology and geochemistry of lower to middle Ordovician igneous rocks in Wales: a volcanic arc to marginal basin transition. *Proceedings of the Geologists' Association*, 95, 337–47.

Bevins, R. E., Lees, G. J. and Roach, R. A. (1991) Ordovician bimodal volcanism in SW Wales: geochemical evidence for petrogenesis of the silicic rocks. *Journal of the Geological Society of London*, 148, 719–29.

Bevins, R. E., Lees, G. J. and Roach, R. A. (1992) Petrogenesis of Ordovician igneous rocks in the southern part of the Welsh Basin. *Geological Magazine*, 129, 615–24.

Bevins, R. E., Lees, G. J., Roach, R. A., Rowbotham, G. and Floyd, P. A. (1994) Petrogenesis of the St David's Head Layered Intrusion, Wales: a complex history of multiple magma injection and *in situ* crystallization. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 85, 91–121.

Bloxam, T. W (1955) The origin of the Girvan-Ballantrae beerbachites. *Geological Magazine*, 92, 329–37.

Bloxam, T. W (1960) Pillow structure in spilitic lavas at Downan Point, Ballantrae. *Transactions of the Geological Society of Glasgow*, 24, 19–26.

Bloxam, T. W. (1968) The petrology of Byne Hill, Ayrshire. *Transactions of the Royal Society of Edinburgh*, 68, 105–22.

Bloxam, T. W. (1980) Amphibolite contact zones, amphibolite xenoliths, and blueschists associated with serpentinite in the Girvan-Ballantrae Complex, southwest Scotland. *Archive des Sciences*, 33, 291–9.

Bloxam, T. W. (1982) Ordovician volcanism in Scotland. In *Igneous Rocks of the British Isles* (ed. D. S. Sutherland), Wiley, Chichester, pp. 51–63.

Bloxam, T. W and Allen, J. B. (1960) Glaucophane-schist, eclogite and associated rocks from Knockormal in the Girvan-Ballantrae Complex, south Ayrshire. *Transactions of the Royal Society of Edinburgh*, 64, 1–27.

Bluck, B. J. (1978a) Geology of a continental margin 1: the Ballantrae Complex. In *Crustal Evolution in Northwestern Britain and Adjacent Regions* (eds D. R. Bowes and B. E. Leake), *Geological journal Special Issue No. 10*, pp. 151–62.

Bluck, B. J. (1978b) Sedimentation in a late orogenic basin: the Old Red Sandstone of the Midland Valley of Scotland. In *Crustal Evolution in Northwestern Britain and Adjacent Regions* (eds D. R. Bowes and B. E. Leake), *Geological Journal Special Issue No. 10*, pp. 249–78.

Bluck, B. J. (1982) Hyalotuff deltaic deposits in the Ballantrae ophiolite of SW Scotland: evidence for crustal position of the lava sequence. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 72, 217–28.

Bluck, B. J. (1992) Balmaha, 110–29; Pinbain Block, 319–338; Bennane Head to Downan Point, 347–361. In *Geological Excursions around Glasgow and Girvan* (eds J. D. Lawson and D. S. Weedon), Geological Society of Glasgow.

Bluck, B. J. and Ingham, J. K. (1992) Dow Hill, Byne Hill and Ardmillan braes. In *Geological Excursions around Glasgow and Girvan* (eds J. D. Lawson and D. S. Weedon), Geological Society of Glasgow, pp. 366–77.

Bluck, B. J., Dempster, T. J. and Rogers, G. (1997) Allochthonous metamorphic blocks on the Hebridean passive margin, Scotland. *Journal of the Geological Society of London*, 154, 921–4.

Bluck, B. J., Gibbons, W and Ingham, J. K. (1992) Terranes. In *Atlas of Palaeogeography and Lithofacies* (eds J. C. W. Cope, J. K. Ingham and P. F. Rawson), Geological Society of London Memoir No. 13, pp. 1–3.

Bluck, B. J., Halliday, A. N., Aftalion, M. and Macintyre, R. M. (1980) Age and origin of Ballantrae ophiolite and its significance to the Caledonian orogeny and Ordovician time scale. *Geology*, 8, 492–5.

Bluck, B. J., Ingham, J. K., Curry, G. B. and Williams, A. (1984) The significance of a reliable age from some Highland Border rocks in Central Scotland. *Journal of the Geological Society of London*, 139, 451–4.

Blyth, F. G. H. (1955) The Kirkmabreck Granodiorite, near Creetown, South Galloway. *Geological Magazine*, 92, 321–8.

- Blyth, F. G. H. (1969) Structures in the southern part of the Cabrach igneous area, Banffshire. *Proceedings of the Geologists' Association*, 80, 63–79.
- Bonney, T. G. (1878) On the serpentine and associated igneous rocks of the Ayrshire coast. *Quarterly Journal of the Geological Society of London*, 34, 769–85.
- Bonney, T. G. (1881) On a boulder of hornblende picrite near Pen-y-Carnisog, Anglesey. *Quarterly Journal of the Geological Society of London*, 38, 137.
- Bonney, T. G. (1883) Notes on a series of rocks from the North-West Highlands, collected by C. Callaway, Esq., D.Sc., F.G.S. *Quarterly Journal of the Geological Society of London*, 39, 414–22.
- Bosworth, T. O. (1910) Metamorphism around the Ross of Mull Granite. *Quarterly Journal of the Geological Society of London*, 66, 376–401.
- Bosworth, T. O. (1912) *The Keuper Marls Around Charnwood Forest*. Thornley and Son for Leicester Literary and Philosophical Society.
- Bott, M. P. H. (1967) Geophysical investigations of the northern Pennine basement rocks. *Proceedings of the Yorkshire Geological Society*, 36, 139–68.
- Bott, M. H. P. (1974) The geological interpretation of a gravity survey of the English Lake District and the Vale of Eden. *Journal of the Geological Society of London*, 130, 309–31.
- Boulter, C. A. and Soper, N. J. (1973) Structural relationships of the Shap granite. *Proceedings of the Yorkshire Geological Society*, 39, 365–9.
- Bowen, N. L. (1928) *The Evolution of the Igneous Rocks*, Princeton University Press, (Reproduced by Dover Publications, 1956). Bowes, D. R. (1962) Kentallenite-lamprophyre-granite age relations at Kentallen, Argyll. *Geological Magazine*, 99, 119–22. Bowes, D. R. and McArthur, A. C. (1976) Nature and genesis of the appinite suite. *Krystalinikum*, 12, 31–46.
- Bowes, D. R. and Wright, A. E. (1961) An explo-sion-breccia complex at Back Settlement, near Kentallen, Argyll. *Transactions of the Edinburgh Geological Society*, 18, 293–313.
- Bowes, D. R. and Wright, A. E. (1967) The explosion breccia pipes near Kentallen, Scotland and their geological setting. *Transactions of the Royal Society of Edinburgh*, 67, 109–43.
- Bowes, D. R., Kinloch, E. D. and Wright, A. E. (1964) Rhythmic amphibole overgrowths in appinites associated with explosion breccias in Argyll. *Mineralogical Magazine*, 33, 963–73.
- Boyd, R. and Munro, M. (1978) Deformation of the Belhelvie mass, Aberdeenshire. *Scottish Journal of Geology*, 14, 29–44.
- Brade-Birks, S. G. (1923) Notes on Myriapoda XXVIII. *Kampecaris tuberculata* n.sp. from the Old Red Sandstone of Ayrshire. *Proceedings of the Royal Physical Society, Edinburgh*, 20, 277–80.
- Bradshaw, R., Plant, A. G., Burke, K. C. and Leake, B. E. (1969) The Oughterard granite, Connemara, Co Galway. *Proceedings of the Royal Irish Academy*, 68, 39–65.
- Braithwaite, R. S. W and Knight, J. R. (1990) Rare mineralisation near Dalbeattie, South Scotland. *Mineralogical Magazine*, 54, 129–31.
- Branney, M. J. (1988a) The subaerial setting of the Ordovician Borrowdale Volcanic Group, English Lake District. *Journal of the Geological Society of London*, 145, 887–90.

Branney, M. J. (1988b) Subaerial explosive volcanism, intrusion, sedimentation, and collapse in the Borrowdale Volcanic Group, SW Langdale, English Lake District. Unpublished PhD thesis, University of Sheffield.

Branney, M. J. (1990a) Explosive volcanism and volcanotectonic subsidence at Crinkle Crags. In *The Lake District* (ed. F. Moseley), The Geologists' Association, London, pp. 128–37.

Branney, M. J. (1990b) Subaerial pyroclastics of Side Pike. In *The Lake District* (ed. F. Moseley), The Geologists' Association, London, pp. 138–42.

Branney, M. J. (1991) Eruption and depositional facies of the Whorneyside Tuff Formation, English Lake District: An exceptionally large-magnitude phreatoplinian eruption. *Geological Society of America Bulletin*, 103, 886–97.

Branney, M. J. (1995) Downsag and extension at calderas: new perspectives on collapse geometries from ice-melt, mining, and volcanoes. *Bulletin of Volcanology*, 57, 304–18.

Branney, M. J. and Kokelaar, B. P. (1994a) Volcanotectonic faulting, soft-state deformation and rheomorphism of tuffs during development of a piecemeal caldera, English Lake District. *Geological Society of America Bulletin*, 106, 507–30.

Branney, M. J. and Kokelaar, B. P. (1994b) Early caldera eruptions and piecemeal subsidence (Wrynose Pass to Crinkle Crags). In *Processes and controls of caldera collapse and related ignimbrite emplacements in Snowdonia (Wales), the Lake District (England) and Glencoe (Scotland), United Kingdom* (eds B. P. Kokelaar, M. J. Branney, I. Moore and M. E. Howells), Field Guide of the IAVCEI Commission on Explosive Volcanism Field Workshop, 18–29 May, 1994, pp. D1–7.

Branney, M. J. and Kokelaar, B. P. (1994c) Climactic eruptions and collapse of Scafell caldera (Crinkle Crags from Great Langdale). In *Processes and controls of caldera collapse and related ignimbrite emplacements in Snowdonia (Wales), the Lake District (England) and Glencoe (Scotland), United Kingdom* (eds B. P. Kokelaar, M. J. Branney, I. Moore, and M. F. Howells), Field Guide of the IAVCEI Commission on Explosive Volcanism Field Workshop, 18–29 May, 1994, pp. E1–4.

Branney, M. J. and Soper, N. J. (1988) Ordovician volcano-tectonics in the English Lake District. *Journal of the Geological Society of London*, 145, 367–76.

Branney, M. J. and Sparks, R. S. J. (1990) Fiamme formed by diagenesis and burial-compaction in soils and subaqueous sediments. *Journal of the Geological Society of London*, 147, 919–22.

Branney, M. J. and Suthren, R. J. (1988) High-level peperitic sills in the English Lake District: distinction from block lavas and implications for Borrowdale Volcanic Group stratigraphy. *Geological Journal*, 23, 171–87.

Branney, M. J., Kokelaar, B. P. and McConnell, B. J. (1992) The Bad Step Tuff: a lava-like rheo-morphic ignimbrite in a calc-alkaline piecemeal caldera, English Lake District. *Bulletin of Volcanology*, 54, 187–99.

Branney, M. J., Davis, N. C., Kokelaar, B. P. and McConnell, B. J. (1993) The Airy's Bridge Formation in the Central Fells. *British Geological Survey Technical Report*, No. WA/93/41.

Branney, M. J., Kneller, B. C. and Kokelaar, B. P. (1990) Disordered turbidite facies (DTF): a product of continuous surging density flows (abstract). *13th International Sedimentological Congress, Nottingham, UK No. 2*.

Brealy, A. J. (1984) A TEM study of the development of fibrolite sillimanite in a thermal aureole. *Journal of the Geological Society of London*, 141, 190.

Brenchley, P. J. (1964) Ordovician ignimbrites in the Berwyn Hills, North Wales. *Geological Journal*, 4, 43–54.

Brenchley, P. J. (1969) The relationship between Caradocian volcanicity and sedimentation in North Wales. In *The Pre-Cambrian and Lower Palaeozoic Rocks of Wales* (ed. A. Wood), University of Wales Press, Cardiff, pp. 181–202.

- Brenchley, P. J. (1972) The Cwm Clwyd Tuff, North Wales: a palaeogeographic interpretation of some Ordovician ash-shower deposits. *Proceedings of the Yorkshire Geological Society*, 39, 199–224.
- Brenchley, P. J. (1978) The Caradocian rocks of north and west Berwyn Hills, North Wales. *Geological Journal*, 13, 137–64.
- Brenchley, P. J. and Pickerill, R. K. (1980) Shallow subtidal sediments of Soudleyan (Caradoc) age in the Berwyn Hills, North Wales, and their palaeogeographic context. *Proceedings of the Geologists' Association*, 91, 177–94.
- Bruden, J. C. and Morris, W. A. (1973) Palaeomagnetic studies in the British Caledonides — HI Igneous rocks of the Northern Lake District, England. *Journal of Geophysical Research*, 34, 27–46.
- Bruden, J. C., Morris, W. A. and Piper, J. D. A. (1973) Palaeomagnetic studies in the British Caledonides — VI. Regional and global implications. *Geophysical Journal of the Royal Astronomical Society*, 34, 107–34.
- Bridge, D. M., Carney, J. N., Lawley, R. S. and Rushton, A. W. A. (1988) The geology of the country around Coventry and Nuneaton. *Memoir of the British Geological Survey*, Sheet 169 (England and Wales).
- Bridges, P. H. (1976) Late Silurian transgressive barrier sands, southwest Wales. *Sedimentology*, 23, 347–62.
- British Geological Survey (1996) Tectonic map of Britain, Ireland and adjacent areas, 1:500 000 (compilers: T. C. Pharoah, J. H. Morris, C. B. Long and P. D. Ryan). British Geological Survey, Keyworth, Nottingham.
- Brøgger, W. C. (1921) Die Eruptivgesteine des Kristianiagebietes. IV Das Fengebiet in Telemark. *Norske Videnskapsakademis Skrifter. I. Mathe. Naturv. Klasse*, 9, 1–408.
- Bromley, A. V. (1963) The geology of the country around Blaenau Ffestiniog. Unpublished PhD thesis, University of Wales, Aberystwyth.
- Bromley, A. V. (1964) Allanite in the Tan-y-Grisiau Microgranite, Merionethshire, North Wales. *American Mineralogist*, 49, 1747–52.
- Bromley, A. V. (1969) Acid plutonic igneous activity in the Ordovician of North Wales. In *The Pre-Cambrian and Lower Palaeozoic Rocks of Wales* (ed. A. Wood), University of Wales Press, Cardiff, pp. 387–408.
- Brown, G. C. and Locke, C. A. (1979) Space-time variations in British Caledonian Granites: some geophysical correlations. *Earth and Planetary Science Letters*, 45, 69–79.
- Brown, G. C., Cassidy, J., Tindle, A. G. and Hughes, D. J. (1979) The Loch Doon granite: an example of granite petrogenesis in the British Caledonides. *Journal of the Geological Society of London*, 136, 745–53.
- Brown, G. C., Francis, E. H., Kennan, P and Stillman, C. J. (1985) Caledonian igneous rocks of Britain and Ireland. In *The Nature and Timing of Orogenic Activity in the Caledonian Rocks of the British Isles* (ed. A. L. Harris), Geological Society of London Memoir No. 9, pp. 1–15.
- Brown, J. F. (1975) Rb-Sr studies and related chemistry on the Caledonian calc-alkaline igneous rocks of NW Argyllshire. Unpublished PhD thesis, University of Oxford.
- Brown, P. E. (1991) Caledonian and earlier magmatism. In *Geology of Scotland*, 3rd edn, (ed. G. Y. Craig), The Geological Society of London, pp. 229–95.
- Brown, P. E., Miller, J. A. and Grasty, R. L. (1968) Isotopic ages of Late Caledonian granitic intrusions in the British Isles. *Proceedings of the Yorkshire Geological Society*, 36, 51–276.

Brown, P. E., Miller, J. A. and Soper, N. J. (1964) Age of the principal intrusions of the Lake District. *Proceedings of the Yorkshire Geological Society*, 34, 331–42.

Burt, R. M. (1994) The geology of Ben Nevis, Southwest Highlands, Scotland. Unpublished PhD thesis, University of St Andrews.

Burt, R. M. and Brown, P. E. (1997) The Ben Nevis Intrusive Ring Tuft Scotland: re-interpretation of the 'flinty crush rock' as part of an ignimbrite conduit in the roots of an ancient caldera. *Scottish Journal of Geology*, 33, 149–55.

Busby, J. P., Kimbell, G. S. and Pharaoh, T. C. (1993) Integrated geophysical/geological modelling in southern Britain. *Geological Magazine*, 130, 593–604.

Busrewil, M. T., Pankhurst, R. J. and Wadsworth, W. J. (1973) The igneous rocks of the Boganclogh area, NE Scotland. *Scottish Journal of Geology*, 9, 165–76.

Busrewil, M. T., Pankhurst, R. J. and Wadsworth, W. J. (1975) The origin of the Kennethmont granite-diorite series. *Mineralogical Magazine*, 40, 363–76.

Cameron, E. M. and Hattori, K. (1987) Archean gold mineralization and oxidized hydrother-mal fluids. *Economic Geology*, 82, 1177–91.

Cameron, I. B. and Stephenson, D. (1985) *British Regional Geology: The Midland Valley of Scotland*, (3rd edn), HMSO, London, for British Geological Survey.

Campbell, R. (1911) Preliminary note on the geology of south-eastern Kincardineshire. *Geological Magazine*, 8, 63–9.

Campbell, R. (1913) The geology of south-eastern Kincardineshire. *Transactions of the Royal Society of Edinburgh*, 48, 923–60.

Campbell, S. D. G. (1995) The Borrowdale Volcanic Group and related geology on 1:10 000 Sheets NY 32 SW and SE. *British Geological Survey Technical Report*, No. WA/95/02.

Campbell, S. D. G., Howells, M. F., Smith, M. and Reedman, A. J. (1988) A Caradoc failed-rift within the Ordovician Marginal Basin of Wales. *Geological Magazine*, 125, 257–66.

Campbell, S. D. G., Reedman, A. J. and Howells, M. F. (1985) Regional variations in cleavage and fold development in North Wales. *Geological journal*, 20, 43–52.

Campbell, S. D. G., Reedman, A. J., Howells, M. F. and Mann, A. C. (1987) The emplacement of geochemically distinct groups of rhyolites during the evolution of the Lower Rhyolitic Tuff Formation caldera (Ordovician), N. Wales, U.K. *Geological Magazine*, 124, 501–11.

Cannat, M. (1989) Late Caledonian northeastward ophiolite thrusting in the Shetland Islands, U.K. *Tectonophysics*, 169, 257–70.

Canning, J. C., Henney, P. J., Morrison, M. A. and Gaskarth, J. W. (1996) Geochemistry of late Caledonian minettes from northern Britain: implications for the Caledonian sub-continental lithospheric mantle. *Mineralogical Magazine*, 60, 221–36.

Cantrill, T. C., Dixon, E. E. L., Thomas, H. H. and Jones, O. T. (1916) The geology of the South Wales coalfield, Part 12: The country around Milford. *Memoir of the Geological Survey of Great Britain*, Sheet 227 (England and Wales).

Carney, J. N., Glover, B. W and Pharaoh, T. C. (1992) Pre-conference field excursion: Precambrian and Lower Palaeozoic rocks of the English Midlands. *British Geological Survey Technical Report*, No. WA/92/72.

- Carroll, S. (1994) Geology of the Inverbervie and Catterline District. *British Geological Survey Technical Report*, No. WA/94/20.
- Carruthers, R. G., Burnett, G. A., Anderson, W and Thomas, H. H. (1932) The geology of the Cheviot Hills. *Memoir of the Geological Survey of Great Britain*, Sheets 3 and 5 (England and Wales).
- Cas, R. A. F. and Wright, J. V (1987) *Volcanic Successions, Modern and Ancient: A Geological Approach to Processes, Products and Successions*, Allen and Unwin, London.
- Cas, R. A. F. and Wright, J. V. (1991) Subaqueous pyroclastic flows and ignimbrites: an assessment. *Bulletin of Volcanology*, 53, 357–80.
- Castro, A., de la Rosa, J. D. and Stephens, W. E. (1990) Magma mixing in the subvolcanic environment: petrology of the Gerena interaction zone near Seville, Spain. *Contributions to Mineralogy and Petrology*, 106, 9–26.
- Castro, A. and Stephens, W. E. (1992) Amphibole polycrystalline clots in calc-alkaline granitic rocks and their enclaves. *Canadian Mineralogist*, 30, 1093–112.
- Cattermole, P. J. (1976) The crystallization and differentiation of a layered intrusion of hydrated alkali olivine-basalt parentage at Rhiw, North Wales. *Geological Journal*, 11, 45–70.
- Caunt, S. (1984) Geological aspects of the Threlkeld Microgranite, Cumbria. *Transactions of the Leeds Geological Association*, 10, 89–100.
- Cave, R. (1977) Geology of the Malmesbury district. *Memoir of the Geological Survey of Great Britain*, Sheet 251 (England and Wales).
- Cawthorn, R. G. (1976) Calcium-poor pyroxene reaction relations in calc-alkaline magmas. *American Mineralogist*, 61, 907–12.
- Chappell, B. W. and Stephens, W. E. (1988) Origin of infracrustal (I-type) granite magmas. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 79, 71–86.
- Chappell, B. W. and White, A. J. R. (1974) Two contrasting granite types. *Pacific Geology*, 8, 173–4.
- Chappell, B. W and White, A. J. R. (1992) I- and S-type granites in the Lachlan Fold Belt. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 83, 1–26. (Also *Geological Society of America Special Paper*, 272.)
- Chough, S. K. and Sohn, Y. K. (1990) Depositional mechanics and sequences of base-surges, Songaksan tuff ring, Cheju Island, Korea. *Sedimentology*, 37, 1115–35.
- Church, W. R. and Gayer, R. A. (1973) The Ballantrae ophiolite. *Geological Magazine*, 110, 497–510.
- Clark, L. (1963) The geology and petrology of the Ennerdale Granophyre, its metamorphic aureole and associated mineralization. Unpublished PhD thesis, University of Leeds.
- Clarke, D. B. (1992) *Granitoid Rocks*, Chapman and Hall, London.
- Clarke, P. D. and Wadsworth, W. J. (1970) The Insch layered intrusion. *Scottish Journal of Geology*, 6, 7–25.
- Clayburn, J. A. P (1981) Age and petrogenetic studies of some magmatic and metamorphic rocks in the Grampian Highlands. Unpublished PhD thesis, University of Oxford.
- Clayburn, J. A. P., Harmon, R. S., Pankhurst, R. J. and Brown, J. F. (1983) Sr, O and Pb isotope evidence for the origin and evolution of the Etive Igneous Complex, Scotland. *Nature*, 303, 492–7.

Clough, C. T., Maufe, H. B. and Bailey, E. B. (1909) The cauldron-subsidence of Glen Coe, and the associated igneous phenomena. *Quarterly Journal of the Geological Society of London*, 65, 611–78.

Cocks, L. R. M. and Fortey, R. A. (1982) Faunal evidence for oceanic separations in the Palaeozoic of Britain. *Journal of the Geological Society of London*, 139, 467–80.

Coleman, R. G. (1977) *Ophiolites: Ancient Oceanic Lithosphere?* Springer-Verlag, New York.

Compston, W., McDougall, I. and Wyborn, D. (1982) Possible two-stage ^{87}Sr evolution in the Stockdale Rhyolite. *Earth and Planetary Science Letters*, 61, 297–302.

Cook, D. R. (1976) The geology of the Cairnsmore of Fleet granite and its environs, southwest Scotland. Unpublished PhD thesis, University of St Andrews.

Cooper, A. H., Millward, D., Johnson, E. W and Soper, N. J. (1993) The early Palaeozoic evolution of northwest England. *Geological Magazine*, 130, 711–24.

Cooper A. H., Rushton, A. W. A., Molyneux, S. G., Hughes, R.A., Moore, R.M., et al. (1995) The stratigraphy, correlation, provenance and palaeogeography of the Skiddaw Group (Ordovician) in the English Lake District. *Geological Magazine*, 132, 185–211.

Cooper, D. C., Lee, M. K., Fortey, N. J., Cooper, A. H., Rundle, C. C. et al. (1988) The Crummock Water aureole: a zone of metaso-matism and source of ore metals in the English Lake District. *Journal of the Geological Society of London*, 145, 523–40.

Cope, T. H. (1910) On the recognition of an agglomerate (Bala Volcanic Series). *Proceedings of the Liverpool Geological Society*, 11, 37–46.

Cope, T. H. (1915) On the igneous and pyroclastic rocks of the Berwyn Hills (North Wales). *Proceedings of the Liverpool Geological Society (Memorial Volume)*, 1–115.

Cope, T. H. and Lomas, J. (1904) On the igneous rocks of the Berwyns. *Report to the British Association (for 1903)*, pp. 664–5.

Cornwell, J. D. and McDonald, A. J. W (1994) Cairngorm and adjacent granites, Scotland. In *Granites, metallogeny, lineaments and rock-fluid interactions* (eds H. W. Haslam and J. A. Plant), *British Geological Survey Research Report No. SP/94/1*, pp. 31–54.

Cornwell, J. D., Patrick D. J. and Tappin, R. J. (1980) Geophysical evidence for a concealed extension of the Tanygrisiau microgranite and its possible relation to mineralisation. *Mineral Reconnaissance Programme Report, Institute of Geological Sciences*, No. 38.

Courrioux, G. (1987) Oblique diapirism: the Criffel granodiorite/granite zoned pluton (southwest Scotland). *Journal of Structural Geology*, 9, 313–30.

Coward, M. R (1985) The thrust structures of southern Assynt, Moine thrust zone. *Geological Magazine*, 122, 596–607.

Coward, M. R and Siddans, A. W. B. (1979) The tectonic evolution of the Welsh Caledonides. In *The Caledonides of the British Isles-Reviewed*, (eds A. L. Harris, C. H. Holland and B. E. Leake), *Geological Society of London Special Publication No. 8*, pp. 187–98.

Cox, A. H. (1915) The geology of the district between Abereiddy and Abercastle (Pembrokeshire). *Quarterly Journal of the Geological Society of London*, 71, 273–342.

- Cox, A. H. (1925) The geology of the Cadair Idris range (Merioneth). *Quarterly Journal of the Geological Society of London*, 81, 539–94.
- Cox, A. H. (1930) Preliminary note on the geological structure of Pen Caer and Strumble Head, Pembrokeshire. *Proceedings of the Geologists' Association*, 41, 274–89.
- Cox, A. H. and Wells, A. K. (1921) The Lower Palaeozoic rocks of the Arthog-Dolgelly district (Merionethshire). *Quarterly Journal of the Geological Society of London*, 76, 254–324.
- Cox, A. H. and Wells, A. K. (1927) The geology of the Dolgelly district, Merionethshire. *Proceedings of the Geologists' Association*, 38, 265–318.
- Cox, R. A., Dempster, T. J., Bell, B. R. and Rogers, G. (1996) Crystallisation of the Shap Granite: evidence from zoned K-feldspar megacrysts. *Journal of the Geological Society of London*, 153, 625–35.
- Craig, G. Y. (1991) *Geology of Scotland*, (3rd edn), The Geological Society, London.
- Craig, G. Y., McIntyre, D. B. and Waterston, C. D. (1978) *James Hutton's Theory of the Earth: the Lost Drawings*, Scottish Academic Press, Edinburgh.
- Croudace, I. W. (1982) The geochemistry and petrogenesis of the Lower Paleozoic granitoids of the Lleyn Peninsula, North Wales. *Geochimica et Cosmochimica Acta*, 46, 609–22.
- Cunningham-Craig E. H., Wright, W. B. and Bailey, E. B. (1911) The geology of Colonsay and Oronsay with parts of Ross of Mull. *Memoir of the Geological Survey of Great Britain*, Sheet 35 with part of Sheet 27 (Scotland).
- Curry, G. B., Bluck, B. J., Burton, C. J., Siveter, D. J. and Williams, A.. (1984) Age, evolution and tectonic history of the Highland Border Complex, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, 113–33.
- Curry, G. B., Ingham, B. K., Bluck, B. J. and Williams, A. (1982) The significance of a reliable Ordovician age for some Highland Border rocks in central Scotland. *Journal of the Geological Society of London*, 139, 451–4.
- Dakyns, I. and Teall, J. J. H. (1892) On plutonic rocks of Garabal Hill and Meall Breac. *Quarterly Journal of the Geological Society of London*, 48, 104–21.
- Dakyns, J. R. and Greenly, E. (1905) On the probable Pelean origin of the felsitic slates of Snowdon and their metamorphism. *Geological Magazine*, 42, 541–9.
- Dakyns, J. R., Tiddeman, R. H. and Goodchild, J. G. (1897) The geology of the country between Appleby, Ullswater and Haweswater. *Memoir of the Geological Survey of Great Britain*, Quarter Sheet 102SW (New Series Sheet 30, England and Wales).
- Dalrymple, D. J. (1995) Contact anatexis of Dalradian metapelites from the Huntly-Knock area, Aberdeenshire, N.E. Scotland. Unpublished PhD thesis, University of Manchester.
- Daly, R. A. (1914) *Igneous Rocks and Their Origin*, McGraw-Hill, New York.
- Davies, D. A. B. (1936) Ordovician rocks of the Trefiwr district (North Wales). *Quarterly Journal of the Geological Society of London*, 92, 62–90.
- Davies, J. R., Fletcher, C. J. N., Waters, R. A., Wilson, D., Woodhall, D. and Zalaziewicz, J. A. (1996) Geology of the country around Llanilar and Rhayader. *Memoir of the British Geological Survey*, Sheets 178 and 179 (England and Wales).

Davies, R. G. (1955) An investigation of the Cader Idris granophyre and its associated rocks. Unpublished PhD thesis, University of Wales, Aberystwyth.

Davies, R. G. (1956) The Pen-y-gader dolerite and its metasomatic effects on the Llyn-gader sediments. *Geological Magazine*, 93, 153–72.

Davies, R. G. (1959) The Cadair Idris granophyre and its associated rocks. *Quarterly Journal of the Geological Society of London*, 115, 189–216.

Davis, N. (1989) The relationship between ignimbrite eruption and caldera collapse in the Borrowdale Volcanic Group of the Central Fells, English Lake District. Unpublished PhD thesis, University of Sheffield.

Dearnley, R. (1967) Metamorphism of minor intrusions associated with the Newer Granites of the Western Highlands of Scotland. *Scottish Journal of Geology*, 3, 449–57.

Deer, W. A. (1935) The Cairnsmore of Cairnsphairn igneous complex. *Quarterly Journal of the Geological Society of London*, 91, 47–76.

Deer, W. A. (1938a) The composition and para-genesis of the hornblendes of the Glen Tilt Complex, Perthshire. *Mineralogical Magazine*, 25, 56–74.

Deer, W. A. (1938b) The diorites and associated rocks of the Glen Tilt Complex, Perthshire. I — A. The granitic and intermediate hybrid rocks. *Geological Magazine*, 75, 174–84.

Deer, W. A. (1950) The diorites and associated rocks of the Glen Tilt Complex, Perthshire. II — Diorites and appinites. *Geological Magazine*, 87, 181–95.

Deer, W. A. (1953) The diorites and associated rocks of the Glen Tilt Complex, Perthshire. III — Hornblende schist and hornblendite xenoliths in the granite and diorite. *Geological Magazine*, 90, 27–35.

Dempster, T. J. and Bluck, B. J. (1991) The age and tectonic significance of the Bute amphibolite, Highland Border Complex, Scotland. *Geological Magazine*, 128, 77–80.

DePaolo, D. J. (1981) Trace elements and isotopic effects of combined wallrock assimilation and fractional crystallisation. *Earth and Planetary Science Letters*, 53, 189–202.

DePaolo, D. J., Peery E. V and Baldridge, W. S. (1992) Crustal versus mantle sources of granitic magmas: a two-parameter model based on Nd isotopic studies. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 83, 439–46, (Also *Geological Society of America Special Paper*, 272.)

Dewey, J. F. (1969) Evolution of the Appalachian/Caledonian orogen. *Nature*, 222, 124–9.

Dewey, J. F. (1974) Continental margins and ophiolite obduction: Appalachian Caledonian System. In *The Geology of Continental Margins* (eds C. A. Burk and C. L. Drake), Springer-Verlag, New York, pp. 933–95.

Dewey, J. F. (1982) Plate tectonics and the evolution of the British Isles. *Journal of the Geological Society of London*, 139, 371–414.

Dewey, J. F. and Shackleton, R. M. (1984) A model for the evolution of the Grampian tract in the early Caledonides and Appalachians. *Nature*, 312, 115–21.

Dhonau, T. J. (1964) A possible extension of the Ratagain igneous complex, Wester Ross and Inverness. *Geological Magazine*, 101, 37–9.

Dickie, D. M. and Forster, C. W. (1976) Mines and minerals of the Ochils. In *The Research Group of the Clackmannanshire Field Studies Society*, Clackmannanshire Field Studies Society.

Dodson, M. H., Miller, J. A. and York, D. (1961) Potassium-argon ages of the Dartmoor and Shap Granites using the total volume and isotopic dilution techniques of argon measurement. *Nature*, 190, 800–82.

Downie, C. and Soper, N. J. (1972) Age of the Eycott Volcanic Group and its conformable relationship to the Skiddaw Slates in the English Lake District. *Geological Magazine*, 109, 259–68.

Droop, G. T. R. and Charnley, N. (1985) Comparative geobarometry of pelitic hornfelses associated with the newer Gabbros: a preliminary study. *Journal of the Geological Society of London*, 142, 53–62.

Droop, G. T. R. and Treloar, P. J. (1981) Pressures of metamorphism in the thermal aureole of the Etive Granite Complex. *Scottish Journal of Geology*, 17, 85–102.

Druitt, T. H. and Sparks, R. S. J. (1984) On the formation of calderas during ignimbrite eruptions. *Nature*, 310, 679–81.

Duff, P. McL. D. and Smith, A. J. (1992) *Geology of England and Wales*, The Geological Society London.

Dunham, K. C. and Wilson, A. A. (1985) Geology of the northern Pennine orefield: Volume 2, Stainmore to Craven. *Economic Memoir of the British Geological Survey*, Sheet 40, 41, 50, and parts of 31, 32, 51, 60 and 61, (new series). British Geological Survey, Keyworth, Nottingham.

Dunham, K. C., Dunham, A. C., Hodge, B. L. and Johnson, G. A. L. (1965) Granite beneath

Visean sediments with mineralisation at Rookhope, north Pennines. *Quarterly Journal of the Geological Society of London*, 121, 383–417.

Dwerryhouse, A. R. (1909) On some intrusive rocks in the neighbourhood of Eskdale (Cumberland). *Quarterly Journal of the Geological Society of London*, 65, 55–80.

Eales, H. V and Cawthorne, R. G. (1996) The Bushveld Complex. In *Layered Intrusions* (ed. R. G. Cawthorne), Elsevier, Amsterdam, pp. 181–229.

Eastwood T., Dixon E. E. L., Hollingworth, S. E., and Smith, B. (1931) The geology of the Whitehaven and Workington District. *Memoir of the Geological Survey of Great Britain*, Sheet 28 (England and Wales).

Eastwood, T., Gibson, W, Cantrill, T. C. and Whitehead, T. H. (1923) The geology of the country around Coventry. *Memoir of the Geological Survey of Great Britain*, Sheet 169 (England and Wales).

Eastwood, T., Hollingworth, S. E., Rose, W. C. C. and Trotter, F. M. (1968) Geology of the country around Cockermouth and Caldbeck. *Memoir of the Geological Survey of Great Britain*, Sheet 23 (England and Wales).

Elles, G. L. (1940) The stratigraphy and faunal succession in the Ordovician rocks of the Builth-Llandrindod inlier, Radnorshire. *Quarterly Journal of the Geological Society of London*, 95, 383–445.

Elliot, R. B. (1982) The Old Red Sandstone continent: Devonian volcanism. In *Igneous Rocks of the British Isles* (ed. D. S. Sutherland), Wiley Chichester, pp. 243–53.

Elliott, D. and Johnson, M. R. W. (1980) Structural evolution in the northern part of the Moine thrust belt, NW Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 71, 69–96.

Ellis, N. V, Bowen, D. Q., Campbell, S., Knill J. L., McKirdy, A. P. et al. (1996) An *Introduction to the Geological Conservation Review*, GCR series, No. 1, JNCC, Peterborough, 131 pp.

Elsden, J. V (1905) On the igneous rocks occurring between St David's Head and Strumble Head, Pembrokeshire. *Quarterly Journal of the Geological Society of London*, 61, 579–607.

Elsden, J. V (1908) The St David's Head 'Rock Series', Pembrokeshire. *Quarterly Journal of the Geological Society of London*, 64, 273–96.

Enfield, M. A. and Coward, M. P (1987) The structure of the West Orkney Basin, northern Scotland. *Journal of the Geological Society of London*, 144, 871–84.

Evans, D. J., Rowley, W. J., Chadwick, R. A., Kimbell, G. S. and Millward, D. (1994) Seismic reflection data and the internal structure of the Lake District batholith, Cumbria, northern England. *Proceedings of the Yorkshire Geological Society*, 50, 11–24.

Evans, D. J., Rowley, W. J., Chadwick, R. A. and Millward, D. (1993) Seismic reflections from within the Lake District batholith, Cumbria, northern England. *Journal of the Geological Society of London*, 150, 1043–6.

Evans, J. A. (1990) Resetting of the Rb-Sr whole-rock system of an Ordovician microgranite during low-grade metamorphism. *Geological Magazine*, 126, 675–9.

Evans, J. A. (1991) Resetting of Rb-Sr whole-rock ages during Acadian low-grade metamorphism in North Wales. *Journal of the Geological Society of London*, 148, 703–10.

Ewart, A. (1962) Hydrothermal alteration in the Carrock Fell area, Cumberland, England. *Geological Magazine*, 99, 1–8.

Eyles, V. A., Simpson, J. B. and MacGregor, A. G. (1929) The igneous geology of Central Ayrshire. *Transactions of the Geological Society of Glasgow*, 18, 374–87.

Eyles, V. A., Simpson, J. B. and MacGregor, A. G. (1949) Geology of Central Ayrshire. *Memoir of the Geological Survey of Great Britain*, Sheet 14 (Scotland).

Faithfull, J. (1995) *The Ross of Mull Granite Quarries*, The New Iona Press, Iona.

Faller, A. M. and Briden, J. C. (1978) Palaeomagnetism of Lake District Rocks. In *The Geology of the Lake District* (ed. F. Moseley), The Yorkshire Geological Society, Leeds, pp. 17–24.

Fallick, A. E., Jocelyn, J., Donnelly, T., Guy, M. and Behan, C. (1985) Origin of agates in volcanic rocks from Scotland. *Nature*, 313, 672–4.

Farrand, M. G. (1960) The distribution of some elements across four xenoliths. *Geological Magazine*, 97, 488–93.

Ferguson, D. K. (1966) The structure of the Queen's Cairn rhyolite, Glen Coe, Argyllshire. *Scottish Journal of Geology*, 2, 153–8.

Fettes, D. J. (1978) Caledonian and post-Caledonian metamorphism in the United Kingdom and Ireland. In *Metamorphic map of Europe (1:2 500 000): explanatory text* (eds H. J. Zwart, V. S. Sobolev and E. Niggli), UNESCO, pp. 75–83.

Fettes, D. J. and Munro, M. (1989) Age of the Blackwater mafic and ultramafic intrusion, Banffshire. *Scottish Journal of Geology*, 25, 105–11.

Fettes, D. J., Leslie, A. G., Stephenson, D. and Kimbell, S. F. (1991) Disruption of Dalradian stratigraphy along the Portsoy Lineament from new geological and magnetic surveys. *Scottish Journal of Geology*, 27, 57–73.

Finlay, T. M. (1930) The Old Red Sandstone of Shetland. Part II, North-western area. *Transactions of the Royal Society of Edinburgh*, 56, 671–94.

- Finlayson, A. M. (1910) The ore-bearing pegmatites of Carrock Fell, and the genetic significance of tungsten-ores. *Geological Magazine*, 7, 19–28.
- Firman, R. J. (1957) Fissure metasomatism in volcanic rocks adjacent to the Shap granite, Westmorland. *Quarterly Journal of the Geological Society of London*, 113, 205–22.
- Firman, R. J. (1978a) Epigenetic mineralisation. In *The Geology of the Lake District* (ed. E. Moseley), The Yorkshire Geological Society, Leeds, pp. 226–41.
- Firman, R. J. (1978b) Intrusions. In *The Geology of the Lake District* (ed. E. Moseley), The Yorkshire Geological Society, Leeds, pp. 146–63.
- Fitch, F. J. (1967) Ignimbrite volcanism in North Wales. *Bulletin Volcanologique*, 30, 199–219.
- Fitches, W. R. (1992) Introduction — a structural perspective. In *Caledonian Structures in Britain South of the Midland Valley*, (ed. J. E. Treagus), Geological Conservation Review Series, No. 3. Chapman and Hall, London, pp. 97–104.
- Fitton, J. G. (1971) The petrogenesis of the calc-alkaline Borrowdale Volcanic Group, Northern England. Unpublished PhD thesis, University of Durham.
- Fitton, J. G. (1972) The genetic significance of almandine-pyrope phenocrysts in the calc-alkaline Borrowdale Volcanic Group, Northern England. *Contributions to Mineralogy and Petrology*, 36, 231–48.
- Fitton, J. G. and Hughes, D. J. (1970) Volcanism and plate tectonics in the British Ordovician. *Earth and Planetary Science Letters*, 8, 223–8.
- Fitton, J. G., Thirlwall, M. F. and Hughes, D. J. (1982) Volcanism in the Caledonian orogenic belt of Britain. In *Andesites* (ed. R. S. Thorpe), Wiley, Chichester, pp. 611–36.
- Fleming, J. (1818) On the mineralogy of the Redhead in Angusshire. *Memoirs of the Wern-erian Natural History Society*, 2, 339–69.
- Fletcher, T. A. (1989) The geology, mineralisation (Ni, Cu, PGE) and precious-metal geochemistry of Caledonian mafic intrusions near Huntly, N.E. Scotland. Unpublished PhD thesis, University of Aberdeen.
- Fletcher, T. A. and Rice, C. M. (1989) Geology, mineralization (Ni-Cu) and precious metal geochemistry of Caledonian mafic and ultramafic intrusions near Huntly, northeast Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Science)*, 98, B185–200.
- Flett, J. S. (1898) The Old Red Sandstone of the Orkneys. *Transaction of the Royal Society of Edinburgh*, 39, 383–424.
- Flinn, D. (1958) On the nappe structure of north-east Shetland. *Quarterly Journal of the Geological Society of London*, 94, 107–36.
- Flinn, D. (1988) The Moine rocks of Shetland. In *Later Proterozoic Stratigraphy of the Northern Atlantic Regions* (ed. J. A. Winchester), Blackie, Glasgow, pp. 74–85.
- Flinn, D. (1992) Late Caledonian northeastward ophiolite thrusting in the Shetland Islands, U.K. — Refutation. *Tectonophysics*, 216, 387–9.
- Flinn, D. (1993) New evidence that the high temperature hornblende-schists below the Shetland ophiolite include basic igneous rocks intruded during obduction of the cold ophiolite. *Scottish Journal of Geology*, 29, 159–65.
- Flinn, D. (1996) The Shetland Ophiolite Complex: field evidence for the intrusive emplacement of the 'cumulate' layers. *Scottish Journal of Geology*, 32, 151–8.

Flinn, D., Miller, J. A., Evans, A. L. and Pringle, I. R. (1968) On the age of the sediments and contemporaneous volcanic rock of western Shetland. *Scottish Journal of Geology*, 4, 10–19.

Flinn, D., Miller, J. A. and Roddam, D. (1991) The age of the Norwick hornblendic schists of Unst and Fetlar and the obduction of the Shetland ophiolite. *Scottish Journal of Geology*, 27, 11–19.

Floyd, J. D. (1996) Lithostratigraphy of the Ordovician rocks in the Southern Uplands: Crawford Group, Moffat Shale Group, Leadhills Supergroup. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 86, 153–65.

Floyd, J. D. (1997) Geology of the Carrick-Loch Doon district. *Memoir of the British Geological Survey*, Sheets 8W and 8E (Scotland).

Fortey, N. J., Merriman, R. J. and Huff, W. D. (1996) Silurian and late Ordovician K-bentonites as a record of late Caledonian volcanism in the British Isles. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 86, 167–80.

Floyd, P. A., Exley, C. S. and Styles, M. T. (1993) *Igneous Rocks of South-West England*. Geological Conservation Review Series, No. 5, Chapman and Hall, London.

Fowler, M. B. (1988a) Ach'uaine hybrid appinite pipes: evidence for mantle-derived shoshonitic parent magmas in Caledonian granite gneiss. *Geology*, 16, 1026–30.

Fowler, M. B. (1988b) Elemental evidence for crustal contamination of mantle-derived Caledonian syenite by metasediment anatexis and magma mixing. *Chemical Geology*, 69, 1–16.

Fowler, M. B. (1992) Elemental and O-Sr-Nd isotope geochemistry of the Glen Dessarry syenite, NW Scotland. *Journal of the Geological Society of London*, 149, 209–20.

Fowler, M. B. and Henney, P. J. (1996) Mixed Caledonian appinite magmas: implications for lamprophyre fractionation and high Ba-Sr granite genesis. *Contributions to Mineralogy and Petrology*, 126, 199–215.

Fowler, T. K., Jr, Paterson, S. R., Crossland, A. and Yoshinobu, A. (1995) Pluton emplacement mechanisms: a view from the roof (abstract). In *The Origin of Granites and Related Rocks*, (eds M. Brown and P. M. Piccoli), US Geological Survey Circular, 1129, 57.

Francis, E. H. (1982) Emplacement mechanism of late Carboniferous tholeiite sills in northern Britain. *Journal of the Geological Society of London*, 139, 1–20.

Francis, E. H. (1983) Magma and sediment-II: Problems of interpreting palaeovolcanics buried in the stratigraphic column. *Journal of the Geological Society of London*, 140, 165–84.

Francis, E. H. (1988) Mid-Devonian to early Permian volcanism: Old World. In *The Caledonian — Appalachian Orogen* (eds A. L. Harris and D. J. Fettes), *Geological Society Special Publication*, No. 38, pp. 573–84.

Francis, E. H. and Howells, M. F. (1973) Transgressive welded ash-flow tuffs among the Ordovician sediments of N.E. Snowdonia, N. Wales *Journal of the Geological Society of London*, 129, 621–41.

Francis, E. H., Forsyth, I. H., Read, W. A. and Armstrong, M. (1970) The geology of the Stirling district. *Memoir of the Geological Survey of Great Britain*, Sheet 39 (Scotland).

Freeman, B., Klemperer, S. L. and Hobbs, R. W (1988) The deep structure of Northern England and the Iapetus suture zone from BIRPS deep seismic reflection profiles. *Journal of the Geological Society of London*, 145, 727–40.

French, W. J., Hassan, M. D. and Westcott, J. (1979) The petrogenesis of Old Red Sandstone volcanic rocks of the western Ochils, Stirlingshire. In *The Caledonides of the British Isles — reviewed* (eds A. L. Harris, C. H. Holland and B. E. Leake). *Geological Society of London Special Publication*, No. 8.

- Friend, C. R. L., Kinney, P. D., Rogers, G., Strachan, R. A. and Patterson, B. A. (1997) U-Pb zircon geochronological evidence for Neoproterozoic events in the Glenfinnan Group (Moine Supergroup): the formation of the Ardgour granite gneiss, north-west Scotland. *Contributions to Mineralogy and Petrology*, 128, 101–13.
- Friend, P. F. and Macdonald, R. (1968) Volcanic sediments, stratigraphy and tectonic background of the Old Red Sandstone of Kintyre, W Scotland. *Scottish Journal of Geology*, 4, 265–82.
- Fritz, W. J., Howells, M. F., Reedman, A. J. and Campbell, S. D. G. (1990) Volcaniclastic sedimentation in an Ordovician subaqueous caldera, Lower Rhyolitic Tuff Formation, North Wales. *Bulletin of the Geological Society of America*, 96, 1246–56.
- Frost, C. D. and O'Nions, R. K. ,(1985) Caledonian magma genesis and crustal recycling. *Journal of Petrology*, 26, 515–44.
- Fumes, H. (1978) A comparative study of Caledonian volcanics in Wales and West Norway. Unpublished D.Phil. thesis, University of Oxford.
- Gale, N. H., Beckinsale, R. D. and Wadge, A. J. (1979) A Rb-Sr whole-rock isochron for the Stockdale Rhyolite of the English Lake District and a revised Mid-Palaeozoic time-scale. *Journal of the Geological Society of London*, 136, 235–42.
- Gallagher, M. J., Michie, U. McL., Smith, R. T. and Haynes, L. (1971) New evidence of uranium and other mineralisation in Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, 80, 150–73.
- Gandy, M. K. (1972) The petrology and geochemistry of the Lower Old Red Sandstone lavas of the Sidlaw Hills, Perthshire. Unpublished PhD thesis, University of Edinburgh.
- Gandy, M. K. (1975) The petrology of the Lower Old Red Sandstone lavas of the eastern Sidlaw Hills, Perthshire, Scotland. *Journal of Petrology*, 16, 189–211.
- Gardiner, C. I. and Reynolds, S. H. (1932) The Loch Doon 'granite' area, Galloway. *Quarterly Journal of the Geological Society of London*, 88, 1–34.
- Gardiner, C. I. and Reynolds, S. H. (1936) The Cairnsmore of Fleet granite and its metamorphic aureole. *Quarterly Journal of the Geological Society of London*, 92, 360–1.
- Garnham, J. A. (1988) Ring-faulting and associated intrusions, Glencoe, Scotland. Unpublished PhD thesis, Imperial College, University of London.
- Garson, M. S., Coates, J. S., Rock, N. M. S. and Deans, T. (1984) Fenites, breccia dykes, albitites and carbonatitic veins near the Great Glen Fault, Inverness, Scotland. *Journal of the Geological Society of London*, 141, 711–32.
- Gass, I. G. (1980) The Troodos massif: its role in the unravelling of the ophiolite problem and its significance in the understanding of constructive plate margin processes. In *Ophiolites; Proceedings of the International Ophiolite Symposium, Cyprus, 1979* (ed. A. Panayiotou), Ministry of Agriculture and Natural Resources, Nicosia, pp. 23–35.
- Gass, I. G., Neary, C. R., Prichard, H. M. and Bartholomew, I. D. (1982) The chromite of the Shetland ophiolite. A report for the Commission of the European Communities. Contract 043–79–1-MMP U.K.
- Geikie, A. (1863) The geology of eastern Berwickshire. *Memoir of the Geological Survey of Great Britain*, Sheet 34 (Scotland).
- Geikie, A. (1888) Report on the recent work of the Geological Survey in the North-West Highlands of Scotland, based on the field notes and maps of Messrs Peach, B. N., Horn, J., Gunn, W, Clough, C. T., Hinxman, L., and Cadell, H. M. *Quarterly Journal of the Geological Society of London*, 44, 378–441. Geikie, A. (1897) *The Ancient Volcanoes of Great Britain*, Macmillan, London.

Geikie, A. (1900) The geology of central and west Fife and Kinross. *Memoir of the Geological Survey of Great Britain*, Sheet 40 and parts of Sheets 32 and 48 (Scotland). Geikie, A. (1902) The geology of east Fife. *Memoir of the Geological Survey of Great Britain*, Sheet 41 and parts of Sheets 40, 48 and 49 (Scotland).

Geikie, A., Geikie, J. and Peach, B. N. (1869) Ayrshire: southern district. *Memoir of the Geological Survey of Great Britain*, Sheet 14 (Scotland).

Geikie, J. (1887) Geology and petrology of St Abb's Head. *Proceedings of the Royal Society of Edinburgh*, 14, 177–93.

Gibbons, W and Gayer, R. A. (1985) British Caledonian terranes. In *The Tectonic Evolution of the Caledonian-Appalachian Orogen* (ed. R. A. Gayer), Vieweg, Wiesbaden, pp. 3–16.

Gibbons, W and McCarroll, D. (1993) Geology of the country around Aberdaron, including Bardsey Island. *Memoir of the British Geological Survey*, Sheet 133 (England and Wales).

Gillen, C. (1987) Huntly, Elgin and Lossiemouth. In *Excursion Guide to the Geology of the Aberdeen Area* (eds N. H. Trewin, B. C. Kneller and C. Gillen), Scottish Academic Press, Edinburgh for the Geological Society of Aberdeen, pp. 149–59.

Gillen, C. and Trewin, N. H. (1987) Dunnottar to Stonehaven and the Highland Boundary Fault. In *Excursion Guide to the Geology of the Aberdeen Area* (eds N. H. Trewin, B. C. Kneller and C. Gillen), Scottish Academic Press, Edinburgh for the Geological Society of Aberdeen, pp. 265–273.

Gillespie, M. R. and Styles, M. T. (1999) BGS Rock Classification Scheme Volume 1: Classification of Igneous Rocks (2nd edn). *British Geological Survey Research Report*, No. RR99–6.

Goodman, S. and Lappin, M. A. (1996) The thermal aureole of the Lochnagar Complex: inter nal reactions and implications from thermal modelling. *Scottish Journal of Geology*, 32, 159–72.

Gould, D. (1997) Geology of the country around Inverurie and Alford. *Memoir of the British Geological Survey*, Sheets 76W and 76E (Scotland).

Gradstein, F. M. and Ogg, J. G. (1996) A Phanerozoic time scale. *Episodes*, 19, 3–5. Grantham, D. R. (1928) The petrology of the Shap granite. *Proceedings of the Geologists' Association*, 39, 299–331.

Green, J. F. N. (1913) *The Older Palaeozoic Succession of the Duddon Estuary*, Hayman, Christy and Lilly, London.

Green, J. E. N. (1915a) The garnets and streaky rocks of the English Lake District. *Mineralogical Magazine*, 17, 207–17.

Green, J. F. N. (1915b) The structure of the eastern part of the Lake District. *Proceedings of the Geologists' Association*, 26, 195–223.

Green, J. F. N. (1917) The age of the chief intrusions of the Lake District. *Proceedings of the Geologists' Association*, 28, 1–30.

Green, J. F. N. (1920) The geological structure of the Lake District. *Proceedings of the Geologists' Association*, 31, 109–26.

Green, T. H. (1976) Experimental generation of cordierite- or garnet-bearing liquids from a pelitic composition. *Geology*, 4, 85–8.

Greig, D. C. (1975) St Abb's Head. In *The Geology of the Lothians and South-east Scotland: an Excursion Guide* (eds C. Y. Craig and P. M. D. Duff), Scottish Academic Press, Edinburgh, pp. 118–30.

Greig, D. C. (1988) Geology of the Eyemouth district. *Memoir of the British Geological Survey*, Sheet 34 (Scotland).

- Greig, D. C. (1992) St Abb's Head. In *Scottish Borders Geology: an Excursion Guide* (eds A. D. McAdam, E. N. K. Clarkson and P. Stone), Scottish Academic Press, Edinburgh, pp. 31–40.
- Gribble, C. D. (1968) The cordierite-bearing rocks of the Haddo House and Arnage districts, Aberdeen. *Contributions to Mineralogy and Petrology*, 17, 315–30.
- Groom, T. and Lake, P. (1908) The Bala and Llandovery rocks of Glyn Ceiriog (North Wales). *Quarterly Journal of the Geological Society of London*, 64, 546–95.
- Groome, D. R. and Hall, A. (1974) The geochemistry of the Devonian lavas of the northern Lorne Plateau, Scotland. *Mineralogical Magazine*, 39, 621–40.
- Gunn, A. G. and Shaw, M. H. (1992) Platinum-group elements in the Huntly intrusion, Aberdeenshire, north-east Scotland. *British Geological Survey Technical Report*, No. WF/92/4 (*BGS Mineral Reconnaissance Programme Report* No. 124).
- Gunn, A. G., Styles, M. T., Rollin, K. E. and Stephenson, D. (1996) The geology of the Succoth-Brown Hill mafic-ultramafic complex, near Huntly, Aberdeenshire. *Scottish Journal of Geology*, 32, 33–49.
- Gunn, W., Clough, C. T. and Hill, J. B. (1897) The geology of Cowal. *Memoir of the Geological Survey of Great Britain*, Sheet 29 (Scotland).
- Gunn, W., Geikie, A. and Peach, B. N. (1903) The geology of north Arran, south Bute and the Cumbranes with parts of Ayrshire and Kintyre. *Memoir of the Geological Survey of Great Britain*, Sheet 21 (Scotland).
- Hadfield, G. S. and Whiteside, H. C. (1936) The Borrowdale Series of High Rigg and the adjoining Low Rigg Microgranite. *Proceedings of the Geologists' Association*, 47, 42–64.
- Hall, I. H. S., Gallagher, M. J., Skilton, B. R. H. and Johnson, C. E. (1982) Investigation of polymetallic mineralisation in Lower Devonian volcanics near Alva, central Scotland. *Mineral Reconnaissance Programme Report, Institute of Geological Sciences*, No. 53.
- Halliday, A. N. (1984) Coupled Sm-Nd and U-Pb systematics in late Caledonian granites and the basement under Northern Britain. *Nature*, 307, 229–33.
- Halliday, A. N., Aftalion, M., Parsons, I., Dickin, A. P. and Johnson, M. R. W. (1987) Syn-orogenic alkaline magmatism and its relationship to the Moine Thrust Zone and the thermal state of the lithosphere in NW Scotland. *Journal of the Geological Society of London*, 144, 611–17.
- Halliday, A. N., Aftalion, M., van Breemen, O. and Jocelyn, J. (1979a) Petrogenetic significance of Rb-Sr and U-Pb isotopic systems in the 400 Ma old British Isles granitoids and their hosts. In *The Caledonides of the British Isles — Reviewed* (eds A. L. Harris, C. H. Holland and B. E. Leake), *Geological Society of London Special Publication*, No. 8, pp. 653–62.
- Halliday, A. N., Dickin, A. P., Fallick, A. E., Stephens, W. E., Hutton, D. H. W. and Yardley, B. W. D. (1984) Open mantle and crust systems during ascent and emplacement of Late Caledonian alkali-rich magmas: a detailed multidisciplinary study of the Ratagain complex, NW Scotland. (Abstract) *Proceedings of I.S.E.M field conference on Open Magmatic Systems*, (August 1984, Taos, New Mexico), Institute for the Study of Earth and Man, Southern Methodist University, Dallas, Texas, pp. 175–6.
- Halliday, A. N., McAlpine, A. and Mitchell, J. G. (1977) The age of the Hoy Lavas, Orkney. *Scottish Journal of Geology*, 13, 43–52.
- Halliday, A. N., McAlpine, A. and Mitchell, J. G. (1979b) The age of the Hoy Lavas, Orkney: Erratum. *Scottish Journal of Geology*, 15, 79.

Halliday, A. N., McAlpine, A. and Mitchell, J. G. (1982) $^{40}\text{Ar}/^{39}\text{Ar}$ age of the Hoy lavas, Orkney. In *Numerical Dating in Stratigraphy* (ed. G. S. Odin), Wiley, Chichester, pp. 928–31.

Halliday, A. N., Stephens, W. E. and Harmon, R. S. (1980) Rb-Sr and O isotopic relationships in 3 zoned Caledonian granitic plutons, Southern Uplands, Scotland: evidence for varied sources and hybridisation of magmas. *Journal of the Geological Society of London*, 137, 329–48.

Halliday, A. N., Stephens, W. E. and Harmon, R. S. (1981) Isotopic and chemical constraints on the development of peraluminous Caledonian and Acadian granites. *Canadian Mineralogist*, 19, 205–16.

Halliday, A. N., Stephens, W. E., Hunter, R. H., Menzies, M. A., Dicken, A. P and Hamilton, P. J. (1985) Isotopic and chemical constraints on the building of the deep Scottish lithosphere. *Scottish Journal of Geology*, 21, 465–91.

Hallimond, A. F. (1930) On the magnetic disturbances in north Leicestershire. *Summary of Progress of the Geological Survey of Great Britain for 1929, Part H*, 1–23.

Hamidullah, S. (1983) Petrogenetic studies of the appinite suite, northwestern Scotland. Unpublished PhD thesis, University of Glasgow.

Hamidullah, S. and Bowes, D. R. (1987) Petrogenesis of the appinite suite, Appin District, Western Scotland. *Acta Universitas Carolinae — geologica*, 4, 295–396.

Hamilton, P. J., Bluck, B. J. and Halliday, A. N. (1984) Sm-Nd ages from the Ballantrae complex, SW Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, 183–7.

Hamilton, P. J., O'Nions, R. K. and Pankhurst, R. J. (1983) Isotopic evidence for the provenance of some Caledonian granites. *Nature*, 287, 279–84.

Hancock, N. J. (1982) Stratigraphy, palaeogeography and structure of the East Mendips Silurian Inlier. *Proceedings of the Geologists' Association*, 93, 247–61.

Hancox, E. G. (1934) The Haweswater dolerite, Westmorland. *Proceedings of the Liverpool Geological Society*, 16, 173–97.

Hanson, R. E. and Schweickert, R. A. (1986) Stratigraphy of mid-Paleozoic island-arc rocks in part of the northern Sierra Nevada, Sierra and Nevada Counties, California. *Geological Society of America Bulletin*, 97, 986–98.

Hardie, W. G. (1963) Explosion-breccias near Stob Mhic Mhartuin, Glen Coe, Argyll, and their bearing on the origin of the nearby flinty crush-rock. *Transactions of the Edinburgh Geological Society*, 19, 426–38.

Hardie, W. G. (1968) Volcanic breccia and the Lower Old Red Sandstone unconformity, Glen Coe, Argyll. *Scottish Journal of Geology*, 4 (4), 291–9.

Harker, A. (1888) The eruptive rocks of Sam. *Quarterly Journal of the Geological Society of London*, 44, 442–61.

Harker, A. (1889) *The Bala Volcanic Series of Carnarvonshire and Associated Rocks*, Cambridge University Press, Cambridge.

Harker, A. (1894) Carrock Fell: a study in the variation of igneous rock-masses — Part I. The gabbro. *Quarterly Journal of the Geological Society of London*, 50, 311–37.

Harker, A. (1895a) *Petrology for Students: an Introduction to the Study of Rocks under the Microscope*, Cambridge University Press, Cambridge.

Harker, A. (1895b) Carrock Fell: a study in the variation of igneous rock-masses — Part II. The Carrock Fell Granophyre. Part III. The Grainsgill Greisen. *Quarterly Journal of the Geological Society of London*, 51, 125–48.

Harker, A. (1902) Notes on the igneous rocks of the English Lake District. *Proceedings of the Yorkshire Geological Society*, 14, 487–93.

Harker, A. and Marr, J. E. (1891) The Shap Granite and associated rocks. *Quarterly Journal of the Geological Society of London*, 47, 266–328.

Harker, A. and Marr, J. E. (1893) Supplementary notes on the metamorphic rocks around the Shap Granite. *Quarterly Journal of the Geological Society of London*, 49, 359–71.

Harland, W. B., Cox, A. V., Craig, L. E., Smith, A. G. and Smith, D. G. (1990) *A Geologic Time Scale 1989*, Cambridge University Press, Cambridge.

Harmon, R. S. and Halliday, A. N. (1980) Oxygen and strontium isotope relationships in the British late Caledonian granites. *Nature*, 283, 21–5.

Harmon, R. S., Halliday, A. N., Clayburn, J. A. P and Stephens, W. E. (1984) Chemical and isotopic systematics of the Caledonian intrusions of Scotland and Northern England: a guide to magma source region and magma-crust interaction. *Philosophical Transactions of the Royal Society of London*, A 310, 709–42.

Harper, D. A. T. and Brenchley, P. J. (1993) An endemic brachiopod fauna from the Middle Ordovician of North Wales. *Geological Journal*, 28, 21–36.

Harris, P and Dagger, G. W. (1987) The intrusion of the Carrock Fell Gabbro Series (Cumbria) as a sub-horizontal tabular body. *Proceedings of the Yorkshire Geological Society*, 46, 371–80.

Harrison, T. N. (1986) The mode of emplacement of the Cairngorm granite. *Scottish Journal of Geology*, 22, 303–14.

Harrison, T. N. (1987a) The evolution of the Eastern Grampians Granites. Unpublished PhD thesis, University of Aberdeen.

Harrison, T. N. (1987b) The granitoids of eastern Aberdeenshire. In *Excursion guide to the geology of the Aberdeen area* (eds N. H. Trewin, B. C. Kneller and C. Gillen), Scottish Academic Press, Edinburgh for The Geological Society of Aberdeen, pp. 243–50.

Harrison, T. N. (1988) Magmatic garnets in the Cairngorm granite, Scotland. *Mineralogical Magazine*, 52, 659–67.

Harrison, T. N. and Hutchinson, J. (1987) The age and origin of the Eastern Grampians Newer Granites. *Scottish Journal of Geology*, 23, 269–82.

Harry, W. T. (1956) The Old Red Sandstone Lavas of the western Sidlaw Hills, Perthshire. *Geological Magazine*, 93, 43–56.

Harry, W. T (1958) The Old Red Sandstone Lavas of the eastern Sidlaws. *Transactions of the Edinburgh Geological Society*, 17, 105–12.

Harte, B., Booth, J. E., Dempster, T. J., Fettes, D. J., Mendum, J. R. and Watts, D. (1984) Aspects of the post-depositional evolution of Dalradian and Highland Border Complex rocks in the Southern Highlands of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, 151–63.

Hartley, J. J. (1932) The volcanic and other igneous rocks of Great and Little Langdale, Westmorland; with notes on the tectonics of the district. *Proceedings of the Geologists' Association*, 43, 32–69.

Haslam, H. W. (1968) The crystallisation of intermediate and acid magmas at Ben Nevis, Scotland. *Journal of Petrology*, 9, 84–104.

Hatch, F. H. (1891) An *Introduction to the Study of Petrology: the Igneous Rocks*, Swan Sonnenschein, London.

Hatch, F. M., Wells, A. K. and Wells, M. K. (1971) *Petrology of the Igneous Rocks*, Murby, London.

Haughton, P. D. W (1988) A cryptic Caledonian flysch terrane in Scotland. *Journal of the Geological Society of London*, 145, 685–703.

Hausback, B. P. (1987) An extensive, hot, vapour-charged rhyodacite flow, Baja California, Mexico. In *The Emplacement of Silicic Domes and Lava Flows* (ed. J. H. Fink), *Geological Society of America Special Paper*, No. 212, pp. 111–18.

Hawkins, T. R. W. (1965) A note on rhythmic layering in hornblende-picrites and dolerites at Rhiw, North Wales. *Geological Magazine*, 102, 202.

Hawkins, T. R. W (1970) Hornblende gabbros and picrites at Rhiw, Caernarvonshire. *Geological Journal*, 7, 1–24.

Heddle, M. F. (1881) The geognosy and mineralogy of Scotland. Sutherland — Continued. *Mineralogical Magazine*, 4, 197–254.

Heddle, M. E (1883a) The geognosy and mineralogy of Scotland. Sutherland — Part IV *Mineralogical Magazine*, 5, 133–89.

Heddle, M. F. (1883b) The geognosy and mineralogy of Scotland. Sutherland — Part V. *Mineralogical Magazine*, 5, 217–63.

Heddle, M. F. (1901) *The Mineralogy of Scotland*. D. Douglas, Edinburgh.

Heiken, G. H. (1971) Tuff rings: examples from Fort Rock-Christmas Lake Valley basin, south central Oregon. *Journal of Geophysical Research*, 76, 5615–26.

Henderson, W. G. and Fortey, N. J. (1982) Highland Border rocks at Loch Lomond and Aberfoyle. *Scottish Journal of Geology*, 18, 227–45.

Henderson, W. G. and Robertson, A. H. F. (1982) The Highland Border rocks and their relation to marginal basin development in the Scottish Caledonides. *Journal of the Geological Society of London*, 139, 433–50.

Henney, P. J. (1991) The geochemistry and petrogenesis of the minor intrusive suite associated with the Late Caledonian Criffel-Dalbeattie pluton, SW Scotland. Unpublished PhD thesis, University of Aston, Birmingham.

Hepworth, B. C., Oliver, G. J. H. and McMurtry M. J. (1982) Sedimentology, volcanism, structure and metamorphism of the northern margin of a Lower Palaeozoic accretionary complex; Bail Hill-Abington area of the Southern Uplands of Scotland. In *Trench-Forearc Geology: Sedimentation and Tectonics on Modern and Ancient Active Plate Margins* (ed. J. K. Leggett), *Geological Society Special Publication*, No. 10, pp. 521–34.

Higazy, R. A. (1954) The trace elements of the plutonic complex of Loch Doon (southern Scotland) and their petrological significance. *Journal of Geology*, 62, 172–81.

Highton, A. J. (1999) Geology of the Aviemore district. *Memoir of the British Geological Survey*, Sheet 74E (Scotland).

Hill, E. and Bonney, T. G. (1878) On the pre-Carboniferous rocks of the Charnwood Forest, Part II. *Quarterly Journal of the Geological Society of London*, 34, 199–239.

Hill, J. B. (1905) The geology of Mid-Argyll. *Memoir of the Geological Survey of Great Britain*, Sheet 37 (Scotland).

- Hill, J. B. and Kynaston, H. (1900) On Kentallenite and its relations to other igneous rocks in Argyllshire. *Quarterly Journal of the Geological Society of London*, 56, 531–57.
- Hinxman, L. W and Wilson, J. S. G. (1890) Central Aberdeenshire. *Memoir of the Geological Survey of Great Britain*, Sheet 76 (Scotland).
- Hitchen, C. S. (1934) The Skiddaw granite and its residual products. *Quarterly Journal of the Geological Society of London*, 90, 158–200.
- Holden, P (1987) Source and equilibration studies of Scottish Caledonian xenolith suites. Unpublished PhD thesis, University of St Andrews.
- Holden, P., Halliday, A. N. and Stephens, W. E. (1987) Neodymium and strontium isotope content of microdiorite enclaves point to mantle input to granitoid production. *Nature*, 330, 53–6.
- Holden, P., Halliday, A. N., Stephens, W. E. and Henney, P. J. (1991) Chemical and isotopic evidence for major mass transfer between mafic enclaves and felsic magma. *Chemical Geology*, 92, 135–52.
- Holder, M. T. (1983) Discussion on convection and crystallization in the Criffel Dalbeattie pluton. *Journal of the Geological Society of London*, 140, 311–13.
- Holdsworth, R. E. and Strachan, R. A. (in press) Geology of the Tongue district. *Memoir of the British Geological Survey*, Sheet 114E (Scotland).
- Holdsworth, R. E., Harris, A. L. and Roberts, A. M. (1987) The stratigraphy, structure and regional significance of the Moine Rocks of Mull, Argyllshire, W Scotland. *Geological Journal*, 22, 83–107.
- Holland, J. G. and Lambert, R. S. J. (1970) Weardale Granite. In *Geology of Durham County. Transactions of the Natural History Society of Northumberland, Durham and Newcastle upon Tyne*, 41, 103–18.
- Hollingworth, S. E. (1937) Carrock Fell and adjoining areas. Report of Field Meeting. *Proceedings of the Yorkshire Geological Society*, 23, 208–18.
- Holmes, A. (1920) *The nomenclature of petrology*. Murby, London.
- Holmes, A. (1993) *Holmes' Principles of Physical Geology*, (ed. P. McL. D. Duff), (4th edn), Chapman and Hall, London.
- Holub, F. V, Klapova, H., Bluck, B. J. and Bowes, D. R. (1984) Petrology and geochemistry of post-obduction dykes of the Ballantrae complex, SW Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, 211–23.
- Horne, J. and Teall, J. J. H. (1892) On borolanite — an igneous rock intrusive in the Cambrian limestone of Assynt, Sutherlandshire, and the Torridon sandstone of Ross-shire. *Transactions of the Royal Society of Edinburgh*, 37, 163–78.
- Horne, J., Peach, B. N. and Teall, J. J. H. (1896) Kirkcudbrightshire. *Memoir of the Geological Survey of Great Britain*, Sheet 5 (Scotland).
- House, M. R., Richardson, J. B., Chaloner, W. G., Allen, J. R. L., Holland, C. H. and Westoll, T. S. (1977) A correlation of the Devonian rocks in the British Isles. *Special Report of the Geological Society of London*, 7.
- Howard, F. T. and Small, E. W (1896a) Geological notes on Skomer Island. *Transactions of the Cardiff Naturalists' Society*, 28, 55–60.
- Howard, E. T. and Small, E. W (1896b) The geology of Skomer Island. *Report of the British Association for the Advancement of Science*, 797–8.

Howard, F. T. and Small, E. W (1897) Further notes on the geology of Skomer Island. *Transactions of the Cardiff Naturalists' Society*, 29, 64–6.

Howells, M. F. and Leveridge, B. E. (1980) The Capel Curig Volcanic Formation. *Report of the Institute of Geological Sciences*, No. 80/6.

Howells, M. F. and Smith, M. (1997) Geology of the country around Snowdon. *Memoir of the British Geological Survey*, Sheet 119 (England and Wales).

Howells, M. F., Campbell, S. D. G., Reedman, A. J. and Tunnicliff, S. P. (1987) An acidic fissure-controlled volcanic centre (Ordovician) at Yr Arddu, N. Wales. *Geological Journal*, 21, 133–49.

Howells, M. F., Francis, E. H., Leveridge, B. E. and Evans, C. D. R. (1978) *Classical areas of British geology: Capel Curig and Betws y Coed: Description of 1:25 000 Sheet SH75*. HMSO, London, for Institute of Geological Sciences.

Howells, M. F., Leveridge, B. E., Addison, R., Evans, C. D. R. and Nutt, M. J. C. (1979) The Capel Curig Volcanic Formation, Snowdonia, North Wales; variations in ash-flow tuffs related to emplacement environment. In *The Caledonides of the British Isles — reviewed* (eds A. Harris, C. H. Holland and B. E. Leake). *Geological Society of London Special Publication*, No. 8.

Howells, M. F., Leveridge, B. E., Addison, R. and Reedman, A. J. (1983) The lithostratigraphical subdivision of the Ordovician underlying the Snowdon and Crafnant volcanic groups, North Wales. *Report of the Institute of Geological Sciences*, No. 83/1.

Howells, M. F., Leveridge, B. E. and Evans, C. D. R. (1973) Ordovician ash-flow tuffs in eastern Snowdonia. *Report of the Institute of Geological Sciences*, No. 73/3.

Howells, M. F., Leveridge, B. E. and Reedman, A. J. (1981) *Snowdonia — Rocks and Fossils*, Unwin Paperbacks, London.

Howells, M. F., Reedman, A. J. and Campbell, S. D. G. (1986) The submarine eruption and emplacement of the Lower Rhyolitic Tuff Formation (Ordovician), N. Wales. *Journal of the Geological Society of London*, 143, 411–24.

Howells, M. F., Reedman, A. J. and Campbell, S. D. G. (1991) *Ordovician (Caradoc) Marginal Basin Volcanism in Snowdonia (Northwest Wales)*, HMSO, London, for the British Geological Survey.

Hudson, S. N. (1937) The volcanic rocks and minor intrusions of the Cross Fell Inlier, Cumberland and Westmorland. *Quarterly Journal of the Geological Society of London*, 93, 368–405.

Hughes, C. P., Jenkins, C. J. and Rickards, R. B. (1982) Abereiddi Bay and the adjacent coast. In *Geological Excursions in Dyfed, South-West Wales* (ed. M. G. Bassett), National Museum of Wales, Cardiff, pp. 51–63.

Hughes, D. J. (1977) The petrochemistry of the Ordovician igneous rocks of the Welsh Basin. Unpublished PhD thesis, University of Manchester.

Hughes, R. A. and Fettes, D. J. (1994) Geology of the 1:10 000 Sheet NY 11 NW (Floutern Tarn). Part of the 1:50 000 Sheet 29 (Keswick). *British Geological Survey Technical Report*, No. WA/94/69.

Hughes, R. A. and Kokelaar, P. (1993) The timing of Ordovician magmatism in the English Lake District and Cross Fell inliers. *Geological Magazine*, 130, 369–77.

Hughes, R. A., Evans, J. A., Noble, S. R. and Rundle, C. C. (1996) U-Pb geochronology of the Ennerdale and Eskdale intrusions supports sub-volcanic relationships with the Borrowdale Volcanic Group (Ordovician, English Lake District). *Journal of the Geological Society of London*, 153, 33–8.

Hunter, R. H. (1980) The petrology and geochemistry of the Carrock Fell Gabbro-granophyre Complex, Cumbria. Unpublished PhD thesis, University of Durham.

Hunter, R. H. and Bowden, N. (1990) The Carrock Fell Igneous Complex. Itinerary 3. In *The Lake District* (ed. F. Moseley), The Geologists' Association, London, pp. 57–67.

Hutton, D. H. W (1987) Strike slip terranes and a model for the evolution of the British and Irish Caledonides. *Geological Magazine*, 124, 405–25.

Hutton, D. H. W (1988a) Granite emplacement mechanisms and tectonic controls: inferences from deformation studies. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 79, 245–55.

Hutton, D. H. W (1988b) Igneous emplacement in a shear zone termination; the biotite granite at Strontian. *Geological Society of America Bulletin*, 100, 1392–99.

Hutton, D. H. W. and McErlean, M. (1991) Silurian and early Devonian sinistral deformation of the Ratagain granite, Scotland: constraints on the age of Caledonian movements on the Great Glen fault system. *Journal of the Geological Society of London*, 148, 1–4.

Hutton, D. H. W. and Reavy, R. J. (1992) Strike-slip tectonics and granite petrogenesis. *Tectonics*, 11, 960–7.

Hutton, D. H. W, Stephens, W. E., Yardley, B., McErlean, M. and Halliday, A. N. (1993) Ratagain Plutonic complex. In *Geology of the Kintail district* (F. May, J. D. Peacock, D. I. Smith and A. J. Barber), *Memoir of the British Geological Survey*, Sheet 72W and part of 71E (Scotland), pp. 52–6.

Hutton, J. (1788) Theory of the Earth; or an Investigation of the Laws observable in the Composition, Dissolution, and Restoration of the Land upon the Globe. *Transactions of the Royal Society of Edinburgh*, 1, 209–304.

Hutton, J. (1794) Observations on Granite. *Transactions of the Royal Society of Edinburgh*, 3, 77–85.

Hutton, J. (1899) *Theory of the Earth with Proofs and Illustrations*, III (ed. A. Geikie), The Geological Society of London.

Ikin, N. P. (1983) Petrochemistry and tectonic significance of the Highland Border Suite mafic rocks. *Journal of the Geological Society of London*, 140, 267–78.

Ikin, N. P and Harmon, R. S. (1984) Tectonic history of the ophiolitic rocks of the Highland Border fracture zone, Scotland; stable isotope evidence from fluid rock interactions during obduction. *Tectonophysics*, 106, 31–48.

Ingham, J. K., Curry, G. B. and Williams, A. (1985) Early Ordovician Dounans Limestone fauna, Highland Border Complex, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 76, 481–513.

Ingham, J. K., McNamara, K. J. and Rickards, R. B. (1978) The Upper Ordovician and Silurian rocks. In *The Geology of the Lake District* (ed. F. Moseley), The Yorkshire Geological Society, Leeds, pp. 121–45.

Institute of Geological Sciences (1963) *Summary of Progress for 1962*, HMSO, London, p. 57.

Jacques, J. M. and Reavy, R. J. (1994) Caledonian plutonism and major lineaments in the SW Scottish Highlands. *Journal of the Geological Society of London*, 151, 955–69.

Jarvis, K. E. (1987) The petrogenesis and geochemistry of the diorite complexes south of Balmoral Forest, Angus. Unpublished PhD thesis, London Polytechnic University.

Jehu, T. J. and Campbell, R. (1917) The Highland Border rocks of the Aberfoyle district. *Transactions of the Royal Society of Edinburgh*, 52, 175–212.

Jelínek, E., Souèek, J., Bluck, B. J., Bowes, D. R. and Treloar, P. J. (1980) Nature and significance of beerbachites in the Ballantrae ophi-olite, SW Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 71, 159–79.

Jennings, A. V. and Williams, G. J. (1891) Manod and the Moelwyns. *Quarterly Journal of the Geological Society of London*, 47, 368–83.

Jhingran, A. G. (1942) The Cheviot granite. *Quarterly Journal of the Geological Society of London*, 78, 241–54.

Johnson, E. W., Briggs, D. E. G., Suthren, R. J., Wright, J. L. and Tunnicliff, S. P. (1994) Non-marine arthropod traces from the subaerial Ordovician Borrowdale Volcanic Group, English Lake District. *Geological Magazine*, 131, 395–406.

Johnson, E. W., Briggs, D. E. G. and Wright, J. L. (1996) Lake District pioneers — the earliest footprints on land. *Geology Today*, 12, 147–51.

Johnson, M. R. W. and Harris, A. L. (1967) Dalradian-?Arenig relations in part of the Highland Border, Scotland and their significance in the chronology of the Caledonian Orogeny. *Scottish Journal of Geology*, 3, 1–16.

Johnson, M. R. W. and Parsons, I. (1979) *Geological Excursion Guide to the Assynt District of Sutherland*, Edinburgh Geological Society Edinburgh.

Johnson, M. R. W., Kelley, S. P., Oliver, G. J. H. and Winter, D. A. (1985) Thermal effects and timing of thrusting in the Moine Thrust zone. *Journal of the Geological Society of London*, 142, 863–74.

Jones, F. (1927) A structural study of the Charnian rocks and of the igneous intrusions associated with them. *Transactions of the Leicester Literary and Philosophical Society*, 28, 24–41.

Jones, O. T. and Pugh, W. J. (1941) The Ordovician rocks of the Builth District: a preliminary account. *Geological Magazine*, 78, 185–91.

Jones, O. T. and Pugh, W. J. (1949) An early Ordovician shoreline in Radnorshire near Builth Wells. *Quarterly Journal of the Geological Society of London*, 105, 65–99.

Jones, T. A. (1915) On the presence of tourmaline in Eskdale (Cumberland). *Proceedings of the Liverpool Geological Society*, 12, 139.

Jowett, A. (1913) The volcanic rocks of the Forfarshire coast and the associated sediments. *Quarterly Journal of the Geological Society of London*, 69, 459–83.

Kelemen, P. B., Shimizu, N. and Salters, V. J. M. (1995) Extraction of mid-ocean-ridge basalt from the upwelling mantle by focused flow of melt in dunite channels. *Nature*, 375, 747–53.

Kellock, E. (1969) Alkaline basic igneous rocks in the Orkneys. *Scottish Journal of Geology*, 5, 140–53.

Kemp, S. J. and Merriman, R. J. (1994) The petrology and geochemistry of Caradocian volcanics, Cadair Idris, Gwynedd. *British Geological Survey Technical Report*, No. WG/93/6.

Kennedy, W. Q. (1946) The Great Glen Fault. *Quarterly Journal of the Geological Society of London*, 102, 41–76.

Key, R. M., May, F., Clark, G. C., Phillips, E. R. and Peacock, J. D. (1997) Geology of the Glen Roy district. *Memoir of the British Geological Survey*, Sheet 63W (Scotland).

Kidston, R. and Lang, W. H. (1924) Notes on fossil plants from the Lower Old Red Sandstone of Scotland. III. On two species of *Pachytheca* (*P. Media* and *P. fasciculata*) based on the character of algal filaments. *Transactions of the Royal Society of Edinburgh*, 53, 604–14.

Kimbell, G. S. and Stone, P (1995) Crustal magnetization variations across the Iapetus Suture. *Geological Magazine*, 132, 599–609.

King, B. C. (1942) The Cnoc nan Cùilean area of the Ben Loyal igneous complex. *Quarterly Journal of the Geological Society of London*, 98, 149–82.

King, R. J. (1959) The mineralization of the Mountsorrel Granodiorite. *Transactions of the Leicester Literary and Philosophical Society*, 53, 18–30.

King, R. J. (1968) Mineralization. In *The Geology of the East Midlands* (eds P. C. Sylvester-Bradley and T. D. Ford), Leicester University Press, Leicester, pp. 112–137.

Kneller, B. C. (1991) A foreland basin on the southern margin of Iapetus. *Journal of the Geological Society of London*, 148, 207–10.

Kneller, B. C. and Aftalion, M. (1987) The isotopic and structural age of the Aberdeen Granite. *Journal of the Geological Society of London*, 144, 717–21.

Kneller, B. C. and Leslie, A. G. (1984) Amphibolite facies metamorphism in shear zones in the Buchan area of NE Scotland. *Journal of Metamorphic Geology*, 2, 83–94.

Kneller, B. C. and McConnell, B. J. (1993) The Seathwaite Fell Formation in the Central Fells. *British Geological Survey Technical Report*, No. WA/93/43.

Kneller, B. C., King, L. M. and Bell, A. M. (1993a) Foreland basin development and tectonics on the northwest margin of eastern Avalonia. *Geological Magazine*, 130, 691–7.

Kneller, B. C., Kokelaar, B. P. and Davis, N. C. (1993b) The Lingmell Formation. *British Geological Survey Technical Report*, No. WA/93/42.

Kneller, B. C., Scott, R. W., Soper, N. J., Johnson, E. W. and Allen, P. M. (1994) Lithostratigraphy of the Windermere Supergroup, Northern England. *Geological Journal*, 29, 219–40.

Knill, J. L. (1972) The engineering geology of the Cruachan underground power station. *Engineering Geology*, 6, 289–312.

Kokelaar, B. P. (1977) The igneous history of the Rhobell Fawr area, Merionethshire, North Wales. Unpublished PhD thesis, University of Wales, Aberystwyth.

Kokelaar, B. P. (1979) Tremadoc to Llanvirn volcanism on the south-east side of the Harlech Dome (Rhobell Fawr), N. Wales. In *Caledonides of the British Isles — Reviewed*, (eds A. L. Harris, C. H. Holland and B. E. Leake), *Geological Society of London Special Publication*, No. 8, pp. 591–6.

Kokelaar, B. P. (1982) Fluidization of wet sediments during the emplacement and cooling of various igneous bodies. *Journal of the Geological Society of London*, 139, 21–34.

Kokelaar, B. P. (1986) Petrology and geochemistry of the Rhobell Volcanic Complex: amphibole-dominated fractionation at an early Ordovician arc volcano. *Journal of Petrology*, 27, 887–914.

Kokelaar, B. P. (1988) Tectonic controls of Ordovician arc and marginal basin volcanism in Wales. *Journal of the Geological Society of London*, 145, 759–75.

Kokelaar, B. P. (1992) Ordovician marine volcanic and sedimentary record of rifting and volcanotectonism: Snowdon, Wales, United Kingdom. *Geological Society of America Bulletin*, 104, 1433–55.

Kokelaar, B. P. and Branney, M. J. (1994) Volcanotectonism and evolution of a shallow sedimentary basin during phreatomagmatic and magmatic eruptions: The Whorneyside and Airy's Bridge Formations at Sour Milk Gill. In *Processes and controls of caldera collapse and related ignimbrite emplacement in Snowdonia (Wales), the Lake District (England) and Glencoe (Scotland), United Kingdom* (eds B. P. Kokelaar, M. J. Branney, I. Moore and M. F. Howells) Field Guide of the IAVCEI Commission on Explosive Volcanism Field Workshop, 18–29 May, 1994, pp. H1–11.

Kokelaar, P and Branney, M. J. (1999) *Inside Wick calderas (Snowdon, Scafell and Glencoe, UK): interactions of caldera development, tectonism and hydrovolcanism*. Field Guide for the IAVCEI Commission on Explosive Volcanism Field Workshop, 7–18 July, 1999.

Kokelaar, B. P., Bevins, R. E. and Roach, R. A. (1985) Submarine silicic volcanism and associated sedimentary and tectonic processes, Ramsey Island, S.W. Wales. *Journal of the Geological Society of London*, 142, 591–613.

Kokelaar, B. P., Branney, M. J., McConnell, B. J., Kneller, B. C. and Smith, R. (1990) The English Lake District — an ancient continental arc. Volcanogenic sedimentation in ancient terrains. *International Association of Volcanology and Chemistry of the Earth's Interior /International Association of Sediment-ologists Field Workshop Guide*, pp. 1–46.

Kokelaar B. P., Fitch, F. J. and Hooker, P. J. (1982) A new K-Ar age from uppermost Tremadoc rocks from North Wales. *Geological Magazine*, 119, 207–11.

Kokelaar, B. P., Howells, M. F., Bevins, R. E. and Roach, R. A. (1984a) Volcanic and associated sedimentary and tectonic processes in the Ordovician marginal basin of Wales: a field guide. In *Volcanic and Associated sedimentary and Tectonic Processes in Modern and Ancient Marginal Basins* (eds B. P. Kokelaar and M. F. Howells), *Geological Society Special Publication*, No. 16, pp. 291–322.

Kokelaar, B. P., Howells, M. F., Bevins, R. E., Roach, R. A. and Dunkley, P. N. (1984b) The Ordovician marginal basin in Wales. In *Volcanic and Associated Sedimentary and Tectonic Processes in Modern and Ancient Marginal Basins* (eds B. P. Kokelaar and M. F. Howells), *Geological Society Special Publication*, No. 16, pp. 245–69.

Kulp, J. L., Long, L. E., Griffin, C. E., Mills, A. A., Lambert, R. S. J. et al. (1960) Potassium-argon and rubidium-strontium ages of some granites from Britain and Eire. *Nature*, 185, 495–7.

Kynaston, H. and Hill, J. B. (1908) The geology of the country near Oban and Dalmally. *Memoir of the Geological Survey of Great Britain*, Sheet 45 (Scotland).

Lake, P and Reynolds, S. H. (1912) The geology of Mynydd y Gader, Dolgelly. *Quarterly Journal of the Geological Society of London*, 68, 345–62.

Lambert, R. S. J. and Mills, A. A. (1961) Some critical points for the Palaeozoic time-scale from the British Isles. *Annals of the New York Academy of Sciences*, 91, 378–89.

Lapworth, C. (1898) Sketch of the geology of the Birmingham District. *Proceedings of the Geologists' Association*, 15, 313–89.

Lawrence, D. J. D., Webb, B. C., Young, B. and White, D. E. (1986) The geology of the late Ordovician and Silurian rocks (Windermere Group) in the area around Kentmere and Crook. *Report of the British Geological Survey*, Vol. 18, No. 5.

Le Bas, M. J. (1968) Caledonian igneous rocks. In *The Geology of the East Midlands* (eds P. C. Sylvester-Bradley and T. D. Ford), Leicester University Press, Leicester, pp. 41–58.

Le Bas, M. J. (1972) Caledonian igneous rocks beneath Central and Eastern England. *Proceedings of the Yorkshire Geological Society*, 39, 71–86.

Le Bas, M. J. (1982a) The Caledonian granites and diorites of England and Wales. In *Igneous Rocks of the British Isles* (ed. D. S. Sutherland), Wiley, Chichester, pp. 191–201.

Le Bas, M. J. (1982b) Geological evidence from Leicestershire on the crust of southern Britain. *Transactions of Leicester Literary and Philosophical Society*, 76, 54–67.

Le Bas, M. J. (1993) The hidden mountains of Leicestershire. *Transactions of the Leicester Literary and Philosophical Society*, 87, 33–5. Le Maitre, R. W. (1989) *A Classification of Igneous Rocks and Glossary of Terms. Recommendations of the International Union of Geological Sciences Subcommission on the Systematics of Igneous Rocks*, Blackwell, Oxford.

Leake, B. E. (1990) Granite magmas: their sources, initiation and consequences of emplacement. *Journal of the Geological Society of London*, 147, 579–89.

Leat, P. T. and Thorpe, R. S. (1986) Geochemistry of an Ordovician basalt-trachybasalt-subalka-line/peralkaline rhyolite association from the Lleyn Peninsula, North Wales, U.K. *Geological Journal*, 21, 29–43.

Leat, P. T. and Thorpe, R. S. (1989) Snowdon Volcanic Group basalts date end of south-directed Caledonian subduction by Longvillian. *Journal of the Geological Society of London*, 146, 965–70.

Leat, P. T., Jackson, S. E., Thorpe, R. S. and Stillman, C. J. (1986) Geochemistry of bimodal basalt-subalkaline-peralkaline rhyolite provinces associated with volcanogenic mineralization in the Southern British Caledonides. *Journal of the Geological Society of London*, 143, 259–74.

Lee, G. W and Bailey, E. B. (1925) The pre-Tertiary geology of Mull, Loch Aline and Oban. *Memoir of the Geological Survey of Great Britain*, Sheet 44 (Scotland).

Lee, M. K. (1986) A new gravity survey of the Lake District and three-dimensional model of the granite batholith. *Journal of the Geological Society of London*, 143, 425–35.

Lee, M. K. (1989) Upper crustal structure of the Lake District from modelling and image processing of potential field data. *British Geological Survey Technical Report*, No. WK/89/1.

Lee, M. R. and Parsons, I. (1997) Compositional and microtextural zoning in alkali feldspars from the Shap granite and its geochemical implications. *Journal of the Geological Society of London*, 154, 183–8.

Lee, M. R., Waldron, K. A. and Parsons, I. (1995) Exsolution and alteration microtextures in alkali feldspar phenocrysts from the Shap granite. *Mineralogical Magazine*, 59, 63–78.

Leggett, J. K. (1987) The Southern Uplands as an accretionary prism: the importance of analogues in reconstructing palaeogeography. *Journal of the Geological Society of London*, 144, 737–52.

Leggett, J. K., McKerrow, W. S. and Eales, M. H. (1979) The Southern Uplands of Scotland: a Lower Palaeozoic accretionary prism. *Journal of the Geological Society of London*, 136, 755–70.

Leighton, P. S. (1985) A petrological and geochemical reconnaissance of the Moor of Rannoch pluton, south-west Highlands, Scotland. Unpublished MSc thesis, University of St Andrews.

Leslie, A. G. (1987) Southern contact of the Insch mass, and the Bennachie Granite. In *Excursion Guide to the Geology of the Aberdeen Area* (eds N. H. Trewin, B. C. Kneller and C. Gillen), Scottish Academic Press, Edinburgh for the Geological Society of Aberdeen, pp. 179–84.

Lewis, A. D. and Bloxam, T. W (1977) Petro-tectonic environments of the Girvan–Ballantrae lavas from rare-earth element distributions. *Scottish Journal of Geology*, 13, 211–22.

Lipman, P. W (1984) The roots of ash-flow calderas in western North America: windows into the tops of Granitic Batholiths. *Journal of Geophysical Research*, 89 B10, 8801–41.

- Litherland, M. (1980) The stratigraphy of the Dalradian rocks around Loch Creran, Argyll. *Scottish Journal of Geology*, 16, 105–23.
- Locke, C. A. and Brown, G. C. (1978) Geophysical constraints on structure and emplacement of Shap granite. *Nature*, 272, 526–8.
- Lord, R. A., Prichard, H. M. and Neary, C. R. (1994) Magmatic platinum element concentrations and hydrothermal upgrading in the Shetland ophiolite complex. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, 103, 87–106.
- Lowe, E. E. (1926) *The Igneous Rocks of the Mountsorrel District*, Leicester Literary and Philosophical Society, Leicester.
- McArthur, A. C. (1971) On the structural control of Caledonian igneous masses in the southwest Highlands of Scotland. Unpublished PhD thesis, University of Glasgow.
- McAlpine, A. (1979) The Upper Old Red Sandstone of Orkney, Caithness and neighbouring areas. Unpublished PhD thesis, University of Newcastle upon 'Fyne'.
- McClay, K. R., Norton, M. G., Cony, P and Davis, G. H. (1986) Collapse of the Caledonian Orogen and the Old Red Sandstone. *Nature*, 323, 147–9.
- MacCulloch, J. (1816) A geological description of Glen Tilt. *Transactions of the Geological Society of London*, 3, 259–337.
- Macdonald, R., Millward, D., Beddoe-Stephens, B. and Laybourn-Parry, J. (1988) The role of tholeiitic magmatism in the English Lake District: evidence from dykes in Eskdale. *Mineralogical Magazine*, 52, 459–72.
- Macdonald, R., Rock, N. M. S., Rundle, C. C. and Russell, O. J. (1986) Relationships between late Caledonian lamprophyric, syenitic, and granitic magmas in a differentiated dyke, southern Scotland. *Mineralogical Magazine*, 50, 547–57.
- Macdonald, R., Thorpe, R. S., Gasgarth, J. W and Grindrod, A. R. (1985) Multi-component origin of Caledonian lamprophyres of northern England. *Mineralogical Magazine*, 49, 485–94.
- McErlean, M. A. (1993) Granitoid emplacement and deformation: a case study of the Thorr Pluton, Ireland, with contrasting examples from Scotland. Unpublished PhD thesis, University of Durham.
- MacGregor, A. G. and Kennedy, W. Q. (1932) The Morvern-Strontian Granite. *Summer Programme of the Geological Survey for 1931, Part II*, pp. 105–19.
- MacGregor, A. R. (1996) *Fife and Angus Geology — an Excursion Guide*, Pentland Press, Durham.
- Macgregor, M. (1937) The western part of the Criffell-Dalbeattie igneous complex. *Quarterly Journal of the Geological Society of London*, 93, 457–86.
- Macgregor, M. and Phemister, J. (1937) *Geological Excursion Guide to the Assynt District of Sutherland*, Edinburgh Geological Society, Edinburgh.
- McIntyre, D. B. (1950) The petrogenesis of the North West part of the Loch Doon plutonic complex, Galloway (abstract). *Abstracts of the Proceedings of the Geological Society of London*, 31–8.
- McKerrow, W. S. and Soper, N. J. (1989) The Iapetus suture in the British Isles. *Geological Magazine*, 126, 1–8.
- McKerrow, W. S., Dewey, J. F. and Scotese, C. R. (1991) The Ordovician and Silurian development of the Iapetus Ocean. *Special Papers in Palaeontology*, 44, 165–78.

- MacKenzie, W. S. (1949) Kyanite-gneisses within a thermal aureole. *Geological Magazine*, 86, 251–5.
- Macleod, G. (1992) Zoned manganiferous garnets of magmatic origin from the Southern Uplands of Scotland. *Mineralogical Magazine*, 56, 115–16.
- McLintock, W. F. and Phemister, J. (1931) A gravitational survey over a region of magnetic anomaly at Thrussington, Leicestershire, *Summary of Progress of the Geological Survey of Great Britain for 1930, Part H*, 74–90.
- Macpherson, H. (1989) Agates, British Museum (Natural History) and the National Museums of Scotland.
- McPhie, J., Doyle, M. and Allen, R. (1993) *Volcanic Textures: a Guide to the Interpretation of Textures in Volcanic Rocks*, Centre for Ore Deposit and Exploration Studies, University of Tasmania, Hobart.
- Mahmood, L. A. (1986) Mineralogy, petrology and geochemistry of some zoned dioritic complexes in Scotland. Unpublished PhD thesis, University of St Andrews.
- Manley, C. R. (1996) In situ formation of welded tuff-like textures in the carapace of a voluminous silicic lava flow, Owyhee County, SW Idaho. *Bulletin of Volcanology*, 57, 672–86.
- Marr, J. E. (1892) On the Wenlock and Ludlow Strata of the Lake District. *Geological Magazine*, 9, 534–41.
- Marr, J. E. (1900) Notes on the geology of the English Lake District. *Proceedings of the Geologists' Association*, 16, 449–83.
- Marr, J. E. (1916) *The Geology of the Lake District and the Scenery as Influenced by Geological Structure*, Cambridge University Press, Cambridge.
- Marshall, J. E. A. (1988) Devonian miospores from Papa Stour, Shetland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 79, 13–18.
- Marshall, J. E. A. (1991) Palynology of the Stonehaven Group, Scotland: evidence for a mid Silurian age and its geological implications. *Geological Magazine*, 128, 283–6.
- Marshall, J. E. A. (1996) *Rhabdosporites langii*, *Gemmospora lemurata* and *Contagisporites optivus*: an origin for heterospory within the Progymnosperms. *Review of Palaeobotany and Palynology*, 93, 159–89.
- Marshall, J. E. A., Haughton, P. D. W and Hillier, S. J. (1994) Vitrinite reflectivity and the structure and burial history of the Old Red Sandstone of the Midland Valley of Scotland. *Journal of the Geological Society of London*, 151, 425–38.
- Marshall, J. E. A., Rogers, D. A. and Whiteley, M. J. (1996) Devonian marine incursions into the Orcadian Basin. *Journal of the Geological Society of London*, 153, 451–66.
- Marston, R. J. (1971) The Foyers Granitic Complex, Inverness-shire, Scotland. *Quarterly Journal of the Geological Society of London*, 126, 331–68.
- Martin, R. F., Whitley, J. E. and Woolley, A. R. (1978) An investigation of rare-earth mobility: fenitized quartzites, Borralan Complex, N.W. Scotland. *Contributions to Mineralogy and Petrology*, 66, 69–73.
- Marley, C. A. (1932) The geology of the country around Mynydd Rhiw and Sarn, south-western Lleyn, Carnarvonshire. *Quarterly Journal of the Geological Society of London*, 88, 238–73.
- Marley, C. A. (1938) The geology of the country around Pwllheli, Llanbedrog and Madryn, southwest Carnarvonshire. *Quarterly Journal of the Geological Society of London*, 94, 555–606.
- Maley, C. A. and Hcard, A. (1930) The geology of the country around Bodfean (South-western Carnarvonshire). *Quarterly Journal of the Geological Society of London*, 86, 130–68.

Matthews, D. W and Woolley, A. R. (1977) Layered ultramafic rocks within the Borralan complex, Scotland. *Scottish Journal of Geology*, 13, 223–36.

Maufe, H. B. (1910) The geological structure of Ben Nevis. *Geological Survey of the United Kingdom, Summary of Progress for 1909*, pp. 80–9.

May, F. and Highton, A. J. (1997) Geology of the Invermoriston district. *Memoir of the British Geological Survey*, Sheet 73W (Scotland).

May, F., Peacock, J. D., Smith, D. I. and Barber, A. J. (1993) Geology of the Kintail district. *Memoir of the British Geological Survey*, Sheet 72W and part of 71E (Scotland).

Mellors, R. A. and Sparks, R. S. J. (1991) Spatter-rich pyroclastic flow deposits on Santorini, Greece. *Bulletin of Volcanology*, 53, 327–42.

Meneisy, M. Y. and Miller, J. A. (1963) A geochronological study of the crystalline rocks of Charnwood Forest, England. *Geological Magazine*, 100, 507–23.

Merriman, R. J. and Roberts, B. (1990) Metabentonites in the Moffat Shale Group, Southern Uplands of Scotland: geochemical evidence of ensialic marginal basin volcanism. *Geological Magazine*, 127, 259–71.

Merriman, R. J., Bevins, R. E. and Ball, T. K. (1986) Geochemical variations within the Tal y Fan intrusion: implications for element mobility during low-grade metamorphism. *Journal of Petrology*, 27, 1409–36.

Merriman, R. J., Rex, D. C., Soper, N. J. and Peacor, D. R. (1995) The age of Acadian cleavage in northern England, UK: K-Ar and TEM analysis of a Silurian metabentonite. *Proceedings of the Yorkshire Geological Society*, 50, 255–65.

Metcalfe, R. (1990) Fluid/rock interaction and metadomain formation during low grade metamorphism in the Welsh marginal basin. Unpublished PhD thesis, University of Bristol.

Miller, C. F. (1985) Are strongly peraluminous magmas derived from pelitic sedimentary sources? *Geology*, 93, 673–89.

Miller, J. A. (1961) The potassium-argon ages of the Skiddaw and Eskdale Granites. *Geophysical Journal*, 6, 391–3.

Miller, J. A. and Flinn, D. (1966) A survey of the age relations of Shetland rocks. *Geological Journal*, 5, 95–116.

Millward, D. (1976) The Borrowdale Volcanics of the English Lake District: a study of the petrology, volcanicity and geochemistry of selected areas with particular reference to ignimbrites. Unpublished PhD thesis, University of Birmingham.

Millward, D. (1980) Three ignimbrites from the Borrowdale Volcanic Group. *Proceedings of the Yorkshire Geological Society*, 42, 595–616.

Millward, D. and Lawrence, D. J. D. (1985) The Stockdale (Yarlside) Rhyolite — a rheomorphic ignimbrite? *Proceedings of the Yorkshire Geological Society*, 45, 299–306.

Millward, D. and Molyneux, S. G. (1992) Field and biostratigraphic evidence for an unconformity at the base of the Eycott Volcanic Group in the English Lake District. *Geological Magazine*, 129, 77–92.

Millward, D., Beddoe-Stephens, B., Williamson, I. T., Young, S. R. and Petterson, M. G. (1994) Lithostratigraphy of a concealed caldera-related ignimbrite sequence within the Borrowdale Volcanic Group of west Cumbria. *Proceedings of the Yorkshire Geological Society*, 50, 25–36.

Millward, D., Johnson, E. W, Beddoe-Stephens, B., et.al. (in press) Geology of the Ambleside District. *Memoir of the British Geological Survey*, Sheet 38 (England and Wales).

Millward, D., Moseley, F. and Soper, N. J. (1978) The Eycott and Borrowdale volcanic rocks. In *The Geology of the Lake District* (ed. F. Moseley), The Yorkshire Geological Society, Leeds, pp. 99–120.

Milne, K. P. (1978) Folding and thrusting in the upper Glen Oykel area, Assynt. *Scottish Journal of Geology*, 14, 141–6.

Mitchell, G. H. (1934) The Borrowdale Volcanic Series of the country between Longsleddale and Shap. *Quarterly Journal of the Geological Society of London*, 90, 418–44.

Mitchell, G. H. (1940) The Borrowdale Volcanic Series of Coniston, Lancashire. *Quarterly Journal of the Geological Society of London*, 96, 301–19.

Mitchell, G. H. (1956) The geological history of the Lake District. *Proceedings of the Yorkshire Geological Society*, 30, 407–63.

Molyneux, S. G. (1988) Micropalaeontological evidence for the age of the Borrowdale Volcanic Group. *Geological Magazine*, 125, 541–2.

Mongkoltip, P and Ashworth, J. R. (1983) Quantitative estimation of an open-system symplectite-forming reaction: restricted diffusion of Al and Si in coronas around olivine. *Journal of Petrology*, 24, 635–61.

Mongkoltip, P. and Ashworth, J. R. (1986) Amphibolitization of metagabbros in the Scottish Highlands. *Journal of Metamorphic Geology*, 4, 261–83.

Moore, I. (1995) The early history of the Glencoe cauldron. Unpublished PhD thesis, University of Liverpool.

Moore, I. and Kokelaar, B. P (1997) Tectonic influences in piecemeal caldera collapse at Glencoe volcano, Scotland. *Journal of the Geological Society of London*, 154, 765–8.

Moore, I. and Kokelaar, B. P (1998) Tectonically controlled piecemeal caldera collapse: A case study of Glencoe volcano, Scotland. *Geological Society of America Bulletin*, 110, 1448–66

Morton, D. J. (1979) Palaeogeographical evolution of the Lower Old Red Sandstone basin in the western Midland Valley. *Scottish Journal of Geology*, 15, 97–116.

Moseley, F. (1984) Lower Palaeozoic lithostratigraphical classification in the English Lake District. *Geological Journal*, 19, 239–47.

Moseley, E (1990) *Geology of the Lake District*, The Geologists' Association, London.

Moseley, F. and Millward, D. (1982) Ordovician volcanicity in the English Lake District. In *Igneous Rocks of the British Isles* (ed. D. S. Sutherland), Wiley, Chichester, pp. 93–111. Munro, M. (1965) Some structural features of the Caledonian granitic complex at Strontian, Argyllshire. *Scottish Journal of Geology*, 1, 152–75.

Munro, M. (1973) Structures in the south-eastern portion of the Strontian Granitic Complex, Argyllshire. *Scottish Journal of Geology*, 9, 99–108.

Munro, M. (1984) Cumulate relations in the 'Younger Basic' masses of the Huntly-Portsoy area, Grampian Region. *Scottish Journal of Geology*, 20, 343–59.

Munro, M. (1986) Geology of the country around Aberdeen. *Memoir of the British Geological Survey*, Sheet 77 (Scotland).

Munro, M. and Leslie, A. G. (1987) The 'Younger Basic' intrusions and their associated rocks. In *Excursion Guide to the Geology of the Aberdeen Area* (eds N. H. Trewin, B. C. Kneller and C. Gillen), Scottish Academic Press, Edinburgh for the Geological Society of Aberdeen, pp. 185–92.

Murchison, R. I. (1833) On the sedimentary deposits which occupy the western parts of Shropshire and Herefordshire, and are prolonged from NE to SW through Radnor, Brecknock and Carmarthen shires, with descriptions of the accompanying rocks of intrusive or igneous characters. *Proceedings of the Geological Society of London*, 1, 470–7.

Murchison, R. I. (1839) *The Silurian System founded on geological researches in the counties of Salop, Hereford, Radnor, Montgomery, Carmarthen, Brecon, Pembroke, Monmouth, Gloucester, Worcester and Stafford with descriptions of the coal-fields and overlying formations* (in 2 vols), Murray, London.

Murchison, R. I. (1867) *Siluria*, 4th edn, Murray, London.

Murchison, R. I. (1872) *Siluria*, 5th edn, Murray, London.

Mykura, W. (1960) The Lower Old Red Sandstone igneous rocks of the Pentland Hills. *Bulletin of the Geological Survey of Great Britain*, 16, 131–55.

Mykura, W. (1976) *British Regional Geology: Orkney and Shetland*, HMSO, Edinburgh, for Institute of Geological Sciences.

Mykura, W. (1991) Old Red Sandstone. In *Geology of Scotland*, 3rd edn (ed. G. Y. Craig), The Geological Society, London, pp. 297–344.

Mykura, W. and Phemister, J. (1976) The geology of western Shetland. *Memoir of the Geological Survey of Great Britain*, Sheet 127 and parts of 125, 126 and 128 (Scotland).

Nichol, J. (1863) On the geological structure of the Southern Grampians. *Quarterly Journal of the Geological Society of London*, 19, 180–209.

Nicholls, G. D. (1951a) The Glenelg–Ratagain igneous complex. *Quarterly Journal of the Geological Society of London*, 106, 302–21.

Nicholls, G. D. (1951b) An unusual pyroxene-rich xenolith in the diorite of the Glenelg–Ratagain igneous complex. *Geological Magazine*, 84, 284–95.

Nicholls, G. D. (1958) Autometasomatism in the Lower Spilites of the Builth Volcanic Series. *Quarterly Journal of the Geological Society of London*, 114, 137–62.

Noble, S. R., Tucker, R. D. and Pharaoh, T. C. (1993) Lower Palaeozoic and Precambrian igneous rocks from eastern England, and their bearing on late Ordovician closure of the Tornquist Sea: constraints from U-Pb and Nd isotopes. *Geological Magazine*, 130, 835–46.

Nockolds, S. R. (1934) The contaminated tonalites of Loch Awe. *Quarterly Journal of the Geological Society of London*, 105, 302–21.

Nockolds, S. R. (1941) The Garabal Hill-Glen Fyne Igneous Complex. *Quarterly Journal of the Geological Society of London*, 96, 451–511.

Nockolds, S. R. and Mitchell, R. L. (1948) The geochemistry of some Caledonian plutonic rocks. A study in the relationship between the major and trace elements of igneous rocks and their minerals. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 61, 533–75.

Notholt, A. K. and Highley, D. E. (1981) Investigation of phosphate potential of the Loch Borralan Igneous complex, Northwest Highlands, Scotland. *A report for the commission of the European communities, Contract No. 039–79–1. Institute of Geological Sciences, open file Report*, pp. 106.

Notholt, A. K., Highley, D. E. and Harding, R. R. (1985) Investigation of phosphate (apatite) potential of Loch Borralan igneous complex, northwest Highlands, Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, 94, 58–66.

Nutt, M. J. C. (1966) Field Meeting Report. *Proceedings of the Yorkshire Geological Society*, 35, 429–33.

Nutt, M. J. C. (1970) The Borrowdale Volcanic Series and associated rocks around Haweswater, Westmorland. Unpublished PhD thesis, Queen Mary College, London.

Nun, M. J. C. (1979) The Haweswater complex. In *The Caledonides of the British Isles Reviewed* (ed. A. L. Harris, C. H. Holland and B. E. Leake), *Geological Society of London Special Publication*, No. 8, pp. 727–33.

O'Brien, C. (1985) The petrogenesis and geochemistry of the British Caledonian granites, with special reference to mineralized intrusions. Unpublished PhD thesis, University of Leicester.

O'Brien, C., Plant, J. A., Simpson, P. R. and Tarney, J. (1985) The geochemistry, metaso-matism and petrogenesis of the granites of the English Lake District. *Journal of the Geological Society of London*, 142, 1139–57.

O'Hanley, D. S. (1992) Solution to the volume problem in serpentinization. *Geology*, 20, 705–8.

O'Hanley, D. S. (1996) *Serpentinization*, Oxford University Press, Oxford.

Old, R. A., Hamblin, R. J. O., Ambrose, K. and Warrington, G. (1991) Geology of country around Redditch. *Memoir of the British Geological Survey*, Sheet 183 (England and Wales).

Oldershaw, W (1974) The Lochnagar granitic ring complex, Aberdeenshire. *Scottish Journal of Geology*, 10, 297–309.

Oliver, R. L. (1954) Welded tuffs in the Borrowdale Volcanic Series, English Lake District, with a note on similar rocks in Wales. *Geological Magazine*, 91, 473–83.

Oliver, R. L. (1956a) The origin of garnets in the Borrowdale Volcanic Series and associated rocks, English Lake District. *Geological Magazine*, 93, 121–39.

Oliver, R. L. (1956b) The origin of garnets in the Borrowdale Volcanic Series. *Geological Magazine*, 93, 516–17.

Oliver, R. L. (1961) The Borrowdale Volcanic and associated rocks of the Scafell area, English Lake District. *Quarterly Journal of the Geological Society of London*, 117, 377–417.

O'Nions, R. K., Hamilton, P. J. and Hooker, P. J. (1983) A Nd isotope investigation of sediments related to crustal development in the British Isles. *Earth and Planetary Science Letters*, 63, 229–40.

Orton, G. (1988) A spectrum of mid-Ordovician fan and braidplain deltaic sequences, North Wales: a consequence of varying fluvial input. In *Fan Deltas: Tectonic Setting, Sedimentology and Recognition* (eds W. Nemex and R. J. Steel), Biocide, Glasgow.

Pankhurst, R. J. (1969) Strontium isotope studies applied to petrogenesis in the basic igneous province of North-East Scotland. *Journal of Petrology*, 10, 116–45.

Pankhurst, R. J. (1974) Rb-Sr whole-rock chronology of Caledonian events in northeast Scotland. *Bulletin of the Geological Society of America*, 85, 345–50.

Pankhurst, R. J. (1979) Isotope and trace element evidence for the origin and evolution of Caledonian granites in the Scottish Highlands. In *Origin of Granitic Batholiths* (eds M. P. Atherton and J. Tarney), Shiva, Orpington, pp. 18–33.

Pankhurst, R. J. (1982) Geochronological tables for British igneous rocks. In *Igneous Rocks of the British Isles* (ed. D. S. Sutherland), Wiley, Chichester, pp. 575–81.

Pankhurst, R. J. and Sutherland, D. S. (1982) Caledonian granites and diorites of Scotland and Ireland. In *Igneous Rocks of the British Isles* (ed. D. S. Sutherland), Wiley, Chichester, pp. 149–90.

Parslow, G. R. (1968) The physical and structural features of the Cairnsmore of Fleet granite and its aureole. *Scottish Journal of Geology*, 4, 91–108.

Parslow, G. R. (1971) Variations in mineralogy and major elements in the Cairnsmore of Fleet granite, S W Scotland. *Lithos*, 4, 43–55.

Parslow, G. R. and Randall, B. A. O. (1973) A gravity survey of the Cairnsmore of Fleet granite and its environs. *Scottish Journal of Geology*, 9, 219–31.

Parsons, I. (1965a) The sub-surface shape of the Loch Ailsh intrusion, Assynt, as deduced from magnetic anomalies across the contact, with a note on traverses across the Loch Borralan Complex. *Geological Magazine*, 102, 46–58.

Parsons, I. (1965b) The feldspathic syenites of the Loch Ailsh intrusion, Assynt, Scotland. *Journal of Petrology*, 6, 365–94.

Parsons, I. (1968) The origin of the basic and ultrabasic rocks of the Loch Ailsh alkaline intrusion, Assynt. *Scottish Journal of Geology*, 4, 221–34.

Parsons, I. (1972) Comparative petrology of the leucocratic syenites of the Northwest Highlands of Scotland. *Geological Journal*, 8, 71–82.

Parsons, I. (1979) The Assynt alkaline suite. In *The Caledonides of the British Isles Reviewed* (eds A. L. Harris, C. H. Holland and B. E. Leake), *Geological Society of London Special Publication*, No. 8, pp. 667–81.

Parsons, I. and McKirdy, A. P. (1983) The interrelationship of igneous activity and thrusting in Assynt: excavations at Loch Borralan. *Scottish Journal of Geology*, 19, 59–67.

Paterson, B. A., Rogers, G. and Stephens, W. E. (1992a) Evidence for inherited Sm-Nd isotopes in granitoid zircons. *Contributions to Mineralogy and Petrology*, 111, 378–90.

Paterson, B. A., Rogers, G., Stephens, W. E. and Hinton, R. W (1993) The longevity of acid-basic magmatism associated with a major transcurrent fault (abstract). *Geological Society of America, Abstracts with programs*, 25, (6), p. A42.

Paterson, B. A., Stephens, W. E., Rogers, G., Williams, I. S., Hinton, R. W and Herd, D. A. (1992b) The nature of zircon inheritance in two granite plutons. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 83, 459–71. (Also *Geological Society of America Special Paper*, 272.)

Paterson, I. B. and Harris, A. L. (1969) Lower Old Red Sandstone ignimbrites from Dunkeld, Perthshire. *Report of the Institute of Geological Sciences*, No. 69/7.

Paterson, S. R., Fowler, T. K. and Miller, R. B. (1996) Pluton emplacement in arcs: a crustal-scale exchange process. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 87, 115–23.

Pattison, D. R. M. and Haile, B. (1985) A petrogenetic grid for pelites in the Ballachulish and other Scottish thermal aureoles. *Journal of the Geological Society of London*, 142, 7–28.

Pattison, D. R. M. and Tracy, R. J. (1991) Phase equilibria and thermobarometry of metapelites. In *Contact Metamorphism* (ed. D. M. Kerrick). *Mineralogical Society of America, Reviews in Mineralogy*, 26, 105206.

Peach, B. N. and Horne, J. (1880) The Old Red Sandstone of Orkney. *Proceedings of the Royal Physical Society of Edinburgh*, 5, 329–42.

Peach, B. N. and Horne, J. (1884) The old red volcanic rocks of Shetland. *Transactions of the Royal Society of Edinburgh*, 32, 359–88.

Peach, B. N. and Horne, J. (1899) The Silurian rocks of Britain, 1: Scotland. *Memoir of the Geological Survey of the United Kingdom*.

Peach, B. N., Horne, J., Gunn, W, Clough, C. T., Hinxman, L. W and Teall, J. J. H. (1907) The geological structure of the North-West Highlands of Scotland. *Memoir of the Geological Survey of the United Kingdom*.

Peach, B. N., Horne, J., Woodward, H. B. Clough, C. T., Harker, A. and Wedd, C. B. (1910) The geology of Glenelg, Lochalsh and South East part of Skye. *Memoir of the Geological Survey of Great Britain*, Sheet 71 (Scotland).

Peacock, J. D., Mendum, J. R. and Fettes, D. J. (1992) Geology of the Glen Affric district. *Memoir of the British Geological Survey*, Sheet 72E (Scotland).

Pearce, J. A. (1982) Trace element characteristics of lavas from destructive plate boundaries. In *Andesites* (ed. R. S. Thorpe), Wiley, Chichester, pp. 525–48.

Pearce, J. A. and Cann, J. R. (1973) Tectonic setting of basic volcanic rocks determined using trace element analyses. *Earth and Planetary Science Letters*, 19, 290–300.

Pearce, J. A., Lippard, S. J. and Roberts, S. (1984) Characteristics and tectonic significance of supra-subduction zone ophiolites. In *Marginal Basin Geology: Volcanic and Associated Sedimentary and Tectonic Processes in Modern and Ancient Marginal Basins* (eds B. P. Kokelaar and M. F. Howells), *Geological Society of London Special Publication*, No. 16, pp. 77–94.

Petford, N. (1996) Dykes or diapirs? *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 87, 105–14.

Petterson, M. G., Beddoe-Stephens, B., Millward, D. and Johnson, E. W (1992) A pre-caldera plateau-andesite field in the Borrowdale Volcanic Group of the English Lake District. *Journal of the Geological Society of London*, 149, 889–906.

Pharaoh, T. C., Allsop, J. M., Holliday, D. W, Merriman, R. J., Kimbell, G. S. et al. (1997) The Moorby Microgranite: a deformed high level intrusion of Ordovician age in the concealed Caledonian basement of Lincolnshire. *Proceedings of the Yorkshire Geological Society*, 51, 329–42.

Pharaoh, T. C., Brewer, T. S., and Webb, P. C. (1993) Subduction related magmatism of late Ordovician age in eastern England. *Geological Magazine*, 130, 647–56.

Pharaoh, T. C., Merriman, R. J., Evans, J. A., Brewer, T. S., Webb, P. C. and Smith, N. J. P (1991) Early Palaeozoic arc-related volcanism in the concealed Caledonides of southern Britain. *Annales de la Societe Geologique de Belgique*, 114, 63–91.

Pharaoh, T. C., Merriman, R. J., Webb, P. C. and Beckinsale, R. D. (1987) The concealed Caledonides of eastern England: preliminary results of a multidisciplinary study. *Proceedings of the Yorkshire Geological Society*, 46, 355–69.

Phemister, J. (1926) The alkaline igneous rocks of the Loch Ailsh district. In *The Geology of Strath Oykell and Lower Loch Shin* (eds H. H. Read, J. Phemister and G. Ross), *Memoir of the Geological Survey of Great Britain*, Sheet 102 (Scotland), pp. 22–111.

Phemister, J. (1931) On a carbonate-rock at Bad na h'Achlaise, Assynt, Sutherland. *Summary of Progress of the Geological Survey for 1930*, Part III, pp. 58–61.

Phemister, J. (1948) *British Regional Geology: The Northern Highlands*, HMSO, Edinburgh.

- Phemister, J. (1964) Rodingitic assemblages in Fetlar, Shetland Islands, Scotland. In *Advancing Frontiers in Geology and Geophysics*, Osmania University Press, Hyderabad, pp. 279–95.
- Phemister, J. (1979) The Old Red Sandstone intrusive complex of northern Northmaven, Shetland. *Report of the Institute of Geological Sciences*, No. 78/2.
- Phillips, E. R. (1994) Whole-rock geochemistry of the calc-alkaline Old Red Sandstone lavas, Sheet 15 (New Cumnock), Scotland. British Geological Survey Mineralogy and Petrology Brief Report, No. WG/94/1.
- Phillips, E. R. and May, F. (1996) The Glas Bheinn Appinitic Complex, Glen Roy: a model for foliation development during emplacement. *Scottish Journal of Geology*, 32, 9–21.
- Phillips, E. R., Barnes, R. P., Boland, M. P., Fortey, N. J. and McMillan, A. A. (1995a) The Moni-aive Shear Zone: a major zone of sinistral strike-slip deformation in the Southern Uplands of Scotland. *Scottish Journal of Geology*, 31, 139–49.
- Phillips, E. R., Barnes, R. P., Merriman, R. J. and Floyd, J. D. (1995b) The tectonic significance of Ordovician basic igneous rocks in the Southern Uplands, southwest Scotland. *Geological Magazine*, 132, 549–56.
- Phillips, E. R., Smith, R. A. and Floyd, J. D. (1999) The Bail Hill Volcanic Group: alkaline within-plate volcanism during Ordovician sedimentation in the Southern Uplands, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 89, 233–47. Phillips, W. E. A., Stillman, C. J. and Murphy, T. (1976) A Caledonian plate tectonic model. *Journal of the Geological Society of London*, 132, 579–609.
- Phillips, W. J. (1956) The Criffel Dalbeattie granodiorite complex. *Journal of the Geological Society of London*, 112, 221–40.
- Phillips, W. J., Fuge, R. and Phillips, N. (1981) Convection and crystallisation in the Criffel Dalbeattie pluton. *Journal of the Geological Society of London*, 138, 351–66.
- Phillips, W. J., Fuge, R. and Phillips, N. (1983) Reply to: Discussion on convection and crystallization in the Criffell-Dalbeattie pluton. *Journal of the Geological Society of London*, 140, 311–13.
- Piasecki, M. A. J. (1975) Tectonic and metamorphic history of the Upper Findhorn, Inverness-shire, Scotland. *Scottish Journal of Geology*, 11, 87–115.
- Pickerill, R. K. and Brenchley, P. J. (1979) Caradoc marine communities of the south Berwyn Hills, North Wales. *Palaeontology*, 22, 229–64.
- Pickering, K. T. and Smith, A. G. (1995) Arcs and backarc basins in the Early Palaeozoic Iapetus Ocean. *The Island Arc*, 4, 1–67.
- Pickering, K. T., Bassett, M. G. and Siveter, D. J. (1988) Late Ordovician-early Silurian destruction of the Iapetus Ocean: Newfoundland, British Isles and Scandinavia: A discussion. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 79, 361–82.
- Pidgeon, R. T. and Aftalion, M. (1978) Cogenetic and inherited zircon U-Pb systems in granites: Palaeozoic granites of Scotland and England. In *Crustal Evolution in Northwestern Britain and Adjacent Areas* (eds D. R. Bowes and B. E. Leake), *Geological Journal Special Issue*, No. 10, pp. 183–220.
- Piper, J. D. A. (1997) Palaeomagnetism of igneous rocks of the Lake District (Caledonian) terrane, northern England: Palaeozoic motions and deformation at a leading edge of Avalonia. *Geological Journal*, 32, 211–46.
- Piper, J. D. A., Nowell, D. A. G. and Crimes, T. P. (1995) Palaeomagnetism of the Tan y Grisiau granite, North Wales: evidence for a subvolcanic origin in Late Ordovician times. *Geological Journal*, 30, 39–47.

- Piper, J. D. A., Stephen, J. C. and Branney, M. J. (1997) Palaeomagnetism of the Borrowdale and Eycott volcanic groups, English Lake District: primary and secondary magnetization during a single late Ordovician polarity chron. *Geological Magazine*, 134, 481–506.
- Pitcher, W. S. (1993) *The Nature and Origin of Granite*, Chapman and Hall, London.
- Pitcher, W. S. and Berger, A. R. (1972) *The Geology of Donegal: a Study of Granite Emplacement and Unroofing*, Wiley-Interscience, New York.
- Plant, J. A. (1986) Models for granites and their mineralising systems in the British and Irish Caledonides. In *Geology and Genesis of Mineral Deposits in Ireland* (eds C. J. Andrew, R. W. A. Crowe, S. Finlay, W. M. Pennell and J. F. Payne), Irish Association for Economic Geology, Dublin, pp. 121–56.
- Plant, J. A., Henney, P. J. and Simpson, P. R. (1990) The genesis of tin-uranium granites in the Scottish Caledonides: implications for metallogenesis. *Geological Journal*, 25, 431–42.
- Plant, J. A., O'Brien, C., Tarney, J. and Hurdley, J. (1985) Geochemical criteria for the recognition of High Heat Production Granites. In *High Heat Production (HHP) Granites, Hydrothermal Circulation and Ore Genesis*, Institution of Mining and Metallurgy, London, pp. 263–85.
- Platten, I. M. (1966) The petrology of some Caledonian minor intrusions in Appin, Argyllshire. Unpublished PhD thesis, University of London.
- Platten, I. M. (1982) Partial melting of feldspathic quartzite around late Caledonian minor intrusions in Appin, Scotland. *Geological Magazine*, 119, 413–19.
- Platten, I. M. (1983) Partial melting of semipelite and the development of marginal breccias around a late Caledonian intrusion in the Grampian Highlands of Scotland. *Geological Magazine*, 120, 37–49.
- Platten, I. M. (1984) Fluidised mixtures of magma and rock in a late Caledonian breccia dyke and associated breccia pipes in Appin, Scotland. *Geological Journal*, 19, 209–26.
- Platten, I. M. (1991) Zoning and layering in diorites of the Scottish Caledonian Appinite suite. *Geological Journal*, 26, 329–48.
- Platten, I. M. and Money, M. S. (1987) Formation of late Caledonian subvolcanic breccia pipes at Cruachan Cruinn, Grampian Highlands, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 78, 85–103.
- Playfair, J. (1802) *Illustrations of the Huttonian Theory of the Earth*. Caddell and Davies, London, and William Creech, Edinburgh.
- Pollard, J. E. (1995) John Smith's discoveries of trace fossils from Old Red Sandstone and Carboniferous rocks of Southwest Scotland. In *John Smith of Dalry, Geologist, Antiquarian and Natural Historian*, Ayrshire Archaeological and Natural History Society, Darvel, pp. 30–39.
- Pollard, J. E. and Walker, E. F. (1984) Reassessment of sediments and trace fossils from Old Red Sandstone (Lower Devonian) of Dunure, Scotland, described by John Smith (1909). *Geobios*, 17, 567–76.
- Ponnamperuma, C. and Pering, K. (1966) Possible abiogenic origin of some naturally occurring hydrocarbons. *Nature*, 209, 982–4.
- Potts, G. J., Hunter, R. H., Harris, A. L. and Fraser, F. M. (1995) Late-orogenic extensional tectonics at the NW margin of the Caledonides in Scotland. *Journal of the Geological Society of London*, 152, 907–10.

Pratt, W. T., Woodhall, D. G., and Howells, M. F. (1995) Geology of the country around Cadair Idris. *Memoir of the British Geological Survey*, Sheet 149 (England and Wales).

Prichard, H. M. (1985) The Shetland ophiolite. In *The Caledonian Orogen — Scandinavia and Related Areas* (eds D. G. Gee and B. A. Sturt), Wiley, Chichester, pp. 1173–84.

Pringle, J. (1914) Geology of Ramsey Island, Pembrokeshire. *Reports of the British Association (for 1913)*, London, p. 151.

Pringle, J. (1915) Geology of Ramsey Island, Pembrokeshire. *Reports of the British Association (for 1914)*, London, p. 111.

Pringle, J. (1930) The geology of Ramsey Island (Pembrokeshire). *Proceedings of the Geologists' Association*, 41, 1–24.

Raine, P. (1998) Sedimentary processes and depositional environments in caldera lakes: Scafell (UK) and La Primavera (Mexico) calderas. Unpublished PhD thesis, University of Liverpool.

Ramsay, A. C. (1866) The geology of North Wales (1st edition). *Memoir of the Geological Survey of Great Britain*, Vol. 3.

Ramsay, A. C. (1881) The geology of North Wales (2nd edition). *Memoir of the Geological Survey of Great Britain*, Vol. 3.

Rast, N. (1969) The relationship between Ordovician structure and volcanicity in Wales. In *The Pre-Cambrian and Lower Palaeozoic Rocks of Wales* (ed. A. Wood), University of Wales Press, Cardiff, pp. 303–35.

Rast, N., Beavon, R. V and Fitch, F. J. (1958) Sub-aerial volcanicity in Snowdonia. *Nature*, 181, 508.

Rastall, R. H. (1906) The Buttermere and Ennerdale Granophyre. *Quarterly Journal of the Geological Society of London*, 62, 253–74.

Rastall, R. H. (1940) Xenoliths at Threlkeld, Cumberland. *Proceedings of the Yorkshire Geological Society*, 24, 223–32.

Rastall, R. H. and Wilcockson, W. H. (1915) Accessory minerals of the granitic rocks of the Lake District. *Quarterly Journal of the Geological Society of London*, 71, 592–622.

Read, H. H. (1919) The two magmas of Strathbogie and Lower Banffshire. *Geological Magazine*, 56, 364–371.

Read, H. H. (1923) The petrology of the Arnage district in Aberdeenshire: a study of assimilation. *Quarterly Journal of the Geological Society of London*, 79, 446–84.

Read, H. H. (1926) Mica-lamprophyres of Wigton. *Geological Magazine*, 63, 422–9.

Read, H. H. (1927) The Tinto district. *Proceedings of the Geologists' Association*, 39, 499–504.

Read, H. H. (1931) The geology of central Sutherland. *Memoir of the Geological Survey of Great Britain*, Sheets 108 and 109 (Scotland).

Read, H. H. (1934) The metamorphic geology of Unst in the Shetland Islands. *Quarterly Journal of the Geological Society of London*, 90, 637–88.

Read, H. H. (1935) The gabbros and associated xenolithic complexes of the Haddo House district, Aberdeenshire. *Quarterly Journal of the Geological Society of London*, 91, 591–635.

Read, H. H. (1956) The dislocated south-western margin of the Insch Igneous Mass, Aberdeenshire. *Proceedings of the Geologists' Association*, 67, 73–86.

Read, H. H. (1957) *The Granite Controversy*, Murby, London.

- Read, H. H. (1961) Aspects of the Caledonian magmatism in Britain. *Liverpool and Manchester Geological Journal*, 2, 653–83.
- Read, H. H. (1966) An orthonorite containing spinel xenoliths with late diaspore at Mill of Boddam, Insch, Aberdeenshire. *Proceedings of the Geologists' Association*, 77, 65–77.
- Read, H. H. and Farquhar, O. C. (1952) The geology of the Arnage district (Aberdeenshire); a re-interpretation. *Quarterly Journal of the Geological Society of London*, 107, 423–40.
- Read, H. H. and Haq, B. T. (1965) Notes, mainly geochemical, on the granite-diorite complex of the Insch igneous mass, with an addendum on the Aberdeenshire quartz-dolerites. *Proceedings of the Geologists' Association*, 76, 13–19.
- Read, H. H., Phemister, J. and Ross, G. (1926) The geology of Strath Oykell and Lower Loch Shin. *Memoir of the Geological Survey of Great Britain*, Sheet 102 (Scotland).
- Read, H. H., Ross, G., Phemister, J. and Lee, G. W (1925) The geology of the country around Golspie, Sutherlandshire. *Memoir of the Geological Survey of Great Britain*, Sheet 103 (Scotland).
- Read, H. H., Sadashivaiah, M. S. and Haq, B. T. (1961) Differentiation in the olivine-gabbro of the Insch mass, Aberdeenshire. *Proceedings of the Geologists' Association*, 72, 391–413.
- Read, H. H., Sadashivaiah, M. S. and Haq, B. T. (1965) The hypersthene-gabbro of the Insch Complex, Aberdeenshire. *Proceedings of the Geologists' Association*, 76, 1–11.
- Reed, E. R. C. (1895) The geology of the country around Fishguard. *Quarterly Journal of the Geological Society of London*, 51, 149–95.
- Reedman, A. J., Colman, T. B., Campbell, S. D. G. and Howells, M. F. (1985) Volcanogenic mineralization related to the Snowdon Volcanic Group (Ordovician), North Wales. *Journal of the Geological Society of London*, 142, 875–88.
- Reedman, A. J., Howells, M. F., Orton, G. and Campbell, S. D. G. (1987) The Pitts Head Tuff Formation: a subaerial to submarine welded ash-flow tuff of Ordovician age, North Wales. *Geological Magazine*, 124, 427–39.
- Rennie, F. W. (1983) The mineralogy and geochemistry of the Lochnagar complex. Unpublished PhD thesis, University of Aberdeen.
- Reynolds, D. L. (1931) Dykes of the Ards Peninsula, County Down. *Geological Magazine*, 68, 97–111.
- Reynolds, D. L. (1956) Calderas and ring-complexes. *Nederlandsch Geologisch-Mijnbouw-kundig Genootschap, Verhandelingen, Geologische Serie* 16, 355–79.
- Rice, C. M. and Davies, B. (1979) Copper mineralisation associated with an appinite pipe in Argyll, Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, 88, 154–60.
- Rice, C. M. and Trewin, N. H. (1988) A Lower Devonian gold bearing hot-spring system, Rhynie, Scotland. *Transactions of the Institution of Mining and Metallurgy (Section B: Applied Earth Sciences)*, 97, 141–4.
- Richardson, J. B., Ford, J. H. and Parker, F. (1984) Miospores, correlation and age of some Scottish Lower Old Red Sandstone sediments from the Strathmore region (Fife and Angus). *Journal of Micropalaeontology*, 3, 109–24.
- Richardson, S. W. (1968) The petrology of the metamorphosed syenite in Glen Dessarry, Inverness-shire. *Quarterly Journal of the Geological Society of London*, 124, 9–51.
- Richey, J. E. (1938) The dykes of Scotland. *Transactions of the Royal Society of Edinburgh*, 13, 393–435.

Riley, P. (1966) A re-investigation of the pre-Tertiary geology of the Ross of Mull, Argyll. Unpublished PhD thesis, University of Sheffield.

Roach, R. A. (1969) The composite nature of the St David's Head and Cam Llidi intrusions of North Pembrokeshire. In *The Pre-Cambrian and Lower Palaeozoic Rocks of Wales* (ed. A. Wood), University of Wales Press, Cardiff, pp. 409–33.

Roberts, B. (1969) The Llwyd Mawr Ignimbrite and its associated volcanic rocks. In *The Pre-Cambrian and Lower Palaeozoic Rocks of Wales* (ed. A. Wood), University of Wales Press, Cardiff, pp. 337–56.

Roberts, B. (1979) *The Geology of Snowdonia and Llyn: an Outline and Field Guide*, Adam Hilger, Bristol.

Roberts, B. and Siddans, A. W. B. (1971) Fabric studies in the Llwyd Mawr Ignimbrite, Caernarvonshire, North Wales. *Tectono-physics*, 12, 283–306.

Roberts, D. E. (1983) Metasomatism and the formation of greisen in Grainsgill, Cumbria, England. *Geological Journal*, 18, 43–52.

Roberts, J. L. (1963) Source of the Glencoe ignimbrites. *Nature*, 199, 201.

Roberts, J. L. (1966a) Ignimbrite eruptions in the volcanic history of the Glencoe cauldron subsidence. *Geological Journal*, 5, 173–84.

Roberts, J. L. (1966b) The emplacement of the main Glencoe fault-intrusion at Stob Mhic Mhartuin. *Geological Magazine*, 103, 299–316.

Roberts, J. L. (1974) The evolution of the Glencoe cauldron. *Scottish Journal of Geology*, 10, 269–82.

Robertson, A. H. F. and Henderson, W. G. (1984) Geochemical evidence for the origin of igneous and sedimentary rocks of the Highland Border, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, 135–50.

Robertson, R. C. R. and Parsons, I. (1974) The Loch Loyal syenites. *Scottish Journal of Geology*, 10, 129–46.

Robinson, M. A. (1985) Palaeomagnetism of volcanics and sediments of the Eday Group, Southern Orkney. *Scottish Journal of Geology*, 21, 285–300.

Robson, D. A. (1948) The Old Red Sandstone Volcanic Suite of Eastern Forfarshire. *Transactions of the Edinburgh Geological Society*, 14, 128–40.

Rock, N. M. S. (1977) A new occurrence of fenite in the Loch Borrolan alkaline complex, Assynt. *Mineralogical Magazine*, 41, 529 and M7.

Rock, N. M. S. (1983) The Permo-Carboniferous camptonite-monchiquite dyke-suite of the Scottish Highlands and Islands. *Report of the Institute of Geological Sciences No. 82/14*.

Rock, N. M. S. (1987) The nature and origin of lamprophyres: an overview. In *Alkaline Igneous Rocks*, (eds J. G. Fitton and B. G. J. Upton), *Geological Society Special Publication*, No. 30, pp. 191–226.

Rock, N. M. S. and Hunter, R. H. (1987) Late Caledonian dyke-swarms of northern Britain: spatial and temporal intimacy between lamprophyric and granitic magmatism around the Ross of Mull pluton, Inner Hebrides. *Geologische Rundschau*, 76, 805–26.

Rock, N. M. S., Cooper, C. and Gaskarth, J. W (1986a) Late Caledonian subvolcanic vents and associated dykes in the Kirkcudbright area, Galloway, south-west Scotland. *Proceedings of the Yorkshire Geological Society*, 46, 29–37.

Rock, N. M. S., Gaskarth, J. W, Henney, P and Shand, P (1988) Late Caledonian dyke swarms of northern Britain: some preliminary petrogenetic and tectonic implications of their province-wide distribution and chemical variation. *Canadian*

- Rock, N. M. S., Gaskarth, J. W and Rundle, C. C. (1986b) Late Caledonian dyke-swarms in southern Scotland: a regional zone of primitive K-rich lamprophyres and associated vents. *Journal of Geology*, 94, 505–21.
- Rock, N. M. S. and Rundle, C. C. (1986) Lower Devonian age for the 'Great (basal) Conglomerate', Scottish Borders. *Scottish Journal of Geology*, 22, 285–8.
- Rogers, D. A., Marshall, J. E. A. and Astin, T. R. (1989) Devonian and later movements on the Great Glen fault system, Scotland. *Journal of the Geological Society of London*, 146, 369–72.
- Rogers, G. and Dunning, G. R. (1991) Geochronology of appinitic and related granitic magmatism in the W Highlands of Scotland: constraints on the timing of tran-scurrent fault movement. *Journal of the Geological Society of London*, 148, 17–27.
- Rogers, G., Paterson, B. A., Dempster, T. J. and Redwood, S. D. (1994) U-Pb geochronology of the 'Newer' gabbros, NE Grampians. In *Caledonian Terrane Relationships in Britain*, Symposium Abstracts, British Geological Survey, Keyworth, Nottingham.
- Rolfe, W. D. I. (1980) Early invertebrate terrestrial faunas. In *Terrestrial Environment and the Origin of the Invertebrates* (ed. A. L. Panchen), Academic Press, London and New York, pp. 117–157.
- Rollin, K. E. (1984) Gravity modelling of the Eastern Highlands granites in relation to heat flow studies. In *Investigation of the Geothermal Potential of the UK*, British Geological Survey, Keyworth, Nottingham.
- Romano, M. and Spears, D. A. (1991) Bentonites from the Horton Formation (Upper Silurian) of Ribblesdale, Yorkshire. *Proceedings of the Yorkshire Geological Society*, 48, 277–85.
- Ruddock, I. (1969) The geochemistry of the southern half of the Loch Dee-Loch Doon pluton, South West Scotland. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Rundle, C. C. (1979) Ordovician intrusions in the English Lake District. *Journal of the Geological Society of London*, 136, 29–38.
- Rundle, C. C. (1981) The significance of isotopic dates from the English Lake District for the Ordovician-Silurian time-scale. *Journal of the Geological Society of London*, 138, 569–72.
- Rundle, C. C. (1982) The chronology of igneous intrusion in the English Lake District. Unpublished PhD thesis, University of London.
- Rundle, C. C. (1992) Review and assessment of isotopic ages from the English Lake District. *British Geological Survey Technical Report*, No. WA/92/38.
- Rushton, A. W. A., Stone, P and Hughes, R. A. (1996) Biostratigraphical control of thrust models for the Southern Uplands of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 86, 137–52.
- Rushton, A. W. A., Owen, A. W, Owens, R. M. and Prigmore, J. K. (1999) *British Cambrian to Ordovician Stratigraphy*. Geological Conservation Review Series, No. 18, Joint Nature Conservation Committee, Peterborough.
- Rushton, A. W. A., Stone, P, Smellie, J. L. and Tunnicliff, S. P. (1986) An early Arenig age for the Pinbain sequence, Ballantrae Complex. *Scottish Journal of Geology*, 22, 41–54.
- Rutledge, H. (1952) Contact phenomena of the southern part of the Loch Doon plutonic complex (abstract). *Abstracts of the Proceedings of the Geological Society of London*, 1484, 60–6.

Rutley, F. (1885a) On strain in connexion with crystallisation and the development of per-litic structure. *Journal of the Geological Society of London*, 40, 340–7.

Rutley, F. (1885b) Felsitic lavas of England and Wales. *Memoir of the Geological Survey of Great Britain*.

Ryan, P. D. and Dewey, J. F. (1991) A geological and tectonic cross-section of the Caledonides of western Ireland. *Journal of the Geological Society of London*, 148, 173–80.

Sabine, P. A. (1952) The ledmorite dyke of Achmelvich, near Lochinver, Sutherland. *Mineralogical Magazine*, 29, 827–32.

Sabine, P. A. (1953) The petrography and geological significance of the post-Cambrian minor intrusions of Assynt and the adjoining districts of north-west Scotland. *Quarterly Journal of the Geological Society of London*, 109, 137–71.

Sabine, P. A. (1963) The Strontian granite complex, Argyllshire. *Bulletin of the Geological Survey of Great Britain*, 20, 6–42.

Sadashivaiah, M. S. (1954) The granite-diorite complex of the Insch Igneous Mass, Aberdeenshire. *Geological Magazine*, 91, 286–92.

Saunders, A. D., Rogers, G., Marriner, G., Terrell, D. J. and Verma, S. P. (1987) Geochemistry of Cenozoic volcanic rocks, Baja California, Mexico: Implications for the petrogenesis of post-subduction magmas. *Journal of Volcanology and Geothermal Research*, 32, 223–45.

Scarpati, C., Cole, P. and Perrotta, A. (1993) The Neapolitan Yellow Tuff- a large volume multiphase eruption from Campi Flegrei, southern Italy. *Bulletin of Volcanology*, 55, 343–56.

Scott, R. (1992) Tan y Grisiau. In *Caledonian Structures in Britain South of the Midland Valley* (ed. J. E. Treagus). Geological Conservation Review Series, No. 3, Chapman and Hall, London, pp. 118–20.

Seber, D., Barazangi, M., Ibenbrahim, A. and Demnati, A. (1996) Geophysical evidence for lithospheric delamination beneath the Alboran Sea and Rif-Betic mountains. *Nature*, 379, 785–90.

Sedgwick, A. (1836) Introduction to the general structure of the Cumbrian Mountains, with a description of the great dislocations by which they have been separated from the neighbouring Carboniferous chains. *Transactions of the Geological Society of London*, 40, 340–7.

Sedgwick, A. (1843) Outline of the geological structure of North Wales. *Proceedings of the Geological Society of London*, 4, 212–24.

Seymour, J. W (1815) An account of observations, made by Lord Webb Seymour and Professor Playfair, upon some geological appearances in Glen Tilt, and the adjacent country; drawn up by Lord Webb Seymour. *Transactions of the Royal Society of Edinburgh*, 7, 303–75.

Shackleton, R. M. (1948) Overturned rhythmic banding in the Huntly gabbro of Aberdeenshire. *Geological Magazine*, 85, 358–60. Shackleton, R. M. (1954) The structural evolution of North Wales. *Liverpool and Manchester Geological journal*, 2, 216–52. Shackleton, R. M. (1959) The stratigraphy of the Mod Hebog district between Snowdon and Tremadoc. *Liverpool and Manchester Geological journal*, 2, 216–52.

Shand, P. (1989) Late Caledonian magma genesis in Southern Scotland. Unpublished PhD thesis, University of Aston, Birmingham.

Shand, P., Gaskarth, J. W, Thirlwall, M. F. and Rock, N. M. S. (1994) Late Caledonian lamprophyre dyke swarms of south-eastern Scotland. *Mineralogy and Petrology*, 51, 277–98.

Shand, S. J. (1906) Über Borolanit und die gesteine des Cnoc-na-Sroine massivs im Nord Schottland. *Neues Jahrbuch für Mineralogie*, 22, 413–53.

Shand, S. J. (1909) On borolanite and its associates in Assynt (preliminary communication). *Transactions of the Edinburgh Geological Society*, 9, 202–15.

Shand, S. J. (1910) On borolanite and its associates in Assynt (second communication). *Transactions of the Edinburgh Geological Society*, 9, 376–416.

Shand, S. J. (1913) On saturated and unsaturated igneous rocks. *Geological Magazine*, 10, 508–14.

Shand, S. J. (1930) Limestone and the origin of feldspathoidal rocks. *Geological Magazine*, 67, 421–5.

Shand, S. J. (1939) The Loch Borolan Laccolith, North-West Scotland. *Journal of Geology*, 17, 408–20.

Sharpe, D. (1846) Contributions to the geology of North Wales. *Quarterly Journal of the Geological Society of London*, 2, 283–316.

Shaw, M. H., Gunn, A. G., Fletcher, T. A., Styles, M. T. and Perez, M. (1992) Data arising from drilling investigations in the Loch Borralan Intrusion, Sutherland, Scotland. *British Geological Survey, Open-File Report No. 8*.

Shepherd, T. J. and Derbyshire, D. P. E (1981) Fluid inclusion Rb-Sr isochrons for dating mineral deposits. *Nature*, 290, 5807.

Shepherd, T. J., Beckinsale, R. D., Rundle, C. C. and Durham, J. (1976) Genesis of Carrock Fell tungsten deposits, Cumbria: fluid inclusion and isotopic study. *Transactions of the Institution of Mining and Metallurgy*, 85, B63–73.

Simpson, B. (1934) The petrology of the Eskdale (Cumberland) Granite. *Proceedings of the Geologists' Association*, 45, 17–34.

Simpson, P. R., Brown, G. C., Plant, J. and Ostle, D. (1979) Uranium mineralisation and granite magmatism in the British Isles. *Philosophical Transactions of the Royal Society of London*, 291A, 385–412.

Skillet, I. E. (1973) The igneous complex of Carrock Fell. *Proceedings of the Cumberland Geological Society*, 3, 363–86.

Slater, G. B. (1977) A geochemical survey of the Lower Devonian volcanics of Scotland and northern England. Unpublished MSc thesis, University of Birmingham.

Smellie, J. L. (1984) Accretionary lapilli and highly vesiculated pumice in the Ballantrae ophi-olite complex: ash-fall products of subaerial eruptions. *Report of the British Geological Survey*, Vol. 16, No.1, 36–40.

Smellie, J. L. and Stone, P (1984) 'Eclogite' in the Ballantrae Complex: a garnet-clinopyroxenite segregation in mantle harzburgite? *Scottish Journal of Geology*, 20, 315–27.

Smellie, J. L. and Stone, P. (1992) Geochemical control on the evolutionary history of the Ballantrae Complex, SW Scotland, from comparisons with recent analogues. In *Ophiolites and their Modern Oceanic Analogues* (eds L. M. Parson, B. J. Murton and P. Browning), *Geological Society Special Publication*, No. 60, pp. 171–8.

Smellie, J. L., Stone, P and Evans, J. A. (1995) Petrogenesis of boninites in the Ordovician Ballantrae Complex ophiolite, southwestern Scotland. *Journal of Volcanology and Geothermal Research*, 69, 323–42.

Smith, D. I. (1979) Caledonian minor intrusions of the Northern Highlands of Scotland. In *The Caledonides of the British Isles Reviewed* (eds A. L. Harris, C. Holland and B.

E. Leake), *Geological Society of London Special Publication*, No. 8, pp. 683–97.

Smith, J. (1892) From the Doon to the Girvan Water, along the Carrick shore. *Transactions of the Geological Society of Glasgow*, 10, 1–12.

Smith, J. (1909) *Upland Fauna of the Old Red Sandstone Formation of Carrick, Ayrshire*. Cross.

Smith, J. (1910) *Semi-Precious Stones of Carrick*. Cross.

Smith, M. (1988) The tectonic evolution of the Cambrian and Ordovician rocks in South Central Snowdonia. Unpublished PhD thesis, University of Wales, Aberystwyth.

Smith, M., Rushton, A. W. A. and Howells, M. F. (1995) New litho- and biostratigraphic evidence for a Mid-Ordovician hiatus in southern central Snowdonia, North Wales. *Geological Journal*, 30, 145–56.

Smith, R. A. (1980) The geology of the Dalradian rocks around Blair Atholl, central Perthshire, Scotland. Unpublished PhD thesis, University of Liverpool.

Smith, R. A. (1995) The Siluro-Devonian evolution of the southern Midland Valley of Scotland. *Geological Magazine*, 132, 503–13.

Smith, R. L. (1979) Ash-flow magmatism. In *Ash-Flow Tuffs* (eds C. E. Chapin and W. E. Elston), *Geological Society of America Special Paper*, No. 180, pp. 5–27.

Smith, R. L. and Bailey, R. A. (1968) Resurgent cauldrons. In *Studies in Volcanology* (ed. R. R. Coates), *Geological Society of America Memoir*, No. 116, pp. 613–62.

Smith, T. E. and Huang, C. H. (1995) Geochemistry and petrogenesis of the igneous rocks of the Builth-Llandrindod Ordovician Inlier, Wales. In *Magmatism in Relation to Diverse Tectonic Settings* (eds R. K. Srivastava and R. Chandra), A A Balkema, Rotterdam, pp. 261–81.

Soper, N. J. (1963) The structure of the Rogart igneous complex, Sutherland, Scotland. *Quaternary Journal of the Geological Society of London*, 11, 445–78.

Soper, N. J. (1986) The Newer Granite problem: A geotectonic view. *Geological Magazine*, 123, 227–36.

Soper, N. J. and Hutton, D. H. W. (1984) Late Caledonian sinistral displacements in Britain: Implications for a three-plate collision model. *Tectonics*, 3, 781–94.

Soper, N. J. and Kneller, B. C. (1990) Cleaved microgranite dykes of the Shap swarm in the Silurian of NW England. *Geological Journal*, 25, 161–70.

Soper, N. J. and Roberts, D. E. (1971) Age of cleavage in the Skiddaw Slates in relation to the Skiddaw aureole. *Geological Magazine*, 108, 293–302.

Soper, N. J., Strachan, R. A., Holdsworth, R. E., Gayer, R. A. and O'Greiling, R. O. (1992) Sinistral transpression and the Silurian closure of Iapetus. *Journal of the Geological Society of London*, 149, 871–80.

Soper, N. J., Webb, B. C. and Woodcock N. H. (1987) Late Caledonian (Acadian) transpres-sion in north-west England: timing, geometry, and geotectonic significance. *Proceedings of the Yorkshire Geological Society*, 46, 175–92.

Spears, D. A. (1961) The distribution of Alpha Radioactivity in a specimen of Shap Granite. *Geological Magazine*, 98, 483–7.

Speer, J. A. and Becker, S. W. (1992) Evolution and magmatic subsolidus AFM mineral assemblages in granitoid rocks: biotite, muscovite, and garnet in the Cuffytown Creek pluton, South Carolina. *American Mineralogist*, 77, 821–33.

Spray, J. G. (1988) Thrust related metamorphism beneath the Shetland Islands oceanic fragment, north-east Scotland. *Canadian Journal of Earth Sciences*, 25, 1760–76.

Spray, J. G. and Dunning, G. R. (1991) A U/Pb age for the Shetland Islands oceanic fragment, Scottish Caledonides: evidence from anatetic plagiogranites in 'layer 3' shear zones. *Geological Magazine*, 128, 667–71.

Spray, J. G. and Williams, G. D. (1980) The sub-ophiolite metamorphic rocks of the Ballantrae Igneous Complex, SW Scotland. *Journal of the Geological Society of London*, 137, 359–68.

Steinmann, G. (1927) Die ophiolithischen Zonen in dem mediterranen Kettengebirge. *14th International Geological Congress, Madrid*, 2, 638–67.

Stephens, W. E. (1988) Granitoid plutonism in the Caledonian orogen of Europe. In *The Caledonian-Appalachian Orogen* (eds A. L. Harris and D. J. Fettes), *Geological Society Special Publication*, No. 38, pp. 389–403.

Stephens, W. E. (1992) Spatial, compositional and rheological constraints on the origin of zoning in the Criffel pluton, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 83, 191–9.

Stephens, W. E. and Halliday, A. N. (1979) Compositional variation in the Galloway plutons. In *Origin of Granite Batholiths* (eds M. P. Atherton and J. Tarney), Shiva, Orpington, pp. 9–17.

Stephens, W. E. and Halliday, A. N. (1980) Discontinuities in the composition surface of a zoned pluton, Criffell, Scotland. *Geological Society of America Bulletin*, 91, 165–70.

Stephens, W. E. and Halliday, A. N. (1984) Geochemical contrasts between late Caledonian granitoid plutons of northern, central and southern Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, 259–73.

Stephens, W. E., Holden, P. and Henney, P. J. (1991) Microdioritic enclaves within Scottish Caledonian granitoids and their significance for crustal magmatism. In *Enclaves and Granite Petrology* (eds J. Dither and B. Barbarin), *Developments in Petrology*, No. 13, Elsevier, Amsterdam, pp. 125–34.

Stephens, W. E., Whitley, J. E., Thirlwall, M. F. and Halliday, A. N. (1985) The Criffell zoned pluton: correlated behaviour of rare earth element abundances with isotopic systems. *Contributions to Mineralogy and Petrology*, 89, 226–38.

Stephenson, D. and Gould, D. (1995) *British Regional Geology: the Grampian Highlands*, 4th edn, HMSO, London, for the British Geological Survey.

Stewart, F. H. (1941) On sulphatic cancrinite and analcime (eudnophite) from Loch Borralan, Assynt. *Mineralogical Magazine*, 26, 1–8. Stewart, F. H. (1946) The gabbroic complex of Belhelvie in Aberdeenshire. *Quarterly Journal of the Geological Society of London*, 102, 465–98.

Stewart, F. H. and Johnson, M. R. W (1960) The structural problem of the younger gabbros of north-east Scotland. *Transactions of the Edinburgh Geological Society*, 18, 104–12.

Stewart, M., Strachan, R. A. and Holdsworth, R. E. (1997) Direct field evidence for sinistral displacement along the Great Glen Fault Zone: late Caledonian reactivation of a regional basement structure? *Journal of the Geological Society of London*, 154, 135–9.

Stillman, C. J. and Francis, E. H. (1979) Caledonian volcanism in Britain and Ireland. In *The Caledonides of the British Isles Reviewed* (eds A. L. Harris, C. H. Holland and B. E. Leake), *Geological Society of London Special Publication*, No. 8.

Stone, P. (1995) Geology of the Rhins of Galloway. *Memoir of the British Geological Survey*, Sheets 1 and 3 (Scotland).

Stone, P. (1996) Girvan and Ballantrae: an obducted ophiolite. In *Geology in South-west Scotland: an Excursion Guide* (ed. P. Stone), British Geological Survey, Keyworth, Nottingham, pp. 69–79.

Stone, P. and Rushton, A. W. A. (1983) Graptolite faunas from the Ballantrae ophiolite complex and their structural implications. *Scottish Journal of Geology*, 19, 297–310.

Stone, P. and Smellie, J. L. (1988) *Classical areas of British Geology: the Ballantrae area: a description of the solid geology of parts of 1:25 000 Sheets NX 08, 18 and 19*. HMSO, London, for British Geological Survey.

Stone, P. and Smellie, J. L. (1990) The Ballantrae ophiolite, Scotland: an Ordovician island arc-marginal basin assemblage. In *Ophio-lites: Oceanic Crustal Analogues* (eds J. Malpas, E. M. Moores, A. Panayiotou and C. Xenophontos), Geological Survey Department, Nicosia, Cyprus, pp. 535–546.

Stone, P., Floyd, J. D., Barnes, R. P. and Lintern, B. C. (1987) A sequential back-arc and foreland basin thrust duplex model for the Southern Uplands of Scotland. *Journal of the Geological Society of London*, 144, 753–64.

Stone, P., Green, P. M., Lintern, B. C., Simpson, P. R. and Plant, J. A. (1993) Regional geochemical variation across the Iapetus Suture zone: tectonic implications. *Scottish Journal of Geology*, 29, 113–21.

Stone, P., Kimbell, G. S. and Henney, P. J. (1997) Basement control on the location of strike-slip shear in the Southern Uplands of Scotland. *Journal of the Geological Society of London*, 154, 141–4.

Storetvedt, K. M. and Meland, A. H. (1985) Geological interpretation of palaeomagnetic results from Devonian rocks of Hoy, Orkney. *Scottish Journal of Geology*, 5, 337–52.

Storetvedt, K. M. and Petersen, N. (1972) Palaeomagnetic properties of the Middle-Upper Devonian volcanics of the Orkney Islands. *Earth and Planetary Science Letters*, 14, 269–78.

Styles, M. T. (1994) A petrological study of ultramafic rocks from the East Grampian region between Ballater and Huntly. *British Geological Survey Technical Report*, No. WG/9⁴/10/R.

Summerhayes, C. P. (1966) A geochronological and strontium isotope study of the Garabal Hill-Glen Fyne igneous complex, Scotland. *Geological Magazine*, 103, 153–65.

Sutherland, D. S. (1982) Alkaline intrusions of north-western Scotland. In *Igneous Rocks of the British Isles* (ed. D. S. Sutherland), Wiley, Chichester, pp. 203–14.

Suthren, R. J. (1977) Volcanic and sedimentary facies of part of the Borrowdale Volcanic Group, Cumbria. Unpublished PhD thesis, University of Keele.

Suthren, R. J. and Davis, N. (1990) The Borrowdale Volcanic Group at Seathwaite, Borrowdale. In *Geologists' Association Guide No. 2: Geology of the Lake District* (compiled by F. Moseley, eds C. J. Lister and J. T. Greensmith) 2nd edn, The Geologists' Association, London, pp. 154–8.

Suthren, R. J. and Fumes, H. (1980) Origin of some bedded welded tuffs. *Bulletin Volcanologique*, 43, 61–71.

Swarbrick, A. (1992) Caledonian minor intrusions from the Midland Valley and Southern Uplands of Scotland: their geochemistry, isotopic characteristics and petrogenesis. Unpublished PhD thesis, University of Birmingham.

Sylvester-Bradley, P. C. and King, R. J. (1963) Evidence for abiogenic hydrocarbons. *Nature*, 198, 728–31.

Tanner, P. W. G. (1995) New evidence that the Lower Cambrian Leny Limestone at Callander, Perthshire, belongs to the Dalradian Supergroup, and a reassessment of the 'exotic' status of the Highland Border Complex. *Geological Magazine*, 132, 473–83.

Tarney, J. and Jones, C. E. (1994) Trace element geochemistry of orogenic igneous rocks and crustal growth models. *Journal of the Geological Society of London*, 151, 855–68.

Taubeneck, W. H. (1967) Notes on the Glen Coe cauldron subsidence, Argyllshire, Scotland. *Geological Society of America Bulletin*, 78, 1295–316.

Tawney, E. B. (1880) Woodwardian laboratory notes: North Wales rocks. *Geological Magazine*, 7, 207–15, 452–8.

Taylor, D. M. (1972) The geochemistry and petrology of the andesites and associated igneous rocks of an area of the Ochil Hills, near Dunning, Perthshire. Unpublished PhD thesis, University of Nottingham.

Taylor, J. H. (1934) The Mountsorrel granodiorite and associated igneous rocks. *Geological Magazine*, 71, 1–16.

Taylor, K. and Rushton, A. W. A. (1971) The pre-Westphalian geology of the Warwickshire Coalfield, with a description of three bore-holes in the Merevale area. *Bulletin of the Geological Survey of Great Britain*, No. 35.

Teale, C. T. and Spears, D. A. (1986) The mineralogy and origin of some Silurian bentonites, Welsh Borderland, U.K. *Sedimentology*, 33, 757–65.

Teall, J. J. H. (1888) *British Petrography; with Special Reference to the Igneous Rocks*, Dulau, London.

Teall, J. J. H. (1897) Petrography of Kentallen District. *Annual report for 1896, Geological Survey of United Kingdom*, 21–3.

Teall, J. J. H. (1900) On nepheline-syenite and its associates in the North-west of Scotland. *Geological Magazine*, 7, 385–92.

Thimmaiah, T. (1956) Mineralisation in the Caldbeck Fells area. Unpublished PhD thesis, University of London.

Thirlwall, M. E (1979) The petrochemistry of the British Old Red Sandstone volcanic province. Unpublished PhD thesis, University of Edinburgh.

Thirlwall, M. F. (1981a) Implications for Caledonian plate tectonic models of chemical data from volcanic rocks of the British Old Red Sandstone. *Journal of the Geological Society of London*, 138, 123–38.

Thirlwall, M. E (1981b) Peralkaline rhyolites from the Ordovician Tweeddale Lavas, Peeblesshire, Scotland. *Geological Journal*, 16, 41–4.

Thirlwall, M. E (1982) Systematic variation in chemistry and Nd-Sr isotopes across a Caledonian calc-alkaline volcanic arc: implications for source materials. *Earth and Planetary Science Letters*, 58, 27–50.

Thirlwall, M. F. (1983a) Reply to: Discussion on implications for Caledonian plate tectonic models of chemical data from volcanic rocks of the British Old Red Sandstone. *Journal of the Geological Society of London*, 140, 315–18.

Thirlwall, M. F. (1983b) Isotope geochemistry and origin of calc-alkaline lavas from a Caledonian continental margin volcanic arc. *Journal of Volcanology and Geothermal Research*, 18, 589–631.

Thirlwall, M. F (1986) Lead isotope evidence for the nature of the mantle beneath Caledonian Scotland. *Earth and Planetary Science Letters*, 80, 55–70.

Thirlwall, M. E (1988) Geochronology of Late Caledonian magmatism in northern Britain. *Journal of the Geological Society of London*, 145, 951–67.

Thirlwall, M. E (1989) Movement on proposed terrane boundaries in northern Britain: constraints from Ordovician-Devonian igneous rocks. *Journal of the Geological Society of London*, 146, 373–6.

- Thirlwall, M. F. and Bluck, B. J. (1984) Sr-Nd isotope and geological evidence that the Ballantrae 'ophiolite', SW Scotland, is polyge-netic. In *Ophiolites and Oceanic Lithosphere* (eds I. G. Gass, S. J. Lippard and A. W. Shelton), *Geological Society Special Publication*, No. 13, pp. 215–30.
- Thirlwall, M. F. and Burnard, P (1990) Pb-Sr-Nd isotope and chemical study of the origin of undersaturated and oversaturated shoshonitic magmas from the Borralan pluton, Assynt, NW Scotland. *Journal of the Geological Society of London*, 147, 259–69.
- Thirlwall, M. F. and Fitton, J. G. (1983) Sm-Nd garnet age for the Ordovician Borrowdale Volcanic Group, English Lake District. *Journal of the Geological Society of London*, 140, 511–18.
- Thomas, G. E. and Thomas, T. M. (1956) The volcanic rocks of the area between Fishguard and Strumble Head, Pembrokeshire. *Quarterly Journal of the Geological Society of London*, 112, 291–314.
- Thomas, H. H. (1911) The Skomer volcanic Series (Pembrokeshire). *Quarterly Journal of the Geological Society of London*, 67, 175–214.
- Thomas, J. E., Dodson, M. H., Rex, D. C. and Ferrara, G. (1966) Caledonian magmatism in North Wales. *Nature*, 209, 866–8.
- Thompson, R. N. and Fowler, M. B. (1986) Subduction-related shoshonitic and ultra-potassic magmatism: a study of Siluro-Ordovician syenites from the Scottish Caledonides. *Contributions to Mineralogy and Petrology*, 94, 507–22.
- Thorpe, R. S., Gaskarth, J. W and Henney, P. J. (1993a) Composite Ordovician lamprophyre (spessartite) intrusions around the Midlands Microcraton in central Britain. *Geological Magazine*, 130, 657–63.
- Thorpe, R. S., Leat, P. T., Bevins, R. E. and Hughes, D. J. (1989) Late-orogenic alkaline/subalkaline Silurian volcanism of the Skomer Volcanic Group in the Caledonides of south Wales. *Journal of the Geological Society of London*, 146, 125–32.
- Thorpe, R. S., Leat, P. T., Mann, A. C., Howells, M. F., Reedman, A. J. and Campbell, S. D. G. (1993b) Magmatic evolution of the Ordovician Snowdon Volcanic Centre, North Wales (UK). *Journal of Petrology*, 34, 711–41.
- Threadgould, R., Parsons, I., and Young, B. N. (1994) The Assynt Carbonatite. *Earth Heritage*, 1, 25–6.
- Tilley, C. E. (1924) Contact-metamorphism in the Comrie area of the Perthshire Highlands. *Quarterly Journal of the Geological Society of London*, 80, 22–71.
- Tilley, C. E. (1957) Problems of alkali rock genesis. *Quarterly Journal of the Geological Society of London*, 113, 323.
- Tindle, A. G., McGarvie, D. W and Webb, P. C. (1988) The role of hybridisation and crystal fractionation in the evolution of the Cairnsmore of Cairnsphairn Intrusion, Southern Uplands of Scotland. *Journal of the Geological Society of London*, 145, 11–21.
- Tindle, A. G. and Pearce, J. A. (1981) Petrogenetic modelling of in situ fractional crystallisation in the zoned Loch Doon pluton, Scotland. *Contributions to Mineralogy and Petrology*, 78, 196–207.
- Torsvik, T. H. (1984) Palaeomagnetism of the Foyers and Strontian granites, Scotland. *Physics of the Earth and Planetary Interiors*, 36, 163–77.
- Torsvik, T. H. and Trench, A. (1991) The Ordovician history of the Iapetus Ocean in Britain: New palaeomagnetic constraints. *Journal of the Geological Society of London*, 148, 423–5.
- Torsvik, T. H., Smethurst, M. A., Meert, J. G., Van der Voo, R., McKerrow, W. S. et al. (1996) Continental break-up and collision in the Neoproterozoic and Palaeozoic — A tale of Baltica and Laurentia. *Earth-Science Reviews*, 40, 229–58.

- Torsvik, T. H., Smethurst, M. A., Van der Voo, R. Trench, A., Abrahamsen, N. and Halvorsen, E. (1992) Baltica: A synopsis of Vendian -Permian palaeomagnetic data and their palaeotectonic implications. *Earth-Science Reviews*, 33, 133–52.
- Treagus, J. E. (1991) Fault displacements in the Dalradian of the Central Highlands. *Scottish Journal of Geology*, 27, 135–45.
- Treagus, J. E. and Treagus, S. H. (1971) The structures of the Ardsheal peninsula, their age and regional significance. *Geological Journal*, 7, 335–46.
- Treloar, P. J., Bluck, B. J., Bowes, D. R. and Dudek, A. (1980) Hornblende-garnet metapyroxenite beneath serpentinite in the Ballantrae complex of SW Scotland and its bearing on the depth provenance of obducted oceanic lithosphere. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 71, 201–12.
- Tremlett, W. E. (1962) The geology of the Nefyn-Llanaelhaearn area of North Wales. *Liverpool and Manchester Geological Journal*, 3, 157–76.
- Tremlett, W. E. (1969) Caradocian volcanicity in the Lleyn Peninsula. In *The Pre-Cambrian and Lower Palaeozoic Rocks of Wales* (ed. A. Wood), University of Wales Press, Cardiff, pp. 357–385.
- Tremlett, W. E. (1972) Some geochemical characteristics of Ordovician and Caledonian acid intrusions of Lleyn, North Wales. *Proceedings of the Yorkshire Geological Society*, 39, 33–57.
- Tremlett, W. E. (1973) Excursion 9: Balmaha. In *Excursion Guide to the Geology of the Glasgow District* (ed. B. J. Bluck), Geological Society of Glasgow, Glasgow, pp. 75–81.
- Trench, A. and Haughton, P. D. W. (1990) Palaeomagnetic and geochemical evaluation of a terrane-linking ignimbrite: evidence for the relative position of the Grampian and Midland Valley terranes in late Silurian time. *Geological Magazine*, 127, 241–57.
- Trench, A. and Torsvik, T. H. (1992) The closure of the Iapetus Ocean and Tornquist Sea: new palaeomagnetic constraints. *Journal of the Geological Society of London*, 149, 867–70.
- Trewin, N. H. (1987) Crawton: Lavas and conglomerates of the Lower Old Red Sandstone. In *Excursion Guide to the Geology of the Aberdeen Area* (eds N. H. Trewin, B. C. Kneller and C. Gillen), Scottish Academic Press, Edinburgh for Geological Society of Aberdeen, pp. 259–64.
- Trewin, N. H. and Rice, C. M. (1992) Stratigraphy and sedimentology of the Devonian Rhynie chert locality. *Scottish Journal of Geology*, 28, 37–47.
- Trotter, F. M., Hollingworth, S. E., Eastwood, T. and Rose, W. C. C. (1937) Gosforth District. *Memoir of the Geological Survey of Great Britain*, Sheet 37 (England and Wales).
- Tucker, R. D. and McKerrow, W. S. (1995) Early Paleozoic chronology: a review in light of new U-Pb zircon ages from Newfoundland and Britain. *Canadian Journal of Earth Sciences*, 32, 368–79.
- Turnell, H. B. (1985) Palaeomagnetism and Rb-Sr ages of the Ratagain and Comrie intrusions. *Geophysical Journal of the Royal Astronomical Society*, 83, 363–78.
- Tuttle, O. F. and Bowen, N. L. (1958) Origin of granite in the light of experimental studies in the system NaAlSi₃O₈-KA₁Si₃O₈-SiO₂-H₂O. *Memoir of the Geological Society of America*, 74.
- Tyler, I. M. and Ashworth, J. R. (1982) Sillimanite-potash feldspar assemblages in graphitic pelites, Strontian area, Scotland. *Contributions to Mineralogy and Petrology*, 81, 18–29.

Tyler, I. M. and Ashworth, J. R. (1983) The metamorphic environment of the Foyers Granitic Complex. *Scottish Journal of Geology*, 19, 271–85.

Tyrrell, G. W. (1913) A petrographical sketch of the Carrick Hills, Ayrshire. *Transactions of the Geological Society of Glasgow*, 15, 64–83.

Tyrrell, G. W. (1928) The Geology of Arran. *Memoir of the Geological Survey, Scotland*.

Van Breemen, O., Aftalion, M. and Johnson, M. R. (1979a) Age of the Loch Borrolan complex, Assynt and late movements along the Moine Thrust Zone. *Journal of the Geological Society of London*, 16, 489–95.

Van Breemen, O., Aftalion, M., Pankhurst, R. J. and Richardson, S. W (1979b) Age of the Glen Dessarry syenite, Inverness-shire: diachronous Palaeozoic metamorphism across the Great Glen. *Scottish Journal of Geology*, 15, 49–62.

Van de Kamp, P. C. (1969) The Silurian volcanic rocks of the Mendip Hills, Somerset; and the Tortworth area, Gloucestershire, England. *Geological Magazine*, 106, 542–53.

Vance, J. A. (1965) Zoning in igneous plagioclase: patchy zoning. *Journal of Geology*, 73, 636–51.

Vernon, R. H. (1986) K-feldspar megacrysts in Granites — phenocrysts not porphyroblasts. *Earth-Science Reviews*, 23, 1–63.

Vistelius, A. B. (1969) O granitakh Shep (Westmorland, Angliya). (The Shap Granite, Westmorland). *Doklady Akademii Nauk SSSR*, 187, 391–4, [In Russian-English translation].

Von Knorring, O. and Dearnley, R. (1959) A note on nordmarkite and an associated rare earth mineral from the Ben Loyal Syenite Complex, Sutherland. *Mineralogical Magazine*, 32, 389–91.

Wadge, A. J. (1972) Sections through the Skiddaw-Borrowdale unconformity in eastern Lakeland. *Proceedings of the Yorkshire Geological Society*, 39, 179–98.

Wadge, A. J. (1978) Classification . and stratigraphical relationships of the Lower Ordovician Rocks. In *The Geology of the Lake District* (ed. F. Moseley), The Yorkshire Geological Society, Leeds, pp. 68–78.

Wadge, A. J., Gale, N. H., Beckinsale, R. D. and Rundle, C. C. (1978) A Rb-Sr isochron age for the Shap Granite. *Proceedings of the Yorkshire Geological Society*, 42, 297–305.

Wadge, A. J., Harding, R. R. and Derbyshire, D. P. (1974) The rubidium-strontium age and field relationships of the Threlkeld Microgranite. *Proceedings of the Yorkshire Geological Society*, 40, 211–22.

Wadsworth, W. J. (1970) The Aberdeenshire layered intrusion of north-east Scotland. *Geological Society of South Africa Special Publication*, 1, 565–75.

Wadsworth, W. J. (1982) The basic plutons. In *Igneous Rocks of the British Isles* (ed. D. S. Sutherland), Wiley, Chichester, pp. 135–48.

Wadsworth, W. J. (1986) Silicate mineralogy of the later fractionation stages of the Insch intrusion, NE Scotland. *Mineralogical Magazine*, 50, 583–95.

Wadsworth, W. J. (1988) Silicate mineralogy of the Middle Zone cumulates and associated gabbroic rocks from the Insch intrusion, NE Scotland. *Mineralogical Magazine*, 52, 309–22.

Wadsworth, W. J. (1991) Silicate mineralogy of the Belhelvie cumulates, NE Scotland. *Mineralogical Magazine*, 55, 113–19.

- Walker, E. E. (1904) Notes on the garnet-bearing and associated rocks of the Borrowdale Volcanic Series. *Quarterly Journal of the Geological Society of London*, 60, 70–104.
- Walker, E. F. (1985) Arthropod ichnofauna of the Old Red Sandstone at Dunure and Montrose, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 76, 287–97.
- Walker, F. (1927) The igneous geology of Ardsheal Hill, Argyllshire. *Transactions of the Royal Society of Edinburgh*, 55, 147–57.
- Walker, G. P. L. (1985) Origin of coarse lithic breccias near ignimbrite source vents. *Journal of Volcanology and Geothermal Research*, 25, 157–71.
- Walmsley, V. G. and Bassett, M. G. (1976) Biostratigraphy and correlation of the Coralliferous Group and Gray Sandstone Group (Silurian) of Pembrokeshire, Wales. *Proceedings of the Geologists' Association*, 87, 191–220.
- Ward, J. C. (1875) Notes on the comparative microscopic rock structure of some ancient and modern volcanic rocks. *Quarterly Journal of the Geological Society of London*, 31, 388–422.
- Ward, J. C. (1876) The geology of the northern part of the English Lake District. *Memoir of the Geological Survey of Great Britain*, Quarter Sheet 101SE (New Series Sheet 29, England and Wales).
- Ward, J. C. (1877) On the Lower Silurian Lavas of Eycott Hill, Cumberland. *Monthly Microscopical Journal (Transactions of the Royal Microscopical Society)*, 17, 239–46.
- Wark, D. A. and Watson, E. B. (1993) Plagioclase dissolution and origin of 'patchy' feldspars in igneous rocks. *Geological Society of America, Abstracts with Programs*, 25, 259–60.
- Watson, C. R. (1984) A volcanic vent at Colt Crag near Coniston, Cumbria. *Proceedings of the Cumberland Geological Society*, 4, 237–44.
- Watson, J. V. (1984) The ending of the Caledonian orogeny in Scotland. *Journal of the Geological Society of London*, 141, 193–214.
- Watts, W. W. (1947) *Geology of the ancient rocks of Charnwood Forest, Leicestershire*, Leicester Literary and Philosophical Society, Leicester.
- Webb, P. C. and Brown, G. C. (1984a) The Lake District granites: heat production and related geochemistry. *Geothermal Resources Programme Report, British Geological Survey: Investigation of the geothermal potential of the UK*, No. 5.
- Webb, P. C. and Brown, G. C. (1984b) The Eastern Highlands granites: heat production and related geochemistry. *Geothermal Resources Programme Report, British Geological Survey: Investigations of the geothermal potential of the UK*, No. 6.
- Webb, P. C. and Brown, G. C. (1989) Geochemistry of pre-Mesozoic igneous rocks. In *Metallogenetic models and exploration criteria for buried carbonate-hosted ore deposits — a multidisciplinary study in eastern England* (eds J. A. Plant and D. G. Jones), The Institution of Mining and Metallurgy and the British Geological Survey, pp. 95–121.
- Webb, P. C., Tindle, A. G. and Ixer, R. A. (1992) Wo-Sn-Mo-Bi-Ag mineralization associated with zinnwaldite granite from Glen Gairn, Scotland. *Transactions of the Institution of Mining and Metallurgy (Series B: Applied Earth Sciences)*, 101, 59–72.
- Wedd, C. B., King, W. B. R. and Wray, D. A. (1929) The geology of the country around Oswestry. *Memoir of the Geological Survey of Great Britain*, Sheet 137 (England and Wales).

Wedd, C. B., Smith, B. and Wills, L. J. (1927) The geology of the country around Wrexham, Part 1, Lower Palaeozoic and Lower Carboniferous rocks. *Memoir of the Geological Survey of Great Britain*, Sheet 121 (England and Wales).

Weedon, D. S. (1970) The ultrabasic/basic igneous rocks of the Huntly region. *Scottish Journal of Geology*, 6, 26–40.

Weiss, S. and Troll, G. (1989) The Ballachulish igneous complex, Scotland: petrography, mineral chemistry and order of crystallization in the monzodiorite-quartz diorite suite and in the granite. *Journal of Petrology*, 30, 1069–115.

Wellman, C. H. (1994) Palynology of the 'Lower Old Red Sandstone' at Glen Coe, Scotland. *Geological Magazine*, 131, 563–6.

Wells, A. K. (1925) The geology of the Rhobell Fawr District (Merioneth). *Quarterly Journal of the Geological Society of London*, 81, 463–538.

Westoll, N. D. S. (1968) The petrology of kentallenite. Unpublished PhD thesis, University of Edinburgh.

Westoll, T. S. (1951) The vertebrate-bearing strata of Scotland. *Report of the International Geological Congress, 18th session, Great Britain*, section 11, 5–21.

Weston, T. S. (1977) Northern Britain. In *A Correlation of Devonian Rocks of the British Isles* (M. R. House, J. B. Richardson, W. G. Chaloner, J. R. L. Allen, C. H. Holland and T. S. Westoll), *Special Report of the Geological Society of London*, No. 8, pp. 66–93.

Whalen, J. B., Hegner, E., Jenner, G. A. and Longstaffe, F. J. (1992) A granite geochemical transect of the southern Canadian Appalachian Orogen (abstract). *Special Paper of the Geological Society of America*, 272, 503.

Wheildon, J., King, G., Crook, C. N. and Thomas-Betts, A. (1984) The Lake District Granites: heat flow, heat production and model studies. *Geothermal Resources Programme Report, British Geological Survey: Investigation of the geothermal potential of the UK*, No.7.

White, A. J. R. and Chappell, B. W. (1988) Some supracrustal (S-type) granites of the Lachlan Fold Belt. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 79, 169–81.

White, D. E., Barron, H. F., Barnes, R. P. and Lintern, B. C. (1992 [for 1991]) Biostratigraphy of late Llandovery (Telychian) and Wenlock turbidite sequences in the SW Southern Uplands, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 82, 297–322.

Whittle, G. (1936) The eastern end of the Insch igneous mass, Aberdeenshire. *Proceedings of the Liverpool Geological Society*, 17, 64–95.

Wilde, S. A. (1995) Evidence for local anatexis at high-temperature diorite contacts of the Glen Lednock plutonic complex, Comrie, Scotland. *Petrologija*, 3, 200–18.

Wilkinson, J. M. and Cann, J. R. (1974) Trace elements and tectonic relationships of basaltic rocks in the Ballantrae igneous complex, Ayrshire. *Geological Magazine*, 111, 35–41.

Williams, D. (1930) The geology of the country between Nant Penis and Nant Ffrancon (Snowdonia). *Quarterly Journal of the Geological Society of London*, 96, 191–233.

Williams H. (1922) The igneous rocks of the Capel Curig District (North Wales). *Proceedings of the Liverpool Geological Society*, 13, 166–202.

Williams, H. (1927) The geology of Snowdon (North Wales). *Quarterly Journal of the Geological Society of London*, 87, 346–431.

Williams, H. and McBirney, A. R. (1979) *Volcanology*, Freeman Cooper and Co., San Francisco

Williams, H. and Smyth, W. R. (1973) Metamorphic aureoles beneath ophiolite suites and Alpine peridotites: tectonic implications with west Newfoundland examples. *American Journal of Science*, 273, 594–621.

Wilson, G. V., Edwards, W., Knox, J., Jones, J. C. B. and Stephens, J. V. (1935) The geology of the Orkneys. *Memoir of the Geological Survey, Scotland*.

Wilson, G. V., Robertson, T., Allan, J. K. and Buchan, S. (1935) Shetland. *Summary of Progress of the Geological Survey of Great Britain for 1934*, pp. 67–9.

Wilson, J. T. (1966) Did the Atlantic close and then re-open? *Nature*, 211, 676–81.

Winchester, J. A. (1976) Different Moinian amphibolite suites in northern Ross-shire. *Scottish Journal of Geology*, 12, 187–204.

Winchester, J. A. and Floyd, P. A. (1977) Geochemical discrimination of different magma series and their differentiation products using immobile elements. *Chemical Geology*, 20, 325–43.

Woolley, A. R. (1970) The structural relationships of the Loch Borralan Complex, Scotland. *Geological Journal*, 7, 171–82.

Woolley, A. R. (1973) The pseudo-leucite Borralanites and associated rocks of the south-eastern tract of the Borralan complex, Scotland. *Bulletin of the British Museum (Natural History), Mineralogy*, 2, 285–333.

Woolley, A. R., Symes, R. F. and Elliot, C. J. (1972) Metasomatized (fenitized) quartzites from the Borralan Complex, Scotland. *Mineralogical Magazine*, 38, 819–36.

Wright, A. E. and Bowes, D. R. (1968) Formation of explosion breccias. *Bulletin Volcanological*, 32, 15–32.

Wright, A. E. and Bowes, D. R. (1979) Geochemistry of the Appinite Suite. In *The Caledonides of the British Isles — Reviewed* (eds A. L. Harris, C. H. Holland and B. E. Leake), *Geological Society of London Special Publication*, No. 8, pp. 599–704.

Wyborn, D., Owen, M., Compston, W and McDougall, I. (1982) The Laidlaw Volcanics: a Late Silurian point on the geological time-scale. *Earth and Planetary Science Letters*, 59, 90–100.

Wyborn, D., Turner, B. S. and Chappell, B. W (1987) The Boggy Plain Supersuite: a distinctive belt of I-type igneous rocks of potential economic significance in the Lachlan Fold Belt. *Australian Journal of Earth Sciences*, 34, 21–43.

Wyllie, B. K. N. and Scott, A. (1913) The plutonic rocks of Garabal Hill. *Geological Magazine*, 50, 499–508, 536–45.

Yardley, B. W. D. (1989) *An Introduction to Metamorphic Petrology*, Longman, Harlow.

Young, B. (1985) Greisens and related rocks associated with the Eskdale Granite, Cumbria. *British Geological Survey Report*, No. PDA2/85/2.

Young, B. (1987) *Glossary of the Minerals of the Lake District and Adjoining Area*, British Geological Survey, Newcastle upon Tyne.

Young, B., Ansari, S. M. and Firman, R. J. (1988) Field relationships, mineralogy and chemistry of the greisens and related rocks associated with the Eskdale Granite, Cumbria. *Proceedings of the Yorkshire Geological Society*, 47, 109–23.

Young, B. N., Parsons, I. and Threadgould, R. (1994) Carbonatite near the Loch Borralan Intrusion, Assynt. *Journal of the Geological Society of London*, 151, 945–54.

Young, T. P., Gibbons, W., and McCarroll, D. (in press) The geology of the country around Pwllheli. *Memoir of the British Geological Survey*, Sheet 134 (England and Wales).

Zhou, J. (1985) The timing of calc-alkaline magmatism in parts of the Alpine-Himalayan collision zone and its relevance to the interpretation of Caledonian magmatism. *Journal of the Geological Society of London*, 142, 309–17.

Ziegler, A. M., McKerrow, W. S., Burne, R. V and Baker, P. E. (1969) Correlation and environmental setting of the Skomer Volcanic Group, Pembrokeshire. *Proceedings of the Geologists' Association*, 80.

References