
References

In this reference list the arrangement is alphabetical by author surname for works by sole authors and dual authors. Where there are references that include the first-named author with others, the sole-author works are listed chronologically first, followed by the dual author references (alphabetically) followed by the references with three or more authors listed *chronologically*. Chronological order is used within each group of identical authors.

Abbott, B.M. (1976) Origin and evolution of bioherms in the Wenlock Limestone (Silurian) of Shropshire, England. *Bulletin of the Association of Petroleum Geologists*, 60, 2117–27.

Agassiz, J.L.R. (1844–1845) *Monographie des poissons du Vieux Grès Rouge ou Système Dévonien [Old Red Sandstone] des Îles Britannique et de Russie*, Neuchâtel, xxxvi + 171 pp.

Agassiz, J.L.R. (1839) Fishes of the Upper Silurian Rocks. In *The Silurian System, founded on Geological Researches in the Counties of Salop, Hereford, Radnor, Montgomery, Caermarthen, Brecon, Pembroke, Monmouth, Gloucester, Worcester and Stafford; with Descriptions of the Coalfields and Overlying Formations* (R.I. Murchison), John Murray, London, pp. 605–7, 704.

Aldridge, R.J. (1972) Llandovery conodonts from the Welsh Borderland. *Bulletin of the British Museum (Natural History): Geology Series*, 22, 127–231.

Aldridge, R.J. (1975) The stratigraphic distribution of conodonts in the British Silurian. *Journal of the Geological Society, London*, 131, 607–18.

Aldridge, R.J. (1976) Comparison of macrofossil communities and conodont distribution in the British Silurian. In *Conodont Paleoecology* (ed. C.R. Barnes), The Geological Association of Canada, Special Paper No. 15, pp. 91–104.

Aldridge, R.J. (1985) Conodonts of the Silurian System from the British Isles. In *A Stratigraphical Index of Conodonts* (eds A.C. Higgins and R.L. Austin), Ellis Horwood, Chichester, 68–92.

Aldridge, R.J. and Jeppsson, L. (1984) Ecological specialists among Silurian conodonts. In *Autecology of Silurian Organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 141–50.

Aldridge, R.J. and Mabillard, J.E. (1981) Local variations in the distribution of Silurian conodonts: an example from the *amorphognathoides* interval of the Welsh Basin. In *Microfossils from Recent and Fossil Shelf Seas* (eds J.W. Neale and M.D. Brasier), Ellis Horwood, Chichester, pp. 10–17.

Aldridge, R.J. and Schönlaub, H.P. (1989) Conodonts. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, pp. 274–9.

Aldridge, R.J. and Smith, M.P. (1985) *Lower Palaeozoic Succession of the Welsh Borderland*, Field Excursion B Guidebook, 4th European Conodont Symposium (ECOS IV), 1985, Nottingham, 39 pp.

Aldridge, R.J. and Theron, J.N. (1993) Conodonts with preserved soft tissue from a new Upper Ordovician Konservat-Lagerstätte. *Journal of Micropalaeontology*, 12, 113–7.

Aldridge, R.J., Dorning, K.J., Hill, P.J., Richardson, J.B. and Siveter, D.J. (1979) Microfossil distribution in the Silurian of Britain and Ireland. In *The Caledonides of the British Isles — reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Special Publication of the Geological Society, London*, 8, 433–8.

Aldridge, R.J., Dorning, K.J. and Siveter, David J. (1981) Distribution of microfossil groups across the Wenlock Shelf of the Welsh Basin. In *Microfossils from Recent and Fossil Shelf Seas* (eds J.W. Neale and M.D. Brasier), Ellis Horwood, Chichester, pp. 18–30.

- Aldridge, R.J., Briggs, D.E.G., Clarkson, E.N.K. and Smith, M.P. (1986) The affinities of conodonts — new evidence from the Carboniferous of Edinburgh, Scotland. *Lethaia*, 19, 279–91.
- Aldridge, R.J., Jeppsson, L. and Dorning, K.J. (1993a) Early Silurian oceanic episodes and events. *Journal of the Geological Society, London*, 150, 501–13.
- Aldridge, R.J., Briggs, D.E.G., Smith, M.P., Clarkson, E.N.K. and Clark, N.D.L. (1993b) The anatomy of conodonts. *Philosophical Transactions of the Royal Society, London, Series B*, 340, 405–21.
- Alexander, F.E.S. (1936) The Aymestry Limestone of the main outcrop. *Quarterly Journal of the Geological Society, London*, 92, 103–14.
- Allen, J.R.L. (1964) Studies in fluvial sedimentation: six cyclothems from the Lower Old Red Sandstone, Anglo-Welsh basin. *Sedimentology*, 3, 163–98.
- Allen, J.R.L. (1965) The sedimentation and palaeogeography of the Old Red Sandstone of Anglesey, North Wales. *Proceedings of the Yorkshire Geological Society*, 35, 139–85.
- Allen, J.R.L. (1974) Sedimentology of the Old Red Sandstone (Siluro-Devonian) in the Cleve Hills area, Shropshire, England. *Sedimentary Geology*, 12, 73–167.
- Allen, J.R.L. (1985) Marine to fresh water: the sedimentology of the interrupted environmental transition (Ludlow-Sieginian) in the Anglo-Welsh Basin. *Philosophical Transactions of the Royal Society of London, Series B*, 309, 85–104.
- Allen, J.R.L. and Tarlo, L.B. (1963) The Downtonian and Dittonian facies of the Welsh Borderland. *Geological Magazine*, 100, 129–55.
- Allen, J.R.L. and Williams B.P.J. (1978) The sequence of the earlier Lower Old Red Sandstone (Siluro-Devonian), north of Milford Haven, southwest Dyfed (Wales). *Geological Journal*, 13, 113–36.
- Allen, J.R.L. and Williams, B.P. (1981) Sedimentology and stratigraphy of the Townsend Tuff Bed (Lower Old Red Sandstone) in South Wales and the Welsh Borders. *Journal of the Geological Society, London*, 138, 15–29.
- Allen, J.R.L. and Williams, B.P. (1982) The architecture of an alluvial suite: rocks between the Townsend Tuff and Pickard Bay Tuff Beds (early Devonian), southwest Wales. *Philosophical Transactions of the Royal Society of London, Series B*, 297, 1–89.
- Allen, J.R.L., Thomas, R.G. and Williams, B.P. (1982) The Old Red Sandstone north of Milford Haven. In *Geological excursions in Dyfed, South-West Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, 123–49.
- Allender, R.C.H., Holland, C.H., Lawson, J.D., Walmsley, V.G. and Whitaker, J.H.McD. (1960) Summer field meeting at Ludlow. *Proceedings of the Geologists' Association*, 71, 209–32.
- Anderson, J.G.C. (1968) The concealed rock surface and overlying deposits of the Severn Valley and estuaries from the Upton to Neath. *Proceedings of the South Wales Institute of Engineers*, 83, 27–47.
- Anderson, J.G.C. (1974) The buried channels, rock-floors and rock-basins and overlying deposits of the South Wales valleys from Wye to Neath. *Proceedings of the South Wales Institute of Engineers*, 88, 1–25.
- Anderson, J.G.C. and Blundell, C.R.K. (1965) The sub-drift rock surface and buried valleys of the Cardiff district. *Proceedings of the Geologists' Association*, 76, 367–78.
- Anderson J.G.C. and Owen, T.R. (1968) *The Structure of the British Isles*, Pergamon Press, Oxford, vii + 162 pp.

- Andrew, G. (1925a) The Llandovery rocks of Garth (Breconshire). *Quarterly Journal of the Geological Society, London*, 81, 389–406.
- Andrew, G. (1925b) Note on the occurrence of *Pachytheca* in the Buildwas Beds (Shropshire). *Memoirs of the Manchester and Literary Philosophical Society*, 69, 57–60.
- Antia, D.D.J. (1979) Bone Beds: a review of their classification, occurrence, genesis, diagenesis, geochemistry, palaeoecology, weathering and microbios. *Mercian Geologist*, 7, 93–134.
- Antia, D.D.J. (1980) Sedimentology of the type section of the Upper Silurian Ludlow–Downton Series boundary at Ludlow, Salop, England. *Mercian Geologist*, 7, 291–321.
- Antia, D.D.J. (1981) The Temeside Bone-Bed and associated sediments from Wales and the Welsh Borderland. *Mercian Geologist*, 8, 163–215.
- Armstrong, H.A. and Coe, A.L. (1997) Deep-sea sediments record the geophysics of the late Ordovician glaciation. *Journal of the Geological Society, London*, 154, 929–34.
- Arthurton R.S., Johnson E.W. and Mundy D.J.C. (1988) Geology of the country around Settle. *Memoir of the British Geological Survey*, Sheet 60 (England and Wales).
- Ausich, W.I. (1977) The functional morphology and evolution of *Pisocrinus* (Crinoidea: Silurian). *Journal of Paleontology*, 51, 672–86.
- Aveline, W.T. and Hughes, T. McKenny (1872) The geology of the country around Kendal, Sedbergh, Bowness and Tebay. *Memoir of the Geological Survey of Great Britain*, Sheet 98NE (England and Wales).
- Aveline W.T. and Hughes T. McKenny (1888) The geology of the country around Kendal, Sedbergh, Bowness and Tebay, 2nd edn. *Memoir of the Geological Survey of Great Britain*, Sheet 98NE (England and Wales).
- Bailey, E.B. (1930) New light on sedimentation and tectonics. *Geological Magazine*, 67, 77–92.
- Bailey, R.J. (1962) Sedimentation and facies change in the Ludlovian of south Central Wales and the adjacent Borderland. Unpublished PhD thesis, University of Birmingham.
- Bailey, R.J. (1964) A Ludlovian facies boundary in south Central Wales. *Geological Journal*, 4, 1–20.
- Bailey, R.J. (1969) Ludlovian sedimentation in south Central Wales. In *The Precambrian and Lower Palaeozoic Rocks of Wales* (ed. A. Wood), University of Wales Press, Cardiff, pp. 283–304.
- Bailey, R.J. and Woodcock, N.H. (1976) Field Meeting: the Ludlow Series slumps of east central Wales, 25–27 April 1975. *Proceedings of the Geologists' Association*, 82, 183–9.
- Ball, H.W. (1951) The Silurian and Devonian rocks of Turner's Hill and Gornal, South Staffordshire. *Proceedings of the Geologists' Association*, 62, 225–36.
- Bancroft, B.B. (1949) Welsh Valentian brachiopods and the *Strophonema antiquata* group of fossil brachiopods, Privately printed, Mexborough, 16 pp.
- Barber, C.A. (1891) The structure of *Pachytheca*. II. *Annals of Botany*, 5, 146–62.
- Barber, C.A. (1892) *Nematophycus storriei*, nov. sp. *Annals of Botany*, 6, 329–38.
- Barclay, W.J. (1989) Geology of the South Wales Coalfield, Part II, the country around Abergavenny, 3rd edn. *Memoir of the British Geological Survey*, Sheet 232 (England and Wales).

- Barclay, W.J., Ambrose, K., Chadwick, R.A. and Pharaoh, T.C. (1997) Geology of the country around Worcester. *Memoir of the British Geological Survey*, Sheet 199 (England and Wales).
- Barnes, C.R. and Williams, S.H. (1988) Conodonts from the Ordovician–Silurian boundary stratotype, Dob's Linn, Scotland. In *A Global Analysis of the Ordovician–Silurian Boundary* (eds L.R.M. Cocks, and R.B. Rickards), *Bulletin of the British Museum (Natural History): Geology Series*, 43, 31–9.
- Barrande, J. (1872) *Système Silurien du centre de la Bohême*, vol. 1 supp., xxx + 647 pp., 35 pls, Prague-Paris.
- Bassett, D.A. (1991) Roderick Murchison's Silurian System: a sesquicentennial tribute. In *The Murchison Symposium. Proceedings of an International Conference on the Silurian System*, 1989, Keele University (eds M.G. Bassett, P.D. Lane and D. Edwards), *Special Papers in Palaeontology*, 44, 7–90.
- Bassett, M.G. (1969) The age of the oldest Silurian beds of the Rumney (Cardiff) Silurian inlier. *Geological Magazine*, 106, 90–2.
- Bassett, M.G. (1970a-1977) The articulate brachiopods from the Wenlock Series of the Welsh Borderland and South Wales. *Palaeontographical Society Monograph, Part 1* (1970a), 123 (525), 1–26; *Part 2* (1972), 126 (532), 27–78; *Part 3* (1974b), 128 (541), 79–122; *Part 4* (1977), 130 (547), 123–76.
- Bassett, M.G. (1970b) Variation in the cardinalia of the brachiopod *Ptychopleurella bouchardi* (Davidson) from the Wenlock Limestone of Wenlock Edge, Shropshire. *Palaeontology*, 13, 297–302.
- Bassett, M.G. (1971) Wenlock Stropheodontidae (Silurian Brachiopods) from the Welsh Borderland and South Wales. *Palaeontology*, 14, 303–37.
- Bassett, M.G. (1974a) Review of the stratigraphy of the Wenlock Series in the Welsh Borderland and South Wales. *Palaeontology*, 17, 745–77.
- Bassett, M.G. (1974b) *The articulate brachiopods from the Wenlock Series of the Welsh Borderland and South Wales Part 3*, Palaeontological Society (Monographs), 79–122.
- Bassett, M.G. (1976) A critique of diachronism, community distribution and correlation at the Wenlock–Ludlow boundary. *Lethaia*, 9, 207–18.
- Bassett, M.G. (1982a) Silurian rocks of the Marloes and Pembroke Peninsulas. In *Geological Excursions in Dyfed, South-West Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, pp. 103–22.
- Bassett, M.G. (1982b) Ordovician and Silurian sections in the Llangadog–Llandeilo area. In *Geological Excursions in Dyfed, South-West Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, pp. 271–87.
- Bassett, M.G. (1984) Lower Palaeozoic Wales — a review of studies in the past 25 years. *Proceedings of the Geologists' Association*, 95, 291–311.
- Bassett, M.G. (1985) Towards a 'common language' in stratigraphy. *Episodes*, 8, 87–92.
- Bassett, M.G. (1989a) The Wenlock Series in the Wenlock area. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, pp. 51–73.
- Bassett, M.G. (1989b) Brachiopods. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, pp. 232–42.
- Bassett, M.G. (1993) The Silurian of the Newbridge–Builth-Eppynt area. In *Geological Excursions in Powys, Central Wales* (eds N.H. Woodcock and M.G. Bassett), National Museum of Wales, Cardiff, pp. 281–300.

- Bassett, M.G. and Cocks, L.R.M. (1974) A review of Silurian brachiopods from Gotland. *Fossils and Strata*, 3, 1–56.
- Bassett, M.G. and Edwards, D. (1982) *Fossil Plants from Wales*, National Museum of Wales, Geological Series No. 2, 42 pp.
- Bassett, M.G., Cocks, L.R.M., Holland, C.H., Rickards, R.B. and Warren, P.T. (1975) The type Wenlock Series. *Report of the Institute of Geological Sciences*, 75/13, 19 pp.
- Bassett, M.G., Cocks, L.R.M., Holland, C.H. *et al.* (1979) *Field Meeting Great Britain, March 30th–April 11th 1979*. Subcommission on Silurian Stratigraphy, Ordovician–Silurian Boundary Working Group, International Union of Geological Sciences, National Museum of Wales, Cardiff, 48 pp.
- Bassett, M.G., Lawson, J.D. and White, D.E. (1982) The Downton Series as the fourth Series of the Silurian System. *Lethaia*, 15, 1–24.
- Bassett, M.G., Kaljo, D. and Teller, L. (1989) The Baltic Region. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series, No. 9, Cardiff, pp. 131–41.
- Bassett, M.G., Bluck, B.J., Cave, R., Holland, C.H. and Lawson, J.D. (1992) Silurian. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), *Memoir of the Geological Society, London* No.13, pp. 37–56.
- Bates, D.E.B. (1982a) The Aberystwyth Grits. In *Geological Excursions in Dyfed, South-West Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, pp. 81–90.
- Bates, D.E.B. (1982b) The Plynlimon area. In *Geological Excursions in Dyfed, South-West Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff pp. 91–102.
- Bates, D.E.B. (1995) Rheidol Gorge. In *The Aberystwyth district* (ed. M.R. Dobson), *Geologists' Association Guide* No. 54, pp. 77–80.
- Bather, F.A. (1890) British fossil crinoids. *Annals and Magazine of Natural History*, 6, 222–35.
- Bather, F.A. (1891a) British fossil crinoids. *Annals and Magazine of Natural History*, 7, 35–40.
- Bather, F.A. (1891b) British fossil crinoids. *Annals and Magazine of Natural History*, 7, 389–413.
- Bather, F.A. (1892) British fossil crinoids. *Annals and Magazine of Natural History*, 9, 189–226.
- Bell, A. (1990) Silurian sedimentation and tectonics in North Wales. Unpublished PhD thesis, University of Cambridge.
- Benton, M.J. (1982) Trace fossils from the Lower Palaeozoic ocean-floor sediments of the Southern Uplands of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences, Series B*, 73, 67–87.
- Benton, M.J. (ed) (1993) *The Fossil Record 2*, Chapman and Hall, London, 845 pp.
- Benton, M.J. and Hiscock, C. (1996) Lower Silurian trace fossils and the *Eocoelia* community in the Tortworth Inlier, SW England. *Proceedings of the Geologists' Association*, 107, 199–208.
- Benton, M.J. and Trewin, N.H. (1980) *Dictyodora* from the Silurian of Peeblesshire, Scotland. *Palaeontology*, 23, 501–13.
- Bergman, C.F. (1989) Silurian paulinitid polychaetes from Gotland. *Fossils and Strata*, 25, 1–128.
- Berry, W.B.N. (1987) The Ordovician–Silurian boundary: new data, new concerns. *Lethaia*, 20, 209–16.

- Bevan, G.P. (1861) Note [The discovery of Upper Silurian rocks close to Cardiff]. *Pansactions of the Woolhope Naturalists Field Club*, 234.
- Bigsby, J.J. (1868) *Thesaurus Siluricus. The Flora and Fauna of the Silurian Period*, Van Voorst, London, 214 pp.
- Blackie, R.C. (1933) The Silurian rocks of the Kentmere district, Westmorland. *Proceedings of the Liverpool Geological Society*, 16, 88–105.
- Blake, D.B. (1968) Pedicellaria of two Silurian echinoids from western England. *Palaeontology*, 11, 576–9.
- Blake, J.F. (1882) A monograph of the British fossil Cephalopoda. Part 1. Introduction and Silurian species, J. Van Vorst, London, 248 pp.
- Blieck, A. and Janvier, J. (1991) Silurian vertebrates. In *The Murchison Symposium. Proceedings of an international conference on the Silurian System*, 1989, Keele University (eds M.G. Bassett, P.D. Lane and D. Edwards), *Special Papers in Palaeontology*, 44, 345–88.
- Blind, W. and Stürmer, W. (1977) *Viriatella fuchsi* Kutscher (Tentaculoidea) mit Siphon and Fangarmen. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 513–22.
- Bluck, B.J. (1983) Role of the Midland Valley of Scotland in the Caledonian orogeny. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 74, 119–36.
- Bluck, B.J. (1984) Pre-Carboniferous history of the Midland Valley of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, 275–95.
- Bluck, B.J. and Ingham, J.K. (1992) The Girvan–Ballantrae complex. In *Geological Excursions around Glasgow and Girvan* (eds J.D. Lawson and D.S. Weedon), Geological Society of Glasgow, 301–8.
- Boswell, P.G.H. (1926) A contribution to the geology of the eastern part of the Denbigh Moors. *Quarterly Journal of the Geological Society, London*, 82, 556–8.
- Boswell, P.G.H. (1928) The Salopian rocks and tectonics of the district south-west of Ruthin (Denbighshire). *Quarterly Journal of the Geological Society, London*, 83, 689–710.
- Boswell, P.G.H. (1931) The Ludlow rocks of the northern part of the Clwydian Range. *Proceedings of the Liverpool Geological Society*, 15, 297–308.
- Boswell, P.G.H. (1932) On the occurrence and significance of an area of imbrication in the Ludlow rocks of the Denbighshire moors. *Proceedings of the Liverpool Geological Society*, 16, 18–32.
- Boswell, P.G.H. (1935a) The geology of North-Western Denbighshire. *Proceedings of the Geologists' Association*, 46, 152–86.
- Boswell, P.G.H. (1935b) Easter field meeting, 1935. *Proceedings of the Geologists' Association*, 46, 193–202.
- Boswell, P.G.H. (1937) The tectonic problems of an area of Salopian rocks in North-Western Denbighshire. *Quarterly Journal of the Geological Society, London*, 93, 284–321.
- Boswell, P.G.H. (1942) The Wenlock and Ludlow rocks of the district around Gwytherin, North-Western Denbighshire. *Proceedings of the Liverpool Geological Society*, 18, 86–100.
- Boswell, P.G.H. (1943) The Salopian rocks and geological structure of the country around Eglwys-fach and Glan Conway, NW Denbighshire. *Proceedings of the Geologists' Association*, 54, 93–112.
- Boswell, P.G.H. (1949) *The Middle Silurian Rocks of North Wales*, Edward Arnold, London, 448 pp.

- Boswell, P.G.H. (1953) The alleged subaqueous sliding of large sheets of sediment in the Silurian rocks of North Wales. *Liverpool and Manchester Geological Journal*, 1, 148–52.
- Boswell, P.G.H. and Double, I.S. (1934) The Ludlow rocks of the northern part of the Denbigh Moors between Abergale and Llanfair Talhaiarn. *Proceedings of the Liverpool Geological Society*, 16, 156–72.
- Boswell, P.G.H. and Double, I.S. (1938) The Ludlow rocks and structure of the country in the neighbourhood of Llanfair Talhaiarn and Llansannan, Denbighshire. *Proceedings of the Liverpool Geological Society*, 17, 277–311.
- Boswell, P.G.H. and Double, I.S. (1940) The geology of an area of Salopian rocks west of the Conway valley. In the neighbourhood of Llanrwst, Denbighshire. *Proceedings of the Geologists' Association*, 516, 151–87.
- Boutek, B. (1964) *The Tentaculites of Bohemia: their Morphology, Taxonomy, Ecology, Phylogeny, and Biostratigraphy*, Czechoslovakian Academy of Sciences, Prague, 215 pp.
- Boucot, A.J. (1975) *Evolution and Extinction Rate Controls. (Developments in Palaeontology and Stratigraphy, Vol. 1)*, Elsevier Publishing Co., Amsterdam, Oxford, New York.
- Boucot, A.J. (1986) Ecostratigraphic criteria for evaluating the magnitude, character and duration of bioevents. In *Global Bioevents: a Critical Approach* (ed. O.H. Walliser), Lecture Notes in Earth Sciences No. 8, Springer-Verlag, Berlin, pp. 25–45.
- Boucot, A.J. (1990) Silurian biogeography. In *Palaeozoic Palaeogeography and Biogeography* (eds W.S. McKerrow and C.R. Scotese), Geological Society, London Memoir No. 12, 191–6.
- Bouma, A.H. (1962) *Sedimentology of some Flysch Deposits — a Graphic Approach to Facies Interpretation*, Elsevier Science Publishers WV., Amsterdam and New York.
- Bowman, J.E. (1838) Notes on a small patch of Silurian rocks to the west of Abergale, on the northern coast of Denbighshire. *Proceedings of the Geological Society, London*, 2, 666–7.
- Bowman, J.E. (1841a) On the great development of the Upper Silurian Formation in the Vale of Llangollen, North Wales, and on a plateau of igneous rocks on the east flank of the Berwyn Range. *Report of the British Association for the Advancement of Science*, (Glasgow 1840), John Murray, London, pp. 100–2.
- Bowman, J.E. (1841b) Notice of Upper Silurian Rocks in the Vale of Llangollen, North Wales; and of a contiguous eruption of trap and compact felspar. *Transactions of the Manchester Geological Society*, 1, 194–212.
- Brenchley, P.J. (1993) The Ordovician of the south Berwyn Hills. In *Geological Excursions in Powys, Central Wales* (eds N.H. Woodcock and M.G. Bassett), National Museum of Wales, Cardiff, 39–50.
- Brenchley, P.J. and Cullen, B. (1984) The environmental distribution of associations belonging to the *Hirnantia* fauna — evidence from North Wales and Norway. In *Aspects of the Ordovician System* (ed. D.L. Bruton), Universitetsforlaget, Oslo, pp. 113–25.
- Brett, C.E. (1984) Autecology of Silurian eurypterids. In *Autecology of Silurian organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 87–120.
- Brett, C.E. and G.C. Baird (1997) Epiboles, outages, and ecological evolutionary bioevents: taphonomic, ecological, and biogeographic factors. In *Paleontological Events: Stratigraphic, Ecological, and Evolutionary Implications* (eds C.E. Brett and G.C. Baird), Columbia University Press, pp. 249–84.
- Bridges, P.H. (1975) The transgression of a hard substrate shelf; the Llandovery (Lower Silurian) of the Welsh Borderland. *Journal of Sedimentary Petrology*, 45, 79–94.

- Bridges, P.H. (1976) Lower Silurian transgressive barrier islands, southwest Wales. *Sedimentology*, 23, 347–62.
- Briggs, D.E.G., Clarkson, E.N.K. and Aldridge, R.J. (1983) The conodont animal. *Lethaia*, 16, 1–14.
- Briggs, D.E.G., Siveter, David J. and Siveter, Derek J. (1996) Soft-bodied fossils from a Silurian volcanoclastic deposit. *Nature*, 382, 248–50.
- British Geological Survey (1850a) 79NW Rhyl. 1:63, 360 geological map.
- British Geological Survey (1850b) 79SW Denbigh. 1:63, 360 geological map.
- British Geological Survey (1972) Newtown. 1:10, 560 geological map.
- British Geological Survey (1986) Cardiff. 1:10, 560 geological map.
- British Geological Survey (1993) Rhyader. 1:50, 000 geological map series, Sheet 179. British Geological Survey (1994) Montgomery. 1:50, 000 geological map.
- British Geological Survey 1998. Ambleside. 1:50, 000 geological map.
- Brodie, P.B. (1871) On the "Passage-beds" in the neighbourhood of Woolhope, Herefordshire, and on the discovery of a new species of *Eurypterus* and some new land plants in them. *Quarterly Journal of the Geological Society, London*, 27, 256–63.
- Bromley, R.G. 1996. *Trace Fossils: Biology and Taphonomy*, 2nd edn, Chapman and Hall, 280 pp.
- Brongniart, A. (1822) Les Trilobites. In *Histoire naturel des Crustacés fossiles, sous les rapports zoologique et géologique* (A. Brongniart and A.-G. Desmarest), F.-G. Levrault, Paris, pp. 1–65.
- Brood, K. (1984) Bryozoan ecology in the Silurian of Gotland. In *Autecology of Silurian Organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 211–24.
- Brood, K. (1989) Bryozoans. In *A global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, 231–2.
- Brooks, M. (1970) Pre-Llandovery tectonism and the Malvern structure. *Proceedings of the Geologists' Association*, 81, 249–68.
- Brooks, M. and Druce, E.C. (1965) A Llandovery conglomeratic limestone in Gullet Quarry, Malvern Hills, and its conodont fauna. *Geological Magazine*, 102, 370–82.
- Brower, J.C. (1975) Silurian crinoids from the Pentland Hills, Scotland. *Palaeontology*, 18, 631–56.
- Brown, D.J. (1874) On the Silurian Rocks of the South of Scotland, Part III, Wenlock and Ludlow Rocks. *Transactions of the Edinburgh Geological Society*, 2, 377–83.
- Brown, D.J. and Henderson, J. (1867) On the Silurian rocks of the Pentland Hills, with Notes on Brachiopoda by T. Davidson. *Transactions of the Edinburgh Geological Society*, 1, 23–33.
- Bruggen, W. van der, Schram, F.R. and Martill, D.M. (1997) The fossil *Ainiktozoon* is an arthropod. *Nature*, 385, 589–590.
- Brünnich, M.T. (1781) Beskrivelse over Trilobiten, en Dyreslaegt og dens Arter med en nye Arts Astegning. *Nye Samling of det Kongelige Danske Videnskabers Selskabs Skrifter*, 1, 384–95.

- Buckland, W. (1836) *Geology and Mineralogy considered with reference to natural theology*, 2 vols, William Pickering, London. ' Bull, E.E. (1987) Upper Llandovery dendroid graptolites from the Pentland Hills, Scotland. *Palaeontology*, 30, 117–40.
- Bull, E.E. and Loydell, D.K. (1995) Uppermost Telychian graptolites from the North Esk Inlier, Pentland Hills, near Edinburgh. *Scottish Journal of Geology*, 31, 163–70.
- Bullard, D.W. (1989) *Malvern Hills. A Student's Guide to the Geology of the Malvern*, Nature Conservancy Council, Peterborough, 73 pp.
- Burgess, N.D. and Edwards, D. (1988) A new Palaeozoic plant closely allied to *Protaxites* Dawson. *Botanical Journal of the Linnean Society*, 97, 189–203.
- Burgess, N.D. and Richardson, J.B. (1991) Cryptospores and miospores from the type Wenlock area. *Palaeontology*, 34, 601–28.
- Burgess, N.D. and Richardson, J.B. (1995) Late Wenlock to early Pridoli cryptospores and miospores from South and Southwest Wales, Great Britain. *Palaeontographica, Abteilungen B*, 236, 1–44.
- Butcher, N.E. (1962) The tectonic structure of the Malvern Hills. *Proceedings of the Geologists' Association*, 73, 103–23.
- Butler, A.J. (1937) Silurian and Cambrian rocks encountered in a deep boring at Walsall. *Geological Magazine*, 74, 241–57.
- Butler, A.J. (1939) The stratigraphy of the Wenlock Limestone of Dudley. *Quarterly Journal of the Geological Society, London*, 95, 37–74.
- Butler, A.J., Woodcock, N.H. and Stewart, D.M. (1997) The Woolhope and Usk Basins: Silurian rift basins revealed by subsurface mapping of the southern Welsh Borderland. *Journal of the Geological Society, London*, 154, 209–23.
- Butler, D.E. (1981) Marine faunas from concealed Devonian rocks of southern England and their reflection of the Frasnian transgression. *Geological Magazine*, 118, 679–97.
- Calef, C.E. and Hancock, N.J. (1974) Wenlock and Ludlow marine communities of Wales and the Welsh Borderland. *Palaeontology*, 17, 779–810.
- Calloway, C. (1900) On Longmyndian Inliers at Old Radnor and Huntley (Gloucestershire). *Quarterly Journal of the Geological Society, London*, 56, 511–20.
- Cantrill, T.C. (1919) Silurian rocks. In *The Geology of the Country around Lichfield. Including the northern parts of the Staffordshire and Warwickshire coalfields* (eds G. Barrow, W. Gibson, T.C. Cantrill, E.E.L. Dixon and C.H. Cunnington), *Memoir of the Geological Survey of the United Kingdom*, Sheet 154 (England and Wales).
- Cantrill, T.C. (1927) Midlands District Report. *Summary of the Progress of the Geological Survey*, (for 1926), pp. 41–5.
- Gant* T.C., Dixon, E.E.L., Thomas, H.H. and Jones, O.T. (1916) The geology of the South Wales coalfield. Part 12. The country around Milford. *Memoir of the Geological Survey*, Sheet 227 (England and Wales).
- Cave, R. (1977) The geology of the Malmesbury District. *Memoir of the Geological Survey of Great Britain*, Sheet 251 (England and Wales).
- Cave, R. (1979) Sedimentary environments of the basinal Llandovery of mid-Wales. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Special Publication of the Geological Society, London*,

8, 517–26.

- Cave, R. and Dixon, R.J. (1993) The Ordovician and Silurian of the Welshpool area. In *Geological Excursions in Powys, Central Wales* (eds N.H. Woodcock and M.G. Bassett), National Museum of Wales, Cardiff, pp. 51–84.
- Cave, R. and Haim, B.A. (1986) Geology of the country around Aberystwyth and Machynlleth. *Memoir of the British Geological Survey*, Sheet 163 (England and Wales).
- Cave, R. and White, D.E. (1968) The Brookend Borehole. In *Report of the Institute of Geological Sciences (GB) for 1967*, pp. 75–6.
- Cave, R. and White, D.E. (1971) The exposures of Ludlow rocks and associated beds at Tites Point and near Newnham, Gloucestershire. *Geological Journal*, 7, 239–54.
- Challinor, J. (1933) The 'incised meanders' near Ponterwyd. *Geological Magazine*, 70, 90–2.
- Chatterton, B.D.E. and Perry B.D. (1983) Silicified odontopleurid trilobites from the Mackenzie Mountains. *Palaeontographica Canadiana*, 1, 1–126.
- Cherns, L. (1980) Hardgrounds in the Lower Leintwardine Beds (Silurian) of the Welsh Borderland. *Geological Magazine*, 117, 311–26.
- Cherns, L. (1988) Faunal and facies dynamics in the upper Silurian of the Anglo-Welsh Basin. *Palaeontology*, 31, 451–502.
- Chlupg, I. (1972) The Siluro-Devonian boundary in the Barrandian. *Bulletin of Canadian Petroleum Geology*, 20, 104–74.
- Chlupae, I. (1987) Ecostratigraphy of Silurian trilobite assemblages of the Barrandian areas, Czechoslovakia. *Newsletters on Stratigraphy*, 17 (3), 169–86.
- Clarkson, C.M., Craig, G.Y. and Walton, E.K. (1975) The Silurian rocks bordering Kirkcudbright Bay, South Scotland. *Transactions of the Royal Society of Edinburgh*, 69, 313–25.
- Clarkson, E.N.K. and Howells, Y. (1981) Upper Llandovery trilobites from the Pentland Hills, Scotland. *Palaeontology*, 24, 507–36.
- Clarkson, E.N.K. and Taylor, C.M. (1989) *A Field Guide to the Silurian Rocks of the North Esk inlier*, Grant Institute of Geology, Edinburgh, pp. 1–15.
- Clarkson, E.N.K., Eldridge, N. and Henry, J.-L. (1977) Some Phacopina (Trilobita) from the Silurian of Scotland. *Palaeontology*, 20, 119–42.
- Clarkson, E.N.K., Harper, D.A.T. and Peel, J.S. (1995) Taxonomy and palaeoecology of the mollusc *Pterotheca* from the Ordovician and Silurian of Scotland. *Lethaia*, 28, 101–14.
- Clarkson, E.N.K., Harper, D.A.T. and Hoey, A.N. (1998) Basal Wenlock biofacies from the Girvan district, SW Scotland. *Scottish Journal of Geology*, 34, 61–71.
- Clayton, C.J. (1993) Deflection versus reflection of sediment gravity flows in the late Llandovery Rhuddnant Grits turbidite system, Welsh Basin. *Journal of the Geological Society, London*, 150, 819–22.
- Cleal, C.J. and Thomas, B.A. (1995) *Palaeozoic Palaeobotany of Great Britain*, Chapman and Hall, London, 295 pp.
- Cobbold, E.S. (1900) Geology. In *Church Stretton*, C.W. Campbell-Hyslop, Shrewsbury, pp. 1–115.

- Cocks, L.R.M. (1968) Some strophomenacean brachiopods from the British Lower Silurian. *Bulletin of the British Museum (Natural History): Geology Series*, 15, 285–324, 14 pls.
- Cocks, L.R.M. (1970) Silurian brachiopods of the superfamily Plectambonitacea. *Bulletin of the British Museum (Natural History): Geology Series*, 19, 141–203, 17 pls.
- Cocks, L.R.M. (1978) A review of British Lower Palaeozoic brachiopods. Including a synoptic revision of Davidson's monograph. *Palaeontographical Society Monograph*, 131 (549), 256 pp.
- Cocks, L.R.M. (1985) The Ordovician–Silurian boundary. *Episodes*, 8, 98–100.
- Cocks, L.R.M. (1989) The Llandovery Series in the Llandovery area. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Cardiff, pp. 36–50.
- Cocks, L.R.M. and McKerrow, W.S. (1978) Silurian. In *The Ecology of Fossils* (ed. W.S. McKerrow), Duckworth, London, pp. 93–124.
- Cocks, L.R.M. and Price, D. (1975) The biostratigraphy of the Upper Ordovician and Lower Silurian of south-west Dyfed, with comments on the *Himantia* Fauna. *Palaeontology*, 18, 703–24.
- Cocks, L.R.M. and Rickards, R.B. (1969) Five boreholes in Shropshire and the relationships of shelly and graptolitic facies in the Lower Silurian. *Quarterly Journal of the Geological Society, London*, 124 (for 1968), 213–38.
- Cocks, L.R.M. and Toghill, P. (1973) The biostratigraphy of the Silurian rocks of the Girvan district, Scotland. *Quarterly Journal of the Geological Society, London*, 129, 209–43.
- Cocks, L.R.M. and Walton, G. (1968) A large temporary exposure in the Lower Silurian of Shropshire. *Geological Magazine*, 105, 390–7.
- Cocks, L.R.M., Toghill, P. and Ziegler, A.M. (1970) Stage names within the Llandovery Series. *Geological Magazine*, 107, 79–87.
- Cocks, L.R.M., Holland, C.H., Rickards, R.B. and Strachan, I. (1971) A correlation of Silurian Rocks in the British Isles. *Journal of the Geological Society, London*, 127, 103–36.
- Cocks, L.R.M., Woodcock, N.H., Rickards, R.B., Temple, J.T. and Lane, P.D. (1984) The Llandovery Series of the type area. *Bulletin of the British Museum (Natural History): Geology Series*, 38, 131–82.
- Cocks, L.R.M., Holland, C.H. and Rickards, R.B. (1992) A revised correlation of Silurian rocks in the British Isles. *Geological Society, London Special Report*, 21, 32 pp.
- Colter, V.S. (1957) The palaeoecology of the Wenlock Limestone. Unpublished PhD thesis, University of Cambridge.
- Cope, J.C.W. and Bassett, M.G. (1987) Sediment sources and Palaeozoic history of the Bristol Channel area. *Proceedings of the Geologists' Association*, 98, 315–30.
- Cope, J.C.W., Ingham, J.K. and Rawson, P.F. (1992) Atlas of palaeogeography and lithofacies. *Geological Society Memoir*, 13, viii + 153 pp.
- Copper, P. and Brunton, F. (1991) A global review of Silurian reefs. In *The Murchison Symposium: proceedings of an international conference on The Silurian System*, 1989, Keele University (eds M.G. Bassett, P.D. Lane and D. Edwards), *Special Papers in Palaeontology*, 44, 225–59.
- Corfield, R.M. and Siveter, Derek J. (1992) Carbon isotope change as an indicator of biomass flux and an aid to correlation during *ludensis-nilssonii* (Silurian) time. *Proceedings of the Estonian Academy of Sciences: Geology Series*,

41, 173–81.

Corfield, R.M., Siveter, Derek J., Cartlidge, J.E. and McKerrow, W.S. (1992) Carbon isotope excursion near the Wenlock–Ludlow (Silurian) boundary in the Anglo-Welsh area. *Geology*, 20, 371–4.

Craig, G.Y. (1986) Siccar Point: Hutton's classic unconformity. In *Lothian Geology* (eds A.D. McAdam and E.N.K. Clarkson), Scottish Academic Press, pp. 146–51.

Craig, G.Y. and Walton, E.K. (1959) Sequence and structure in the Silurian rocks of Kirkcudbrightshire. *Geological Magazine*, 46, 209–20.

Craig, G.Y. and Walton, E.K. (1962) Sedimentary structures and palaeocurrent directions from the Silurian rocks of Kirkcudbrightshire. *Transactions of the Edinburgh Geological Society*, 19, 100–19.

Cramer, F.H. and Diez (1977) Actritarchs. In *The Silurian-Devonian Boundary* (ed. A. Martinsson), E. Scheizerbart'sche Verlags-buchandlung, Stuttgart, 289–291.

Cramer, F.H. and Diez (1979) Lower Paleozoic acritarchs. *Palinologia*, 1, 17–160.

Crimes, T.P. and Crossley, J.D. (1980) Inter-turbidite bottom current orientation from trace fossils with an example from the Silurian flysch of Wales. *Journal of Sedimentary Petrology*, 50, 821–30.

Crimes, T.P. and Crossley, J.D. (1991) A diverse ichnofauna from Silurian flysch of the Aberystwyth Grits Formation, Wales. *Geological journal*, 26, 27–64.

Crosfield, M.C. and Johnston, M.S. (1914) A study of ballstone and the associated beds in the Wenlock Limestone of Shropshire. *Proceedings of the Geologists' Association*, 25, 193–224.

Cullum, A.A. and Loydell, D.K. (1997) A new species of *Neodiplograptus* from the Middle Llandovery of the Rhwidol Gorge, Wales. *Journal of the Czech Geological Society*, 41, 217–19.

Cummins, W.A. (1957) The Denbigh Grits; Wenlock greywackes in Wales. *Geological Magazine*, 94, 433–51.

Cummins, W.A. (1959a) The Nantglyn Flags; Mid-Salopian Basin facies in Wales. *Liverpool and Manchester Geological journal*, 2, 159–67.

Cummins, W.A. (1959b) The Lower Ludlow Grits in Wales. *Liverpool and Manchester Geological Journal*, 2, 168–79.

Cummins, W.A. (1963) The geology of the northern part of the Llangadfan Syncline, Montgomeryshire. Unpublished PhD thesis, University of Liverpool.

Cummins, W.A. (1969) Patterns of sedimentation in the Silurian rocks of Wales. In *The Pre-Cambrian and Lower Palaeozoic rocks of Wales* (ed. A. Wood), University of Wales Press, Cardiff, pp. 219–37.

Curtis, M.L.K. (1955a) A review of past research on the Lower Palaeozoic rocks of the Tortworth and East Mendip inliers. *Proceedings of the Bristol Naturalists' Society*, 29, 71–8.

Curtis, M.L.K. (1955b) Geology of the Lower Palaeozoic. In *Bristol and its Adjoining Counties*, J.W. Arrowsmith, Bristol, pp. 3–7.

Curtis, M.L.K. (1956) Type and figured specimens from the Tortworth Inlier, Gloucestershire. *Proceedings of the Bristol Naturalists' Society*, 29, 147–59.

Curtis, M.L.K. (1958) The Upper Llandovery trilobites of the Tortworth Inlier, Gloucestershire. *Palaeontology*, 1, 139–46.

- Curtis, M.L.K. (1967) The Tortworth Inlier. In *The Silurian Inliers of the South-eastern Welsh Borderland*, 1st edn, (eds J.D. Lawson, M.L.K. Curtis, H.C. Squirrell, E.V. Tucker and V.G. Walmsley), *Geologists' Association Guide* No. 5, pp. 27–32.
- Curtis, M.L.K. (1972) The Silurian rocks of the Tortworth Inlier, Gloucestershire. *Proceedings of the Geologists' Association*, 83, 1–35.
- Curtis, M.L.K. (1982) The Tortworth Inlier. In *The Silurian Inliers of the South-eastern Welsh Borderland*, 2nd edn, (eds J.D. Lawson, M.L.K. Curtis, H.C. Squirrell, E.V. Tucker and V.G. Walmsley), *Geologists' Association Guide* No. 5, pp. 27–32.
- Curtis, M.L.K. and Cave, R. (1964) The Silurian- Old Red Sandstone unconformity at Buckover, near Tortworth, Gloucestershire. *Proceedings of the Bristol Naturalists' Society*, 30, 427–42.
- Curtis, N. J. and Lane P.D. (1997–1998) The Llandovery trilobites of England and Wales. *Palaeontological Society Monograph*; Part 1 (1997), 151 (605), 1–50; Part 2 (1998), 152 (608), 51–101.
- Cutler, A. (1981) *Saltwells Local Nature Reserve: Geology and Field Guide*, Black Country Geological Society, 18 pp.
- Cutler, A., Oliver, P.G. and Reid C.G.R. (1990) *Wren's Nest National Nature Reserve. Geological Handbook and Field Guide*, Dudley Leisure Services Department and Nature Conservancy Council, 29 pp.
- Darwin, C. (1859) *On the Origin of Species by means of Natural Selection, or the Preservation of favoured Races in the Struggle for Life*, John Murray, London.
- Darwin, C. (1882) *On the Origin of the Species*, 6th edn, republished by J.M. Dent and Sons Ltd, London, 488 pp.
- Das Gupta, T. (1932) The Salopian graptolite shales of the Long Mountain and similar rocks of Wenlock Edge. *Proceedings of the Geologists' Association*, 43, 325–63.
- Das Gupta, T. (1933) The zone of *Monograptus vulgaris* in the Welsh Borderland and North Wales. *Proceedings of the Liverpool Geological Society*, 16, 109–15.
- Davidson, T. (1847) Observations on some of the Wenlock-limestone Brachiopoda, with descriptions of several new species. *London Geological Journal*, 1, 52–65.
- Davidson, T. (1848) Memoire sur les brachiopodes du système silurien superieur d'Angleterre. *Bulletin de la Société géologique de France*, (2), 5, 309–38.
- Davidson, T. (1866–1871) A monograph of the British fossil Brachiopoda. Silurian. *Palaeontographical Society Monograph*; Part 1 (1866), 19 (84), 1–88; Part 2 (1867), 20 (87) 89–168; Part 3 (1869), 22 (96), 169–248; Part 4 (1871), 24 (108), 249–397.
- Davidson, T. (1881a) On genera and species of spire-bearing Brachiopoda, from specimens developed by the Rev. Norman Glass: with notes on the results obtained by Mr George Maw from extensive washings of the Wenlock and Ludlow Shales of Shropshire. *Geological Magazine*, 8, 1–13.
- Davidson, T. (1881b) Descriptions of new Upper Silurian Brachiopoda from Shropshire. *Geological Magazine*, 8, 145–56.
- Davidson, T. (1882–1883) A monograph of the British fossil Brachiopoda. Devonian and Silurian Supplements. *Palaeontographical Society Monograph*; Part 1 (1882), 36 (171), 1–134; Part 2 (1883), 37 (177), 134–242.
- Davidson, T. and Maw, G. (1881) Notes on the physical character and thickness of the Upper Silurian rocks in Shropshire, with the Brachiopoda they contain grouped in geological horizons. *Geological Magazine*, 8, 100–10.

- Davies, J.R. and Waters, R.A. (1995) The Caban Conglomerate and Ystrad Meurig Grits Formation — nested channels and lobe switching on a mud-dominated latest Ashgill to Llandovery slope-apron, Welsh Basin, UK. In *Atlas of Deep Water Environments: Architectural Style in Turbidite Systems* (eds K.T. Pickering, R.N. Hiscott, N.H. Kenyon, F. Ricci Lucchi and R.D.A. Smith), Chapman and Hall, London, pp. 184–93.
- Davies, J.R., Fletcher, C.J.N., Waters, R.A., Wilson, D., Woodhall, D.G. and Zalasiewicz, J.A. (1997) Geology of the country around Llanilar and Rhayader. *Memoir of the British Geological Survey*, Sheets 178 and 179 (England and Wales).
- Davies, K.A. (1928) The geology of the country between Rhayader (Radnorshire) and Abergwesyn (Breconshire). *Proceedings of the Geologists' Association*, 39, 160–8.
- Davies, K.A. (1929) Notes on the graptolite faunas of the Upper Ordovician and Lower Silurian. *Geological Magazine*, 66, 1–27.
- Davies, K.A. and Platt, J.I. (1933) The conglomerates and grits of the Bala and Valentian rocks of the district between Rhayader (Radnorshire) and Llansawel (Carmarthenshire). *Quarterly Journal of the Geological Society, London*, 89, 202–18.
- Davies, W. and Cave, R. (1976) Folding and cleavage determined during sedimentation. *Sedimentary Geology*, 15, 89–133.
- de la Bêche, H.T. (1846) On the formation of the rocks of South Wales and South Western England. *Memoir of the Geological Survey of the United Kingdom*, 1, 1–296.
- Dimberline, A.J. (1987) The sedimentology and diagenesis of the Wenlock turbidite system. Unpublished PhD thesis, University of Cambridge.
- Dimberline, A.J. and Woodcock, N.H. (1987) The south-east margin of the Wenlock turbidite system, Mid-Wales. *Geological Journal*, 22, 61–71.
- Dimberline, A.J. and Woodcock, N.H. (1993) Wenlock turbidites between Radnor Forest and the Newtown area. In *Geological Excursions in Powys, Central Wales* (eds N.H. Woodcock and M.G. Bassett), National Museum of Wales, Cardiff, 113–27.
- Dimberline, A.J., Bell, A. and Woodcock, N.H. (1990) A laminated hemipelagic facies from the Wenlock and Ludlow of the Welsh Basin. *Journal of the Geological Society, London*, 147, 693–701.
- Dineley D.L. and Metcalf, S.J. (1999) *Fossil Fishes of Great Britain*, GCR Series, No. 16, Joint Nature Conservation Committee, Peterborough, 675 pp.
- Dixon, E.E.L. (1921) The geology of the South Wales Coalfield. Part 13. The country around Pembroke and Tenby. *Memoir of the Geological Survey*, Sheet 227 (England and Wales).
- Dobson, M.R. (1995) The Aberystwyth turbidite fan reviewed. In *The Aberystwyth District* (ed. M.R. Dobson), *Geologists' Association Guide* No. 54, pp. 45–8.
- Dobson, M.R., Loydell, D.K. and Cullum, A. (1995a) Aberarth to Morfa, [SN 480 642]. In *The Aberystwyth District* (ed. M.R. Dobson), *Geologists' Association Guide* No. 54, pp. 18–22.
- Dobson, M.R., Loydell, D.K., Fitches, W.R. and Cullum, A. (1995b) Aberystwyth to Clarach, [SN 583 825] to [SN 586 835]. In *The Aberystwyth District* (ed. M.R. Dobson), *Geologists' Association Guide* No. 54, pp. 27–34.
- Donald, J. (1905) Observations on some of the Loxonematidae, with descriptions of two new species. *Quarterly Journal of the Geological Society, London*, 61, 564–78.

- Donoghue, P.C.J., Forey, P.L. and R.J. Aldridge (2000) Conodont affinity and chordate phylogeny. *Biological Reviews*, 75, 191–251.
- Donovan, S.K. and Clark, N.D.L. (1992) An unusual crinoid columnal morphospecies from the Llandovery of Scotland and Wales. *Palaeontology*, 35, 27–35.
- Donovan, S.K. and Sevastopulo, G.D. (1989) Myelodactylid crinoids from the Silurian of the British Isles. *Palaeontology*, 32, 689–710.
- Dorning, K.J. (1981a) Silurian acritarch distribution in the Ludlovian shelf sea of South Wales and the Welsh Borderland. In *Microfossils from Recent and Fossil Shelf Seas* (eds J.W. Neale and M.D. Brasier), Ellis Harwood, Chichester, pp. 31–6.
- Dorning, K.J. (1981b) Silurian acritarchs from the type Wenlock and Ludlow of Shropshire, England. *Review of Palaeobotany and Palynology*, 34, 175–203.
- Dorning, K.J. (1981c) Silurian Chitinozoa from the type Wenlock and Ludlow of Shropshire. *Review of Palaeobotany and Palynology*, 34, 205–8.
- Dorning, K.J. (1982) Early Wenlock acritarchs from the Knockgardner and Straiton Grit Formations of Knockgardner, Ayrshire. *Scottish Journal of Geology*, 18, 267–73.
- Dorning, K.J. (1983) Palynology and stratigraphy of the Much Wenlock Limestone Formation of Dudley, Central England. *Mercian Geologist*, 9, 31–40.
- Donning, K.J. and Bell, D.G. (1987) The Silurian carbonate shelf microflora: acritarch distribution in the Much Wenlock Limestone Formation. In *Micropalaeontology of Carbonate Environments* (ed. M.B. Hart), Ellis Horwood, Chichester, pp. 266–87.
- Downie, C. (1959) Hystrichospheres from the Silurian Wenlock Shale of England. *Palaeontology*, 2, 56–71.
- Downie, C. (1960) *Deunffia* and *Domasia*, new genera of hystrichospheres. *Micropalaeontology*, 6, 197–202.
- Downie, C. (1963) 'Hystrichospheres' (acritarchs) and spores of the Wenlock Shale (Silurian) of Wenlock, England. *Palaeontology*, 6, 625–52.
- Downie, C. (1984) Acritarchs in British stratigraphy. *Special Report of the Geological Society, London*, 17, 1–26.
- Downie, C. and Lister, T.R. (1969) The Sandy's Creek Beds (Devonian) of Farland Head, Ayrshire. *Scottish Journal of Geology*, 5, 193–206.
- Dunlop, J.A. (1996) A trigonotarbid arachnid from the Upper Silurian of Shropshire. *Palaeontology*, 39, 605–14.
- Dunlop, J.A. (1999) A replacement name for the trigonotarbid arachnid *Eotarbus* Dunlop. *Palaeontology*, 42, 191.
- Earp, J.R. (1938) The higher Silurian rocks of the Kerry District, Montgomeryshire. *Quarterly Journal of the Geological Society, London*, 94, 125–60.
- Earp, J.R. (1940) The geology of the south-western part of Clun Forest. *Quarterly Journal of the Geological Society, London*, 96, 1–11.
- Earp, J.R. and Hains, B.A. (1971) *British Regional Geology: The Welsh Borderland*. Institute of Geological Sciences, 1–118.
- Eastwood, T., Whitehead, T.H. and Robertson, T. (1925) The geology of the country around Birmingham. *Memoir of the Geological Survey of Great Britain*, Sheet 168 (England and Wales).

- Edwards, D. (1970) Fertile Rhyniophytina from the Lower Devonian of Britain. *Palaeontology*, 13, 451–61.
- Edwards, D. (1979) A late Silurian flora from the Lower Old Red Sandstone of south-west Dyfed. *Palaeontology*, 22, 23–52.
- Edwards, D. (1990) Constraints on Silurian and early Devonian phytogeographic analysis based on megafossils. In *Palaeozoic Palaeogeography and Biogeography* (eds W.S. McKerrow and C.R. Scotese), *Geological Society Memoir*, No. 12, pp. 233–42.
- Edwards, D. and Davies, E.C.W. (1976) Oldest recorded *in situ* tracheids. *Nature*, 494–5.
- Edwards, D. and Richardson, J.B. (1996) Review of *in situ* spores in early land plants. In *Palynology: Principles and Applications* (eds J. Jansonius and D.C. McGregor), *American Association of Stratigraphic Palynologists Foundation*, 1, 391–407, Publishers Press, Salt Lake City, Utah.
- Edwards, D., Bassett, M.B. and Rogerson, E.C.W. (1979) The earliest vascular land plants: continuing the search for proof. *Lethaia*, 12, 313–24.
- Edwards, D., Baldauf, J.G., Bown, P.R. *et al.* (1993) 'Algae'. In *The Fossil Record 2* (ed. M.J. Benton), Chapman and Hall, London, pp. 15–40.
- Edwards, D., Selden, P., Richardson, J.B. and Axe, L. (1995) Coprolites as evidence for plant-animal interaction in Siluro-Devonian terrestrial ecosystems. *Nature*, 377, 329–31.
- Edwards, D., Davies, K.L., Richardson, J.B., Wellman, C.H. and Axe, L. (1996) Ultra-structure of *Synoisporites downtonensis* and *Retusotrilites cf. coronadus* in spore masses from the Pridoli of the Welsh Borderland. *Palaeontology*, 39, 783–800.
- Edwards, H.M. and Haime, J. (1854) A monograph of the British fossil corals. Part 5. Corals from the Silurian Formation. *Palaeontographical Society Monograph*, 8 (29), 245–99.
- Eichwald, E. (1854) Die Grauwackenschichten von Liv- und Esthland. *Bulletin de la Société Impériale des naturalistes de Moscou*, 27, 1–111.
- Eisenack, A. (1977) Mikrofossilien in organischer Substanz aus den Middle Nodular Beds (Wenlock) vom Wrens Nest, Dudley, England. *Neues Jahrbuch für Geologie und Paläontologie*, 24–35.
- Eisenack, A. (1978) Mikrofossilien in organischer Substanz aus dem Unteren Wenlock von Dudley, England. *Neues Jahrbuch für Geologie und Paläontologie*, 282–90.
- Elles, G.L. (1897) The subgenera *Petalograptus* and *Cephalograptus*. *Quarterly Journal of the Geological Society, London*, 53, 186–212.
- Elles, G.L. (1900) The zonal classification of the Wenlock Shales of the Welsh Borderland. *Quarterly Journal of the Geological Society, London*, 56, 370–414.
- Elles, G. L. and Slater, I.L. (1906) The highest Silurian rocks of the Ludlow district. *Quarterly Journal of the Geological Society, London*, 62, 195–222.
- Elles, G.L. and Wood, E.M.R. (1901–1918) A monograph of British graptolites. *Palaeontographical Society Monograph*; Part 1 (1901), 55 (260), 1–54; Part 2 (1902), 56 (265), + 55–102; Part 3 (1903), 57 (271), xxix–lii + 103–34; Part 4 (1904), 58 (277), + 135–80; Part 5 (1906), 60 (288), lxxiii–xcvi + 181–216; Part 6 (1907), 61 (297), xcvi–cxx + 217–72; Part 7 (1908), 62 (305), cxxi–cxlvi + 273–358; Part 8 (1911), 64 (316), 359–414; Part 9 (1913), 66 (323), 415–86; Part 10 (1914), 67 (327), 487–526; Part 11 (1918), 70 (339), cxlix–clxxi.

- Elliott, G.F. (1971) A new fossil alga from the English Silurian. *Palaeontology*, 14, 637–41.
- Elliott, R.E. (1995) Micropalaeontology of the Leintwardine Group (Ludlow Series, Silurian) in the Welsh Borderland, Wales and Estonia. Unpublished PhD thesis, University of Leicester.
- Eriksson, M. (1997) Lower Silurian polychaetaspid polychaetes from Gotland, Sweden. *Geologiska Föreningens i Stockholm Förhandlingar*, 119, (3), 213–30.
- Etheridge, R. (1888) *Fossils of the British Islands Stratigraphically and Zoologically arranged. 1. Palaeozoic, comprising the Cambrian, Silurian, Devonian, Carboniferous and Permian species*. Clarendon Press, Oxford, viii + 467 pp.
- Eva, S.J. and Maltman, A.J. (1994) Slump-fold and palaeoslope orientations in Upper Silurian rocks, North Wales. *Geological Magazine*, 131, 685–91.
- Fanning, U., Richardson, J.B. and Edwards, D. (1988) Cryptic evolution in an early land plant. *Evolutionary Trends in Plants*, 2, 13–24.
- Fanning, U., Edwards, D. and Richardson, J.B. (1990) Further evidence for diversity in late Silurian land vegetation. *Journal of the Geological Society, London*, 147, 725–8.
- Fanning, U., Edwards, D. and Richardson, J.B. (1991a) A new rhyniophytoid from the late Silurian of the Welsh Borderland. *Neues Jahrbuch für Geologie und Paläontologie*, 183, 37–47.
- Fanning, U., Richardson, J.B. and Edwards, D. (1991b) A review of *in situ* spores in Silurian land plants. In *Pollen and Spores* (eds S.Blackmore and S.H. Barnes) *The Systematic Association Special Volume*, No. 44, Oxford University Press, pp. 25–47.
- Fitches, W.R., Cave, R., Craig, J. and Maltman, A.J. (1986) Early veins as evidence of detachment in the Lower Palaeozoic rocks of the Welsh Basin. *Journal of Structural Geology*, 8, 607–20.
- Forbes, (1848) On *Oldhamia*, a new genus of Silurian fossils. *Journal of the Dublin Geological Society*, 4, 20.
- Forey, P. and Janvier, P. (1994) Evolution of the early vertebrates. *American Scientist*, 82, 554–565.
- Forsyth, D. (1881) Notes on the Silurian rocks of the Muirkirk district. *Transactions of the Geological Society of Glasgow*, 7, 74–7.
- Freshney, E.C. (1959) An extension of the Silurian succession in the Craighead Inlier, Girvan. *Transactions of the Geological Society of Glasgow*, 24, 27–31.
- Friend, P.F. and Williams, B.J.P. (eds) (1978) A field guide to selected outcrop areas of the Devonian of Scotland, the Welsh Borderland and South Wales. *International Symposium on the Devonian System (R.A.D.S. 78)*, The Palaeontological Association, 106 pp.
- Furness, R.R., Llewellyn, P.G., Norman, T.N. and Rickards, R.B. (1967) A review of Wenlock and Ludlow stratigraphy and sedimentation in N.W. England. *Geological Magazine*, 104, 132–47.
- Fürsich, F.T. and Hurst, J.M. (1974) Environmental factors determining the distribution of brachiopods. *Palaeontology*, 17, 879–900.
- Gabbott, S.E., Aldridge, R.J. and Theron, J.N. (1995) A giant conodont with preserved muscle tissue from the Upper Ordovician of South Africa. *Nature*, 374, 800–4.
- Gardiner, C.I. (1916) The Silurian Inlier of Usk. *Proceedings of the Cotteswold Naturalists' Field Club*, 19, 129–72.

- Gardiner, C.I. (1920) The Silurian rocks of May Hill, with an appendix on two trilobites by F.R. Cowper Reed. *Proceedings of the Cotteswold Naturalists' Field Club*, 20, 185–222.
- Gardiner, C.I. (1927) The Silurian Inlier of Woolhope (Herefordshire). *Quarterly Journal of the Geological Society, London*, 83, 501–50.
- Gardiner, C.I. (1934) The geology of the Gloucester district: the May Hill area. *Proceedings of the Geologists' Association*, 45, 122–4.
- Gardiner, C.I. (1937) A roadside section two miles west of Huntly. *Proceedings of the Cotteswold Naturalists' Field Club*, 26, 169–72.
- Garwood, E.J. and Goodyear, E. (1919) On the geology of the Old Radnor district, with special reference to an algal development in the Woolhope Limestone. *Quarterly Journal of the Geological Society, London*, 74 (for 1918), 1–30.
- Geikie, A. (1860) On the Old Red Sandstone of the South of Scotland. *Quarterly Journal of the Geological Society, London*, 16, 312–23.
- Geikie, A. (1864) The geology of Eastern Berwickshire. *Memoir of the Geological Survey of Great Britain*, (Scotland).
- Geikie, A. and Strahan, A. (1899) Volcanic Group in the Carboniferous Limestone of North Somerset. *Summary of Progress of the Geological Survey of Great Britain* (for 1898), 110–11.
- Glass, N. (1861) Silurian strata near Cardiff. *The Geologist*, 4, 168–9.
- Goldring, R. and Stevenson, P. (1972) The depositional environment of three Starfish beds. *Neues Jahrbuch für Geologie and Paläontologie, Monatshefte*, 10, 611–24.
- Goodbody, Q.H. (1986) Wenlock Palaeoscanidiidae and Entactiniidae (Radiolaria) from the Cape Phillips Formation of the Canadian Arctic Archipelago. *Micropalaeontology*, 32, 129–57.
- Graham, J.R., Hancock, P.L. and Hobson, D.M. (1977) Anomalous bedding-cleavage relationships in Silurian rocks at Marloes Sands, S.W. Dyfed (Pembrokeshire), Wales. *Proceedings of the Geologists' Association*, 88, 179–81.
- Gray, J. (1985a) The microfossil record of early land plants: advances in understanding of early terrestrialisation, 1970–1984. *Philosophical Transactions of the Royal Society of London, Series B*, 309, 167–95.
- Gray, J. (1985b) Ordovician–Silurian land plants: the interdependence of ecology and evolution. *Special Papers in Palaeontology*, 32, 281–95.
- Gray, J. (1988) Land plant spores and the Ordovician–Silurian boundary. *Bulletin of the British Museum (Natural History): Geology Series*, 43, 351–8.
- Gray, J., Massa, D. and Boucot, A.J. (1982) Caradocian land plant microfossils from Libya. *Geology*, 10, 197–201.
- Green, G.W. (1962) In *Summary of Progress of the Geological Survey of Great Britain* (for the year 1961), 29.
- Green G.W. and Welch, F.B.A. (1965) Geology of the country around Wells and Cheddar. *Memoir of the Geological Survey of Great Britain*, Sheet 263 (England and Wales).
- Greenly, E. (1919) The geology of Anglesey. Part 3. Subsequent formations and phenomena. *Memoir of the Geological Survey of Great Britain*, (England and Wales).
- Greig, D.C., Wright, J.E., Hains, B.A. and Mitchell, G.H. (1968) Geology of the country around Church Stretton, Craven Arms, Wenlock Edge and Brown Clee. *Memoir of the Geological Survey of Great Britain*, Sheet 166 (England and Wales), xiii + 379 pp.

- Groom, T.T. (1899) On the geological structure of the southern Malverns and the adjoining district to the west. *Quarterly Journal of the Geological Society, London*, 55, 129–69.
- Groom, T.T. (1900) On the geological structure of portions of the Malvern and Abberley Hills. *Quarterly Journal of the Geological Society, London*, 56, 138–97.
- Groom, T.T. (1910) The geology of the Malvern and Abberley Hills, and the Ledbury District. *Geological Association Jubilee Volume*, 698–738.
- Haim, B.A. (1962) Midlands and central North Wales borehole No. 1, Eaton Farm. Wentnor. In *Summary of Progress of the Geological Survey of Great Britain for 1961*, 35–6.
- Hains, B.A. and Davies, J.R. (1991) British Geological Survey 1:50, 000 Provisional Sheet 121 (Wrexham).
- Hall, J. (1865) Graptolites of the Quebec Group. *Canadian Organic Remains, Geological Survey of Canada, Decade No. 2*, 1–151.
- Hamblin, R.J.O. and Coppack, B.C. (1995) Geology of Telford and the Coalbrookdale Coalfield. *Memoir of the British Geological Survey, Parts of Sheets 152 and 153 (England and Wales)*.
- Hamblin, R.J.O., Warwick, G.T. and White, D.E. (1978) *Geological Handbook for the Wren's Nest National Nature Reserve*, Nature Conservancy Council, London.
- Hancock, N.J. (1982) Stratigraphy, palaeogeography and structure of the East Mendips Silurian inlier. *Proceedings of the Geologists' Association*, 93, 247–61.
- Hancock, N.J., Hurst, J.M. and Filcsich, F.T. (1974) The depths inhabited by Silurian marine communities. *Journal of the Geological Society, London*, 130, 151–6.
- Hancock, P.L. (1973) Structural zones in Variscan Pembrokeshire. *Proceedings of the Ussher Society*, 2, 509–20.
- Hancock, E.L., Dunne, W.M. and Tringham, M.E. (1981) Variscan structures in south-west Wales. *Geologie en mijnbouw*, 60, 81–8.
- Hancock, E.L., Dunne, W.M. and Tringham, M.E. (1982) Variscan structures in south-west Dyfed. In *Geological Excursions in Dyfed, South-west Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, pp. 215–48.
- Hansch, W. and Siveter, D.J. (1994) '*Nodibeyrichia jurassica*' and associated beyrichiacean ostracode species and their significance for the correlation of late Silurian strata in the Baltic and Britain. *Journal of Micropalaeontology*, 13, 81–91.
- Hansch, W, Siveter, D.J, and Miller, C.G. (1991) On *Frostiella groenvalliana* Martinsson. A. *Stereo-Atlas of Ostracod Shells*, 18, 125–34.
- Hardie, W.G. (1971) Netherton Anticline and adjacent Coal Measures. In *The Area Around Birmingham*, 2nd edn, (eds W.G. Hardie, G.M. Bennison, P.A. Garrett, J.D. Lawson and F.W. Shotton) *Geologists' Association Guide No. 1*, pp. 17–20.
- Harkness, R. (1851) On the Silurian rocks of Dumfriesshire and Kirkcubrightshire. *Quarterly Journal of the Geological Society, London*, 7, 46–58.
- Harland, W.B., Armstrong, R.L., Cox, A.V., Craig, L.E., Smith, A.G. and Smith, D.G. (1990) *A Geologic Time Scale 1989*, Cambridge University Press, 263 pp.
- Harley, J. (1861) On the Ludlow Bone Bed and its Crustacean remains. *Quarterly Journal of the Geological Society, London*, 17, 542–52.

- Harley, M.J. (1988) *Wenlock Edge geology teaching trail*, Nature Conservancy Council Peterborough, 22 pp.
- Harper, D.A.T. (1988) Ordovician-Silurian junctions in the Girvan district, S.W. Scotland. In *A Global Analysis of the Ordovician-Silurian Boundary* (eds L.R.M. Cocks and R.B. Rickards), *Bulletin of the British Museum (Natural History): Geology Series*, 43, 45–52.
- Harris, J.H. (1987) The geology of the Wenlock Shales around Bulth Wells. Unpublished PhD thesis, University of Cambridge.
- Harris, W.H. (1884) Fossil plants in the Silurian Formation near Cardiff. *Science Gossip*, 20, 28–30.
- Haswell, G.C. (1865) *On the Silurian Formation in the Pentland Hills*. William P. Nimmo, Edinburgh, 48 pp.
- Hawkins, H.L. and Hampton, S.M. (1927) The occurrence, structure, and affinities of *Echinocystis* and *Palaeodiscus*. *Quarterly Journal of the Geological Society, London*, 83, 574–601.
- Henderson, J. and Brown, D.J. (1870) On the Silurian rocks of the Pentland Hills, Part II. *Transactions of the Edinburgh Geological Society*, 1, 266–72.
- Hicks, H. (1876) Llandovery rocks in the Lake District. *Geological Magazine*, 3, 335–6.
- Hill, D., Butler, A.J., Oakley, K.P. and Arkell, W.J. (1936) Report of 'Coral Reef' Meeting at Wenlock Edge, the Dudley district and the Oxford district. *Proceedings of the Geologists' Association*, 47, 130–9.
- Hill, P.J. (1974) Stratigraphic palynology of acritarchs from the type area of the Llandovery and the Welsh Borderland. *Review of Palaeobotany and Palynology*, 18, 11–23.
- Högström, A.E.S. (1997) Machaeridians from the Upper Wenlock (Silurian) of Gotland. *Palaeontology*, 40, 817–31.
- Holdsworth, B.K. (1977) Palaeozoic Radiolaria: stratigraphic distribution in Atlantic Borderlands. In *Stratigraphic Micropalaeontology of Atlantic Basin and Borderlands* (ed. F.M. Swain), Elsevier, Amsterdam, 16784.
- Holland, C.H. (1959) The Ludlovian and Downtonian rocks of the Knighton district, Radnorshire. *Quarterly Journal of the Geological Society, London*, 114, 449–82.
- Holland, C.H. (1980a) Silurian series and stages: decisions concerning chronostratigraphy. *Lethaia*, 13, 238.
- Holland, C.H. (1980b) Silurian subdivisions. *Lethaia*, 13, 366.
- Holland, C.H. (1984) Form and function in Silurian Cephalopoda. In *Autecology of Silurian organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 151–64.
- Holland, C.H. (1985) Series and stages of the Silurian System. *Episodes*, 8, 101–3.
- Holland, C.H. (1989) Principles, history and classification. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett) National Museum of Wales, Geological Series No. 9, Cardiff; pp. 7–26.
- Holland, C.H. (1992) Wenlock. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), *Memoir of the Geological Society, London*, 13, 40–3.
- Holland, C.H. and Bassett, M.G. (eds) (1989) *A Global Standard for the Silurian System*. National Museum of Wales, Geological Series No. 9, Cardiff; 325 pp.
- Holland, C.H. and Lawson, J.D. (1963) Facies patterns in the Ludlovian of Wales and the Welsh Borderland. *Liverpool and Manchester Geological Journal*, 3, 269–88.

- Holland, C.H. and Palmer, D.C. (1974) *Bohemograptus*, the youngest graptoloid known from the British sequence. In *Graptolite Studies in Honour of O.M.B. Bulman* (eds R.B. Rickards, D.E. Jackson and C.P. Hughes), *Special Papers in Palaeontology*, 13, 215–36.
- Holland, C.H., Lawson, J.D. and Walmsley, V.G. (1959) A revised classification of the Ludlovian succession at Ludlow. *Nature*, 184, 1037–9.
- Holland, C.H., Lawson, J.D. and Walmsley, V.G. (1963) The Silurian rocks of the Ludlow District. *Bulletin of the British Museum (Natural History): Geology Series*, 8, 93–171.
- Holland, C.H., Lawson, J.D., Walmsley, V.G. and White, D.E. (1980) Ludlow Stages. *Lethaia*, 13, 268.
- Holland, C.H., Rickards, R.B. and Warren, P.T. (1969) The Wenlock graptolites of the Ludlow district, Shropshire, and their stratigraphical significance. *Palaeontology*, 12, 663–83.
- Holmer, L.E. and Popov, L.E. (1996) Early Paleozoic radiation and classification of organophosphatic brachiopods. In *Proceedings of the Third International Brachiopod Congress. Sudbury, Ontario, Canada, 2–5 September, 1995* (eds P. Copper and J. Jin), A.A. Balkema, Rotterdam-Brookfield, pp. 117–21.
- Hopkinson, J. (1869) On British graptolites. *Journal of the Quekett Microscopical Club*, 1, 151–66.
- Horný, R. (1962) Das mittelböhmisches Silur. *Geologie*, 11, 873–916.
- House, M.R. (1988) Extinction and survival in the Cephalopoda. In *Extinction and Survival in the Fossil Record* (ed. G.P. Larwood), *Systematics Association Special Volume*, 34, Oxford University Press, pp. 139–54.
- House, M.R., Richardson, J.B., Chaloner, W.G., Allen, J.R.L., Holland, C.H. and Westoll, T.S. (1977a) A field guide to selected outcrop areas of the Devonian of Scotland, the Welsh Borderland and South Wales. *International Symposium on the Devonian System (P.A.D.S. September 1978)*, The Palaeontological Association, 106 pp.
- House, M.R., Richardson, J.B., Chaloner, W.G., Allen, J.R.L., Holland, C.H. and Westoll, T.S. (1977b) A Correlation of the Devonian Rocks of the British Isles. *Geological Society, London, Special Report*, 8, 110 pp.
- Howell, H.H. and Geikie, A. (1861) The geology of the neighbourhood of Edinburgh. *Memoir of the Geological Survey, Sheet 32 (Scotland)*.
- Howells, Y. (1982) Scottish Silurian trilobites. *Palaeontographical Society Monograph*, 135 (561), 76 pp.
- Hughes, T. McKenny (1879) On the Silurian rocks of the valley of the Clwyd. *Quarterly Journal of the Geological Society, London*, 35, 694–8.
- Hughes, T. McKenny (1885) Notes on the geology of the Vale of Clwyd. *Proceedings of the Chester Society of Natural Science*, 3, 5–37.
- Hughes, T. McKenny (1894) Observations on the Silurian rocks of N. Wales. *Proceedings of the Chester Society of Natural Science*, 4, 141–60.
- Hurst, J.M. (1974) Aspects of the systematics and ecology of the brachiopod *Pholidostrophia* in the Ashgill, Llandoverly and Wenlock of Britain. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 146, 298324.
- Hurst, J.M. (1975a) Wenlock carbonate, level bottom, brachiopod-dominated communities from Wales and the Welsh Borderland. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 17, 227–55.
- Hurst, J.M. (1975b) The diachronism of the Wenlock Limestone. *Lethaia*, 8, 301–14.

- Hurst, J.M., Hancock, N.J. and McKerrow, W.S. (1978) Wenlock stratigraphy and palaeogeography of Wales and the Welsh Borderland. *Proceedings of the Geologists' Association*, 89, 197–226.
- Hutt, J.E. (1974–75) The Llandovery graptolites of the English Lake District. *Palaeontographical Society Monograph; Part 1* (1974), 128 (540), 1–56; Part 2 (1975), 57–137.
- Huxley, T.H. and Salter J.W. (1856) Appendix to Banks, R.W., On the Tilestones or Downton Sandstones in the neighbourhood of Kington, and their contents. *Quarterly Journal of the Geological Society, London*, 12, 100.
- Ingham, J.K. (1979) The Moffat District. In *Guidebook to Field Meeting, Great Britain, March 30-April 11, 1979* (eds M.G. Bassett, L.R.M. Cocks, C.H. Holland, J.K. Ingham, J.D. Lawson, R.B. Rickards and J.T. Temple), Subcommission on Silurian Stratigraphy, Ordovician-Silurian Boundary Working Group, International Union of Geological Sciences, pp. 42–6.
- Ingham, J.K. (1992a) Girvan foreshore. In *Geological Excursions Around Glasgow and Girvan* (eds J.D. Lawson and D.S. Weedon), Geological Society of Glasgow, pp. 396–416.
- Ingham, J.K. (1992b) The Craighead inlier. In *Geological Excursions Around Glasgow and Girvan* (eds J.D. Lawson and D.S. Weedon), Geological Society of Glasgow, pp. 17–35.
- Ingham, J.K., McNamara, K.J. and Rickards, R.B. (1978) The Upper Ordovician and Silurian rocks. In *The Geology of the Lake District* (ed. F. Moseley), Yorkshire Geological Society, Leeds, pp. 121–45.
- Jaeger, H. (1959) Graptolithen und stratigraphie des jüngsten Thüringer Silurs. *Abhandlungen der Deutschen Akademie der Wissenschaften zu Berlin, Klasse für Chemie, Geologie und Biologie*, 1959 (2), 1–197.
- Janvier, P. (1996) *Early Vertebrates*, Oxford, Clarendon Press, 393 pp.
- Jennings, J.S. (1961) The geology of the eastern part of the Lesmahagow inlier. Unpublished PhD thesis, University of Edinburgh.
- Jenkinson, A. (ed.) (1991) *Mortimer Forest Geological Trail*, Forestry Commission (Marches Forest District), Whitcliffe, Ludlow, 25 pp.
- Jeppsson, L. (1990) An oceanic model for lithological and faunal changes tested on the Silurian record. *Journal of the Geological Society, London*, 147, 663–74.
- Jeppsson, L. (1997) A new latest Telychian, Sheinwoodian and early Homeric (Early Silurian) standard conodont zonation. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 88, 91–114.
- Jeppsson, L., Aldridge, R.J. and Dorning, K.J. (1995) Wenlock (Silurian) oceanic episodes and events. *Journal of the Geological Society, London*, 152, 487–98.
- Jeram, A.J., Selden, P.A. and Edwards, D. (1990) Land animals in the Silurian: arachnids and myriapods from Shropshire, England. *Science*, 250, 658–61.
- Jerre, E. (1993) Conulariid microfossils from the Silurian Lower Visby Beds of Gotland, Sweden. *Palaeontology*, 36, 403–24.
- Johnson E.W. (1994) Lower Palaeozoic rocks of the Craven Inliers. In *Yorkshire Rocks and Landscape: a Field Guide* (ed. C. Scrutton) Maryport, Leeds and Ellenbank Press, Yorkshire Geological Society, pp. 21–9.
- Johnson, H.M. (1966) Silurian *Girvanella* from the Welsh Borderland. *Palaeontology*, 9, 48–63.

- Johnson, M.E., Kaljo, D. and Rong, Jia-Yu (1991) Silurian Eustacy. In *The Murchison Symposium. Proceedings of an International Conference on the Silurian System*, 1989, Keele University (eds M.G. Bassett, P.D. Lane and D. Edwards), *Special Papers in Palaeontology*, 44, 145–63.
- Jones, O.A. (1936) The controlling effect of the environment upon the corallum in *Favosites*; with a revision of some massive species on this basis. *Annals and Magazine of Natural History*, 17, 1–24.
- Jones, O.T. (1909) The Hartfell–Valentian succession around Plynlimon and Pont Erwyd. *Quarterly Journal of the Geological Society, London*, 65, 463–537.
- Jones, O.T. (1912) The geological structure of Central Wales and adjoining regions. *Quarterly Journal of the Geological Society, London*, 68, 328–44.
- Jones, O.T. (1921) The Valentian Series. *Quarterly Journal of the Geological Society, London*, 77, 144–74.
- Jones, O.T. (1925) The geology of the Llandovery district: Part I. The southern area. *Quarterly Journal of the Geological Society, London*, 81, 344–88.
- Jones, U.T. (1937) On the sliding or slumping of submarine sediments in Denbighshire, North Wales, during the Ludlow Period. *Quarterly Journal of the Geological Society, London*, 93, 241–83.
- Jones, O.T. (1938) On the evolution of a geosyncline. *Quarterly Journal of the Geological Society, London*, 94, lx–cx.
- Jones, O.T. (1940) The geology of the Colwyn Bay district: a study of submarine slumping during the Salopian period. *Quarterly Journal of the Geological Society, London*, 95 (for 1939), 335–82.
- Jones, O.T. (1943) A comment on a new area of slump beds in Denbighshire. *Geological Magazine*, 80, 66–8.
- Jones, O.T. (1947) The geology of the Silurian rocks west and south of the Carneddau Range, Radnorshire. *Quarterly Journal of the Geological Society, London*, 103, 1–36.
- Jones, O.T. (1949) The geology of the Llandovery district: Part II. The northern area. *Quarterly Journal of the Geological Society, London*, 105, 43–64.
- Jones, O.T. and Pugh, W.J. (1916) The geology of the districts around Machynlleth and the Llyfnant Valley. *Quarterly Journal of the Geological Society, London*, 71 [for 1915], 343–85.
- Jones, O.T. and Pugh, W.J. (1935a) The geology of the districts around Machynlleth and Aberystwyth. *Proceedings of the Geologists' Association*, 46, 247–300.
- Jones, O.T. and Pugh, W.J. (1935b) Summer field meeting to the Aberystwyth district. *Proceedings of the Geologists' Association*, 46, 413–28.
- Jones, T.R. (1887a) Notes on the Palaeozoic bivalved Entomostraca No. 23. On some Silurian genera and species (continued). *Annals and Magazine of Natural History*, London, 19, 177–95.
- Jones, T.R. (1887b) Notes on the Palaeozoic bivalved Entomostraca No. 24. On some Silurian genera and species (continued). *Annals and Magazine of Natural History*, London, 19, 400–16.
- Jones, T.R. and Holl, H.B. (1886a) Notes on the Palaeozoic bivalved Entomostraca No. 20. On the genus and some new species. *Annals and Magazine of Natural History*, London, 17, (5), 337–63.
- Jones, T.R. and Holl, H.B. (1886b) Notes on the Palaeozoic bivalved Entomostraca No. 21. On some Silurian genera and species. *Annals and Magazine of Natural History*, London, 17, (5), 403–14.

- Jukes, F. (1829) An account of a new species of trilobite, found in the Barr Limestone in the neighbourhood of Birmingham. With a note by J. de C. Sowerby, Esq. *Magazine of Natural History*, 2, 41–5.
- Jukes, J.B. (1853) The geology of the South Staffordshire Coal-field. *Record of the School of Mines and Sciences applied to the Arts*, 1, (2), 149–335.
- Jukes, J.B. (1859) The geology of the South Staffordshire Coal-field. 2nd edn. *Memoir of the Geological Survey of Great Britain*, 241 pp.
- Keeping, W. (1878) Notes on the geology of the neighbourhood of Aberystwyth. *Geological Magazine*, 15, 532–47.
- Keeping, W. (1881) The geology of Central Wales, with an appendix on some new species of *Cladophora* by Charles Lapworth. *Quarterly Journal of the Geological Society, London*, 37, 141–77.
- Kelling, G. and Woollands, M.A. (1969) The stratigraphy and sedimentation of the Llandoveryian rocks of the Rhayader district. In *The Pre-Cambrian and Lower Palaeozoic Rocks of Wales* (ed. A. Wood), University of Wales Press, pp. 255–82.
- Kelling, G., Davies, P. and Holroyd, J. (1987) Style, scale and significance of sand bodies in the Northern and Central Belts, southwest Southern Uplands. *Journal of the Geological Society, London*, 144, 787–805.
- Kemp, A.E.S. (1985) Tectonostratigraphy of the Southern Belt of the Southern Uplands. *British Library Supplementary Publication No.24023*. [Kemp A.E.S. and White, D.E. (1985)].
- Kemp, A.E.S. (1986) Tectonostratigraphy of the Southern Belt of the Southern Uplands. *Scottish Journal of Geology*, 22, 241–56.
- Kemp, A.E.S. (1987) Evolution of Silurian depositional systems in the Southern Uplands, Scotland. In *Marine clastic sedimentology: concepts and case studies*, (eds J.K. Leggett, and G.G. Zuffa), Graham and Trotman, London, 124–55.
- Kemp A.E.S. (1991) Mid Silurian pelagic and hemipelagic sedimentation and palaeoceanography. In *The Murchison Symposium. Proceedings of an International Conference on the Silurian System*, 1989, Keele University (eds M.G. Bassett, P.D. Lane and D. Edwards), *Special Papers in Palaeontology*, 44, 261–99.
- Kemp, A.E.S. and White, D.E. (1985) Silurian trench sedimentation in the Southern Uplands, Scotland: implications of new age data. *Geological Magazine*, 122, 275–77.
- Kenrick, P. and Crane, P.R. (1997) The origin and early evolution of plants on land. *Nature*, 389, 33–9.
- Keunen, Ph.H. (1953) Graded bedding, with observations on Lower Palaeozoic rocks of Britain. *Verhandelingen van het Koninklijk Nederlandsche Akademie voor Wetenschap., Afdeling Natuurkunde*, Section 1, 20, 2–47.
- Kielan-Jaworowska, Z. (1966) Polychaete jaw apparatuses from the Ordovician and Silurian of Poland and a comparison with modern forms. *Palaeontologia Polonica*, 16, 1–152.
- Kier, P.M. (1973) A new Silurian echinoid genus from Scotland. *Palaeontology*, 16, 651–63.
- King, L.M. (1992) A basin study of the early Palaeozoic Windermere Group, NW England. Unpublished PhD thesis, University of Cambridge.
- King, L.M. (1994) Turbidite to storm transition in a migrating foreland basin: the Kendal Group (Upper Silurian), northwest England. *Geological Magazine*, 131, 255–67.

- King, W.B.R. (1928) The geology of the district around Meifod. *Quarterly Journal of the Geological Society, London*, 84, 671–702.
- King, W.B.R. and Wilcockson, W.H. (1934) The Lower Palaeozoic rocks of Austwick and Horton-in-Ribblesdale, Yorkshire. *Quarterly Journal of the Geological Society, London*, 90, 7–31.
- King, W.W. and Lewis, W.J. (1912) The uppermost Silurian and Old Red Sandstone of South Staffordshire. *Geological Magazine*, 9, 437–43, 481–4.
- Kircher, J.M. (1989) Agglutinated foraminifers from the Wenlock and Ludlow districts of the Welsh Borderland. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 227–8.
- Kirk, N.H. (1947) The geology of the anticlinal disturbance of Breconshire and Radnorshire: Pont Faen to Presteigne, Radnorshire. Unpublished PhD thesis, University of Cambridge.
- Kirk, N.H. (1951a) The Upper Llandovery and Lower Wenlock rocks of the area between Dolyhir and Presteigne, Radnorshire. *Abstracts of the Proceedings of the Geological Society, London*, 1471, pp. 56–8.
- Kirk, N.H. (1951b) The Silurian and Downtonian rocks of the anticlinal disturbance of Breconshire and Radnorshire: Pont Faen to Presteigne. *Abstracts of the Proceedings of the Geological Society, London*, 1474, pp. 72–4.
- Kjellesvig-Waering, E.N. (1951) Downtonian (Silurian) Eurypterida from Perton, near Stoke Edith, Herefordshire. *Geological Magazine*, 88, 1–24.
- Kjellesvig-Waering, E.N. (1961) The Silurian Eurypterida of the Welsh *Borderland*. *Journal of Paleontology*, 35, 789–835.
- Kneller, B.C. (1990) The Wenlock rocks of Sheet 38 (Ambleside). *British Geological Survey Technical Report*, WA/90/64.
- Kneller, B.C. (1991) A foreland basin on the southern margin of Iapetus. *Journal of the Geological Society, London*, 148, 207–10.
- Kneller B.C., Edwards, D., McCaffrey, W. and Moore, R. (1991) Oblique reflection of turbidity currents. *Geology*, 14, 250–2.
- Kneller, B.C., King, L.M. and Bell, A.M. (1993) Foreland basin development and tectonics on the northwest margin of eastern Avalonia. *Geological Magazine*, 130, 691–7.
- Kneller, B.C., Scott, R.W., Soper, N.J., Johnson, E.W. and Alien, P.M. (1994) Lithostratigraphy of the Windermere Supergroup, Northern England. *Geological Journal*, 29, 219–40.
- Knight, J.B., Cox, L.R., Keen, A.M., *et al.* (1960) Mollusca 1. In *Treatise on Invertebrate Paleontology* (ed. R.C. Moore), Geological Society of America and University of Kansas Press, 351 pp.
- Koren, T.N. (1989) Graptolite zones and standard stratigraphic scale of Silurian. *Proceedings of the 27th International Congress*, 1, (Stratigraphy), VNU Press, 47–66.
- Kříž, J. (1984) Autecology and ecogeny of Silurian Bivalvia. In *Autecology of Silurian organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, i-xx and 183–96.
- J, Jaeger, H., Paris, F. *et al.* (1983) *The Pírdolí Series as the fourth Series of the Silurian System. A supplementary submission to the Subcommittee on Silurian Stratigraphy, March 1983*, International Commission on Stratigraphy, Subcommittee on Silurian Stratigraphy, 59 pp.

- Lake, P. (1895) The Denbighshire Series of South Denbighshire. *Quarterly Journal of the Geological Society, London*, 51, 9–23.
- Lamont, A. (1935) The Drummock Group, Girvan; a stratigraphical revision with descriptions of fossils from the lower part of the group. *Transactions of the Geological Society of Glasgow*, 19, 288–332.
- Lamont, A. (1947a) Gala-Tarannon beds in the Pentland Hills, near Edinburgh. *Geological Magazine*, 84, 193–208.
- Lamont, A. (1947b) Gala-Tarannon beds in the Pentland Hills, near Edinburgh. *Geological Magazine*, 84, 289–303.
- Lamont, A. (1952) Ecology and correlation of the Pentlandian — a new division of the Silurian System in Scotland. *International Geological Congress, Report of the Eighteenth Session, Great Britain 1948*, London, Part 10, pp. 27–32.
- Lamont, A. (1955) Scottish Silurian Chelicerata. *Transactions of the Edinburgh Geological Society*, 16, 200–16.
- Lamont, A. (1965) Gala–Tarannon trilobites and an ostracod from the Hagshaw Hills, Lanarkshire. *Scottish Journal of Science*, 1, 33–46.
- Lamont, A. (1978) Pentlandian miscellany: Mollusca, Trilobita etc. *Scottish Journal of Science*, 1, 245–302.
- Lane, P.D. (1971) British Cheiruridae (Trilobita). *Palaeontographical Society Monograph*, 125 (530), 95 pp.
- Lane, P.D. and Thomas, A.T. (1978) *Scutelluidae*. In British Wenlock trilobites (A.T. Thomas), *Palaeontographical Society Monograph; Part 1*, 132 (552), 8–29.
- Lang, W.D. and Smith, S. (1927) A critical revision of the rugose corals described by W Lonsdale in Murchison's *Silurian System*. *Quarterly Journal of the Geological Society, London*, 83, 448–91.
- Lang, W.H. (1937) On the plant remains from the Downtonian of England and Wales. *Philosophical Transactions of the Royal Society of London, Series B*, 227, 245–91.
- Lapworth, C. (1870) On the Lower Silurian rocks of Galashiels. *Geological Magazine*, 7, (1), 204–9, 279–84.
- Lapworth, C. (1876a) On Scottish Monograptidae. *Geological Magazine*, 3, (2), 308–21, 350–60, 499–507, 544–52.
- Lapworth, C. (1876b) Llandovery rocks in the Lake District. *Geological Magazine*, 3, (2), 477–80.
- Lapworth, C. (1876c) The Silurian system in the south of Scotland. In *Catalogue of the Western Scottish Fossils* (eds J. Armstrong *et al.*), Mackie, Glasgow, pp. 1–28.
- Lapworth, C. (1877) On the graptolites of County Down. *Proceedings of the Belfast Naturalists' Field Club*, Appendix. 1876–77, pp. 125–47, pls 5–7.
- Lapworth, C. (1878) The Moffat Series. *Quarterly Journal of the Geological Society, London*, 34, 240–346.
- Lapworth, C. (1879–1880b) On the geological distribution of the Rhabdophora. *Annals and Magazine of Natural History, Series 5*, 3, (1879), 245–57, 449–55; 4, (1879), 331–41, 423–31; 5, (1880a), 45–62, 273–85, 358–69; 6, (1880b), 16–29, 185–207.
- Lapworth, C. (1880c) On new British graptolites. *Annals and Magazine of Natural History, Series 5*, 5, 149–77.
- Lapworth, C. (1882) The Girvan succession. *Quarterly Journal of the Geological Society, London*, 38, 537–66.

- Lapworth, C. (1889a) Sketch of the geology of the Birmingham district. With special reference to the long excursion of 1889. *Proceedings of the Geologists' Association*, 15, 313–89.
- Lapworth, C. (1889b) Long excursion to the Birmingham district. *Proceedings of the Geologists' Association*, 15, 417–28.
- Lapworth, C. (1889c) On the Ballantrae rocks of South Scotland. *Geological Magazine*, 26, 337–44.
- Lapworth, C. and Watts, W.M. (1894) The geology of South Shropshire. *Proceedings of the Geologists' Association*, 13, 297–355.
- Lapworth, C. and Watts, W.W. (1910) Shropshire. In *Geology in the Field: The jubilee Volume of the Geologists' Association*, 739–69.
- Lapworth, H. (1900) The Silurian sequence of Rhayader. *Quarterly Journal of the Geological Society, London*, 56, 67–137.
- La Touche, J.D. (1884) *A Handbook of the Geology of Shropshire*, Edward Stanford, London.
- Laufeld, S. (1974) Silurian Chitinozoa from Gotland. *Fossils and Strata*, 5, 1–130.
- Laurie, M. (1892) On some eurypterid remains from the upper Silurian rocks of the Pentland Hills. *Transactions of the Royal Society of Edinburgh*, 37, 151–61.
- Laurie, M. (1899) On a Silurian scorpion and some additional eurypterid remains from the Pentland Hills. *Transactions of the Royal Society of Edinburgh*, 39, 575–90.
- Lawrence, D.J.D., Webb, B.C., Young, B. and White, D.E. (1986) The geology of the late Ordovician and Silurian rocks (Windermere Group) in the area around Kentmere and Crook. *British Geological Survey Report*, 18 (5), 1–32.
- Lawson, J.D. (1954) The Silurian succession at Gorsley, Herefordshire. *Geological Magazine*, 91, 227–37.
- Lawson, J.D. (1955) The geology of the May Hill Inlier. *Quarterly Journal of the Geological Society, London*, 111, 85–116.
- Lawson, J.D. (1960) Aymestrey Area. In *Summer Field Meeting at Ludlow* (eds R.C.H. Allender, C.H. Holland, J.D. Lawson, V.G. Walmsley and J.H.McD. Whitaker), *Proceedings of the Geologists' Association*, 71, 224–8.
- Lawson, J.D. (1967) The May Hill Inlier. In *The Silurian inliers of the south-eastern Welsh Borderland*, 1st edn, (eds J.D. Lawson, M.L.K. Curtis, H.C. Squirrell, E.V. Tucker and V.G. Walmsley), *Geologists' Association Guide No. 5*, pp. 22–7.
- Lawson, J.D. (1973a) New exposures on forestry roads near Ludlow. *Geological Journal*, 8, 279–84.
- Lawson, J.D. (1973b) Facies and faunal changes in the Ludlovian rocks of Aymestrey, Herefordshire. *Geological Journal*, 8, 247–78.
- Lawson, J.D. (1977a) The name "Wenlock Limestone". *Geological Journal*, 12, 189–90.
- Lawson, J.D. (1977b) *Mortimer Forest Geological Trail*, Nature Conservancy Council, London, 16 pp.
- Lawson, J.D. (1982) The May Hill Inlier. In *The Silurian Inliers of the South-eastern Welsh Borderland*, 2nd edn (eds J.D. Lawson, M.L.K. Curtis, H.C. Squirrell, E.V. Tucker, and V.G. Walmsley), *Geologists' Association Guide No. 5*, pp. 17–27.
- Lawson, J.D. and Whitaker, J.H.McD. (1969) Correlation of the Leintwardine Beds. *Geological Journal*, 6, 329–32.
- Lawson, J.D. and White D.E. (1989) The Ludlow Series in the Ludlow area. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, 73–90.
- Lawson, J.D., Walmsley, V.G., Holland, C.H., Price, J.H. and Straw, S.H. (1956) The Ludlovian rocks of the Welsh Borderland.

Advancement of Science, London, 12, 563–70.

Leggett, J.K. (1987) The Southern Uplands as an accretionary prism: the importance of analogues in reconstructing palaeogeography. *Journal of the Geological Society, London, 144, 737–52.*

Leggett, J.K., McKerrow, W.S. and Eales, M.H. (1979a) The Southern Uplands of Scotland; a Lower Palaeozoic accretionary prism. *Journal of the Geological Society, London, 136, 755–70.*

Leggett, J.K., McKerrow, W.S., Morris, J.H., Oliver, G.J.H. and Phillips, W.E.A. (1979b) The northwestern margin of the Iapetus Ocean. In *The Caledonides of the British Isles — reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Special Publications of the Geological Society, London, 8, 499–512.*

Leggett, J.K., McKerrow, W.S. and Casey, D.M. (1982) The anatomy of a Lower Palaeozoic accretionary forearc: the Southern Uplands of Scotland. In *Trench forearc Geology* (ed. J.K. Leggett), *Special Publications of the Geological Society, London, 10, 494–520.*

Lespérance, P.J., Barnes, C.R., Berry, W.B.N., Boucot, A.J. and Mu, En-Zhi (1987) The Ordovician-Silurian boundary stratotype: consequences of its approval by the IUGS. *Lethaia, 20, 217–22.*

Leszczynski, S. and Seilacher, A. (1991) Ichthocoenoses of a turbidite sole. *Ichnos, 1, 293–303.*

Lewis, W.A. (1847) On a new species of *Hypanthocrinites* from the Wenlock Shale of Walsall. *London Geological Journal, 1, 99–100.*

Lightbody, R. (1863) Notice of a section at Mocktree. *Quarterly Journal of the Geological Society, London, 19, 368–71.*

Lightbody, R. (1869) Notes on the geology of Ludlow. *Geological Magazine, 6, 353–5.*

Lister, T.R. (1970) A monograph of the acritarchs and chitinozoa from the Wenlock and Ludlow Series of the Ludlow and Millichope areas. Part 1. Shropshire. *Palaeontographical Society Monograph, 124(528), 100 pp.*

Lonsdale, W. (1839) Corals. In *The Silurian System* (R.I. Murchison), John Murray, London, pp. 675–94.

Lovelock, C. (1998) The sedimentary environments and biofacies of the Silurian inlier at Lesmahagow, Midland Valley of Scotland. Unpublished PhD thesis, University of Edinburgh.

Loydell, D.K. (1991) The biostratigraphy and formational relationships of the upper Aeronian and lower Telychian (Llandovery, Silurian) formations of western mid-Wales. *Geological Journal, 26, 209–44.*

Loydell, D.K. (1992–1993) Upper Aeronian and lower Telychian (Llandovery) graptolites from western mid-Wales. *Palaeontographical Society Monograph; Part 1* (1992), 146 (589), 1–55; *Part 2* (1993), 147 (592), 56–180.

Loydell, D.K. (1993) Worldwide correlation of Telychian (Upper Llandovery) strata using graptolites. In *High Resolution Stratigraphy* (eds E.A. Hailwood and R.B. Kidd), *Special Publications of the Geological Society, London, 10, 323–40.*

Loydell, D.K. and Cave, R. (1993) The Telychian (Upper Llandovery) stratigraphy of Buttington Brick Pit, Wales. *Newsletters on Stratigraphy, 29, 91–103.*

Loydell, D.K. and Cave, R. (1996) The Llandovery–Wenlock boundary and related stratigraphy in eastern mid-Wales with special reference to the Banwy River section. *Newsletters on Stratigraphy, 34, 39–64.*

Loydell, D.K. and Fone, W. (1998) Graptolites from the Lower Elton Formation (Ludlow) of Shadwell Rock Quarry, Shropshire. *Geological Journal, 33, 147–8.*

Lundin, R.F., Petersen, L.E., Siveter, David J. (1991) Nonpalaeocene ostracod biostratigraphy of the type Wenlock Series, Silurian, of the Welsh Borderland. *Journal of Micropalaeontology, 9, 173–89.*

- Lyell, C. (1830–1833) *Principles of Geology, being an attempt to explain the former changes of the earth's surface, by reference to causes now in operation*, 3 vols, John Murray, London, vol. 1, xvi + 512 pp.; vol. 2 xii + 330 pp.; vol. 3, xxxii + 398 pp.
- Lyell, C. (1841) Some remarks on the Silurian strata between Aymestry and Wenlock. *Proceedings of the Geological Society, London*, 3, 463–5.
- Mabillard, J.E. (1981) Micropalaeontology and correlation of the Llandovery–Wenlock boundary beds in Wales and the Welsh Borderland. Unpublished PhD thesis, University of Nottingham.
- Mabillard, J.E. and Aldridge, R.J. (1982) Arenaceous foraminifera from the Llandovery/Wenlock boundary beds of the Wenlock Edge area, Shropshire. *Journal of Micropalaeontology*, 1, 129–36.
- Mabillard, J.E. and Aldridge, R.J. (1983) Conodonts from the Coralliferous Group (Silurian) of Marloes Bay, South-West Dyfed, Wales. *Geologica et Palaeontologica*, 17, 29–43.
- Mabillard, J.E. and Aldridge, R.J. (1985) Microfossil distribution across the base of the Wenlock Series in the type area. *Palaeontology*, 28, 89–100.
- Maclaren, C. (1839) *A Sketch of the Geology of Fife and the Lothians. Including Detailed Descriptions of Arthur's Seat and the Pentland Hills*, A. and C. Black, Edinburgh, xv + 235 pp.
- Maltman, A.J. (1987) Microstructures in deformed sediments, Denbigh Moors, North Wales. *Geological Journal*, 22, 87–94.
- Männil, R.P. (1977) Distribution of trilobites in the Silurian of the east Baltic area. In *Facies and Fauna of the Baltic Silurian* (ed. D. Kaljo), *Trudy Institut Geologii Akademiyi Estonskoi S.S.R.*, 149–58 [in Russian with Estonian and English summaries].
- Manning, P.L. (1993) Palaeoecology of the eurypterids of the Welsh Borderland. Unpublished MSc thesis, University of Manchester.
- Marek, L. and Yochelson, E.L. (1976) Aspects of the biology of *Hyolitha* (Mollusca). *Lethaia*, 9, 65–82.
- Marr, J.E. (1878) On some well defined life zones in the lower part of the Silurian (Sedgwick) of the Lake District. *Quarterly Journal of the Geological Society, London*, 34, 871–85.
- Marr, J.E. (1880a) On the PreDevonian rocks of Bohemia. *Quarterly Journal of the Geological Society, London*, 36, 591–618.
- Marr, J.E. (1880b) On the Cambrian (Sedges) and Silurian Beds of the Dee Valley, as compared with those of the Lake District. *Quarterly Journal of the Geological Society, London*, 36, 277–84.
- Marr, J.E. (1883) *The Classification of the Cambrian and Silurian Rocks*, Deighton, Bell and Co., Cambridge, 147 pp.
- Marr, J.E. (1892) On the Wenlock and Ludlow strata of the Lake District. *Geological Magazine*, 9, 534–41.
- Marr, J.E. (1916) *The Geology of the Lake District and the Scenery as influenced by Geological Structure*, Cambridge University Press, 220 pp.
- Marr, J.E. (1913) The Lower Palaeozoic rocks of the Cautley District (Yorkshire). *Quarterly Journal of the Geological Society, London*, 69, 1–18.
- Marr J.E. (1927) The deposition of the later Silurian rocks of the Lake District. *Geological Magazine*, 64, 494–500.

- Marr, J.E. and Nicholson, H.A. (1888) The Stockdale Shales. *Quarterly Journal of the Geological Society, London*, 44, 654–732.
- Marshall, J.E.A. (1991) Palynology of the Stonehaven Group, Scotland: evidence for a Mid Silurian age and its geological implications. *Geological Magazine*, 128, 283–6.
- Märss, T. (1989) Vertebrates. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, 284–9.
- Märss, T. and Ritchie, A. (1998) Articulated thelodonts (Agnatha) of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences, Series B*, 88, 143–95.
- Marston, A. (1865) Short geological guide, ten miles around Ludlow. In *Handbook to Ludlow*, 3rd edn, John Evans, Ludlow, pp. 145–68.
- Marston, A. (1870) *A guide to the Ferns and many of the rarer plants growing around Ludlow: with a paper on the Geology of the district*, Ludlow, 45 pp.
- Martin, F. (1989) Acritarchs. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 207–15.
- Martinsson, A. (1962) Ostracodes of the family Beyrichiidae from the Silurian of Gotland. *Bulletin of the Geological Institute of the University of Uppsala*, 41, 1–369.
- Martinsson, A. (1963) *Kloedenia* and related ostracode genera in the Silurian and Devonian of the Baltic area and Britain. *Bulletin of the Geological Institutions of the University of Uppsala*, 42, 1–63.
- Martinsson, A. (1967) The succession and correlation of ostracode faunas in the Silurian of Gotland. *Geologiska Foreningens i Stockholm Forhandlingar*, 89, 350–86.
- Martinsson, A., Bassett, M.G. and Holland, C.H. (1981) Ratification of standard chronostratigraphical divisions and stratotypes for the Silurian System. *Lethaia*, 14, 168.
- McAdam, A.D., Clarkson, E.N.K. and Stone, P. (1992) *Scottish Borders Geology*, Scottish Academic Press, Edinburgh.
- McCarthy, J., Stevenson, A.J., Scholl, D.W. and Vallier, T.L. (1984) Speculations on the petroleum geology of the accretionary body: an example from the central Aleutians. *Marine and Petroleum Geology*, 1, 151–67.
- McCabe P.J. (1972) The Wenlock and Lower Ludlow strata of the Austwick and Horton-in-Ribblesdale Inlier of north-west Yorkshire. *Proceedings of the Yorkshire Geological Society*, 39, 167–74.
- McCabe P.J. and Waugh, B. (1973) Wenlock and Ludlow sedimentation in the Austwick and Horton-in-Ribblesdale Inlier, north-west Yorkshire. *Proceedings of the Yorkshire Geological Society*, 39, 445–70.
- McCaffrey, W.D. (1991) Silurian turbidite provenance in NW England. Unpublished PhD thesis, University of Leeds.
- McCaffrey, W.D. and Kneller, B.C. (1996) Silurian turbidite provenance on the Northern Avalonian margin. *Journal of the Geological Society, London*, 153, 437–50.
- McCaffrey, W.D., Barron, H.F., Molyneux, S.G. and Kneller, B.C. (1992) Recycled acritarchs as provenance indicators: implications for Caledonian terrane reconstruction. *Geological Magazine*, 129, 457–64.
- McCann, T. (1990) Distribution of Ordovician–Silurian ichnofossil assemblages in Wales implications for Phanerozoic ichnofaunas. *Lethaia*, 23, 243–55.

- McCann, T. (1991) Petrological and geochemical determination of provenance in the southern Welsh basin. In *Developments in sedimentary provenance studies* (eds A.C. Morton, S.P. Todd and P.D.W. Haughton), *Special Publication of the Geological Society, London*, 57, 215–30.
- M'Coy, F. (1850) On some new genera and species of Silurian Radiata in the collection of the University of Cambridge. *Annals and Magazine of Natural History*, 6, (2), 270–90.
- M'Coy, F. (1851a) On some new Protozoic Annulata. *Annals and Magazine of Natural History*, 7, (2), 394–6.
- M'Coy, F. (1851b) On some new Cambro-Silurian fossils. *Annals and Magazine of Natural History*, 8, (2), 387–409.
- M'Coy, F. (1851c) Descriptions of the British Palaeozoic fossils in the geological museum of the University of Cambridge. In Sedgwick, A. and M'Coy F. (1851–1855) *A Synopsis of the Classification of the British Palaeozoic Rocks, with a Systematic Description of the British Palaeozoic Fossils found in the Geological Museum of the University of Cambridge*, John W. Parker and Son, London and Deighton, Bell and Co. and Macmillan and Co., Cambridge, xcvi + 661 pp.
- McGiven, A. (1968) Sedimentation and provenance of post-Valentian conglomerates up to and including the basal conglomerate of the Lower Old Red Sandstone in the southern part of the Midland Valley of Scotland. Unpublished PhD thesis, University of Glasgow.
- McKerrow, W.S. (1978) *The Ecology of Fossils: an illustrated guide*, Duckworth, London.
- McKerrow, W.S., Leggett, J.K. and Eales, M.H. (1977) Imbricate thrust model of the Southern Uplands of Scotland. *Nature*, 267, 237–9.
- Merriman, R.J. and Roberts, B. (1990) Metabentonites in the Moffat Shale Group, Southern Uplands of Scotland: geochemical evidence of ensialic marginal basin volcanism. *Geological Magazine*, 127, 259–71.
- Miller, C.G. (1995) Ostracode and conodont distribution across the Ludlow/Pridoli boundary of Wales and the Welsh Borderland. *Palaeontology*, 38, 341–84.
- Miller, C.G. and Aldridge, R.J. (1993) The taxonomy and apparatus structure of the Silurian distomodontid conodont *Coryssognathus* Link and Druce, 1972. *Journal of Micropalaeontology*, 12, 241–55.
- Miller, C.G. and Aldridge, R.J. (1997) *Ozarkodina remscheidensis* plexus conodonts from the upper Ludlow (Silurian) of the Welsh Borderland and Wales. *Journal of Micropalaeontology*, 16, 41–9.
- Miller, C.G., Sutherland, S.J.E. and Dorning, K.J. (1997) Late Silurian (Ludlow–Pridoli) microfossils and sedimentation in the Welsh Basin near Clun, Shropshire. *Geological Journal*, 32, 69–83.
- Miller, J.S. (1821) *A Natural History of the Crinoidea or Lily-shaped Animals, with Observations on the Genera Asteria, Euryale, Comatula, and Marsupites*, Bryan and Co., Bristol.
- Milne-Edwards, H. and Haime, J. (1855) A monograph of the British fossil corals. Part 5. Corals from the Silurian Formation. *Palaeontographical Society Monograph*, 8 (29), 245–322.
- Mitchell, G.H., Pocock, R.W. and Taylor, J.H. (1961) Geology of the country around Droitwich, Abberley and Kidderminster. *Memoir of the Geological Survey, Sheet 182 (England and Wales)*, 137 pp.
- Moore, C. (1867) On abnormal conditions of secondary deposits when connected with the Somersetshire and South Wales coal-basin; and on the age of the Sutton and Southerndown Series. *Quarterly Journal of the Geological Society, London*, 23, 449–568.
- Morgan, C.L. and Reynolds, S.H. (1901) The igneous rocks and associated sedimentary beds of the Tortworth Inlier. *Quarterly Journal of the Geological Society, London*, 57, 267–84.

- Morris, S.F. (1988) A review of British trilobites, including a synoptic revision of Salter's monograph. *Palaeontographical Society Monograph*, 140 (574), 316 pp.
- Mortimer, C. (1750) Some further account of the before-mentioned Dudley Fossil, by the editor of these Transactions. *Philosophical Transactions of the Royal Society*, 46, 600–2.
- Moseley F. (1977) Caledonian plate tectonics and the place of the English Lake District. *Bulletin of the Geological Society of America*, 88, 764–8.
- Moseley F. (1978) Reply to discussion. *Bulletin of the Geological Society of America*, 89, 1695–6.
- Moseley F. (1984) Lower Palaeozoic lithostratigraphical classification in the English Lake District. *Geological Journal*, 19, 239–47.
- Mullins, G.L. (1996) Palynology of the Lower and Middle Elton Formations (Ludlow Series, Silurian) in the Ludlow type area, Shropshire. Unpublished PhD thesis, University of Leicester.
- Murchison, R.I. (1833) On the sedimentary deposits which occupy the western parts of Shropshire and Herefordshire, and are prolonged from NE to S'W, through Radnor, Brecknock and Caermarthenshire, with descriptions of the accompanying rocks of intrusive or igneous characters. *Proceedings of the Geological Society, London*, 1, 474–7.
- Murchison, R.I. (1834) On the classification of the Transition rocks of Shropshire, Herefordshire and part of Wales, and on the lines of disturbance which have affected that series of deposits. Including the valley elevations of Woolhope. *Proceedings of the Geological Society, London*, 2, 13–8.
- Murchison, R.I. (1835) On the Silurian System of rocks. *Philosophical Magazine*, 7, 46–52.
- Murchison, R.I. (1839) *The Silurian System, Founded on Researches in the Counties of Salop, Hereford, Radnor, Montgomery, Caermarthen, Brecon, Pembroke, Monmouth, Gloucester, Worcester and Stafford: with Descriptions of the Coal-fields and Overlying Formations*, John Murray, London, xx + 768 pp.
- Murchison, R.I. (1851) On the Silurian rocks of the South of Scotland, with a list and description of the Silurian fossils of Ayrshire. *Quarterly Journal of the Geological Society, London*, 7, 137–78.
- Murchison, R.I. (1854) *Siluria*, John Murray, London. xvi + 523 pp.
- Murchison, R.I. (1856) On the discovery, by Mr Robert Slimon, of fossils in the uppermost Silurian rocks near Lesmahagow in Scotland, with observations on the relations of the Palaeozoic strata in that part of Lanarkshire. *Quarterly Journal of the Geological Society, London*, 12, 15–24.
- Murchison, R.I. (1859) *Siluria*, 3rd edn, John Murray, London, xix + 592 pp.
- Murchison, R.I., Verneuil, E. and von Eyslerling, A. (1845) *The Geology of Russia in Europe and the Ural Mountains*, vol. 1, John Murray, London; *Géologie de la Russie d'Europe et des Montagnes d'Oural*, vol. 2, Bertrand, Paris.
- Mutti, E. and Normark, W.R. (1987) Comparing examples of modern and ancient turbidite systems: problems and concepts. In *Marine Clastic Sedimentology: Concepts and Case Studies* (eds J.K. Leggett and G.G. Zuffa), Graham and Trotman, London, pp. 1–38.
- Mykura, W. (1986) Pentland Hills. In *Lothian Geology. An Excursion Guide* (eds A.D. McAdam and E.N.K. Clarkson), Scottish Academic Press, Edinburgh, pp. 161–73.
- Mykura, W. and Smith, J.D.D. (1962) Silurian. In *The Geology of the Neighbourhood of Edinburgh* (eds G.H. Mitchell and W. Mykura), *Memoir of the Geological Survey*, Sheet 32 (Scotland).

- Nestor, H. (1984) Autecology of stromatoporoids in Silurian cratonic seas. In *Autecology of Silurian Organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 265–280.
- Newall, G. (1966) A faunal and sedimentary study of the Aymestry Limestone and adjacent beds in parts of Herefordshire and Shropshire. Unpublished PhD thesis, University of Manchester.
- Nicholson, H.A. (1868) On the graptolites of the Coniston Flags; with notes on the British species of the genus *Graptolites*. *Quarterly Journal of the Geological Society, London*, 24, 521–45.
- Nicholson, H.A. (1869) On some new species of graptolites. *Annals and Magazine of Natural History*, 4, (4), 231–42.
- Nicholson, H.A. (1872) *Monograph of the British Graptolitidae*, Blackwood, Edinburgh and London, 133 pp.
- Nicholson, H.A. (1873) Contributions to the study of the errant annelides of the older Palaeozoic rocks. *Proceedings of the Royal Society of London*, 21, 288–90.
- Nicholson, H.A. (1874) On the Silurian rocks of the English Lake District. *Proceedings of the Geologists' Association*, 3, 105–14.
- Nicholson, H.A. (1889) A monograph of British stromatoporoids. Part 2. *Palaeontographical Society Monograph*, 42 (198), 131–58.
- Nicholson, H.A. and Lapworth, C. (1875) On the central group of the Silurian series of the North of England. *Report of the British Association*, 78.
- Nicol, J. (1844) *Guide to the Geology of Scotland*, Oliver and Boyd, Edinburgh; Simpkin, Marshall, London, 272 pp.
- Nicol, J. (1848) On the geology of the Silurian rocks in the valley of the Tweed. *Quarterly Journal of the Geological Society, London*, 4, 195–209.
- Nicol, J. (1850) Observations on the Silurian strata of the south east of Scotland. *Quarterly Journal of the Geological Society, London*, 6, 53–65.
- North, F.J. (1915a) Note on the Silurian inlier near Cardiff. *Geological Magazine*, 2 (new series), 385–7.
- North, F.J. (1915b) On a boring for water at Roath, Cardiff, with a note on the underground structure of Pre-Triassic rocks of the vicinity. *Transactions of the Cardiff Naturalists' Society*, 58, 36–49.
- Oliver, J.W. (1877) Railway cutting at Daw End, near Walsall. *Proceedings of the Dudley and Midland Geological Society*, 3, 111–12.
- Oliver, P.G. (1981) Lithological Groups within the Wenlock Limestone (Silurian) at Wren's Nest, Dudley. *The Black Country Geologist*, 1, 39–53.
- Oppel, A. (1856–1858) Die Juraformation Englands, Frankreichs and des südwestlichen Deutschland. *Württemberg Naturwissenschaft Verein Jahreshefte*, v. xii-xiv; (1856) 1–438; (1857) 439–694; (1858) 695–857, Stuttgart.
- Orr, P.J. (1995) A deep-marine ichnofauna assemblage from Llandovery strata of the Welsh Basin, west Wales, UK. *Geological Magazine*, 132, 267–285.
- Owen, D.E. (1969) Wenlockian bryozoa from Dudley, Niagara and Gotland and their palaeogeographical implications. *Palaeontology*, 12, 621–36.
- Owens, R.M. (1973) British Ordovician and Silurian Proetidae (Trilobita). *Palaeontographical Society Monograph*, 127 (535), 98 pp.

- Owens, R.M. and Thomas, A.T. (1975) *Radnorina*, a new Silurian proetacean trilobite, and the origins of the Brachymetopidae. *Palaeontology*, 18, 809–22.
- Packham, G.H. (1962) Some diplograptids from the British Lower Silurian. *Palaeontology*, 5, 498–526.
- Palmer, D. (1970) A stratigraphical synopsis of the Long Mountain, Montgomeryshire and Shropshire. *Proceedings of the Geological Society, London*, 1660, 341–6.
- Palmer, D. (1972) The geology of the Long Mountain, Montgomeryshire and Shropshire. Unpublished PhD thesis, Trinity College Dublin.
- Palmer, D. (1989) Bivalves: their biostratigraphical potential. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 245–7.
- Palmer, D. (1991) What other organisms did they live with? In *Graptolites — Writing in the Rocks* (eds D. Palmer and R.B. Rickards), The Boydell Press, Woodbridge, 41–49.
- Palmer, D. and Rickards, R.B. (eds) (1991) *Graptolites — Writing in the Rocks*, The Boydell Press, Woodbridge, 182 pp.
- Palmer, D., Johnston, J.D., Dooley, T. and Maguire, K. (1989) The Silurian of Clew Bay, Ireland: part of the Midland Valley of Scotland? *Journal of the Geological Society, London*, 146, 385–8.
- Pander, C.H. (1856) Monographie der fossilen Fische des Silurischen Systems der Russisch-baltischen Gouvernements. *Kaiserliche Akademie der Wissenschaften*, St. Petersburg, 91 pp.
- Paris, F. (1989) Chitinozoans. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 280–4.
- Patterson, E.M. (1949) The Old Red Sandstone rocks of the West Kilbride-Largs district, Ayrshire. *Transactions of the Geological Society, Glasgow*, 21, 207–36.
- Paul, C.R.C. (1967) British Silurian cystoids. *Bulletin of the British Museum (Natural History): Geology Series*, 13, 297–355.
- Peach, B.N. and Horne, J. (1899) The Silurian rocks of Britain. 1. Scotland. *Memoir of the Geological Survey*, xviii + 749 pp.
- Peel, J.S. (1974) Systematics, ontogeny and functional morphology of Silurian trilobed bellerophontacean gastropods. *Bulletin of the Geological Society of Denmark*, 23, 231–64.
- Peel, J.S. (1984) Autecology of Silurian gastropods and monoplacophorans. In *Autecology of Silurian Organisms* (eds M.G. Bassett and J.D. Lawson), *Special papers in Palaeontology*, 32, 165–182.
- Peel, J.S. (1989) Gastropods. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 242–4.
- Pemberton, S.G. and J.A. MacEachern. (1997) In *Paleontological Events: Stratigraphic, Ecological, and Evolutionary Implications* (eds C.E. Brett and G.C. Baird), Columbia University Press, pp. 73–109.
- Penn, J.S.W. (1971) Bioherms in the Wenlock Limestone of the Malvern area (Herefordshire, England). In *Colloque Ordovicien-Silurien, Brest, France, Septembre 1971. Mémoires de la Bureau des Recherches Géologique et Mineralogique*, 73, 129–37.
- Penn, J.S.W. and French, J. (1971) *The Malvern Hills. Geologists' Association Guide No. 4*, Benham and Company Limited, Colchester, 36 pp.

- Petersen, C.G.J. (1918) *The sea bottom and its production of fishfood*, Copenhagen.
- Pharaoh, T.C., Merriman, R.J., Webb, P.C. and Beckinsale, R.D. (1987) The concealed Caledonides of eastern England: preliminary results of a multidisciplinary study. *Proceedings of the Yorkshire Geological Society*, 46, 355–69.
- Phillips, E.R., Smith, R.A. and Carroll, S. (1998) Strike-slip, terrane accretion and pre-Carboniferous evolution of the Midland Valley of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences, Series B*, 89(for 1997), 209–24.
- Phillips, J. (1842) On the occurrence of shells and corals in a conglomerate bed, adherent to the face of the trap rocks of the Malvern Hills, and full of rounded and angular fragments of those rocks. *Philosophical Magazine*, 21, 288–93.
- Phillips, J. (1848) The Malvern Hills, compared with the Palaeozoic districts of Abberley, Woolhope, May Hill, Tortworth, and Usk. *Memoir of the Geological Survey of the United Kingdom*, 2, 330 pp.
- Phillips, J. (1860) *Life on Earth: its origins and succession*, Cambridge and London.
- Phipps, C.B. and Reeve, F.A.E. (1964) The Pre-Cambrian — Palaeozoic boundary of the Malverns. *Geological Magazine*, 101, 397–408.
- Phipps, C.B. and Reeve, F.A.E. (1967) Stratigraphy and geological history of the Malvern, Abberley and Ledbury hills. *Geological Journal*, 5, 339–68.
- Phipps, C.B. and Reeve, F.A.E. (1969) Structural geology of the Malvern, Abberley and Ledbury hills. *Quarterly Journal of the Geological Society, London*, 125, 1–37.
- Pickering, K.T. and Smith, A.G. (1995) Arcs and back-arc basins in the early Palaeozoic Iapetus Ocean. *The Island Arc*, 4, 1–67.
- Pickering, K.T., Stow, D.A., Watson, M. and Hiscott, R.N. (1986) Deep water facies, processes and models: a review and classification scheme for modern and ancient sediments. *Earth Science Reviews*, 22, 75–174.
- Pickering, K.T., Bassett, M.G. and Siveter, David J. (1988) Late Ordovician-early Silurian destruction of the Iapetus Ocean: Newfoundland, British Isles and Scandinavia — a discussion. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 79, 361–82.
- Pickering, K.T., Hiscott, R.N. and Hein, F.J. (1989) *Deep-marine Environments: Clastic Sedimentation and Tectonics*, Unwin Hyman, Winchester, Mass. 416 pp.
- Pocock, R.W. (1930) The *Petalocrinus* Limestone horizon at Woolhope (Herefordshire). *Quarterly Journal of the Geological Society, London*, 86, 50–63.
- Pocock, R.W. (1950) Report of the Whitsun Field Meeting to the Woolhope District and May Hill. *Proceedings of the Geologists' Association*, 61, 202–5.
- Pocock, R.W., Whithead, T.H., Wedd, C.B. and Robertson, T. (1938) Shrewsbury district including the Hanwood Coalfield. *Memoir of the Geological Survey of Great Britain*, Sheet 152 (England and Wales).
- Ponsford, D.R.A. (1970) Silurian volcanic rocks of the Mendip Hills, Somerset. *Geological Magazine*, 107, 561.
- Potter, J.F. and Price, J.H. (1965) Comparative sections through rocks of Ludlovian-Downtonian age in the Llandoverly and Llandeilo districts. *Proceedings of the Geologists' Association*, 76, 379–402.
- Powell, C.M. (1987) Inversion tectonics in S.W. Dyfed. *Proceedings of the Geologists' Association*, 98, 193–203.

- Powell, C.M. (1989) Structural controls on Palaeozoic basin evolution and inversion in southwest Wales. *Journal of the Geological Society, London*, 146, 439–46.
- Powell, J.H. and Scrutton, C.T. (1978) Variation in the Silurian tabulate coral *Palaeofavosites asper*, and the status of *Mesofavosites*. *Palaeontology*, 21, 307–19.
- Powrie, J. (1870) On the earliest known vestiges of vertebrate life; being a description of the fish remains of the Old Red Sandstone of Forfarshire. *Transactions of the Geological Society of Edinburgh*, 1, 284–301.
- Prestwich, J. (1840) On the geology of Coalbrook Dale. *Transactions of the Geological Society, London, Series 2*, 5, 413–95.
- Price, N.J. (1962) The tectonics of the Aberystwyth Grits. *Geological Magazine*, 99, 542–57.
- Pringle, J. (1948) The South of Scotland, 2nd edn, *British Regional Geology*, HMSO, London.
- Pringle, J. and George, T.N. (1937) South Wales. *British Regional Geology*, 1st edn, HMSO, London.
- Pringle, J. and George, T.N. (1948) South Wales. *British Regional Geology*, 2nd edn, HMSO, London, vi + 100 pp.
- Purnell, M.A., Aldridge, R.J., Donoghue, P.C.J. and Gabbott, S.E. (1995) Conodonts and the first vertebrates. *Endeavour*, 19, 20–7.
- Ramsay, A.C. (1866) The geology of North Wales, 1st edn, *Memoir of the Geological Survey of Great Britain*, 3, 381 pp.
- Ramsay, A.C. (1882) The geology of North Wales, 2nd edn, *Memoir of the Geological Survey of Great Britain*, 3, 611 pp.
- Ramsbottom, W.H.C. (1950) A new species of *Lyriocrinus* from the Wenlock Limestone. *Annals and Magazine of Natural History, Series 12*, 3, 561–6.
- Ramsbottom, W.H.C. (1951) Two species of *Gissocrinus* from the Wenlock Limestone. *Annals and Magazine of Natural History, Series 12*, 4, 490–97.
- Ramsbottom, W.H.C. (1952) Calceocrinidae from the Wenlock Limestone of Dudley. *Bulletin of the Geological Survey of Great Britain*, 4, 33–46.
- Ramsbottom, W.H.C. (1953) The British Lower Palaeozoic Crinoidea. Unpublished PhD thesis, University of London.
- Ramsbottom, W.H.C. (1958) British upper Silurian crinoids from the Ludlovian. *Palaeontology*, 1, 106–15.
- Ramskold, L., Adrain, J.M., Edgecombe, G.D. and Siveter, D.J. (1994) The Silurian calymenid trilobite *Alcymene* n. gen., with new species from the Ludlow of Gotland, Sweden. *Journal of Paleontology*, 68, 556–69.
- Ratcliffe, K.T. (1988) Oncoids as environmental indicators in the Much Wenlock Limestone Formation of the English Midlands. *Journal of the Geological Society, London*, 145, 117–24.
- Ratcliffe, K.T. and Thomas, A.T. (1999) Carbonate depositional environments in the late Wenlock of England and Wales. *Geological Magazine*, 136, 189–204.
- Reading, H.G. (1960) [Untitled]. *Proceedings of the Geological Society, London*, 1581, 113.
- Reading, H.G. and Poole, A.B. (1961) A Llandovery shoreline from the southern Malverns. *Geological Magazine*, 98, 295–300.

- Reading, H.G. and Poole, A.B. (1962) Malvern structures. *Geological Magazine*, 99, 377–9. Reed, F.R.C. (1917) The Ordovician and Silurian Brachiopoda of the Girvan District. *Transactions of the Royal Society of Edinburgh*, 51, 795–998.
- Reed, F.R.C. and Reynolds, S.H. (1908a) Silurian fossils from certain localities in the Tortworth Inlier. *Proceedings of the Bristol Naturalists' Society*, 2, 32–40.
- Reed, F.R.C. and Reynolds, S.H. (1908b) On the fossiliferous Silurian rocks of the southern half of the Tortworth Inlier. *Quarterly Journal of the Geological Society, London*, 64, 512–45.
- Reynolds, S.H. (1907) A Silurian inlier in the Eastern Mendips. *Quarterly Journal of the Geological Society, London*, 63, 217–40.
- Reynolds, S.H. (1912a) Further work on the Silurian rocks of the Eastern Mendips. *Report of the British Association for the Advancement of Science* for 1911, p. 381.
- Reynolds, S.H. (1912b) Further work on the Silurian rocks of the Eastern Mendips. *Proceedings of the Bristol Naturalists' Society*, 3, 76–82.
- Reynolds, S.H. (1924) The igneous rocks of the Tortworth Inlier. *Quarterly Journal of the Geological Society, London*, 80, 106–12.
- Rhodes, F.H.T. (1953) Some British Lower Palaeozoic conodont faunas. *Philosophical Transactions of the Royal Society of London, Series B*, 237, 261–334.
- Rhodes, F.H.T. and Newall, G. (1963) Occurrence of *Kockelella variabilis* Walliser in the Aymestry Limestone of Shropshire. *Nature*, 199, 166–7.
- Rich, J.L. (1950) Flow markings, groovings, and intrastratal crumplings as criteria for recognition of slope deposits, with illustrations from Silurian rocks of Wales. *Bulletin of the American Association of Petroleum Geologists*, 34, 717–41.
- Richardson, J.B. and Edwards, D. (1989) Sporomorphs and plant megafossils. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 10, Cardiff, 216–26.
- Richardson, J.B. and Lister, T.R. (1969) Upper Silurian and Lower Devonian spore assemblages from the Welsh Borderland and South Wales. *Palaeontology*, 12, 201–52.
- Richardson, J.B. and McGregor, D.C. (1986) Silurian and Devonian spore zones of the Old Red Sandstone continent and adjacent regions. *Bulletin of the Geological Survey of Canada*, 364, 1–79.
- Richardson, J.B. and Rasul, S.M. (1990) Palynofacies in a late Silurian regressive sequence in the Welsh Borderland and Wales. *Journal of the Geological Society, London*, 147, 675–86.
- Richardson, L. (1907) An outline of the geology of Herefordshire. *Transactions of the Woolhope Naturalists' Field Club*, (for 1905), 1–68.
- Rickards R.B. (1964) The graptolitic mudstone and associated facies in the Silurian strata of the Howgill Fells. *Geological Magazine*, 101, 435–51.
- Rickards, R.B. (1965a) Two new genera of Silurian phacopid trilobites. *Palaeontology*, 7, 541–51.
- Rickards, R.B. (1965b) New Silurian graptolites from the Howgill Fells (Northern England). *Palaeontology*, 8, 247–71.
- Rickards R.B. (1967) The Wenlock and Ludlow succession in the Howgill Fells (north-west Yorkshire and Westmorland). *Quarterly Journal of the Geological Society, London*, 123, 215–51.

- Rickards R.B. (1969) Wenlock graptolite zones in the English Lake District. *Proceedings of the Geological Society, London*, 1654, 61–5.
- Rickards, R.B. (1970a) The Llandovery (Silurian) graptolites of the Howgill Fells, Northern England. *Palaeontographical Society Monograph*, 123 (524), 108 pp.
- Rickards R.B. (1970b) The age of the Middle Coldwell Beds. *Proceedings of the Geological Society, London*, 1663, 111–14.
- Rickards, R.B. (1973) On some highest Llandovery red beds and graptolite assemblages in Britain and Eire. *Geological Magazine*, 110, 70–2.
- Rickards, R.B. (1976) The sequence of Silurian graptolite zones in the British Isles. *Geological Journal*, 11, 153–88.
- Rickards, R.B. (1978) Silurian. In *The Geology of the Lake District* (ed. F. Moseley), Yorkshire Geological Society, Occasional Publication No. 3, pp. 130–45.
- Rickards, R.B. (1988) Base of the Silurian in the Lake District and Howgill Fells, Northern England. In *A Global Analysis of the Ordovician–Silurian Boundary* (eds L.R.M. Cocks and R.B. Rickards), *Bulletin of the British Museum (Natural History): Geology Series*, 43, 53–7.
- Rickards, R.B. (1989a) Northern England. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, pp. 116–31.
- Rickards, R.B. (1989b) Exploitation of graptoloid cladogenesis in Silurian stratigraphy. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff 267–74.
- Rickards, R.B. (1995) Utility and precision of Silurian graptolite biozones. *Lethaia*, 28, 129–37.
- Rickards, R.B., Hutt, J.E. and Berry, W.B.N. (1977) Evolution of the Silurian and Devonian graptoloids. *Bulletin of the British Museum (Natural History): Geology Series*, 28, 120 pp.
- Rickards, R.B., Rigby, S., Rickards, J. and Swales, C. (1998) Fluid dynamics of the graptolite rhabdosome recorded by laser Doppler anemometry. *Palaeontology*, 41, 737–52.
- Riding, R. (1981) Composition, structure and environmental setting of Silurian bioherms and biostromes in northern Europe. In *European Fossil Reef Models* (ed. D.F. Toomey), *Special Publications of the Society of Economic Paleontologists and Mineralogists, Tulsa*, 30, 41–83.
- Rigby, J.K. and Dixon, O.A., (1979) Sponge fauna of the Upper Silurian Read Bay Formation, Somerset Island, District of Franklin, Arctic Canada. *Journal of Paleontology*, 53, 587–627.
- Rigby, J.K., Budd, G.E., Wood, R.A. and Debrenne, F. (1993) Porifera. In *The Fossil Record 2* (ed. M.J. Benton), Chapman and Hall, London, 70–99.
- Rigby, S. (1993) Graptolites come to life. *Nature*, 362, 209–10.
- Ritchie, A. (1963) Palaeontological studies on Scottish Silurian fish-beds. Unpublished PhD thesis, University of Edinburgh.
- Ritchie, A. (1967) *Ateleaspis tessellata* Traquair, a non-cornute cephalaspid from the Upper Silurian of Scotland. *Journal of the Linnean Society of London (Zoology)*, 47, 69–81.

- Ritchie, A. (1968) *Lanarkopterus dolichoschelus* (Stormer) gen. nov., a mixopterid eurypterid from the Upper Silurian of the Lesmahagow and Hagshaw Hills inliers, Scotland. *Scottish Journal of Geology*, 4, 317–38.
- Ritchie, A. (1985). *Ainiktozoon loganense* Scourfield, a protochordate? from the Silurian of Scotland. *Alcheringa*, 9, 117–42.
- Roberts, G.E. (1861) On the distribution of *Cephalaspis* and *Pteraspis* in England. *The Geologist*, 4, 102–9.
- Robertson, G. (1986) The North Esk Inlier. In *Lothian Geology. An Excursion Guide* (eds A.D. McAdam and E.N.K. Clarkson), Scottish Academic Press, Edinburgh, pp. 174–85.
- Robertson, G. (1989) A palaeoenvironmental interpretation of the Silurian rocks in the Pentland Hills, near Edinburgh, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 80, 127–41.
- Rogerson, E.C.W., Edwards, D., Davies, K.L. and Richardson, J.B. (1993) Identification of *in situ* spores in a Silurian *Cooksonia* from the Welsh Borderland. In *Studies in Palaeobotany and Palynology* (eds M.E. Collinson and A.C. Scott), *Special Papers in Palaeontology*, 49, 17–30.
- Rolfe, W.D.I. (1960a) The Silurian inlier of Carmichael, Lanarkshire. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 64, 245–60.
- Rolfe, W.D.I. (1960b) The geology of some Silurian inliers in the Midland Valley of Scotland. Unpublished PhD thesis, University of Birmingham.
- Rolfe, W.D.I. (1962a) The geology of the Hagshaw Hills Silurian Inlier, Lanarkshire. *Transactions of the Edinburgh Geological Society*, 18 (for 1961), 240–69.
- Rolfe, W.D.I. (1962b) Grosser morphology of the Scottish Silurian phyllocarid crustacean *Ceratiocaris papilio* Salter in Murchison. *Journal of Paleontology*, 36, 912–32.
- Rolfe, W.D.I. (1973) Excursion 14. The Hagshaw Hills Silurian inlier. In *Excursion Guide to the Geology of the Glasgow District* (ed. B.J. Bluck), Geological Society of Glasgow, pp. 105–19.
- Rolfe, W.D.I. (1992a). Excursion 22. Lesmahagow. In *Geological Excursions around Glasgow and Girvan* (ed. J.D. Lawson and D.S. Weedon), The Geological Society of Glasgow, Glasgow, pp. 280–7.
- Rolfe, W.D.I. (1992b) Excursion 21, Hagshaw Hills. In *Geological Excursions around Glasgow and Girvan* (ed. J.D. Lawson and D.S. Weedon), Geological Society of Glasgow, pp. 265–87.
- Rolfe, W.D.I. and Beckett, E.C.M. (1984) The autecology of Silurian Xiphosurida, Scorpionida, Cirripedia and Phyllocarida. In *The Autecology of Silurian Organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 27–37.
- Rolfe, W.D.I. and Fritz, M.A. (1966) Recent evidence for the age of the Hagshaw Hills Silurian Inlier, Lanarkshire. *Scottish Journal of Geology*, 2, 159–64.
- Romano, M., Chang, W.T, Dean, W.T. *et al.* (1993) Arthropoda (Trilobita). In *The Fossil Record 2* (ed. M.J. Benton), Chapman and Hall, London, pp. 279–96.
- Ross, R.J. Jr, Naeser, C.W., Izetl, G.A. *et al.* (1978) Fission track dating of Lower Paleozoic volcanic ashes in British stratotypes. In *Short papers of the Fourth International Congress on Geochronology, Cosmochronology and Isotope Geology*, Open File Report, United States Geological Survey, 78–701, 363–5.
- Ross, R.J. Jr, Naeser, C.W., Izetl, G.A. *et al.* (1982) Fission track dating of British Ordovician and Silurian stratotypes. *Geological Magazine*, 119, 135–53.

- Rudwick, M.J.S. (1992) *Scenes from Deep Time: Early Pictorial Representations of the Prehistoric World*, University of Chicago Press, Chicago, 280 pp.
- Rushton, A.W.A. and Stone, P. (1991) Terrigenous input to the Moffat Shale sequence, Southern Uplands. *Scottish Journal of Geology*, 27, 167–9.
- Rushton, A.W.A., Stone, P. and Hughes, R.A. (1996) Biostratigraphical control of thrust models for the Southern Uplands of Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 86, 137–52.
- Ryder, T.A. (1926) *Pycnactis*, *Mesactis*, *Phaulactis*, gen. nov., and *Dinophyllum*, Lind. *Annals and Magazine of Natural History*, 18, 385–401.
- Salter, J.W. (1849) Figures and descriptions illustrative of British organic remains. *Memoir of the Geological Survey of the United Kingdom*, Decade 2, Longman, Brown, Green and Longman, London.
- Salter, J.W. (1857) On some new Palaeozoic Starfishes. *Annals and Magazine of Natural History*, series 2, 10, 321–34.
- Salter, J.W. (1859) On the occurrence of fish (*Pteraspis*) in the lower Ludlow rock. *Annals and Magazine of Natural History*, (3), 4, 44–8.
- Salter, J.W. (1873) *A catalogue of the collection of Cambrian and Silurian Fossils in the Geological Museum of the University of Cambridge*, University Press, Cambridge. xlvii-ii 204 pp.
- Salter, J.W. (1864–1883) A monograph of the British trilobites from the Cambrian, Silurian and Devonian formations. *Palaeontographical Society Monograph. Part 1* (1864), 16 (67), 1–80; *Part 2* (1865), 17 (72), 81–128; *Part 3* (1866), 18 (77), 129–76; *Part 4* (1867), 20 (86), 177–214; *Part 5* (1883), 37 (175), 215–24.
- Salter, J.W. and Aveline, W.T. (1854) On the 'Caradoc Sandstone' of Shropshire. *Quarterly Journal of the Geological Society, London*, 10, 62–75.
- Salter, J.W. and Etheridge, R. (1881) On the fossils of North Wales. Appendix. In *The Geology of North Wales* (A.C. Ramsay), 2nd edn, *Memoir of the Geological Survey of Great Britain*, 3, 331–567.
- Sanderson, R.W. and Cave, R. (1980) Silurian volcanism in the central Welsh Borderland. *Geological Magazine*, 117, 455–62.
- Sansom, I.J., Smith, M.P., Armstrong, H.A. and Smith, M.M. (1992) Presence of the earliest vertebrate hard tissues in conodonts. *Science*, 256, 1308–11.
- Sansom, I.J., Smith, M.M. and Smith, M.P. (1996) Scales of thelodont and shark-like fishes from the Ordovician of Colorado. *Nature*, 379, 628.
- Sanzen-Baker, I. (1972) Stratigraphical relationships and sedimentary environments of the Silurian-early Old Red Sandstone of Pembrokeshire. *Proceedings of the Geologists' Association*, 83, 139–64.
- Schafer, W. (1972) [*Ecology and palaeoecology of marine environments.*] (translated from the German by I. Oertel), Oliver & Boyd, Edinburgh, 568 pp.
- Schwab, K.W. (1969) *Panderodus denticulatus*, a new conodont species from the Aymestry Limestone (Upper Silurian) of England. *Journal of Paleontology*, 43, 551–5.
- Scoffin, T.P. (1971) The conditions of growth of the Wenlock reefs of Shropshire (England). *Sedimentology*, 17, 173–219.
- Scott, R.W. and Kneller, B.C. (1990) A report on the Ashgill and Llandovery age rocks of Sheet 38 (Ambleside). *British Geological Survey Technical Report*, WA/90/63.

- Scourfield, D.J. (1937) An anomalous fossil organism, possibly a new type of chordate, from the Upper Silurian of Lesmahagow, Lanarkshire — *Ainiktozoon loganense* gen. et sp. nov. *Proceedings of the Royal Society of London, Series B*, 121, 533–47.
- Scrutton, C. (1989) Corals and stromatoporoids. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, 228–30.
- Secord, J.A. (1986) *Controversy in Victorian geology. The Cambrian-Silurian dispute*, New Jersey and Guildford, Princeton University Press, 364 pp.
- Sedgwick, A. (1843a) Outline of geological structure of North Wales. *Proceedings of the Geological Society, London*, 4, 212–24.
- Sedgwick, A. (1843b) On the older (Protozoic) rocks of North Wales. *Proceedings of the Geological Society, London*, 4, 251–68.
- Sedgwick, A. (1845) On the comparative classification of the fossiliferous strata of North Wales, with the corresponding deposits of Cumberland, Westmoreland and Lancashire. *Quarterly Journal of the Geological Society, London*, 1, 442–50.
- Sedgwick, A. (1846) On the classification of the fossiliferous slates of Cumberland, Westmoreland and Lancashire. *Quarterly Journal of the Geological Society, London*, 2, 106–31.
- Sedgwick, A. (1847) On the classification of the fossiliferous slates of North Wales, Cumberland, Westmoreland and Lancashire. *Quarterly Journal of the Geological Society, London*, 3, 133–64.
- Sedgwick, A. (1852) On the classification and nomenclature of the Lower Palaeozoic rocks of England and Wales. *Quarterly Journal of the Geological Society, London*, 8, 136–68.
- Sedgwick, A. and M'Coy, F. (1852) *A Synopsis of the Classification of the British Palaeozoic Rocks, with a Detailed Systematic Description of the British Palaeozoic Fossils in the Geological Museum of the University of Cambridge*, Cambridge, viii + 406 pp.
- Sedgwick, A. and Murchison, R.I. (1835) On the Silurian and Cambrian Systems, exhibiting the older sedimentary strata succeeding each other in England and Wales. *London and Edinburgh Philosophical Magazine and Journal of Science*, (3) 7.
- Seilacher, A. (1962) Palaeontological studies in turbidite sedimentation and erosion. *Journal of Geology*, 70, 227–34.
- Selden, P.A. (1984) Autecology of Silurian eurypterids. In *Autecology of Silurian organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 39–54.
- Selley, R.C. (1978) *Ancient Sedimentary Environments*, Chapman and Hall, London, 287 pp.
- Sevastopulo, G.D., Ausich, W.I. and Franzen-Bengtson, C. (1989) Echinoderms. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 264–7.
- Shaw, R.W.L. (1969) Beyrichiacean ostracodes from the Downtonian of Shropshire. *Geologiska Föreningens i Stockholm Förhandlingar*, 91, 52–72.
- Shaw, R.W.L. (1971a) The faunal stratigraphy of the Kirkby Moor Flags of the type area near Kendal, Westmorland. *Geological Journal*, 7, 359–80.
- Shaw, R.W.L. (1971b) Ostracoda from the Underbarrow, Kirkby Moor and Scout Hill Flags (Silurian) near Kendal, Westmorland. *Palaeontology*, 14, 595–611.

- Shear, W.A. and Seldon, P.A. (1995) *Eoarthropleura* (Arthropoda, Arthropleurida) from the Silurian of Britain and the Devonian of North America. *Neues Jahrbuch für Geologie and Paläontologie*, 196, 347–75.
- Shelford, P.H. (1964) The Malvern line. *Geological Magazine*, 101, 566–7.
- Shergold, J.H. and Bassett, M.G. (1970) Facies and faunas at the Wenlock/Ludlow boundary of Wenlock Edge, Shropshire. *Lethaia*, 3, 113–42.
- Shergold, J.H. and Shirley J. (1968) The faunal stratigraphy of the Ludlovian rocks between Craven Arms and Bourton, near Much Wenlock, Shropshire. *Geological Journal*, 6, 119–38.
- Shirley, J. (1936) Some British trilobites of the family Calymenidae. *Quarterly Journal of the Geological Society, London*, 92, 384–422.
- Shirley, J. (1952) The Ludlow rocks north of Craven Arms. *Proceedings of the Geologists' Association*, 63, 201–6.
- Siveter, David J. (1978) The Silurian. In *A Stratigraphical Index of British Ostracoda* (eds R.H. Bate and E. Robinson), *Geological Journal Special Issue*, 8, 57–100.
- Siveter, David J. (1980) British Silurian Beyrichiacea (Ostracoda). *Palaeontographical Society Monograph; Part 1*, 133 (556), 1–76.
- Siveter, David J. (1984) Habitats and modes of life of Silurian Ostracodes. In *The Autecology of Silurian Organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 71–85.
- Siveter, David J. (1988) *Ostracoda: The Lower Palaeozoic of the Northern Welsh Borderland and South Wales*, Field Guide No. 2, British Micropalaeontological Society, 52 pp.
- Siveter, David J. (1989) Ostracodes. In *A Global Standard for the Silurian System* (eds M.G. Bassett and C.H. Holland), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 252–67.
- Siveter, David J. and Lord, A. (1997) Thomas Rupert Jones: pioneering studies on ostracods. In *In the Footsteps of T.R. Jones: Lower Palaeozoic of Shropshire and the post-Palaeozoic of Avon, Dorset and Kent* (eds David J. Siveter and A. Lord), British Micro-palaeontological Society Field Guide No.10 (for the 13th International Symposium on Ostracoda; University of Greenwich, 1997), pp. 6–9.
- Siveter, David J. and Turner, S. (1982) A new Silurian microvertebrate assemblage from the Tortworth inlier, Avon, England. *Alcheringa*, 6, 35–41.
- Siveter, David J. and Vannier, J.M.C. (1990) The Silurian myodocopid ostracode *Entomozoe* from the Pentland Hills, Scotland; its taxonomic, ecological and phylogenetic significance and the systematic affinity of the bolbozoid myodocopids. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 81, 45–67.
- Siveter, David J., Vannier, J.M.C. and Palmer, D. (1987) Silurian myodocopid ostracodes: their depositional environments and the origin of their shell microstructures. *Palaeontology*, 30, 783–813.
- Siveter, David J., Owens, R.M. and Thomas, A.T. (1989) *Silurian Field Excursions: a Geotraverse across Wales and the Welsh Borderland*, National Museum of Wales, Geological Series No. 10, Cardiff, 133 pp.
- Siveter, David J., Vannier, J.M.C. and Palmer, D. (1991) Silurian myodocopes: pioneer pelagic ostracodes and the chronology of an ecological shift. *Journal of Micropalaeontology*, 10, 151–73.
- Siveter, Derek J. (1980) Evolution of the Silurian trilobite *Tapinocalymene* from the Wenlock of the Welsh Borderlands. *Palaeontology*, 23, 783–802.

- Siveter, Derek J. (1983) *Calymene lawsoni* and allied species from the Silurian of Britain and their stratigraphic significance. In *Trilobites and Other Early Arthropods: Papers in Honour of Professor H.B. Whittington F.R.S.* (eds D.E.G. Briggs and P.D. Lane), *Special Papers in Palaeontology*, 30, 69–88.
- Siveter, Derek J. (1985) The type species of *Calymene* (Trilobita) from the Silurian of Dudley, England. *Palaeontology*, 28, 783–92.
- Siveter, Derek J. (1996) Calymenid trilobites from the Wenlock Series (Silurian) of Britain. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 86, 257–85.
- Slater, I.L. (1907) A monograph of British Conulariae. *Palaeontographical Society Monograph*, 61 (295), 40 pp.
- Slimon, R. (1864) Geology. In *The Annals of the Parish of Lesmahagow*, by J.B. Greenshields of Kerse, Caledonian Press, Edinburgh, pp. 229–43.
- Sloan, R.J. and Bennett, M.C. (1990) Geochemical character of Silurian volcanism in SW Ireland. *Journal of the Geological Society, London*, 147, 1051–60.
- Smith, R.D.A. and Ainsworth, R.B. (1989) Hummocky cross-stratification in the Down-ton of the Welsh Borderland. *Journal of the Geological Society, London*, 146, 897–900.
- Smith, S. (1934) The Tortworth Inlier. In *The Geology of the Gloucester District. Proceedings of the Geologists' Association*, 45, 114–20.
- Smith, S. and Tremberth, R. (1929) On the Silurian corals *Madreporites articulatus*, Wahlenberg and *Madrepora truncata*, Linnaeus. *Annals and Magazine of Natural History*, 3 (10), 361–76.
- Smith, W. (1817) Geological Section from London to Snowdon, showing the varieties of the strata, and the correct altitude of the hills, by William Smith, Civil Engineer, 1817. Coloured to correspond with his Geological map of England and Wales. The numbers refer to the Geological Table by the same author. J. Cary, London.
- Sollas, W.J. (1879) On the Silurian district of Pen-y-lan, Cardiff. *Quarterly Journal of the Geological Society, London*, 35, 475–507.
- Soper, N.J. and Hutton, D.H.W. (1984) Late Caledonian sinistral displacements in Britain: implications for a three-plate collision model. *Tectonics*, 3, 781–94.
- Soper, N.J. and Woodcock, N.H. (1990) Silurian collision and sediment dispersal patterns in southern Britain. *Geological Magazine*, 127, 527–42.
- Sowerby, J. de C. (1839) Descriptions of fossil shells. In *The Silurian System, founded on Geological Researches in the Counties of Salop, Hereford, Radnor, Montgomery, Caermarthen, Brecon, Pembroke, Monmouth, Gloucester, Worcester and Stafford; with Descriptions of the Coalfields and Overlying Formations* (R.I. Murchison), John Murray, London, 768 pp.
- Spencer, D. (1966) Factors affecting element distribution in a Silurian graptolite band. *Chemical Geology*, 1, 221–49.
- Spencer, W.K. (1914–1940) The Palaeozoic Asterozoa. *Palaeontographical Society Monograph; Part 1* (1914), 67 (328), 1–56; *Part 2* (1916), 69 (335), 57–108; *Part 3* (1918), 70 (338), 109–68; *Part 4* (1919), 71 (342), 169–96; *Part 5* (1922), 74 (349), 197–236; *Part 6* (1924), 76 (356), 237–324; *Part 7* (1927), 79 (366), 325–88; *Part 8* (1930), 82 (376), 389–436; *Part 9* (1934), 87 (394), 437–94; *Part 10* (1940), 94 (420), 495–540.
- Squirrell, H.C. (1958) New occurrences of fish remains in the Silurian of the Welsh Borderland. *Geological Magazine*, 115, 328–32.

- Squirrell, H.C. and Downing, R.A. (1969) Geology of the South Wales Coalfield, Part I, the country around Newport (Mon.), 3rd edn. *Memoir of the Geological Survey of Great Britain*, Sheet 249 (England and Wales).
- Squirrell, H.C. and Tucker, E.V. (1960) The geology of the Woolhope inlier (Herefordshire). *Quarterly Journal of the Geological Society, London*, 116, 139–86.
- Squirrell, H.C. and Tucker, E.V. (1967) Woolhope and Gorsley. In *The Silurian Inliers of the south-eastern Welsh Borderland*, 1st edn (eds J.D. Lawson, M.L.K. Curtis, H.C. Squirrell, E.V. Tucker and V.G. Walmsley), *Geologists' Association Guide* No. 5, pp. 821.
- Squirrell, H.C. and Tucker, E.V. (1982) Woolhope and Gorsley. In *The Silurian Inliers of the South-eastern Welsh Borderland*, 2nd edn (eds J.D. Lawson, M.L.K. Curtis, H.C. Squirrell, E.V. Tucker and V.G. Walmsley), *Geologists' Association Guide* No. 5, pp. 917.
- Squirrell, H.C. and White, D.E. (1978) Stratigraphy of the Silurian and Old Red Sandstone of the Cennen Valley and adjacent areas, south-east Dyfed, Wales. *Institute of Geological Sciences*, Report 78/6, 45 pp.
- Stamp, L.D. (1923) The base of the Devonian, with special reference to the Welsh Borderland. *Geological Magazine*, 60, 276–82, 331–6, 367–72, 385–410.
- Stone, P. (1996) Girvan and Ballantrae: an obducted ophiolite. In *Geology in south-west Scotland: an Excursion Guide* (ed. P. Stone), British Geological Survey, Keyworth, Nottingham, pp. 69–79.
- Stone, P, Floyd, J.D., Barnes, R.P. and Lintern, B.C. (1987) A sequential back-arc and foreland basin thrust duplex model for the Southern Uplands of Scotland. *Journal of the Geological Society, London*, 144, 753–64.
- Storrie, J. (1879) The Upper Silurian bone bed at the Rumney river section. *Transactions of the Cardiff Naturalist's Society*, 14, 92–3.
- Storrie, J. (1892) On the occurrence of *Pachytheca* and a species of *Nematophycus* in the Silurian Beds at Tyrna wr Quarry, Rumney. *Report of the British Association for the Advancement of Science* (for 1891), 652–4.
- Storrie, J. (1908) Geology of the Roath Park, Cardiff. *Transactions of the Cardiff Naturalist's Society*, 40, 18–25.
- Strachan, I. (1968) A new medusoid (?) from the Silurian of England. *Palaeontology*, 11, 610–11.
- Strachan, I. (1971) A synoptic supplement to a monograph of British graptolites by Miss G.L. Elles and Miss E.M.R. Wood. *Paleontographical Society Monograph*, 125 (529), 130 pp.
- Strachan, I. (1982) The distribution of graptolites in south-east Scotland, with notes on the fauna of Old Cambus Quarry. *Scottish Journal of Geology*, 18, 157–65.
- Strahan, A. (1885) The geology of the coasts adjoining Rhyl, Abergele and Colwyn. *Memoir of the Geological Survey* Sheet (England and Wales).
- Strahan, A. and Cantrill, T.C. (1902) The geology of the South Wales Coalfield. Part 3. The country around Cardiff. *Memoir of the Geological Survey of Great Britain*, Sheet 263 (1st edn) (England and Wales).
- Strahan, A. and Cantrill, T.C. (1912) The geology of the South Wales Coalfield. Part 3. The country around Cardiff. *Memoir of the Geological Survey of Great Britain*, Sheet 263 (2nd edn) (England and Wales).
- Strahan, A., Cantrill, T.C., Dixon, E.E.L. and Thomas, H.H. (1907) The geology of the South Wales Coalfield. Part VII. The country around Ammanford. *Memoir of the Geological Survey of Great Britain*, Sheet 230 (England and Wales).

- Strahan, A., Cantrill, T.C., Dixon, E.E.L., Thomas, H.H. and Jones, O.T. (1914) The geology of the South Wales coalfield. Part M. The country around Haverfordwest. *Memoir of the Geological Survey*, Sheet 228 (England and Wales).
- Straw, S.H. (1930) The Siluro-Devonian boundary in South-Central Wales. *Journal of the Manchester Geological Association*, 1(2) (for 1929), 79–102.
- Straw, S.H. (1937) The higher Ludlovian rocks of the Builth district. *Quarterly Journal of the Geological Society, London*, 93, 406–56.
- Strickland, H.E. (1853) On the distribution and organic contents of the Ludlow Bone Bed in the districts of Woolhope and May Hill etc. *Quarterly Journal of the Geological Society, London*, 9, 8–12.
- Stukalina, G.A. (1977) Crinoids. In *The Silurian-Devonian Boundary* (ed. A. Martinsson), International Union of Geological Sciences, Series A No. 5, E. Schweizerbart'sche Verlags-buchhandlung, Stuttgart, pp. 333–6.
- Sudbury, M. (1958) Triangulate monograptids from the *Monograptus gregarius* Zone (Lower Llandovery) of the Rheidol Gorge (Cardiganshire). *Philosophical Transactions of the Royal Society of London, Series B*, 241, 485–554.
- Sutherland, S.J.E. (1994) Ludlow chitinozoans from the type area and adjacent regions. *Palaeontographical Society Monograph*, 148 (591), 104 pp.
- Sutton, I.D. (1964) The tabulate coral genus *Cystihalysites* from Wenlock and Dudley. *Palaeontology*, 7, 452–7.
- Swanson, V. and Dorning, K.J. (1977) Acritarchs and Chitinozoa from the Whitcliffian (Silurian) Dinas Brân Beds of Llangollen, Clwyd, North Wales. *Journal of the University of Sheffield Geological Society*, 7, 71–8.
- Swire, P.H. (1993) The palynology of the lower Wenlock of the type area, Shropshire, England. In *Contributions to acritarch and chitinozoan research* (eds S.G. Molyneux and K.J. Dorning), *Special Papers in Palaeontology*, 48, 97–109.
- Symonds, W.S. (1872) *Records of the Rocks, or, Notes on the Geology, natural history, and antiquities of North and South Wales, Devon and Cornwall*, John Murray, London, 433 pp.
- Taylor, P.D. (1991) Adaptations in Silurian encrusting Bryozoa. In *The Murchison Symposium: Proceedings of an International Conference on The Silurian System*, 1989, Keele University (eds M.G. Bassett, P.D. Lane and D. Edwards), *Special Papers in Palaeontology*, 44, 197–210.
- Teale, C.Y. and Spears, D.A. (1986) The mineralogy and origin of some Silurian bentonites, Welsh Borderland, UK. *Sedimentology*, 36, 757–65.
- Temple, J.T. (1970) The Lower Llandovery brachiopods and trilobites from Ffridd Mathrafal, near Meifod, Montgomeryshire. *Palaeontographical Society Monograph*, 124 (527), 76 pp.
- Temple, J.T. (1975) Early Llandovery trilobites from Wales with notes on British Llandovery calymenids. *Palaeontology*, 18, 137–59.
- Temple, J.T. (1987) Early Llandovery brachiopods of Wales. *Palaeontographical Society Monograph*, 139 (572), 137 pp.
- Temple, J.T. (1988) Biostratigraphical correlation and the stages of the Llandovery. *Journal of the Geological Society, London*, 145, 875–9.
- Thomas, A.T. (1978–81) British Wenlock trilobites. *Palaeontographical Society Monograph*; Part 1 (1978), 132 (552), 1–56; Part 2 (1981), 134 (559), 57–99.
- Thomas, A.T. (1980) Trilobite associations in the British Wenlock. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Special Publication of the Geological Society, London*, 8, 447–51.

- Thomas, A.T. and Lane, P.D. (1984) Autecology of Silurian trilobites. In *Autecology of Silurian Organisms* (eds M.G. Bassett and J.D. Lawson), *Special Papers in Palaeontology*, 32, 55–70.
- Thomas, A.T. and Smith, P. (1998) Terebellid polychaete burrows from the Lower Palaeozoic. *Palaeontology*, 41, 317–33.
- Thomas, A.T., Owens, R.M. and Rushton, A.W.A. (1984) *Trilobites in British Stratigraphy*. Geological Society, London *Special Report*, 16, 78 pp.
- Thomas, A.T., Owens, R.M. and Snajdr, M. (1989) Trilobites. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 248–51.
- Thornton S.E. (1984) Basin model of hemipelagite sedimentation in a tectonically active continental margin. In *Fine-grained Sediments: Deep-water Processes and Facies* (eds D.A.V. Stow and D.J.W. Piper), *Special Publication of the Geological Society, London*, 15, 377–94.
- Tipper, J.C.T. (1975) Lower Silurian animal communities — three case histories. *Lethaia*, 8, 287–99.
- Tipper, J.C.T. (1976) The stratigraphy of the North Esk Inlier, Midlothian. *Scottish Journal of Geology*, 12, 15–22.
- Toghill, P. (1968) The graptolite assemblages and zones of the Birkhill Shales (Lower Silurian) at Dobb's Linn. *Palaeontology*, 11, 654–68.
- Toghill, P. (1969) Discussion of the terms 'Llandovery Series' and 'Valentian Series' as time divisions of the Silurian. *Proceedings of the Geological Society, London*, 1651, 235–8.
- Toghill, P. (1970) Highest Ordovician (Hartfell Shales) graptolite faunas from the Moffat area, South Scotland. *Bulletin of the British Museum (Natural History): Geology Series*, 19, 1–26.
- Toghill, P. and Strachan, I. (1970) The graptolite fauna of Grieston Quarry, near Innerleithen, Peeblesshire. *Palaeontology*, 13, 511–21.
- Traquair, R.H. (1899) Report on fossil fishes collected by the Geological Survey of Scotland. In *The Silurian Rocks of the South of Scotland*. *Transactions of the Royal Society of Edinburgh*, 39, 827–64.
- Trewin, N.H. (1979) Transported graptolites and associated tool marks from Grieston Quarry. Innerleithen, Peeblesshire. *Scottish Journal of Geology*, 15, 287–92.
- Tucker, E.V. (1964) The Malvern line. *Geological Magazine*, 102, 88–90.
- Tucker, M.E. (1992) The Precambrian-Cambrian boundary: seawater chemistry, ocean circulation and nutrient supply in metazoan evolution, extinction and biomineralization. *Journal of the Geological Society, London*, 149, 655–68.
- Tucker, R.D. and McKerrow, W.S. (1995) Early Paleozoic chronology: a review in light of new U-Pb zircon ages from Newfoundland and Britain. *Canadian Journal of Earth Sciences*, 32, 368–79.
- 'Fucker, R.D., Krogh, T.E., Ross, R.J. and Williams, S.H. (1990) Time-scale calibration by high-precision U-Pb zircon dating of interstratified volcanic ashes in the Ordovician and Lower Silurian stratotypes of Britain. *Earth and Planetary Science Letters*, 100, 51–8.
- Turner, S. (1973) Siluro-Devonian thelodonts from the Welsh Borderland. *Journal of the Geological Society, London*, 129, 557–84.
- Tyler, J.E. (1987) Clastic marine facies in the Ludlow of the central Welsh region. Unpublished PhD thesis, University of Cambridge.

- J.E. and Woodcock, N.H. (1987) Bailey Hill Formation: Ludlow Series turbidites in the Welsh Borderland reinterpreted as distal storm deposits. *Geological Journal*, 22, 73–86.
- Underwood, C.J. (1993) The position of graptolites within Lower Palaeozoic planktic ecosystems. *Lethaia*, 26, 189–205.
- Underwood, C.J., Crowley, S.F., Marshall, J.D. and Brenchley, P.J. (1997) High-resolution carbon isotope stratigraphy of the basal Silurian Stratotype (Dob's Linn, Scotland) and its global correlation. *Journal of the Geological Society, London*, 154, 709–18.
- Van de Kamp, P.C. (1969) The Silurian volcanic rocks of the Mendip Hills, Somerset; and the Tortworth area, Gloucestershire, England. *Geological Magazine*, 106, 542–53.
- Verniers, J., Dufka, P., Paris, F. and Nestor, V. (1993) *Silurian Times*. No.1, May 1993.
- Verniers, J., Nestor, V., Paris, F., Dufka, P., Sutherland, S. and van Grootel, G. (1995) A global Chitinozoa biozonation for the Silurian. *Geological Magazine*, 132, 651–66.
- Viira, V. and Aldridge, R.J. (1998) Upper Wenlock to Lower Püidolí (Silurian) conodont biostratigraphy of Saaremaa, Estonia, and a correlation with Britain. *Journal of Micropalaeontology*, 17, 15–32.
- Vine, G.R. (1882) Notes on the Polyzoa of the Wenlock Shales, Wenlock Limestone, and shales over Wenlock Limestone. From Material supplied by G.Maw, Esq. *Quarterly Journal of the Geological Society, London*, 38, 44–68.
- Vine, G.R. (1887) Notes on the palaeontology of the Wenlock Shales of Shropshire (Mr Maw's washings, 1880). *Proceedings of the Yorkshire Geological Polytechnic Society*, 9, 224–48.
- Vine, G.R. (1888) Notes on the distribution of the Entomostraca of the Wenlock Shales, Mr Maw's washings. Part 1, Buildwas Beds. *Proceedings of the Yorkshire Geological Polytechnic Society*, 9, 393–405.
- Wade, A. (1911) The Llandovery and associated rocks of north-eastern Montgomeryshire. *Quarterly Journal of the Geological Society, London*, 67, 415–59.
- Walch, J.E.I. (1771) [Attribution of the establishment of the word 'Trilobite']. In *Die Naturgeschichte der Versteinerungen zur Erläuterung der Knorr'schen Sammlung von Merkwürdigkeiten der Natur*; Vol. 3 (G.W. Knorr and J.E.I. Walch), P.J. Felssecker, Ntirnburg.
- Walliser, O.H. (1962) Conodontenchronologie des Silurs (=Gotlandiums) and des tiesferen Devons mit besonderer Berücksichtigung der Formations Grenze. *Symposium Silur/Devon-Grenze, Bonn-Bruxelles (1960)*, pp. 281–7.
- Walliser, O.H. (1964) Conodonten des Silurs. *Abhandlungen hessische Landesamt. Bodenforsch. Wiesbaden*, 41, 1–106.
- Walmsley, V.G. (1959) The geology of the Usk Inlier (Monmouthshire). *Quarterly Journal of the Geological Society, London*, 114, 483–521.
- Walmsley, V.G. (1967) The Usk Inlier. In *The Silurian Inliers of the south-eastern Welsh Borderland* (ed. S.W. Hester), *Geologists' Association Guide No. 5*, pp. 3–7.
- Walmsley, V.G. (1982) The Usk Inlier. In *The Silurian Inliers of the south-eastern Welsh Borderland*, 2nd edn, (eds J.D. Lawson, M.L.K. Curtis, H.C. Squirrell, E.V. Tucker and V.G. Walmsley), *Geologists' Association Guide No. 5*, pp. 4–9.
- Walmsley, V.G. and Bassett, M.G. (1976) Biostratigraphy and correlation of the Coralliferous Group (Silurian) of Pembrokeshire, Wales. *Proceedings of the Geologists' Association*, 87, 191–220.

- Walmsley, V.G. and Boucot, A.J. (1975) The phylogeny, taxonomy and biogeography of Silurian and early to mid Devonian Isorthinae (Brachiopoda). *Palaeontographica A*, 148, 34–108.
- Walton, E.K. (1965) Lower Palaeozoic rock-stratigraphy. In *The Geology of Scotland* (ed. G.Y. Craig), Scottish Academic Press, Edinburgh, pp. 161–93.
- Walton, E.K. and Oliver, G.J.H. (1991) Lower Palaeozoic — stratigraphy. In *The Geology of Scotland*, 3rd edn (ed. G.Y. Craig), Scottish Academic Press, Edinburgh, pp. 105–37.
- Wang, Cheng-yuan and Aldridge, R.J. (1997) Conodonts. In *Telychian (Llandovery) of the Yangtze Region and its Correlation with British Isles* (eds Chen Xu and Rong Jia-Yu), Science Press, Beijing, pp. 46–55 [in Chinese].
- Warren, P.T. (1971) The sequence and correlation of graptolite faunas from the Wenlock–Ludlow rocks of North Wales. Colloque Ordovician-Silurien. *Mémoires du Bureau de Recherches Géologiques et Minières*, 73, 451–60.
- Warren, P.T., Rickards, R.B. and Holland, C.H. (1966) *Pristiograptus ludensis* (Murchison, 1839) — its synonymy and allied species — and the position of the Wenlock/Ludlow boundary in the Silurian graptolite sequence. *Geological Magazine*, 103, 466–7.
- Warren, P.T., Price, D., Nutt, M. J.C. and Smith, E.G. (1984) Geology of the country around Rhyl and Denbigh. *Memoir of the British Geological Survey*, Sheets 95 and 107, and parts of 94 and 106 (England and Wales) 217 pp.
- Waters, R.A. and Lawrence, D.J.D. (1987) Geology of the South Wales Coalfield. Part 3. The country around Cardiff. *Memoir of the British Geological Survey* (3rd edn) Sheet 263 (England and Wales).
- Waters, R.A. and White, D.E. (1980) Rumney Borehole. In *Institute of Geological Sciences Boreholes 1978. Report of the Institute of Geological Sciences No.79/12*. pp. 9–10
- Waters, R.A., Davies, J.R., Fletcher, C.T.N., Wilson, D., Zalasiewicz, J.A. and Cave, R. (1993) Llandovery basinal and slope sequences of the Rhayader district. In *Geological Excursions in Powys, Central Wales* (eds N.H. Woodcock and M.G. Bassett), National Museum of Wales, Cardiff, pp. 155–82.
- Waterston, C.D. (1979) Problems of functional morphology and classification in stylonurid eurypterids (Chelicerata, Merostoma), with observations on the Scottish Stylonuroidea. *Transactions of the Royal Society of Edinburgh*, 70, 251–322.
- Watkins, R. (1978a) Bivalve ecology in a Silurian shelf environment. *Lethaia*, 11, 41–56.
- Watkins, R. (1978b) Silurian marine communities west of Dingle, Ireland. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 23, 79–118.
- Watkins, R. (1979) Benthic community organisation in the Ludlow Series of the Welsh Borderland. *Bulletin British Museum (Natural History): Geology Series*, 31, 175–280.
- Watkins, R. and Aithie, C.J. (1980) Carbonate shelf environments and faunal communities in the Upper Bringewood Beds of the British Silurian. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 29, 341–68.
- Watkins, R. and Berry, W.B.N. (1977) Ecology of a late Silurian fauna of graptolites and associated organisms. *Lethaia*, 10, 267–86.
- Watkins, R. and Hurst, J.M. (1977) Community relations of Silurian crinoids at Dudley, England. *Paleobiology*, 3, 207–17.
- Watney G.R. and Welch E.G. (1911) The zonal classification of the Salopian rocks of Cautley and Ravenstonedale. *Quarterly Journal of the Geological Society, London*, 67, 215–37.

- Watson, D.M.S., Weston, T.S., White, E.I. and Thomas, H.A. (1948) *Guide to excursion C16, Vertebrate Palaeontology, 18th International Congress, Great Britain, London*, pp. 2–3.
- Watts, W.W. (1885) On the igneous and associated rocks of the Breidden Hills in East Montgomeryshire and West Shropshire. *Quarterly Journal of the Geological Society, London*, 41, 532–46.
- Watts, W.W. (1925) The geology of South Shropshire. *Proceedings of the Geologists' Association*, 36, 321–63.
- Watts, W.W. (1891) The geology of the Long Mountain, on the Welsh Borders. *Report of the sixtieth meeting of the British Association for the Advancement of Science*, (Leeds, 1890), p. 817.
- Weaver, T. (1824) Geological observations on part of Gloucestershire and Somersetshire. *Transactions of the Geological Society, London*, (2), 1, 317–68.
- Webb, B.C., Rushton, A.W.A. and White, D.E. (1993) *Classic areas of British Geology: Moffatdale and the upper Ettrick valley*, British Geological Survey, HMSO, London.
- Weir, A.J. (1992) Heriot and Innerleithen. In *Scottish Borders Geology: an Excursion Guide* (eds A.D. McAdam, E.N.K. Clarkson and P. Stone), Scottish Academic Press, Edinburgh, pp. 121–34.
- Welch, F.B.A. and Trotter, F.M. (1960) Geology of the country around Monmouth and Chepstow. *Memoir of the Geological Survey*, Sheet 233 (England and Wales).
- Wellman, C.H. (1993) A land plant microfossil assemblage of Mid Silurian age from the Stonehaven Group, Scotland. *Journal of Micropalaeontology*, 12, 47–66.
- Wellman, C.H. (1998) Cryptospores from the type area of the Caradoc Series in southern Britain. In *Studies on Early Land Plant Spores from Britain* (ed. C.J. Cleal), *Special Papers in Palaeontology*, 55, 103–36.
- Wellman, C.H. and Richardson, J.B. (1993) Terrestrial plant microfossils from the Silurian inliers of the Midland Valley of Scotland. *Palaeontology*, 36, 155–93.
- Westoll, T.S. (1951) The vertebrate-bearing strata of Scotland. *International Geological Congress, Report of the Eighteenth Session, Great Britain 1948*, London, Part 11, pp. 341–57.
- Wethered, E. (1893) On the microscopic structure of the Wenlock Limestone, with remarks on the formation generally. *Quarterly Journal of the Geological Society, London*, 49, 236–48.
- Wetzel, W. (1991) Ecologic interpretation of deep-sea trace fossil communities. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 85, 47–69.
- Whelan, G.M. (1988) Preliminary arctich and chitinozoan distributions across the Ordovician-Silurian boundary stratotype at Dob's Linn, Scotland. In *A Global Analysis of the Ordovician-Silurian Boundary* (eds L.R.M. Cocks and R.B. Rickards), *Bulletin of the British Museum (Natural History): Geology Series*, 43, 41–4.
- Whitaker, J.H.McD. (1960) In *Summer field meeting at Ludlow* (eds R.C.H. Allender, C.H. Holland, J.D. Lawson, V.G. Walmsley and J.H.McD. Whitaker). *Proceedings of the Geologists' Association*, 71, 218–22.
- Whitaker, J.H.McD. (1962) The geology of the area around Leintwardine, Herefordshire. *Quarterly Journal of the Geological Society, London*, 118, 319–51.
- Whitaker, J.H.McD. (1994) Silurian basin slope sedimentation and mass movement in the Wigmore Rolls area, central Welsh Borderland. *Quarterly Journal of the Geological Society, London*, 151, 27–40.
- White, D.E. (1974) The boundary between the Wenlock and the Ludlow Series. *Geological Magazine*, 111, 448–9.

- White, D.E. (1981) The base of the Ludlow Series in the graptolitic facies. *Geological Magazine*, 118, 566.
- White, D.E. and Lawson, J.D. (1978) The stratigraphy of new sections in the Ludlow Series of the type area. *Report of the Institute of Geological Sciences*, No. 78/30, pp. 1–10.
- White, D.E. and Lawson, J.D. (1989) The Pŷdŷ Series in the Welsh Borderland and south-central Wales. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Geological Series No. 9, Cardiff, pp. 131–41.
- White, D.E., Ellison, R.A. and Moorlock, B.S.P. (1984) New information on the stratigraphy of the upper Silurian rocks in the southern part of the Malverns district, Hereford and Worcester. *Report of the British Geological Survey* No. 16/1, pp. 13–8.
- White, D.E., Barron, H.F., Barnes, R.P. and Lintern, B.C. (1992) Biostratigraphy of late Llandovery (Telychian) and Wenlock turbiditic sequences in the SW Southern Uplands, Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 82, 297–322.
- White, E.I. (1946) *Jamoytius kerwoodi*, a new chordate from the Silurian of Lanarkshire. *Geological Magazine*, 83, 89–97.
- White, E.I. (1950) The vertebrate faunas of the Lower Old Red Sandstone of the Welsh Borders. *Bulletin of the British Museum (Natural History), Geology*, 1, 51–89.
- White, E.I. (1958) Original environment of the craniates. In *Studies on Fossil Vertebrates* (ed. T.S. Westoll), University of London, Athlone Press, pp. 212–34.
- Whitehead, T.H. and Eastwood, T. (1927) The geology of the southern part of the South Staffordshire coalfield (south of the Bentley Faults). *Memoir of the Geological Survey of Great Britain* (England and Wales), 218 pp.
- Whitehead, T.H. and Pocock, R.W. (1947) Dudley and Bridgenorth. *Memoir of the Geological Survey of Great Britain*, Sheet 153 (England and Wales), 226 pp.
- Whitehead, T.H., Robertson, T., Pocock, R.W. and Dixon, E.E.L. (1928) The geology between Wolverhampton and Oakengates. *Memoir of the Geological Survey of Great Britain*, Sheet 153 (England and Wales).
- Whittaker, A., Cope, J.C.W., Cowie, J.W. *et al.* (1991) A guide to stratigraphical procedure. *Journal of the Geological Society, London*, 148, 813–24.
- Whittard, W.F. (1928) The stratigraphy of the Valentian rocks of Shropshire. The main outcrop. *Quarterly Journal of the Geological Society, London*, 83 (for 1927), 737–59.
- Whittard, W.E. (1932) The stratigraphy of the Valentian rocks of Shropshire. The Longmynd–Shelve and Breidden outcrops. *Quarterly Journal of the Geological Society, London*, 88, 859–902.
- Whittard, W.F. (1952) A geology of South Shropshire. *Proceedings of the Geologists' Association*, 63, 143–97.
- Whittard, W.F. (1958) Geology of some classic British areas: geological itineraries for South Shropshire. *Geologists' Association Guide* No. 27, 24 pp.
- Whittard, W.F. (1961) *Lexique Stratigraphique internationale. Congrès Géologique International — Commission de stratigraphie*. Volume 1, *Europe*. Fascicule 3a, *Angleterre, Pays de Galles, Ecosse. Part 3a, V. Silurien*, Centre National de la Recherche Scientifique, Paris.
- Whittard, W.F. and Smith, S. (1944) Unrecorded inliers of Silurian rocks, near Wickwar, Gloucestershire, with notes on the occurrence of a stromatolite. *Geological Magazine*, 81, 65–76.

- Whitworth, T. (1962) Malvern structures. *Geological Magazine*, 99, 375–7.
- Williams, A. (1951) Llandovery brachiopods from Wales with special reference to the Llandovery district. *Quarterly Journal of the Geological Society, London*, 108, 85–136.
- Williams, A. (1953) The geology of the Llandeilo district, Carmarthenshire. *Quarterly Journal of the Geological Society, London*, 108, 177–207.
- Williams, A. and Wright, A.D. (1981) The Ordovician-Silurian boundary in the Garth area of southwest Powys, Wales. *Geological Journal*, 16, 1–39.
- Williams, A., Cusack, M. and Buckman, J.O. (1998) Chemico-structural phylogeny of the discinoid brachiopod shell. *Philosophical Transactions of the Royal Society of London*, 353, 2005–38.
- Williams, B.P. J. (1971) Sedimentary features of the Old Red Sandstone and Lower Limestone Shales of South Pembrokeshire, south of the Ritec Fault. In *Geological Excursions in South Wales and the Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association, South Wales Group, Cardiff, pp. 222–39.
- Williams, B.P. J. and Prentice, J.E. (1958) Slump-structures in the Ludlovian rocks of North Herefordshire. *Proceedings of the Geologists' Association*, 68 (for 1957), 268–93.
- Williams, B.P. J., Allen, J.R.L. and Marshall, J.D. (1982) Old Red Sandstone facies of the Pembroke Peninsula, south of the Ritec Fault. In *Geological Excursions in Dyfed, Southwest Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, pp. 151–74.
- Williams, D.M. and Harper, D.A.T. (1988) A basin model for the Silurian of the Midland Valley of Scotland and Ireland. *Journal of the Geological Society, London*, 145, 741–8.
- Williams, S.H. (1980) An excursion guide to Dob's Linn. *Proceedings of the Geological Society of Glasgow*, 121/122, 13–8.
- Williams, S.H. (1982a) Upper Ordovician graptolites from the top Lower Hartfell Shale Formation (*D. clingani* and *P. linearis* zones) near Moffat, southern Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 72, 229–55.
- Williams, S.H. (1982b) The late Ordovician graptolite fauna of the Anceps Bands at Dob's Linn, southern Scotland. *Geologica et Palaeontologica*, 16, 29–56.
- Williams, S.H. (1983) The Ordovician-Silurian boundary graptolite fauna of Dob's Linn, southern Scotland. *Palaeontology*, 26, 60539.
- Williams, S.H. (1987) Upper Ordovician graptolites from the *D. complanatus* Zone of the Moffat and Girvan districts and their significance for correlation. *Scottish Journal of Geology*, 23, 65–92.
- Williams, S.H. (1988) Dob's Linn — the Ordovician-Silurian boundary stratotype. In *A Global Analysis of the Ordovician-Silurian Boundary* (eds L.R.M. Cocks and R.B. Rickards), *Bulletin of the British Museum (Natural History): Geology Series*, 43, 17–30.
- Williams, S.H. (1995) Revision and definition of the *C. wilsoni* graptolite Zone (middle Ordovician) of southern Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 85, 143–57.
- Williams, S.H. and Ingham, J.K. (1989) The Ordovician-Silurian boundary stratotype at Dob's Linn, southern Scotland. In *A Global Standard for the Silurian System* (eds C.H. Holland and M.G. Bassett), National Museum of Wales, Cardiff, Geological Series No. 9, pp. 27–35.

- Wills, U. (1920a) The geology of the Llangollen District. *Proceedings of the Geologists' Association*, 31, 1–15.
- Wills, L.J. (1920b) Long excursion to Llangollen, August 16th to 23rd, 1919. *Proceedings of the Geologists' Association*, 31, 16–25.
- Wills, U. and Smith, B. (1922) The Lower Palaeozoic Rocks of the Llangollen District, with special reference to the tectonics. *Quarterly Journal of the Geological Society, London*, 78, 176–226.
- Wilson, D., Davies, J.R., Waters, R.A. and Zalasiewicz, J.A. (1992) A fault-controlled depositional model for the Aberystwyth Grits turbidite system. *Geological Magazine*, 129, 595–607.
- Wilson, D.W.R. (1954) The stratigraphy and palaeontology of the Valentian rocks of Cautley (Yorks.'W.R.). Unpublished PhD thesis, University of Birmingham.
- Witzke, B.J., Frest, T.J. and Strimple, H.L. (1979) Biogeography of the Silurian-Lower Devonian echinoderms. In *Historical Biogeography, Plate Tectonics, and the Changing Environment* (eds J. Gray and A.J. Boucot), Oregon State University Press, pp. 117–29.
- Wood, A. and Smith, A.J. (1959) The sedimentation and sedimentary history of the Aberystwyth Grits (Upper Llandoveryan). *Quarterly Journal of the Geological Society, London*, 114, 163–95.
- Wood, E.M.R. (1900) The Lower Ludlow Formation and its graptolite fauna. *Quarterly Journal of the Geological Society, London*, 56, 415–92.
- Wood, E.M.R. (1906) The Tarannon Series of Tarannon. *Quarterly Journal of the Geological Society, London*, 62, 644–701.
- Woodcock, N.H. (1976a) Structural style in slump sheets: Ludlow Series, Powys, Wales. *Journal of the Geological Society, London*, 132, 399–415.
- Woodcock, N.H. (1976b) Ludlow Series slumps and turbidites and the form of the Montgomery Trough, Powys, Wales. *Proceedings of the Geologists' Association*, 87, 169–82.
- Woodcock, N.H. (1984) The Pontesford Lineament, Welsh Borderland. *Journal of the Geological Society, London*, 141, 1001–14.
- Woodcock, N.H. (1988) Strike-slip faulting along the Church Stretton Lineament, Old Radnor Inlier, Wales. *Journal of the Geological Society, London*, 145, 925–33.
- Woodcock, N.H. (1993) The Precambrian and Silurian of the Old Radnor to Presteigne area. In *Geological Excursions in Powys, Central Wales* (eds N.H. Woodcock and M.G. Bassett), National Museum of Wales, Cardiff, pp. 229–41.
- Woodcock, N.H. and Gibbons, W. (1988) Is the Welsh Borderland Fault System a terrane boundary? *Journal of the Geological Society, London*, 145, 915–23.
- Woodcock, N.H. and Pauley, J.C. (1989) The Longmyndian rocks of the Old Radnor Inlier, Welsh Borderland. *Geological Journal*, 24, 113–20.
- Woodcock, N.H. and Pharaoh, T.C. (1993) Silurian facies beneath East Anglia. *Geological Magazine*, 130, 681–90.
- Woodcock, N.H. and Tyler, J.E. (1993) The Ludlow and Pridoli of the Radnor Forest to Knighton area. In *Geological Excursions in Powys, Central Wales* (eds N.H. Woodcock and M.G. Bassett), National Museum of Wales, Cardiff, pp. 209–28.

- Woodcock, N.H., Awan, M.A., Johnson, T.E., Mackie, A.H. and Smith, R.D.A. (1988) Acadian tectonics in Wales during Avalonia/ Laurentia convergence. *Tectonics*, 7, 483–95.
- Woodcock, N.H., Butler, A.J., Davies, J.R. and Waters, R.A. (1996) Sequence stratigraphical analysis of late Ordovician and early Silurian depositional systems in the Welsh Basin: a critical assessment. *Special Publication of the Geological Society of London*, 103, 197–208.
- Woodward A.S. (1891) *Catalogue of Fossil Fishes in the British Museum, Part II. Containing the Elasmobranchi (Acanthodii), Holocephali, Ichthyodermalites, Ostracodermi, Dipnoi and Teleostini (Crossopterygii), and Chondrosteian Actinopterygii*, British Museum (Natural History), London, 567 pp.
- Woodward, A.S. and Dixon, E.E.L. (1904) Long excursion to the Ludlow district. *Proceedings of the Geologists' Association*, 18, 487–91.
- Woodward, H.B. (1865) On the discovery of a new genus of Cirripedia in the Wenlock Limestone and Shale of Dudley. *Quarterly Journal of the Geological Society, London*, 21, 486–9.
- Woodward, H.B. (1866–1878) A monograph of the British Fossil Crustacea belonging to the Order Merostomata. *Palaeontographical Society Monograph*; Part 1 (1866), 19 (83), 1–44; Part 2 (1868), 22 (95), 45–70; Part 3 (1872), 112 (25), 71–120; Part 4 (1872), 28 (119), 121–80; Part 5 (1878), 32 (145), 181–263.
- Woodward, H.B., Reynolds, S.H., Morgan, C.L. and Winwood, H.H. (1909) Investigation of the pre-Devonian rocks of the Mendips and the Bristol area. *Report of the British Association for the Advancement of Science (for 1908)*, 286–91.
- Worssam, B.C., Ellison, R.A. and Moorlock, B.S.P. (1989) Geology of the country around Tewkesbury. *Memoir of the British Geological Survey, Sheet 216 (England and Wales)*, 57 pp.
- Wright, J.R. (1832) On the Secondary Formations in the neighbourhood of Ludlow. *Proceedings of the Geological Society, London*, 1, 387–8.
- Wyville Thompson, C. (1861) On a New Palaeozoic Group of Echinodermata. *Edinburgh New Philosophical Journal (new series)*, 13, 106–18.
- Zalasiewicz, J.A. (1994) Middle to late Telychian (Silurian: Llandovery) graptolite assemblages of Central Wales. *Palaeontology*, 37, 375–96.
- Zalasiewicz, J.A. (1996) Aeronian (Silurian: Llandovery) graptolites from Central Wales. *Geologica et Palaeontologica*, 30, 301–14.
- Zalasiewicz, J.A. and Tunnicliff, S. (1994) Uppermost Ordovician to Lower Silurian graptolite biostratigraphy of the Wye Valley, Central Wales. *Palaeontology*, 37, 695–720.
- Zalasiewicz, J.A. and Williams, M. (1999) Graptolite biozonation of the Wenlock Series (Silurian) of the Builth Wells district, Central Wales. *Geological Magazine*, 136, 263–283.
- Ziegler, A.M. (1964) The Malvern line. *Geological Magazine*, 101, 467–79.
- Ziegler, A.M. (1965) Silurian marine communities and their environmental significance. *Nature*, 207, (4994) 270–2.
- Ziegler, A.M. (1966) The Silurian brachiopod *Eocoelia hemisphaerica* (J. de C. Sowerby) and related species. *Palaeontology*, 9, 523–43.
- Ziegler A.M. and McKerrow, W.S. (1975) Silurian marine red beds. *American Journal of Science*, 275, 31–56.

Ziegler, A.M., Boucot, A.J. and Sheldon, R.P. (1966) Silurian pentamerid brachiopods preserved in position of growth. *Journal of Paleontology*, 40, 1032–6.

Ziegler, A.M., Cocks, L.R.M. and Bambach, R.K. (1968a) The composition and structure of Lower Silurian marine communities. *Lethaia*, 1, 1–27.

Ziegler, A.M., Cocks, L.R.M. and McKerrow, W.S. (1968b) The Llandovery transgression of the Welsh Borderland. *Palaeontology*, 11, 736–82.

Ziegler, A.M., McKerrow, W.S., Burne, R.V. and Baker, P.E. (1969) Correlation and environmental setting of the Skomer Volcanic Group, Pembrokeshire. *Proceedings of the Geologists' Association*, 80, 409–39.

[References](#)