## References

In this reference list the arrangement is alphabetical by author surname for works by sole authors and dual authors. Where there are references that include the first-named author with others, the sole-author works are listed chronologically first, followed by the dual author references (alphabetically) followed by the references with three or more authors listed *chronologically*. Chronological order is used within each group of identical authors.

Ahmed, S.T. (1987) Upper Oxfordian and Lower Kimmeridgian ostracods from the South Ferriby Quarry, South Humberside. *Proceedings of the Yorkshire Geological Society*, 46 267–74.

Aigner, T. (1980) Biofabrics and stratinomy of the Lower Kimmeridge Clay (U. Jurassic, Dorset, England). *Neues Jahrbuch für Geologie and Paläontologie, Abhandlungen,* 159 (3), 324–38.

Ali, O.E. (1977) Jurassic hazards to coral growth. Geological Magazine, 114, 63 4.

Ali, O.E. (1983) Microsolenid corals as rock formers in the Corallian (Upper Jurassic) rocks of England. *Geological Magazine*, 120, 375–80.

Ali, O.E. (1984) Sclerochronology and carbonate production in some Upper Jurassic coral reefs. *Palaeontology*, 27, 537–48.

Allen, P.A. and Underhill, J.R. (1989) Swaley cross-stratification produced by unidirectional flows: Bencliff Grit (Upper Jurassic), Dorset, U.K. *Journal of the Geological Society, London,* 146, 241–52.

Anderson, F.W. and Dunham, K.C. (1966) *The Geology of Northern Skye.* Memoir of the Geological Survey of Great Britain (Scotland).

Anon (1995) The Ringstead Bay saga — what is really going on? Down to Earth, 10, 1.

Arkell, W.J. (1927) The Corallian rocks of Oxford, Berkshire and north Wiltshire. *Philosophical Transactions of the Royal Society of London*, B216, 67–181.

Arkell, W.J. (1928) Aspects of the ecology of certain fossil coral reefs. Journal of Ecology, 16, 134-49.

Arkell, W.J. (1929–1937) A *Monograph of British Corallian Lamellibranchia*, Monograph of the Palaeontographical Society (London).

Arkell, W.J. (1931) The age of the Natica Band in the Corallian at Cumnor, near Oxford, and descriptions of two new sections at Cothill. *Proceedings of the Geologists' Association*, 42, 44–52.

Arkell, W.J. (1933) The Jurassic System in Great Britain, Clarendon Press, Oxford.

Arkell, W.J. (1934) The Corallian rocks exposed in the new railway cutting at Westbury, Wiltshire. *Geological Magazine*, 71, 317–20.

Arkell, W.J. (1935) On the nature, origin and climatic significance of the coral reefs near Oxford. *Quarterly Journal of the Geological Society of London*, 91, 77–110.

Arkell, W.J. (1935–1948) A *Monograph on the Ammonites of the English Corallian Beds,* Monograph of the Palaeontographical Society (London).

Arkell, W.J. (1936a) The Corallian Beds of Dorset, Part 1: The Coast. *Proceedings of the Dorset Natural History and Archaeological Society*, 57, 59–93.

Arkell, W.J. (1936b) The ammonite zones of the Upper Oxfordian of Oxford. *Quarterly Journal of the Geological Society of London*, 92, 146–87.

Arkell, W.J. (1937a) Report on ammonites collected at Long Stanton, Cambs., and the age of the Ampthill Clay. Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for the year 1935, 2, 64–88.

Arkell, W.J. (1937b) The zonal position of the Elsworth Rock, and its alleged equivalent at Upware. *Geological Magazine*, 74, 445–58.

Arkell, W.J. (1938a) Zonal position of the Elsworth rock. Geological Magazine, 75, 96.

Arkell, W.J. (1938b) The age of the Elsworth rock. Geological Magazine, 75, 334.

Arkell, W.J. (1938c) Elsworth rock and other matters. Geological Magazine, 75, 384.

Arkell, W.J. (1939a) A map of the Corallian Beds between Marcham and Faringdon. *Proceedings of the Geologists' Association*, 50, 487–509.

Arkell, W.J. (1939b) The ammonite succession at the Woodham Brick Company's pit, Akeman Street Station, Buckinghamshire, and its bearing on the classification of the Oxford Clay. *Quarterly Journal of the Geological Society of London*, 95, 135–222.

Arkell, W.J. (1941a) The Upper Oxford Clay at Purton, Wiltshire, and the zones of the Lower Oxfordian. *Geological Magazine*, 78, 161–72.

Arkell, W.J. (1941b) A map of the Corallian Beds around Highworth. *Proceedings of the Geologists' Association*, 52, 79–102.

Arkell, W.J. (1941c) Map of the Corallian Beds around Purton, Wilts. *Wiltshire Archaeological and Natural History Society Magazine*, 49, 274–82.

Arkell, W.J. (1942) Stratigraphy and structures east of Oxford. *Quarterly Journal of the Geological Society of London*, 98, 187–204.

Arkell, W.J. (1944a) Stratigraphy and structure east of Oxford. Part II: the Miltons and the Haseleys. *Quarterly Journal of the Geological Society of London*, 100, 45–60.

Arkell, W.J. (1944b) Stratigraphy and structure east of Oxford. Part III: Islip. *Quarterly Journal of the Geological Society of London*, 100, 61–73.

Arkell, W.J. (1945) The zones of the Upper Jurassic of Yorkshire. *Proceedings of the Yorkshire Geological Society*, 25, 339–58.

Arkell, W.J. (1946) Standard of the European Jurassic. Bulletin of the Geological Society of America, 57, 1–34.

Arkell, W.J. (1947a) *The Geology of the Country around Weymouth, Swanage, Corfe and Lulworth.* Memoir of the Geological Survey of Great Britain (England and Wales).

Arkell, W.J. (1947b) The Geology of Oxford, Clarendon Press, Oxford.

Arkell, W.J. (1947c) Oxford Stone, Faber and Faber, London.

Arkell, W.J. (1948) A geological map of Swindon. Wiltshire Archaeological and Natural History Magazine, 52, 195–212.

Arkell, W.J. (1949) The Kimeridge [sic] Clay succession at Burning Cliff, Ringstead. *Proceedings of the Dorset Natural History and Archaeological Society*, 70, 124.

Arkell, W.J. (1951) Dorset geology 1940–50. *Proceedings of the Dorset Natural History and Archaeological Society*, 72, 176–94.

Arkell, W.J. (1951) The geology of the Corallian ridge between Wootton Bassett and Lyneham, Wiltshire. *Wiltshire Archaeological and Natural History Magazine*, 54, 1–18.

Arkell, W.J. (1956) Jurassic Geology of the World, Oliver and Boyd, Edinburgh and London.

Arkell, W.J. and Callomon, J.H. (1963) Lower Kimeridgian [sic] ammonites from the drift of Lincolnshire. *Palaeontology*, 6, 219–45.

Astin, T.R. and Scotchman, I.C. (1988) The diagenetic history of some septarian concretions from the Kimmeridge Clay, England. Sedimentology, 35, 349–68.

Atrops, F. (1997) Kimmeridgian B[oundary] W[orking] G[roup]. *Newsletter of the International Subcommission on Jurassic Stratigraphy*, 24, 43–4.

Bailey, D., Milner, P and Varney, T. (1997) Some dinoflagellate cysts from the Kimmeridge Clay Formation in North Yorkshire and Dorset, UK. *Proceedings of the Yorkshire Geological Society*, 51, 235–43.

Bailey, E.B. and Weir, J. (1932) Submarine faulting in Kimmeridgian times: East Sutherland. *Transactions of the Royal Society of Edinburgh*, 57, 429–67.

Bailey E.B., Collet, L.W. and Field, R.M. (1928) Palaeozoic submarine landslips near Quebec City. *Journal of Geology*, 36, 577–614.

Barnard, T. (1952) Foraminifera from the Upper Oxford Clay (Jurassic) of Warboys, Huntingdonshire. *Proceedings of the Geologists' Association*, 63, 336–50.

Barnard, T. (1953) Foraminifera from the Upper Oxford Clay (Jurassic) of Redcliff Point near Weymouth, England. *Proceedings of the Geologists' Association*, 64, 183–97.

Barron, H.F. (1989) Dinoflagellate cyst biostratigraphy and palaeoenvironments of the Upper Jurassic (Kimmeridgian to basal Portlandian) of the Helmsdale region, east Sutherland, Scotland. In *Northwest European Micropalaeontology and Palynology* (eds D.J. Batten and M.C. Keen), British Micropalaeontological Society Series, Ellis Horwood, Chichester, pp. 193–213.

Benton, M.T and Spencer, P.S. (1995) *Fossil Reptiles of Great Britain*, Geological Conservation Review Series, No. 10, Chapman and Hall, London, 386 pp.

BGS (1993) Great Driffield. *England and Wales Sheet 64. Solid Geology and Drift. 1:50, 000 Provisional Series.* British Geological Survey, Keyworth, Nottingham, UK.

BGS (1996) 1:1, 500, 000 Tectonic Map of Britain, Ireland and Adjacent Areas. British Geological Survey, Keyworth, Nottingham, UK.

BGS (1998a) Scarborough. *England and Wales Sheet 54. Solid and Drift Geology. 1:50, 000. Provisional Series.* British Geological Survey, Keyworth, Nottingham, UK.

BGS (1998b) Helmsdale. *Scotland Sheet 103E. Solid and Drift Geology. 1:50, 000. Provisional Series*. British Geological Survey, Keyworth, Nottingham, UK.

Birkelund, T. and Callomon, J.H. (1985) The Kimmeridgian ammonite faunas of Milne Land, central East Greenland. *Gronlands Geologiske Undersögelse*, 153, 1–56.

Birkelund, T, Thusu, B. and Vigran, J. (1978) Jurassic–Cretaceous biostratigraphy of Norway, with comments on the British *Rasenia cymodoce* Zone. *Palaeontology*, 21, 31–63.

Birkelund, T, Callomon, J.H., Clausen, C.K., Nohr Hansen, H. and Salinas, I. (1983) The Lower Kimmeridge Clay at Westbury, Wiltshire, England. *Proceedings of the Geologists' Association*, 94, 289–309.

Blake, J.F. (1875) On the Kimmeridge Clay of England. *Quarterly Journal of the Geological Society of London,* 31, 196–233.

Blake, J.F. (1880) On the Portland rocks of England. Quarterly Journal of the Geological Society of London, 33, 189-236.

Blake, J.F. (1881) On the correlation of the Upper Jurassic rocks of England with those of the continent. Part 1: The Paris Basin. *Quarterly Journal of the Geological Society of London*, 37, 497–587.

Blake, J.F. (1891) The geology of the country between Redcar and Bridlington. *Proceedings of the Geologists' Association*, 12, 115–44.

Blake, J.F. (1892) Excursion to Devizes, Swindon and Faringdon. H Swindon. *Proceedings of the Geologists' Association*, 12, 326–7.

Blake, J.F. (1902a) Excursion to Headington, Shotover and Wheatley — report by the director. *Proceedings of the Geologists' Association*, 17, 383–5.

Blake, J.F. (1902b) On a remarkable inlier among the Jurassic rocks of Sutherland, and its bearing on the origin of the Breccia-Beds. *Quarterly Journal of the Geological Society of London*, 58, 290–312.

Blake, J.F. and Hudleston, W.H. (1877) On the Corallian rocks of England. *Quarterly Journal of the Geological Society of London*, 33, 260–405.

Bonney, T.G. (1872a) On the section exposed at Roslyn Hill pit, Ely. *Proceedings of the Cambridge Philosophical Society*, 2, 268.

Bonney, T.G. (1872b) Notes on the Roslyn Hill Clay pit. Geological Magazine, 4, 403-5.

Bonney, T.G. (1875) Cambridgeshire Geology, Reighton Bell and Co., London.

Bradshaw, Mj., Cope, J.C.W., Cripps, D.W. et al. (1992) Jurassic. In Atlas of Palaeogeography and Lithofacies (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), Memoir of the Geological Society of London, 13, 107–29.

Brighton, A.G. (1938) The Mesozoic rocks of Cambridgeshire. In *The Cambridge Region* (ed. H.C. Darby), Cambridge University Press, Cambridge, pp. 6–15.

Bristow, C.R., Barton, C.M., Freshney, E.C. *et al.* (1995) *Geology of the Country around Shaftesbury.* Memoir of the British Geological Survey (England and Wales).

Brookfield, M.E. (1973a) Palaeogeography of the Upper Oxfordian and Lower Kimmeridgian (Jurassic) in Britain. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 4, 137–67.

Brookfield, M.E. (1973b) The palaeoenvironment of the Abbotsbury Ironstone (Upper Jurassic) of Dorset. *Palaeontology*, 16, 261–74.

Brookfield, M.E. (1976) The age of the Allt na Cuile Sandstones (Upper Jurassic, Sutherland). *Scottish Journal of Geology*, 12, 181–6.

Brookfield, M.E. (1978) The lithostratigraphy of the Upper Oxfordian and Lower Kimmeridgian beds of south Dorset. *Proceedings of the Geologists' Association*, 89, 1–32.

Buckland, W and De la Beche, H.T. (1836) On the geology of the neighbourhood of Weymouth and the adjacent part of the coast of Dorset. *Transactions of the Geological Society of London*, 2, 1–46.

Buckman, S.S. (1909–1930) *Yorkshire Type Ammonites* (continued as) *Type Ammonites*, 7 vols, published by the author, London and Thame.

(1909–1912) Yorkshire Type Ammonites, Volume 1, London and Thame.

(1913–1919) Yorkshire Type Ammonites, Volume 2, London and Thame.

(1919–1921) Type Ammonites, Volume 3, London and Thame.

(1922–1923) Type Ammonites, Volume 4., London and Thame

(1923–1925) Type Ammonites, Volume 5, London and Thame.

(1925–1927) Type Ammonites, Volume 6, London and Thame.

(1927–1930) Type Ammonites, Volume 7, London and Thame.

Burkhalter, R.M. (1995) Ooidal ironstones and ferruginous microbialites — origin and relation to sequence stratigraphy (Aalenian and Bajocian, Swiss Jura Mountains). *Sedimentology*, 42, 57–74.

Calkin, J.B. (1955) 'Kimmeridge Coal-money' The Romano-British Shale Armlet Industry. *Proceedings of the Dorset Natural History and Archaeological Society*, 75, 45–71.

Calkin, J.B. (1972) Kimmeridge Shale objects from Colliton Park, Dorchester. *Proceedings of the Dorset Natural History and Archaeological Society*, 94, 44–8.

Callomon, J.H. (1960) New sections in the Corallian Beds around Oxford and the sub-zones of the *plicatilis* Zone. *Proceedings of the Geologists' Association*, 71, 177–208.

Callomon, J.H. (1964) Notes on the Callovian and Oxfordian stages. In *Comptes rendues et Mémoires de Colloque du Jurassique à Luxembourg* 1962 (ed. P.L. Maubeuge), Congrès géologique International, Luxembourg, pp. 269–91.

Callomon, J.H. (1965) Subdivision of the Jurassic: the Middle–Upper Jurassic boundary. *Reports, VII Congress of the Carpatho-Balkan Geological Association, Sofia,* 2, 87–90.

Callomon, J.H. (1968) The Kellaways Beds and the Oxford Clay. In *The Geology of the East Midlands* (eds P.C. Sylvester-Bradley and T.D. Ford), University Press, Leicester, pp. 264–90.

Callomon, J.H. (1985a) Biostratigraphy, chronostratigraphy, and all that — again. In *International Symposium on Jurassic Stratigraphy Erlangen 1984,* 3, (eds O. Michelsen and A. Zeiss), Geological Survey of Denmark, Copenhagen, pp. 612–24.

Callomon, J.H. (1985b) The evolution of the Jurassic ammonite family Cardioceratidae. *Special Papers in Palaeontology*, 33, 49–90.

Callomon, J.H. (1990) On the definition of the basal boundary stratotype of the Jurassic Oxfordian Stage. First ISJS Oxfordian Working Group Meeting, Zaragoza, 1988. *Publicaciones del Seminario de Paleontologia de Zaragoza*, 2, 119–27.

Callomon, J.H. and Chandler, R.B. (1990) A review of the ammonite biohorizons of the Aalenian–Lower Bajocian stages in the Middle Jurassic of southern England. *Memorie descrittive della Carta Geologica d'Italia*, 40, 85–112.

Callomon, J.H. and Cope J.C.W. (1971) The stratigraphy and ammonite succession of the Oxford and Kimmeridge Clays in the Warlingham borehole. *Bulletin of the Geological Survey of Great Britain*, 36, 147–76.

Callomon, J.H. and Cope, J.C.W. (1995) The Jurassic geology of Dorset. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society London, pp. 51–103.

Chadwick, R.A. (1985) Upper Jurassic: late Oxfordian to early Portlandian. In *Atlas of Onshore Sedimentary Basins in England and Wales: Post-Carboniferous Tectonics and Stratigraphy* (ed. A. Whittaker), Blackie, Glasgow and London, pp. 49–51.

Chatwin, C.P. and Pringle, J. (1922) The zones of the Kimmeridge and Portland rocks at Swindon. *Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for 1921*, 162–8.

Childs, A. (1969) Upper Jurassic rhynchonellid brachiopods from Northwestern Europe. *Bulletin of the British Museum (Natural History), Geology,* Supplement 6.

Chowdhurry, A.N. (1982) Smectite, zeolite, biotite and apatite in the Corallian (Oxfordian) sediments of the Baulking area in Berkshire, England. *Geological Magazine*, 119, 487–96.

Cobbold, E.S. (1880) Note of strata exposed in laying out the Oxford Sewage Farm at Sandford on Thames. *Quarterly Journal of the Geological Society of London*, 36, 314–20.

Coe, A.L. (1995) A comparison of the Oxfordian successions of Dorset, Oxfordshire and Yorkshire. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 151–72.

Coe, A.L., Hesselbo, S.P. and H.C. Jenkyns (1990) Sequence stratigraphy of the Kimmeridgian strata of the Wessex Basin, southern England. *13th International Sedimentology Congress, Nottingham 1990. Abstracts — Papers, British Sedimentology Research Group, p. 97.* 

Cole, D. (1974) A recent example of spontaneous combustion of oil-shale. Geological Magazine, 111, 355–6.

Cole, D. (1975) Observations on a burning cliff *Proceedings of the Dorset Natural History and Archaeological Society*, 96, 16–9.

Conybeare, W.D. and Phillips, W (1822) Outlines of the Geology of England and Wales, W Phillips, London.

Cope, J.C.W. (1967) The palaeontology and stratigraphy of the lower part of the Upper Kimmeridge Clay. *Bulletin of the British Museum (Natural History), Geology,* 15 (1).

Cope, J.C.W. (1974) New information on the Kimmeridge Clay of Yorkshire. *Proceedings of the Geologists' Association*, 85, 211–21.

Cope, J.C.W. (1978) The ammonite faunas and stratigraphy of the upper part of the Upper Kimmeridge Clay of Dorset. *Palaeontology*, 21, 469–533.

Cope, J.C.W (1980) Kimmeridgian correlation chart. In A *Correlation of Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic* (J.C.W. Cope, K.L. Duff, C.F. Parsons *et al.*), *Geological Society of London Special Report No.* 15, pp. 76–85.

Cope, J.C.W. (1993) The Bolonian Stage: an old answer to an old problem. Newsletters on Stratigraphy, 28, 151–6.

Cope, J.C.W (1995a) Towards a unified Kimmeridgian Stage. Petroleum Geoscience, 1, 351–4.

Cope, J.C.W. (1995b) Introduction to the British Jurassic. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 1–7.

Cope, J.C.W and Torrens, H.S. (1969) The Corallian Beds. In *International Field Symposium on the British Jurassic, Guide No. 1, Dorset and South Somerset* (ed. H.S. Torrens), University of Keele, pp. A44–A47.

Cope, J.C.W., Duff, K.L., Parsons, C.F., Torrens, H.S., Wimbledon, W.A. and Wright, J.K (1980) A *Correlation of Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic. Geological Society of London Special Report No.* 15.

Cosgrove, M.E. (1970) Iodine in the bituminous Kimmeridge Shales of the Dorset coast, England. *Geochimica et Cosmochimica Acta*, 34, 830–5.

Cox, B.M. and Gallois, R.W. (1979) Description of the standard stratigraphical sequences of the Upper Kimmeridge Clay, Ampthill Clay and West Walton Beds. *Report of the Institute of Geological Sciences*, 78/19, 68–72.

Cox, B.M. and Gallois, R.W. (1981) The stratigraphy of the Kimmeridge Clay of the Dorset type area and its correlation with some other Kimmeridgian sequences. *Report of the Institute of Geological Sciences*, 80/4, 44 pp.

Cox, B.M. and Richardson, G. (1982) The ammonite zonation of Upper Oxfordian mudstones in the Vale of Pickering, Yorkshire. *Proceedings of the Yorkshire Geological Society*, 44, 53–8.

Cox, B.M. and Sumbler, M.G. (1994) The Oxfordian–Kimmeridgian boundary beds in southern England (Dorset to Fenland). *Geobios, Mémoire Spécial*, 17, 133–40.

Cox, B.M. and Sumbler, M.G. (in press) *British Middle Jurassic Stratigraphy,* Geological Conservation Review Series, Joint Nature Conservation Committee, Peterborough.

Cox, B.M., Lou, G.K., Thomas, J.E. and Wilkinson, I.P. (1987) Upper Jurassic stratigraphy of four shallow cored boreholes in the U.K. sector of the southern North Sea. *Proceedings of the Yorkshire Geological Society*, 46, 97–109.

Cox, B.M., Sumbler, M.G., Horton, A. and Ambrose, K. (1991) Thicknesses of Kimmeridge Clay in the Oxford area. *Proceedings of the Geologists' Association*, 102, 145–8.

Cox, B.M., Hudson, J.D. and Marna, D.M. (1992) Lithostratigraphic nomenclature of the Oxford Clay (Jurassic). *Proceedings of the Geologists' Association*, 103, 343–5.

Cox, B.M., Gallois, R.W. and Sumbler, M.G. (1994) The stratigraphy of the BGS Hartwell Borehole, near Aylesbury Buckinghamshire. *Proceedings of the Geologists' Association*, 105, 209–24.

Cox, L.R. (1929) A synopsis of the Lamellibranchia and Gastropoda of the Portland Beds of England. *Proceedings of the Dorset Natural History and Archaeological Society*, 50, 131–202.

Cox, L.R. (1958) William Joscelyn Arkell. Biographical Memoirs of Fellows of the Royal Society, 4, 1–14.

Crossley, D. (1987) Sir William Clavell's Glasshouse at Kimmeridge, Dorset: the excavations of 1980–81. *Archaeological Journal*, 144, 340–82.

Cunningham, H.R.J. (1841) Geognostical account of the county of Sutherland. *Transactions of the Highland and Agricultural Society*, 13, 73.

Curtis, C.D. and Spears, D.A. (1968) The formation of the sedimentary iron minerals. *Economic Geology*, 63, 257–70.

Damon, R. (1860) Handbook to the Geology of Weymouth and the Island of Portland, Edward Stanford, London.

Damon, R. (1884) The Geology of Weymouth, Portland and the Coast of Dorsetshire, From Swanage to Bridport on Sea, with Natural History and Archeological Notes (new, enlarged edition), Stanford, London.

Davies, A.M. (1909) Excursion to Wheatley and Arngrove — report by the director. *Proceedings of the Geologists' Association*, 21, 234.

De Wet, C.B. (1987) Deposition and diagenesis in an extensional basin: the Corallian Formation (Jurassic) near Oxford, England. In *Diagenesis of Sedimentary Sequences* (ed. J.D. Marshall), *Geological Society of London Special Publication, No.* 36, 339–53.

Delair, J.B. (1986) Some little known Jurassic ichthyosaurs from Dorset. *Proceedings of the Dorset Natural History and Archaeological Society*, 107, 127–34.

Dixon, E.E.L. (1937) Some exposures of the Corallian rocks near Cambridge. Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for the year 1935, 2, 60–3.

Donaldson, W.S., Plint, A.G. and Longstaffe, F.J. (1999) Tectonic and eustatic control on deposition and preservation of Upper Cretaceous ooidal ironstone and associated facies, Peace River Arch area, N.W. Alberta, Canada. *Sedimentology*, 46, 1159–82.

d'Orbigny, A. (1850) Division des terrains jurassiques en étages. In *Paléontologie. Française. Terrain Jurassique. I Céphalopodes*, Paris, Victor Masson, pp. 600–11.

Downie, C. (1957) Microplankton from the Kimmeridge Clay. *Quarterly Journal of the Geological Society of London,* 112, 413–34.

Dugué, O. (1995) Séismites dans le Jurassique supérieur du Bassin anglo-parisien (Normandie, Oxfordien superieur, Calcaire gréseux de Hennequeville). *Sedimentary Geology*, 99, 73–93.

Dunn, C.E. (1974) Identification of sedimentary cycles through Fourier analysis of geochemical data. *Chemical Geology*, 13, 217–32.

Edmonds, E. A. and Dinham C.H. (1965) *The Geology of the Country around Huntingdon and Biggleswade.* Memoir of the Geological Survey of Great Britain (England and Wales).

Ellis, N.V. (ed.), Bowen, D.Q., Cambell, S. *et al.* (1996) An *Introduction to the Geological Conservation Review,* Geological Conservation Review Series No.1, Joint Nature Conservation Committee, Peterborough, 131 pp.

Etches, S. and Clarke, J. (1999) *Steve Etches Kimmeridge Collection Illustrated Catalogue,* Jane Clarke, Chandler's Ford, Hampshire.

Farrimond, P., Comet, P., Eglinton, G. *et al.* (1984) Organic geochemical study of the Upper Kimmeridge Clay of the Dorset type area. *Marine and Petroleum Geology*, 1, 340–54.

Fisher, O. (1868) On Roslyn or Roswell Hill Clay-pit, near Ely. Geological Magazine, 5, 407-11.

Fitton, W.H. (1827) Remarks on some of the strata between the Chalk and the Kimmeridge Clay in the SE of England. *Proceedings of the Geological Society of London,* I, 26–7.

Fitton, W.H. (1836) Observations on some of the strata between the Chalk and the Oxford Oolite in the south-east of England. *Transactions of the Geological Society of London*, 4 103–388.

Folk, R.L. (1959) Practical petrographic classification of limestones. *Bulletin of the American Association of Petroleum Geologists*, 43, 1–38.

Forbes, C.L. (1960) Field meeting in the Cambridge district. Proceedings of the Geologists' Association, 71, 233–41.

Forbes, E. (1851) On the Estuary beds and the Oxford Clay at Loch Staffin, in Skye. *Quarterly Journal of the Geological Society of London*, 7, 104–13.

Fortwengler, D. and Marchand, D. (1994) Nouvelles unités biochronologiques de la zone à Mariae (Oxfordien inférieur). *Geobios, Mémoire Special*, 17, 203–9.

Fox-Strangways, C. (1881) The Geology of the Oolitic and Liassic Rocks to the North and West of Malton, Memoir of the Geological Survey of Great Britain (England and Wales), Sheet 96SE (Old Series).

Fox-Strangways, C. (1892) *The Jurassic Rocks of Britain, I. Yorkshire,* Memoir of the Geological Survey of the United Kingdom, HMSO, London.

Fox-Strangways, C. (1904) *The Geology of the Oolitic and Cretaceous Rocks South of Scarborough,* Memoir of the Geological Survey of Great Britain (England and Wales).

Fürsich, F. (1973) *Thalassinoides* and the origin of nodular limestone in the Corallian Beds (Upper Jurassic) of southern England. *Neues Jahrbuch für Geologie und Paläontologie Abhandlungen*, 140, 136–56.

Fürsich, E.T (1974) Corallian (Upper Jurassic) trace fossils from England and Normandy. *Stuttgarter Beiträge zur Naturkunde, Serie B (Geologie und Paläontologie)*, 13, 52 pp.

Fürsich, E.T (1975) Trace fossils as environmental indicators in the Corallian of England and Normandy. *Lethaia*, 8, 151–72.

Fürsich, F.T. (1976a) Fauna-substrate relationships in the Corallian of England and Normandy. Lethaia, 9, 343–56.

Fürsich, F.T. (1976b) The use of macro-invertebrate associations in interpreting Corallian (Upper Jurassic) environments. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 20, 235–56.

Fürsich, F.T. (1977) Corallian (Upper Jurassic) marine benthic associations from England and Normandy. *Palaeontology*, 20, 337–85.

Gallois, R.W. (1976) Coccolith blooms in the Kimmeridge Clay and origin of North Sea oil. *Nature*, <sup>2</sup>59, <sup>473–5</sup>.

Gallois, R.W. (1979a) *Oil Shale Resources in Great Britain*, 2 vols, Institute of Geological Sciences, London. Unpublished report for the Department of Energy

Gallois, R.W. (1979b) Geological investigations for the Wash Water Storage Scheme. *Report of the Institute of Geological Sciences*, 78/19, 74 pp.

Gallois, R.W. (1988) *Geology of the Country around Ely.* Memoir of the British Geological Survey (England and Wales), Sheet 173.

Gallois, R.W. (1994) *Geology of the Country around King's Lynn and The Wash.* Memoir of the British Geological Survey (England and Wales), Sheet 145 and part of 129.

Gallois, R.W. (2000) The stratigraphy of the Kimmeridge Clay Formation (Upper Jurassic) in the RGGE Project boreholes at Swanworth Quarry and Metherhills, south Dorset. *Proceedings of the Geologists' Association*, 111, 265–80.

Gallois, R.W. and Cox, B.M. (1974) Stratigraphy of the Upper Kimmeridge Clay of the Wash area. *Bulletin of the Geological Survey of Great Britain*, 47, 1–16.

Gallois, R.W. and Cox, B.M. (1976) The stratigraphy of the Lower Kimmeridge Clay of eastern England. *Proceedings of the Yorkshire Geological Society*, 41, 13–26.

Gallois, R.W. and Cox, B.M. (1977) The stratigraphy of the Middle and Upper Oxfordian sediments of Fenland. *Proceedings of the Geologists' Association*, 88, 207–28.

Gallois, R.W. and Cox, B.M. (1994) The Kimmeridge Clay and underlying strata (Upper Jurassic) at Swindon, Wiltshire. *Proceedings of the Geologists' Association*, 105, 99–110.

Gallois, R.W. and Medd, A.W. (1979) Coccolith-rich marker bands in the English Kimmeridge Clay. *Geological Magazine*, 116, 247–60.

Gaunt, G.D., Fletcher, T.P. and Wood, C.J. (1992) *Geology of the Country around Kingston upon Hull and Brigg,* Memoir of the British Geological Survey (England and Wales), Sheets 80 and 89.

George, T.N., Harland, W.B., Ager, D.V. *et al.* (1969) Recommendations on stratigraphical usage. *Proceedings of the Geological Society of London*, 1656, 139–66.

Geyssant, J.R. (1994) Colonisation par des ammonites méridionales des mers Sub-boréales Kimméridgiennes du Yorkshire (Angleterre). *Geobios*, 17, 245–54.

G■owniak, E. (1997) Middle Oxfordian ammonites. Oxfordian (Jurassic) meeting in Poland, 26–28 May 1997 (E. G■owniak, B.A. Matyja, N.E. Poulsen, and A. Wierzbowski). *International Subcommission on Jurassic Stratigraphy Newsletter*, 25, 45–6.

Goldring, R., Astin, T.R., Marshall, J.E.A., Gabbott, S. and Jenkins, C.D. (1998a) Towards an integrated study of the depositional environment of the Bencliff Grit (Upper Jurassic) of Dorset. In *Development, Evolution and Petroleum Geology of the Wessex Basin* (ed. J.R. Underhill), *Geological Society of London Special Publication, No.* 133, 355–72.

Goldring, R., Layer, M.G., Magyari, A., Palotas, K. and Dexter, J. (1998b) Facies variation in the Corallian Group (Upper Jurassic) of the Faringdon–Shellingford area (Oxfordshire) and the rockground base to the Faringdon Sponge Gravels (Lower Cretaceous). *Proceedings of the Geologists' Association*, 109, 115–25.

Gordon, W.A. (1965) Foraminifera from the Corallian Beds, Upper Jurassic, of Dorset, England. *Journal of Palaeontology*, 39, 828–63.

Gould, S.J. (ed.) (1993) The Book of Life, Ebury Hutchinson, London.

Gradstein, E.M. and Ogg, J. (1996) A Phanerozoic time scale. Episodes, 19, 3-5.

Greenwell, G.C. (1859) On the ironstone of Wiltshire and Somerset. *Proceedings of the South Wales Institute of Engineers*, 1, 307–23.

Gregory, F.J. (1989) Palaeoenvironmental interpretation and distribution of the Lower Kimmeridgian foraminifera from the Helmsdale–Brora outlier, northeast Scotland. In *Northwest European Micropalaeontology and Palynology* (eds D.J. Batten and M.C. Keen), British Micropalaeontological Society Series, Ellis Horwood, Chichester, pp. 173–92.

Hallam, A. (1978) Eustatic cycles in the Jurassic. Palaeogeography, Palaeoclimatology, Palaeoecology, 23, 1–32.

Hallam, A. (1986) Role of climate in affecting late Jurassic and early Cretaceous sedimentation in the North Atlantic. In *North Atlantic Palaeooceanography* (eds C.P. Summerhayes and N. Shackleton), *Geological Society of London Special Publication*, *No.* 21, pp. 27781.

Hallimond, A.F. (1925) *Iron Ores: Bedded Ores of England and Wales, Petrography and Chemistry.* Special Reports on the Mineral Resources of Great Britain, 29, Memoir of the Geological Survey, HMSO, London.

Hancock, J.M. (1954) A new Ampthill Clay fauna from Knapwell, Cambridgeshire. Geological Magazine, 91, 249-51.

Harland, W.B., Armstrong, R.L., Cox, A.V., Craig, L.E., Smith, A.G. and Smith, D.G. (1990) A *Geologic Time Scale*, Cambridge University Press, Cambridge.

Hemingway, J.E. (1974) Jurassic. In *The Geology and Mineral Resources of Yorkshire* (eds D.H. Rayner and J.E. Hemingway), Yorkshire Geological Society.

Hemingway, J.E. and Twombley, B.N. (1963) Convolution phenomena in the Hambleton Oolite. *Transactions of the Leeds Geological Association*, 7, 139–50.

Hemingway, J.E. and Twombley, B.N. (1964) Rosedale and Pickering. [Field meeting report.] *Proceedings of the Yorkshire Geological Society*, 34, 465–8.

Herbin, J.P. and Geyssant, J.R. (1993) 'Organic belts' during Kimmeridgian/Tithonian in England (Yorkshire, Dorset) and France (Boulonnais). *Comptes rendues des séances de l'Académie des Sciences Paris*, 317, Série II, 1309–16.

Herbin, J.-P., Müller, C., Geyssant, J.R., Mélières, F., Penn, I.E. and Yorkim Group (1991) Héterogénéité quantitative et qualitative de la matière organique dans les argiles du Kimméridgien du Val de Pickering (Yorkshire, UK). Cadre sédimentologique et stratigraphique. *Revue de l'Institut Français du Pétrole*, 46, 675–712.

Herbin, J.P., Muller, C., Geyssant, J.R., Melieres, F., Penn, I.E. and Yorkim Group (1993) Variation of the distribution of organic matter within a transgressive system tract: Kimmeridge Clay (Jurassic), England. In Source rocks in a sequence stratigraphic framework (eds B.J. Katz and L.M. Pratt). *American Association of Petroleum Geologists, Studies in Geology*, 37, 67–100.

Herbin, J.P., Fernandez-Martinez, J.L., Geyssant, J.R., Albani, A.E1., Deconinck, J.F., Proust, J.N., Colbeaux, J.P. and Vidier, J.P. (1995) Sequence stratigraphy of source rocks applied to the study of the Kimmeridgian/Tithonian in the north-west European shelf (Dorset/UK, Yorkshire/UK and Boulonnais/France). *Marine and Petroleum Geology,* 12, 177–94.

Hinde, G. J. (1886–1911) A *Monograph of the British Fossil Sponges: I, Sponges of the Palaeozoic and Jurassic Strata.*Monograph of the Palaeontographical Society (London).

Hitchins, V.H. (1980) *Tentilenticulina latens* n. gen. n. sp.: a new foraminifera from the Corallian (Upper Jurassic), Great Britain. *Micropalaeontology*, 26, 216–21.

Hitchins, V.H. (1983) The Corallian 'reefs' of Yorkshire. Unpublished PhD thesis, University of Swansea.

Holgate, N. (1969) Palaeozoic and Tertiary transcurrent movements on the Great Glen Fault. *Scottish Journal of Geology*, 5, 97–139.

Holloway, S. (1985) Upper Jurassic: early Callovian to Middle Oxfordian. In *Atlas of Onshore Sedimentary Basins in England and Wales: Post-Carboniferous Tectonics and Stratigraphy* (ed. A. Whittaker), Blackie, Glasgow and London, pp. 47–8.

Horton, A. and Horrell, J. (1971) Field meeting in the Peterborough district, report by the Directors. *Proceedings of the Geologists' Association*, 82, 353–7.

Horton, A., Sumbler, M.G., Cox, B.M. and Ambrose, K. (1995) *Geology of the Country around Thame,* Memoir of the British Geological Survey (England and Wales), Sheet 237

House, M.R. (1965) Geology Proceedings of the Dorset Natural History and Archaeological Society, 86, 38–40.

House, M.R. (1985) A new approach to an absolute time scale from measurements of orbital cycles and sedimentary microrhythms. *Nature*, 315, 721–5.

House, M.R. (1986) Are Jurassic sedimentary microrhythms due to orbital forcing? *Proceedings of the Ussher Society*, 6, 299–311.

House, M.R. (1989) Geology of the Dorset Coast, Geologists' Association Guide, The Geologists' Association, London.

House, M.R. (1995) Orbital forcing timescales: an introduction. In *Orbital Forcing limescales and Cyclostratigraphy* (eds M.R. House and A.S. Gale), *Geological Society of London Special Publication*, No. 85, pp.1–18.

Hudleston, W.H. (1876) The Yorkshire Oolites. Part 2, The Middle Oolites. Introduction and Section 1. *Proceedings of the Geologists' Association*, 4, 353–410.

Hudleston, W.H. (1878) The Yorkshire Oolites. Part 2, Section 2, The Coralline Oolites, Coral Rag and Supra-coralline Beds. *Proceedings of the Geologists' Association*, 5, 407–94.

Hudleston, W.H. (1880) Excursion to Oxford. Proceedings of the Geologists' Association, 6, 338-44.

Hudleston, W.H. (1889) Excursion to Weymouth. Proceedings of the Geologists' Association, 11, 49-52.

Hudson, J.D. and Morton, N. (1969) *International Field Symposium on the British Jurassic. Excursion No. 4, Guide for Western Scotland*, University of Keele.

Hudson, J.D. and Palframan, D.F.B. (1969) The ecology and preservation of the Oxford Clay fauna at Woodham, Buckinghamshire. *Quarterly Journal of the Geological Society of London*, 124, 387–418.

Hull, E. and Whittaker, W (1861) *The Geology of Parts of Oxfordshire and Berkshire,* Memoir of the Geological Survey of Great Britain (England and Wales).

Hurst, A. (1985) The implications of clay mineralogy to palaeoclimate and provenance during the Jurassic in NE Scotland. *Scottish Journal of Geology*, 21, 143–60.

Insalaco, E. (1996) The use of Late Jurassic coral growth bands as palaeoenvironmental indicators. *Palaeontology*, 39, 413–31.

Institute of Geological Sciences (1974) Annual Report for 1973, Institute of Geological Sciences, Keyworth.

Irwin, H. (1979) On an environmental model for the type Kimmeridge Clay. Nature, 279, 819.

Irwin, H. (1980) Early diagenetic carbonate precipitation and pore fluid migration in the Kimmeridge Clay of Dorset, England. *Sedimentology*, 27, 577–91.

Irwin, H. (1981) On calcic dolomite-ankerite from the Kimmeridge Clay. Mineralogical Magazine, 44, 105–7.

Irwin, H., Curtis, C.D. and Coleman, M. (1977) Isotopic evidence for source of diagenetic carbonates formed during burial of organic-rich sediments. *Nature*, 269, 209–13.

James, H.L. (1966) Chemistry of the iron-rich sedimentary rocks. In *Data of Geochemistry* (ed. M. Fleischer), United States Geological Survey Professional Paper 440-W

Johnson, A.L.A. (1983) Field Meeting on the Corallian of Oxfordshire — report by the director. *Proceedings of the Geologists' Association*, 94, 177–80.

Judd, J.W. (1868) On the Speeton Clay. Quarterly Journal of the Geological Society of London, 24, 218–50.

Judd, J.W. (1873) The secondary rocks of Scotland. First paper. *Quarterly Journal of the Geological Society of London*, 29, 97–195.

Judd, J.W. (1878) The secondary rocks of Scotland. Third Paper. The strata of the western coasts and islands. *Quarterly Journal of the Geological Society of London*, 34, 660–743.

Jukes-Browne, A.J. (1885) *The Geology of the Southwest Part of Lincolnshire,* Memoir of the Geological Survey of Great Britain (England and Wales), Sheet 70 (Old Series).

Jukes-Browne, A.J. (1887) *Geology of Part of East Lincolnshire,* Memoir of the Geological Survey of Great Britain (England and Wales).

Kelly, S.R.A. (1985) Jurassic and Cretaceous deposits of Upware, Cambridgeshire (review and excursion report). *Bulletin of the Geological Society of Norfolk*, 35, 3–38.

Kelly, S.R.A. and Rawson, P.F. (1983) Some late Jurassic-mid-Cretaceous sections on the East Midlands Shelf, England, as demonstrated on a field meeting, 18–20 May 1979. *Proceedings of the Geologists' Association*, 94, 65–73.

Kendall, P.F. and Wroot, H.E. (1924) The geology of Yorkshire, 2 vols, privately printed in Vienna.

Kent, R.E. (1980a) Subsidence and uplift in East Yorkshire and Lincolnshire — double inversion. *Proceedings of the Yorkshire Geological Society*, 42 (4), 505–24.

Kent, P.E. (1980b) *Eastern England from the Tees to the Wash,* British Regional Geology, Institute of Geological Sciences, HMSO, London.

Kilenyi, T.I. (1969) The Ostracoda of the Dorset Kimmeridge Clay. *Palaeontology*, 12, 112–60.

Kirkby, G.A. and Swallow, P.W. (1987) Tectonism and sedimentation in the Flamborough Head region of northeast England. *Proceedings of the Yorkshire Geological Society,* 46, 301–9.

Koby, F. (1881–1889) Monographie des polipiers jurassiques de la Suisse. Memoire du Societé Paléontologique Suisse,

Kreisa, R.D. and Bambach, R.K. (1982) The role of storm processes in generating shell beds in Palaeozoic shelf sequences. In *Cyclic and Event Stratification* (eds G. Einsele and A. Seilacher), Springer-Verlag, Berlin, pp. 200–7.

Lam, K. and Porter, R. (1977) The distribution of palynomorphs in the Jurassic rocks of the Brora Outlier, N.E. Scotland. *Journal of the Geological Society, London*, 134, 45–55.

Lamplugh, G.W. (1896) On the Speeton Series in Yorkshire and Lincolnshire. *Quarterly Journal of the Geological Society of London*, 52, 179–220.

Lamplugh, G.W. (1924) A review of the Speeton clays. Proceedings of the Yorkshire Geological Society, 20, 1–31.

Lamplugh, G.W., Kitchen, M.A.and Pringle, J. (1923) *The Concealed Mesozoic Rocks in Kent*, Memoir of the Geological Survey of Great Britain (England and Wales).

Lamplugh, G.W., Wedd, C.B. and Pringle, J. (1920) *Iron Ores: Bedded Ores of the Lias, Oolites and Later Formations in England.* Special Reports on the Mineral Resources of Great Britain, 12, Memoir of the Geological Survey, HMSO, London

Laporte, L.F. (ed) (1974) Reefs in Time and Space. Special Publication of the Society of Economic Palaeontologists and Mineralogists, 18, Tulsa.

Leckenby, J. (1859) Note on the Speeton Clay of Yorkshire. The Geologist, 1859, 9-11.

Lee, A.K.C. (1971) A petrographic and palaeoenvironmental study of the Coralline Oolite Formation (Corallian) east of Newtondale, Yorkshire. Unpublished PhD thesis, Chelsea College, London.

Lee, G.W. (1925) Mesozoic rocks. In *The Geology of the Country around Golspie, Sutherlandshire* (eds H.H. Read, G. Ross and J. Phernister), Memoir of the Geological Survey of Great Britain (Scotland), pp. 65–114

Lee, G.W. and Pringle, J. (1932) A synopsis of the Mesozoic rocks of Scotland. *Transactions of the Geological Society of Glasgow*, 19, 158–224.

Linsley, E.N. (1972) The stratigraphy and sedimentology of the Kimmeridgian deposits of Sutherland, Scotland. Unpublished PhD thesis, University of London.

Lloyd, A.J. (1958) Foraminifera from the type Kimmeridgian. Unpublished PhD thesis, University of London.

Lloyd, A.J. (1959) Arenaceous foraminifera from the type Kimmeridgian (Upper Jurassic). Palaeontology, 1, 298–320.

Lloyd, A.J. (1962) Polymorphinid, miliolid and rotaliform foraminifera from the type Kimmeridgian. *Micropalaeontology*, 8, 36983.

Lonsdale, W. (1832) On the oolitic district of Bath. *Transactions of the Geological Society of London, 2nd Series*, 3, 241–76.

Macculloch, J. (1819) A Description of the Western Islands of Scotland, Including the Isle of Man: Comprising an Account of their Geological Structure; With Remarks on Their Agriculture, Scenery, and Antiquities, 3 vols, Hurst Robinson, London.

Macdonald, A.C. (1985) Kimmeridgian and Volgian fault-margin sedimentation in the northern North Sea area. Unpublished PhD thesis, University of Strathclyde.

Macdonald, A.C. and Trewin, N.H. (1993) The Upper Jurassic of the Helmsdale area. In *Excursion Guide to the Geology of East Sutherland and Caithness*, (eds N.H. Trewin and A. Hurst), Scottish Academic Press, Edinburgh, pp. 75–114.

MacFadyen, W.A. (1970) Geological Highlights of the West Country, Butterworth, London, 296 pp.

Macgregor, M. (1916) A Jurassic shore line. *Transactions of the Geological Society of Glasgow*, 16, 75–85.

Macgregor, M. (1934) The sedimentary rocks of North Trotternish, Isle of Skye. *Proceedings of the Geologists' Association*, 45, 389–406.

Mckee, E.D. and Goldberg, M. (1969) Experiments on formation of contorted structures in mud. *Bulletin of the Geological Society of America*, 80, 231–44.

McKenny Hughes, T. (1884) Excursion to Cambridge. Proceedings of the Geologists' Association, 8, 399–404.

McKenny Hughes, T. (1894) Excursion to Cambridge and Ely. *Proceedings of the Geologists' Association*, 13, 292–5.

McKerrow, W.S. (1958) *Geology Around the University Towns: the Oxford District,* 1st edn, Geologists' Association Guide No. 3, Geologists' Association, London.

McKerrow, W.S. and Baden Powell, D.F.W. (1953) Easter Field Meeting 1952. The Jurassic rocks of Oxfordshire and their superficial deposits. *Proceedings of the Geologists' Association*, 64, 86–98.

McKerrow W.S. and Kennedy, W.J. (1973) *Geology around the University Towns: the Oxford district,* 2nd edn, Geologists' Association Guide No. 3, Geologists' Association, London.

McQuillan, R., Donato, J.A. and Tulstrup, J. (1982) Inner Moray Firth Basin formation by dextral strike slip. *Earth and Planetary Science Letters*, 60, 127–39.

Macquaker, J.H.S. and Gawthorpe, R.L. (1993) Mudstone lithofacies in the Kimmeridge Clay Formation, Wessex Basin, southern England: implications for the origin and controls of the distribution of mudstones. *Journal of Sedimentary Petrology*, 63, 1129–43.

Macquaker, J.H.S. and Gawthorpe, R.L. (1994) Mudstone lithofacies in the Kimmeridge Clay Formation, Wessex Basin, southern England: implications for the origin and controls of the distribution of mudstones — Reply. *Journal of Sedimentary Research*, *A64*, 930–2.

Marchand, D. (1979) Un nouvel horizon palaéontologique: l'horizon a *paucicostatum* (Oxfordien inférieure, zone à Mariae, base de la sous-zone à Scarburgense). *Compte Rendu Sommaire des Séances de la Société Géologique de France, 1979* (3), 122–4.

Marchand, D. and Fortwengler, D. (1995) Selection of the Oxfordian G.S.S.P.: Proposal for Savournonahoux sections, south-eastern France (Hautes-Alpes Department). *Kimmeridgian Boundary Working Group Report*. Unpublished report of the International Subcommission on Jurassic Stratigraphy.

Mathews, P.M. (1932) A description of the G.W.R. cutting at Westbury, Wiltshire. *Proceedings of the Bristol Naturalists' Society, vii,* 382–7.

Maubeuge, P.-L. (1970) Resolutions du deuxième Colloque International du Jurassique. In *Colloque du Jurassique à Luxembourg 1967*, Musée d'Histoire naturelle, Grand-Duche de Luxembourg, Luxembourg, p. 38.

Melville, R.V. (1956) The boundary between Middle and Upper Jurassic. Geological Magazine, 93, 436-7.

Miller, H. (1854) The fossiliferous deposits of Scotland. Proceedings of the Royal Physical Society of Edinburgh, 1, 1.

Milne-Edwards, H. and Haime, J. (1851) A *Monograph of British Fossil Corals*, Monograph of the Palaeontographical Society (London).

Milsom, J. and Rawson. P.E (1989) The Peak Trough, a major control on the geology of the North Yorkshire coast. *Geological Magazine*, 126, 699–705.

Morris, N.J. (1968) Stratigraphical and palaeontological researches in the Upper Jurassic rocks. Unpublished DPhil thesis, University of Oxford.

Morton, N. (ed.) (1974) The definition of standard Jurassic stages. *Mémoires du Bureau de Recherches Géologiques et Minières*, 75 [for 1971], 83–93.

Morton, N. and Hudson, J.D. (1995) Field guide to the Jurassic of the Isles of Raasay and Skye, Inner Hebrides, NW Scotland. In *Field Geology of the British Jurassic* (ed. P.D.Taylor), Geological Society, London, pp. 209–80.

Murchison, R.I. (1829a) Supplementary remarks on the strata of the Oolitic Series, and the rocks associated with them, in the counties of Sutherland and Ross, and in the Hebrides. *Transactions of the Geological Society of London,* 2nd series, 2, 353–68.

Murchison, R.I. (1829b) On the coal-field of Brora in Sutherlandshire, and some other stratified deposits in the north of Scotland. *Transactions of the Geological Society of London,* 2nd series, 2, 293–326.

Myers, K.J. and Wignall, R.B. (1987) Understanding Jurassic organic-rich mud-rocks — new concepts using gamma-ray spectrometry and palaeoecology: examples from the Kimmeridge Clay of Dorset and the Jet Rock of Yorkshire. In *Marine Clastic Sedimentology* (eds J.K. Leggett and G.G. Zuffa), Graham and Trotman, London, pp. 172–89.

Neaverson, E. (1925) Ammonites from the Upper Kimmeridge Clay. *Paper of the Geology Department of the University of Liverpool*, 1, 1–52.

Negus, P.E. (1975) British Jurassic corals in the literature. Fossil Cnidaria Newsletter, 2, 34-6.

Negus, P.E. and Beauvais, L. (1979) The corals of Steeple Ashton (English Upper Oxfordian), Wiltshire. *Proceedings of the Geologists' Association*, 90, 213–27.

Neves, R. and Selley, R.C. (1975) A review of the Jurassic rocks of north-east Scotland. In *Proceedings of the Northern North Sea Symposium. Stavanger* (eds K.G. Finstad and R.C. Neves), Norwegian Petroleum Society JNNSS/5, pp. 1–29.

Newell, A.J. (2000) Fault activity and sedimentation in a marine rift basin (Upper Jurassic, Wessex Basin, UK). *Journal of the Geological Society, London,* 157, 83–92.

Norton, W.H. (1917) A classification of breccias. Journal of Geology, 25, 160-94.

Oakley, K.P. and Muir-Wood, H.M. (1967) *The Succession of Life Through Geological Time,* Trustees of the British Museum (Natural History), London.

Oates, M.J. (1991) Upper Kimmeridgian stratigraphy of Aylesbury Bucks. *Proceedings of the Geologists' Association*, 102, 185–99.

Oschmann, W. (1985) Faziesentwicklung und Provinzialismus in Nordfrankreich und Sudengland zur Zeit des obersten Jura (Oberkimmeridge-Portland). *Münchner Geowissenschaftliche Abhandlungen*, A2, 119 pp.

Oschmann, W (1988) Kimmeridge Clay sedimentation — a new cyclic model. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 65, 217–51.

Oschmann, W (1994) Der Kimmeridge Clay von Yorkshire als ein Beispiel eines fossilen Sauerstoff-kontrollierten Milieus. *Beringeria*, 9.

Page, K.N. (1986) A new section in the Elsworth Rock (Jurassic, Oxfordian) at Papworth Everard, near Cambridge, England. *Proceedings of the Geologists' Association*, 97, 229–35.

Page, K.N. (1995) Biohorizons and zonules: intra-subzonal units in Jurassic ammonite stratigraphy. *Palaeontology*, 38, 801–14.

Page, K.N. and Cox, B.M. (1995) Notes on the potential of sites in Great Britain as candidate GSSPs for the Oxfordian–Kimmeridgian boundary. *Kimmeridgian Boundary Working Group Report*, Unpublished report for International Subcommission on Jurassic Stratigraphy.

Palmer, T.J. and Fürsich, F.T. (1981) Ecology of sponge reefs from the Upper Bathonian of Normandy. *Palaeontology*, 24, 1–23.

Parkinson, J. (1804–1811) Organic Remains of a Former World, 3 vols, J. Robson, London.

Pavlow, A. and Lamplugh, G.W. (1892) *Argiles de Speeton et leurs équivalents*, Imprimerie de l'Université Impériale, Moscow.

Penn, I.E., Cox, B.M. and Gallois, R.W. (1986) Towards precision in stratigraphy: geophysical log correlation of Upper Jurassic (including Callovian) strata of the Eastern England Shelf. *Journal of the Geological Society, London*, 143, 381–410.

Pennant, T. (1774) A Tour in Scotland and Voyage to the Hebrides, 1772, John Monk, Chester.

Penney, L.F. and Rawson, R.F. (1969) Field Meeting in East Yorkshire and North Lincolnshire: report by the directors. *Proceedings of the Geologists' Association*, 80, 193–216.

Phemister, J. (1936) *Scotland: The Northern Highlands*, British Regional Geology HMSO, Edinburgh for the Geological Survey of Great Britain.

Phillips, J. (1829) Illustrations of the Geology of Yorkshire. Part 1, The Yorkshire Coast, Murray, London.

Phillips, W (1818) Outline of the Geology of England and Wales, W Phillips, London.

Pichon, M. (1972) Les peuplements a base de Scleractiniaires dans les recifs coralliens de la Baie de Tulear (S.W. de Madagascar). In *Proceedings of the Symposium on Corals and Coral Reefs 1969*, Marine Biological Association of India, pp. 135–54.

Pickering, K.T. (1984) The Upper Jurassic 'Boulder Beds' and related deposits: a fault-controlled submarine slope, NE Scotland. *Journal of the Geological Society, London,* 141, 357–74.

Pocock, T.I., Woodward, H.B. and Lamplugh, G.W.(1908) *The Geology of the Country around Oxford,* Memoir of the British Geological Survey (England and Wales), explanation of Special Oxford Sheet.

Powell, J.H., Cooper, A.H. and Benfield, A.C. (1992) *Geology of the Country around Thirsk,* Memoir of the British Geological Survey (England and Wales), Sheet 52.

Pringle, J. (1922) On a boring for coal at Westbury, Wiltshire. Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for 1921, pp. 146–53.

Pringle, J. (1923) On the concealed Mesozoic rocks in south-west Norfolk. Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for 1922, pp. 126–39.

Pringle, J. (1926) *The Geology of the Country around Oxford*, 2nd edn, Memoir of the Geological Survey of Great Britain (England and Wales), explanation of Special Oxford Sheet.

Pyrah, B.J. (1977) An exposure of Upper Oxfordian clays in the Vale of Pickering, Yorkshire. *Proceedings of the Yorkshire Geological Society*, 41, 197–8.

Ramsay, A.C. (1865) The glacial theory of lake basins. Philosophical Magazine, 29, 285.

Rasta, R.H. (1909) Cambridgeshire, Bedfordshire and west Norfolk. In *Geology in the Field* (eds H.W. Monckton and R.S. Herries), Jubilee Volume of the Geologists' Association, Part 1, Edward Stanford, London, pp. 124–78.

Rawson, P.F. and Wright, J.K. (1995) Jurassic of the Cleveland Basin, North Yorkshire. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 173–208.

Rawson, P.F. and Wright, J.K. (2000) *The Yorkshire Coast*, 3rd edn, Geologists' Association Guide No. 34, Geologists' Association, London.

Read, H.H., Ross, G. and Phemister, J. (1925) *The Geology of the Country around Golspie, Sutherlandshire.* Memoir of the Geological Survey of Great Britain (Scotland).

Reed, F.R.C. (1897) Handbook to the Geology of Cambridgeshire, Cambridge University Press, Cambridge.

Reineck, H.E. and Singh, I.B. (1980) *Depositional Sedimentary Environments with Reference to Terrigenous Clastics,* Springer Verlag, Berlin, Heidelberg, New York.

Richardson, G. (1979) The Mesozoic stratigraphy of two boreholes near Worlaby, Humberside. *Bulletin of the Geological Survey of Great Britain*, 58.

Riding, J.B. and Thomas, J.E. (1988) Dinoflagellate cyst stratigraphy of the Kimmeridge Clay (Upper Jurassic) from the Dorset coast, southern England. *Palynology*, 12, 65–88.

Riding, J.B. and Thomas, J.E. (1997) Marine palynomorphs from the Staffin Bay and Staffin Shale formations (Middle–Upper Jurassic) of the Trotternish Peninsula, NW Skye. *Scottish Journal of Geology*, 33, 59–74.

Riley, L.A. (1980) Palynological evidence of an early Portlandian age for the uppermost Helmsdale Boulder Beds, Sutherland. *Scottish Journal of Geology*, 16, 29–31.

Roberts, A. (1989) Fold and thrust structures in the Kintradwell 'Boulder Beds' Moray Firth. *Scottish Journal of Geology*, 25, 173–86.

Roberts, T (1889) The Upper Jurassic clays of Lincolnshire. *Quarterly Journal of the Geological Society of London, 45*, 545–60.

Roberts, T (1892) *The Jurassic Rocks of the Neighbourhood of Cambridge. Sedgwick Prize Essay for 1886*, Cambridge University Press, Cambridge.

Salfeld, H. (1913) Certain Upper Jurassic strata of England. *Quarterly Journal of the Geological Society of London*, 69, 423–30.

Salfeld, H. (1914) Die Gliederung des oberen Jura in Nordwesteuropa von den Schichten mit *Perisphinctes Martelli* OPPEL an aufwarts auf Grund von Ammoniten. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie. Beilage-Band*, 37, 125–246.

Sandy, M.R. (1985) Brachiopods from the Jurassic Abbotsbury Ironstone, Abbotsbury. *Proceedings of the Dorset Natural History and Archaeological Society*, 106, 171–2.

Schweigert, G. and Callomon, J.H. (1997) Der bauhini-Faunenhorizont und seine Bedeutung fur die Korrelation zwischen tethyalem und subborealem Oberjura. *Stuttgarter Beiträge zur Naturkunde, Serie B (Geologie and Paläontologie)*, 247.

Scotchman, I.C. (1984) Diagenesis of the Kimmeridge Clay Formation. Unpublished PhD thesis, University of Sheffield.

Scotchman, I.C. (1987a) Relationship between clay diagenesis and organic maturation in the Kimmeridge Clay Formation, onshore UK. In *Petroleum Geology of North West Europe* (eds J. Brooks and K. Glennie), Graham and Trotman, London, pp. 251–61.

Scotchman, I.C. (1987b) Clay diagenesis in the Kimmeridge Clay Formation, onshore UK, and its relation to organic maturation. *Mineralogical Magazine*, 51, 535–51.

Scotchman, I.C. (1989) Diagenesis of the Kimmeridge Clay Formation, onshore UK. *Journal of the Geological Society, London*, 146, 285–303.

Scotchman, I.C. (1991a) The geochemistry of concretions from the Kimmeridge Clay Formation of southern and eastern England. *Sedimentology*, 38, 79–106.

Scotchman, I.C. (1991b) Kerogen facies and maturity of the Kimmeridge Clay Formation in southern and eastern England. *Marine and Petroleum Geology*, 8, 278–95.

Sedgwick, A. (1826) On the classification of the strata which appear on the Yorkshire coast. *Annals of Philosophy, 2nd Series,* 11, 339–62.

Sedgwick, A. (1846) On the geology of the neighbourhood of Cambridge, including the formations between the Chalk escarpment and the Great Bedford Level. *Report of the British Association* [for 1845], 40.

Seeley, H.G. (1861a) Notice of the Elsworth and other new rocks in the Oxford Clay, and of the Bluntisham Clay above them. *Geologist*, 4, 460–1.

Seeley, H.G. (1861b) On the Fen Clay Formation. Annals and Magazine of Natural History, 8, 503-5.

Seeley, H.G. (1862) Notes on Cambridge geology: preliminary notice of the Elsworth Rock and associated strata. *Annals and Magazine of Natural History*, 10, 97–110.

Seeley, H.G. (1865a) On the significance of the sequence of rocks and fossils: theoretical considerations on the Upper Secondary rocks, as seen in the section at Ely. *Geological Magazine*, 2, 262–5.

Seeley, H.G. (1865b) On a section discovering the Cretaceous beds at Ely. Geological Magazine, 2, 529-34.

Seeley, H.G. (1868) On the collocation of the strata at Roswell Hole, near Ely. Geological Magazine, 5, 347-9.

Seeley, H.G. (1869) *Index to the Fossil Remains of Ayes, Ornithosauria, and Reptilea from the Secondary System of Strata, arranged in the Woodwardian Museum of the University of Cambridge, Cambridge University Press, Cambridge.* 

Sellwood, B.W. and Wilson, R.C.L. (1990) Jurassic sedimentary environments of the Wessex Basin, *13th International Sedimentological Congress, Nottingham, UX 1990, Field Guide No.* 7, British Sedimentological Research Group.

Seward, A.C. (1911) The Jurassic flora of Sutherland. Transactions of the Royal Society of Edinburgh, 47, 643–709.

Seward, A.C. and Bancroft, T.N. (1913) Jurassic plants from Cromarty and Sutherland, Scotland. *Transactions of the Royal Society of Edinburgh*, 48, 867–88.

Shephard-Thorn, E.R., Moorlock, B.S.P., Cox, B.M., Allsop, J.M. and Wood, C.J (1994) *Geology of the Country around Leighton Buzzard,* Memoir of the British Geological Survey (England and Wales), Sheet 220.

Skertchly, S.B.J. (1877) *The Geology of the Fenland,* Memoir of the Geological Survey of Great Britain (England and Wales).

Smart, J.G.O. and Wood, C.J. (1976) South Humberside [report of field meeting]. *Proceedings of the Yorkshire Geological Society*, 40, 586–93.

Smith, W. (1829–1830) Memoir on the stratification of the Hackness Hills. In *The Jurassic Rocks of Britain, I. Yorkshire* (ed. C. Fox-Strangways), Memoir of the Geological Survey of the United Kingdom, pp. 507–14

Spath, L.F. (1925) Ammonites and aptychi. In The Collection of Fossils and Rocks from Somaliland made by Messrs B.N.K. Wyllie, B.Sc., F.G.S. and W.R. Smellie, D.Sc. F.R.S.ED. *Monograph of the Geology Department of the Hunterian Museum Glasgow University*, 1, 111–64.

Spath, L.F. (1935) The Upper Jurassic invertebrate faunas of Cape Leslie, Milne Land I. Oxfordian and Lower Kimmeridgian. *Meddelelser om Grønland*, 99, 82 pp.

Spath, L. F. (1939) The ammonite zones of the Upper Oxford Clay of Warboys, Huntingdonshire. *Bulletin of the Geological Survey of Great Britain*, 1, 82.

Stancliffe, R.P.W. (1984) The palynology of the Oxfordian–Kimmeridgian boundary at South Ferriby Chalk Quarry South Humberside. Unpublished MSc thesis, University of Hull.

Strahan. A. (1898) *The Geology of the Isle of Purbeck and Weymouth,* Memoir of the Geological Survey (England and Wales).

Strahan, A. (1920) Lignites, Jets, Kimmeridge Oil-Shale, Mineral Oil, Cannel Coals, Natural Gas. Part 1, Special Report on the Mineral Resources of Great Britain, 7, Memoir of the Geological Survey (England and Wales), HMSO, London, pp. 18–40.

Sun, S.Q. (1989) A new interpretation of the Corallian (Upper Jurassic) cycles of the Dorset coast, southern England. *Geological Journal*, 24, 139–58.

Sun, S.Q. (1990) Facies-related diagenesis in a cyclic shallow marine sequence: the Corallian Group (Upper Jurassic) of the Dorset coast, southern England. *Journal of Sedimentary Petrology*, 60, 42–52.

Swinnerton, H.H. and Kent, P.E. (1976) *The Geology of Lincolnshire, from the Humber to the Wash,* 2nd edn (revised by Sir Peter Kent), Lincolnshire Naturalists' Union, Lincoln.

Sykes, R.M. (1975) The stratigraphy of the Callovian and Oxfordian stages (Middle&ndaUpper Jurassic) in northern Scotland. *Scottish Journal of Geology*, 11, 51–78.

Sykes, R.M. and Callomon, J.H. (1979) The *Amoeboceras* zonation of the Boreal Upper Oxfordian. *Palaeontology*, 22, 839–903.

Sykes, R.M. and Surlyk, F. (1976) A revised ammonite zonation of the Boreal Oxfordian and its application in N.E. Greenland. *Lethaia*, 9, 421–36.

Sylvester-Bradley, P.C. (1953) A Stratigraphical Guide to the Fossil Localities of the Scarborough District. I. Geology and Botany, Scarborough Field Naturalists' Society.

Talbot, M.R. (1971) Calcite cements in the Corallian beds (Upper Oxfordian) of southern England. *Journal of Sedimentary Petrology*, 41, 261–73.

Talbot, M.R. (1973a) Major sedimentary cycles in the Corallian Beds (Oxfordian) of southern England. *Palaeogeography, Palaeoclimatology, Palaeoecology,* 14, 293–317.

Talbot, M.R. (1973b) The deposition and diagenesis of the Corallian Beds of southern England. Unpublished PhD thesis, University of Bristol.

Talbot, M.R. (1974) Ironstones in the Upper Oxfordian of southern England. Sedimentology, 21, 433–50.

Tarlo, L.B. (1959) Pliosaurus brachyspondylus (Owen) from the Kimmeridge Clay. Palaeontology, 1, 283–91.

Taylor, J.H. (1949) *Petrology of the Northampton Sand Ironstone Formation,* Memoir of the Geological Survey of Great Britain, HMSO, London.

Tomes, R.F. (1884) A critical and descriptive list of the Oolitic Madrepora of the Boulonnaise. *Quarterly Journal of the Geological Society of London*, 40, 698–723.

Torrens, H.S. (1980) Definition of the Middle and Upper Jurassic. In A Correlation of Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic (J.C.W Cope, K.L. Duff, C.F. Parsons et al.), Geological Society of London Special Report No.15, p. 2.

Torrens, H.S. and Callomon, J.H. (1968) The Corallian Beds, the Ampthill Clay and the Kimmeridge Clay. In *The Geology of the East Midlands* (eds P.C. Sylvester-Bradley and T.D. Ford), Leicester University Press, Leicester, pp. 291–9.

Torrens, H.S. and Wright, J.K. (1980) Event stratigraphy in the British Jurassic. In A *Correlation of Jurassic Rocks in the British Isles. Part One, Introduction and Lower Jurassic* (J.C.W Cope, T.A. Getty, M.K. Howarth, N. Morton and H.S. Torrens), *Geological Society of London Special Report No.* 14, pp.13–16.

Townson, W.G. (1975) Lithostratigraphy and deposition of the type Portlandian. *Journal of the Geological Society, London*, 131, 619–38.

Treacher, L. (1907) Report of an excursion to Faringdon. *Proceedings of the Geologists' Association*, 20, 115–21.

Trewin, N.H. (1990) Jurassic sedimentation and tectonics in the Brora–Helmsdale area, and Old Red Sandstone fluvial and lacustrine facies in N. Scotland. *13th International Sedimentology Congress, Nottingham, 1990. Excursion Guide A20, British Sedimentology Research Group.* 

Turner, J.A. (1966) The Oxford Clay of Skye, Scalpay and Eigg. Scottish Journal of Geology, 2, 243-52.

Turner, J.A. (1970) The ammonites of the *bukowskii* Subzone of the Oxfordian of Skye. *Scottish Journal of Geology*, 6, 371–8.

Twombley, B.N. (1965) Environmental and diagenetic studies of the Corallian rocks in Yorkshire, west of Newtondale. Unpublished PhD thesis, University of Newcastle.

Tyson, R.V. (1989) Late Jurassic palynofacies trends, Piper and Kimmeridge Clay Formations, UK onshore and northern North Sea. In *Northwest European Micropalaeontology and Palynology* (eds D.J. Batten and M.C. Keen), British Micropalaeontological Society Series, Ellis Horwood, Chichester, pp. 136–72.

Tyson, R.V., Wilson, R.C.L. and Downie, C. (1979) A stratified water column environmental model for the type Kimmeridge Clay. *Nature*, 277, 377–80.

Ussher, W.A.E. (1890) The Geology of Parts of North Lincolnshire and South Yorkshire, Memoir of the Geological Survey of Great Britain (England and Wales).

Ussher, W.A.E., Jukes-Browne, A.J. and Strahan, A. (1888) *The Geology of the Country around Lincoln,* Memoir of the Geological Survey of Great Britain (England and Wales), Sheet 83 (Old Series).

van de Burgh, J. (1987) Macroflora of the Kimmeridgian of Sutherland — a preliminary report. *Documenta Naturae*, 41, 1–10.

van de Burgh, J. and van Konijnenburg-van Cittert, J.H.A. (1984) A drifted flora from the Kimmeridgian (Upper Jurassic) of Lothbeg Point, Sutherland, Scotland. *Review of Palaeobotany and Palynology*, 43, 359–96.

Versey, H.C. (1929) The tectonic structure of the Howardian Hills and adjacent areas. *Proceedings of the Yorkshire Geological Society*, 21, 197–227.

von Buch, L. (1839) Über den Jura im Deutschland. *Abhandlungen der K Akademie Wissenschaften Berlin,* 1837, 49–135.

Waagen, W. (1865) Versuch einer allgemeinen Classification der Schichten des oberen Jura, Hermann Manz, Munchen.

Waterhouse, H.K. (1995) High-resolution palynofacies investigation of Kimmeridgian sedimentary cycles. In *Orbital Forcing Timescales and Cyclostratigraphy* (eds M.R. House and A.S. Gale), *Geological Society of London Special Publication, No.* 85, pp. 75–114.

Webster, T (1816) Geological observations on the Isle of Wight. In *Description of the Principal Picturesque Beauties, Antiquities, and Geological Phenomena of the Isle of Wight* (H. Englefield), Payne and Foss, London.

Wedd, C.B. (1898) On the Corallian rocks of Upware (Cambs.). *Quarterly Journal of the Geological Society of London,* 54, 601–19.

Wedd, C.B. (1901) On the Corallian rocks of St Ives (Huntingdonshire) and Elsworth. *Quarterly Journal of the Geological Society of London*, 57, 73–85.

Wedd, C. B. (1910) In *Geology of Glenelg, Lochalsh and the southeast part of Skye* (B.N. Peach, J. Horne, H.B. Woodward, C.T. Clough, A. Harker and C.B. Wedd), Memoir of the Geological Survey of Great Britain (Scotland).

Wells, C. (1964) Pathological epipodials and tarsus in *Stretosaurus macromerus* from the Kimmeridge Clay, Stretham, Cambridgeshire. *Quarterly Journal of the Geological Society of London*, 120, 299–304.

Whitaker, W. (1883) Excursion to Hunstanton. Proceedings of the Geologists' Association, 8, 133.

Whitaker, W, Woodward, H.B., Bennett, F.J., Skertchly, S.B.J. and Jukes-Browne, A.J. (1891) *The Geology of parts of Cambridgeshire and Suffolk (Ely, Mildenhall and Thetford)*. Memoir of the Geological Survey of Great Britain (England and Wales).

Whitaker, W., Skertchley, S.B.J. and Jukes-Browne, A.J. (1893) *The Geology of Southwestern Norfolk and Northern Cambridgeshire*. Memoir of the Geological Survey of Great Britain (England and Wales).

White, H.J.O. (1925) *The Geology of the Country around Marlborough,* Memoir of the Geological Survey of Great Britain (England and Wales).

Whitham, E (1984) Field meeting at the Rugby Portland Cement Quarry, South Ferriby. Humberside Geologist, 4, 19–21.

Wignall, P.B. (1989) Sedimentary dynamics of the Kimmeridge Clay: tempests and earthquakes. *Journal of the Geological Society, London,* 146, 273–84.

Wignall, P.B. (1990a) Benthic palaeoecology of the late Jurassic Kimmeridge Clay. *Special Papers in Palaeontology*, 43, 74 pp.

Wignall, P.B. (1990b) Depositional history and palaeoecology of the Oxfordian/Kimmeridgian boundary beds at South Ferriby, South Humberside. *Proceedings of the Yorkshire Geological Society*, 48, 197–208.

Wignall, P.B. (1991) Test of the concepts of sequence stratigraphy in the Kimmeridgian (Late Jurassic) of England and northern France. *Marine and Petroleum Geology*, 8, 430–41.

Wignall, P.B. (1993) The stratigraphy of the Upper Kimmeridge Clay (late Jurassic) of Golden Hill, Vale of Pickering, North Yorkshire. *Proceedings of the Yorkshire Geological Society*, 49, 207–14.

Wignall, P.B. (1994) Mudstone lithofacies in the Kimmeridge Clay Formation, Wessex Basin, southern England: implications for the origin and controls of the distribution of mudstones — Discussion. *Journal of Sedimentary Research*, A64, 927–9.

Wignall, P.B. and Myers, K.J. (1988) Interpreting benthic oxygen levels in mudrocks: a new approach. *Geology*, 16, 452–5.

Wignall, R B. and Pickering, K.T. (1993) Palaeoecology and sedimentology across a Jurassic fault scarp, N.E. Scotland. *Journal of the Geological Society, London*, 150, 323–40.

Wignall, P.B. and Ruffell, A.H. (1990) The influence of a sudden climatic change on marine deposition in the Kimmeridgian of northwest Europe. *Journal of the Geological Society, London*,147, 365–71.

Williams, REV (1986) Petroleum geochemistry of the Kimmeridge Clay of onshore southern and eastern England. *Marine and Petroleum Geology*, 3, 258–81.

Wilson, R.C.L. (1968a) Upper Oxfordian palaeogeography of southern England. *Palaeogeography, Palaeoclimatology, Palaeoecology,* 4, 5–28.

Wilson, R.C.L. (1968b) Carbonate facies variation within the Osmington Oolite series in Southern England. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 4, 89–123.

Wilson, V. (1931) A borehole section in the Upper Jurassic at Irton, near Scarborough. *Transactions of the Leeds Geological Association*, 5, 20–2.

Wilson, V. (1933) The Corallian rocks of the Howardian Hills (Yorkshire). *Quarterly Journal of the Geological Society of London*, 89, 480–509.

Wilson, V. (1934) A synopsis of the Jurassic rocks of Yorkshire — the Cornbrash and Upper Jurassic rocks. *Proceedings of the Geologists' Association*, 45, 274–89.

Wilson, V. (1936) The Upper Jurassic rocks of the country between Malton and Castle Howard, Yorkshire. *Proceedings of the Geologists' Association*, 47, 254–64.

Wilson, V (1949) The lower Corallian rocks of the Yorkshire coast and Hackness Hills. *Proceedings of the Geologists' Association*, 60, 235–71.

Wilson, V (1954) Summer Field Meeting in East Yorkshire: report on a visit to Scarborough and the Hackness Hills. *Proceedings of the Geologists' Association*, 65, 313–14.

Wilson, V, Welch, F.B.A., Robbie, J.A. and Green, G.W. (1958) *Geology of the Country around Bridport and Yeovil,* Memoir of the Geological Survey of Great Britain (England and Wales).

Wimbledon, W.A. (1980) Portlandian correlation chart. In *A Correlation of Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic* (J.C.W. Cope, K.L. Duff, C.F. Parsons *et al.*), *Geological Society of London Special Report No.15*, pp. 85–93.

Woodward, A.S. (1890) On the head of *Eurycormus* from the Kimmeridge Clay of Ely. *Geological Magazine*, 7, 289–92.

Woodward, H.B. (1888) Note on the Portland Sands of Swindon and elsewhere. Geological Magazine, 35, 469-70.

Woodward, H.B. (1895) *The Jurassic Rocks of Britain. Vol. 5. The Middle and Upper Oolitic Rocks of England (Yorkshire excepted)*, Memoir of the Geological Survey of the United Kingdom, HMSO, London.

Woodward, H.B. (1904) *The Water Supply of Lincolnshire,* Memoir (Water Supply) of the Geological Survey of Great Britain, HMSO, London.

Worssam, B.C. and Taylor, J.H. (1969) *Geology of the Country around Cambridge*, Memoir of the Geological Survey of Great Britain (England and Wales).

Wright, C.D. (1976) New outcrops of the Ampthill Clay north of Market Weighton, Yorkshire, and their structural implications. *Proceedings of the Yorkshire Geological Society*, 41, 127–40.

Wright, J.K. (1964) The so-called Oxfordian shales of Eigg, Inner Hebrides. Geological Magazine, 101, 185-6.

Wright, J.K. (1968) The stratigraphy of the Callovian rocks between Newtondale and the Scarborough coast, Yorkshire. *Proceedings of the Geologists' Association*, 79, 363–99.

Wright, J.K. (1969) Callovian. In *International Field Symposium on the British Jurassic. Excursion no. 3. Guide for Northeast Yorkshire* (eds J.E. Hemingway, J.K. Wright and H.S. Torrens), University of Keele, pp. C14–C17.

Wright, J.K. (1972) The stratigraphy of the Yorkshire Corallian. *Proceedings of the Yorkshire Geological Society*, 39, 225–66.

Wright, J.K. (1973) The Middle and Upper Oxfordian and Kimmeridgian Staffin Shales at Staffin, Isle of Skye. *Proceedings of the Geologists' Association*, 84, 447–57.

Wright, J.K. (1980) The Oxfordian Stage. In A Correlation of the Jurassic Rocks in the British Isles. Part Two: Middle and Upper Jurassic (J.C.W Cope, K.L. Duff, C.F. Parsons et al.), Geological Society of London Special Report No. 15, pp. 61–76.

Wright, J.K. (1981) The Corallian rocks of north Dorset. Proceedings of the Geologists' Association, 92, 17–32.

Wright, J.K. (1983) The Lower Oxfordian (Upper Jurassic) of North Yorkshire. *Proceedings of the Yorkshire Geological Society*, 44, 249–81.

Wright, J.K. (1986a) A new look at the stratigraphy, sedimentology and ammonite fauna of the Corallian Group (Oxfordian) of south Dorset. *Proceedings of the Geologists' Association*, 97, 1–21.

Wright, J.K. (1986b) The Upper Oxford Clay at Furzy Cliff, Dorset: stratigraphy, palaeoenvironment and ammonite fauna. *Proceedings of the Geologists' Association*, 97, 221–8.

Wright, J.K. (1989) The early Kimmeridgian ammonite succession at Staffin, Isle of Skye. *Scottish Journal of Geology*, 25, 263–72.

Wright, J.K. (1992) The depositional history of the Hackness Coral–Sponge Bed and its associated sediments within the Passage Beds Member of the Coralline Oolite Formation (Corallian Group; Oxfordian) of North Yorkshire. *Proceedings of the Yorkshire Geological Society*, 49, 155–68.

Wright, J.K. (1996a) Perisphinctid ammonites of the Upper Calcareous Grit (Upper Oxfordian) of North Yorkshire. *Palaeontology*, 39, 433–69.

Wright, J.K. (1996b) The *Amoeboceras* faunas of the Upper Calcareous Grit Formation (Jurassic, Upper Oxfordian) of North Yorkshire. *Proceedings of the Yorkshire Geological Society*, 51, 33–43.

Wright, J.K. (1997) Cardioceratid ammonites from the Middle Oxfordian Vertebrale Subzone of North Yorkshire and Dorset. *Proceedings of the Yorkshire Geological Society*, 51, 251–8.

Wright, J.K. (1998) New stratigraphical and palaeoecological data from the Sandsfoot Formation (Upper Oxfordian) of south Dorset. *Proceedings of the Geologists' Association*, 109, 15–24.

Wright, J.K. (in press) Discussion on fault activity and sedimentation in a marine rift basin (Upper Jurassic, Wessex Basin, UK). *Journal of the Geological Society, London.* 

Wright, J.K., Kelly, S.R.A., and Page, K.N. (2000) The stratigraphy of the 'Corallian' facies (Upper Jurassic) deposits at Upware, Cambridgeshire, England. *Proceedings of the Geologists' Association*, 111, 97–110.

Young, G.M. and Bird, J. (1822) A Geological Survey of the Yorkshire Coast; Describing the Strata and Fossils Occurring between the Humber and the Tees, from the Germany Ocean to the Plain of York, Clark, Whitby.

Young, J.R. and Bown, P.R. (1991) An ontogenetic sequence of coccoliths from the late Jurassic Kimmeridge Clay of England. *Palaeontology*, 34, 843–50.

Ziegler, B. (1961) Stratigraphische and zoogeographische Beobachtungen an *Aulacostephanus* (Ammonoidea–Oberjura). *Palaeontologische Zeitschrift*, 35, 79–89.

Ziegler, B. (1962) Die ammonitengattung *Aulacostephanus* im Oberjura (Taxionomie, stratigraphie, biologie). *Palaeontographica*, 119A, 1–172.

Zimmerle, W. (1985) New aspects on the formation of hydrocarbon source rocks. Geologische Rundschau, 74, 385–416.

## References