Whitby-Saltwick

[NZ 901 115]-[NZ 916 109]

Introduction

The cliffs south of Whitby have been the focus of palaeobotanical research for many years, and have yielded some of the best-preserved fossils of the Yorkshire Jurassic strata. Many of the best museum specimens of Middle Jurassic plant fossils originated from these cliffs. The specimens came from a lens within the channel-fill sandstone of the Saltwick Formation. Of the numerous species recorded, particularly noteworthy are the spectacular examples of bennettitalean reproductive organs such as those of *Williamsonia* and *Weltrichia*.

The earliest illustrated records are those of Young and Bird (1822, 1828). The specimens listed by Brongniart (1828a) as coming from Whitby almost certainly originated here, and Phillips (1829, 1835, 1875), Lindley and Hutton (1837), Yates (1855), Carruthers (1870a), Nathorst (1880) and Seward (1897a) described and figured plant fossils from this succession. Seward (1900a) reviewed the 19th century palaeobotany of the Whitby Plant Beds. According to Harris (1961a), the only Yorkshire Jurassic plant fossil Seward ever collected came from here! Many of the specimens used by Nathorst (1909, 1911) in his revision of the structure of bennettitalean flowers were from these beds, as were the ginkgoalen foliage described by Thomas (1913) and the equisetalean stems described by Erdtman (1921). More recently, the Whitby plant fossils were included in Harris' revision of all Yorkshire Jurassic floras (Harris 1941a, 1945b, 1946a–c, 1948, 1949a, 1951, 1952a, 1953), which culminated in his five monographs (1961a, 1964, 1969, 1979a; Harris *et al.*, 1974). Kendall (1948, 1952), one of Harris' students, also published on a number of conifers from Whitby, and specimens from there have been used to study the in-situ spores recovered from fern sporangia (van Konijnenburg-van Cittert, 1978).

Description

Stratigraphy

The stratigraphy of the Middle Jurassic strata near Whitby has been summarized by Rawson and Wright (1992, 1995), although neither provides a detailed stratigraphical section. A schematic view of the cliffs is shown in (Figure 3.13). The main exposure consists of fine-grained sandstones of the Saltwick Formation, which cut down into mudstones of the Dogger Formation. In his unpublished notebooks, Harris identified ten places at this site from which he collected plant fossils see (Table 3.2). The classic Whitby Plant Bed, which has yielded most of the museum-quality material, is towards the base of the Saltwick Formation and is seen best at Long Bight. Higher in the section there is also a bed rich in bennettitalean remains; this is known as the *Zamites* Bed at Jump Down Bight.

(Table 3.2) Location of in-situ plant beds identified by TM. Harris (in manuscript) along the cliffs between Whitby and Saltwick.

			[GR added 2023]
Whitby Haggerlyth	54° 29' 25"	0° 38' 28"	[NZ 88122 11398]
Whitby Jumpdown Bight	54° 29' 18"	0° 35' 30"	[NZ 91329 11245]
Whitby Long Bight Plant Bed	54° 29' 19"	0° 36' 0"	[NZ 90789 11265]
Whitby Long Bight fallen			
blocks			
Whitby Rail Hole Bight			
Whitby Spittal Beck just below G.L.	^V 54° 28' 32"	0° 35' 50"	[NZ 90998 09816]
Saltwick <i>Equisetum</i> and <i>Conjopteris</i> Beds	54° 29' 0"	0° 35′ 6″	[NZ 91772 10697]

Saltwick Matonidium Bed	54° 28' 59"	0° 34' 52"	[NZ 92025 10671]
Saltwick Waterfall Bed	54° 28' 59"	0° 34' 52"	[NZ 92025 10671]
Saltwick E. laterale Bed	54° 29' 11"	0° 35' 52"	[NZ 90938 11021]
above Waterfall Bed	54 29 11	0 33 32	[142 90930 11021]

Palaeobotany

Over 90 species have been reported from Whitby (Table 3.1), (Figure 3.14). The numerous records of species from West Cliff High Whitby or near the Fog Signal are not listed here because these parts of the coast are not within the GCR site. Sometimes, however, locality details are not precise enough to be certain whether the specimens were collected from within the site. In these cases the species records have been included.

The site is particularly rich in ferns, bennettites and conifers (16, 24 and 18 recorded species, respectively). There is also an abundance of equisetalean remains, especially of the stems *Neocalamites nathorstii*. In contrast, there are relatively few species of cycads and pteridosperms and only one of *Caytonia*.

Nineteen species were based on type specimens from here, mainly from the Long Bight exposure or from loose blocks on the beach. These are *Annulariopsis simpsonii*, *Neocalamites nathorstii*, *Nilssonia thomasii*, *Pseudoctenis herriesii*, *Stenopteris nana*, *Cycadolepis hypene*, *C. thysanota*, *Otozamites anglica*, *O. gramineus*, *O. simpsonii*, *Weltrichia setosa*, *W. sol*, *W. spectabilis*, *W. whitbiensis*, *Williamsoniella papillosa*, *Eremetophyllum whitbiensis*, *Ginkgo whitbiensis*, *Czeckanoswkia furcula* and *Inxostrobus whitbiensis*.

Interpretation

The fact that so many type specimens are from this section of coast is partly because the plant assemblage is especially diverse and partly because collecting has been undertaken here from the earliest days of palaeobotanical study. Only one other Yorkshire Jurassic site included in the GCR has more species, namely the Gristhorpe Bed at Red Cliff.

Although much of the material that has been found originated from fallen blocks, it has been possible to use evidence of association to relate separate organs to the same parent plant. The linking of two groups of bennetitalean organs in this material has been particularly important. The classic example was based on the materials in the Zamites Bed at Whitby, where the fronds Zamites gigas are closely associated with the female flower Williamsonia gigas and the male flower Weltrichia sol. It was recognized from an early date that they almost certainly belonged to the same plant (Young and Bird, 1822; Yates, 1855; Carruthers, 1870b; Seward, 1897a; Nathorst, 1909, 1911). Another well-documented example in the main Whitby Plant Bed is the association noted by Nathorst (1909) of the fronds Ptilophyllum pectinoides (Nathorst identified them in error as P. pecten — see Harris, 1969) and the female flowers Williamsonia hildae. Harris (1969) also linked to the same plant the male cone Weltrichia whitbiensis and the scale leaves Cycadolepis hypene on the combined evidence of association and similarity of cuticles. Cridland (1957) and Harris (1969) reported the close association of the pollen-producing Williamsoniella papillosa (here in its type locality), a hairy scale leaf identified as Cycadolepis sp., and the leaf Nilssoniopteris major, all of which are now regarded as having belonged to the same plant. Other proposed connections are between the frond Otozamites beanii and the male flower Weltrichia setosa; and between the frond O. gramineus, the male flower W. spectabilis and the scale leaves Cycadolepis spbeniscus (Harris, 1969). Hence Whitby has played a central role in the development of the taxonomic concept of the Bennettitales, which is one of the most important groups of Mesozoic plants throughout the world. It is anticipated that further examination of associated organs in the fallen blocks will yield additional evidence of botanical affinities.

Whitby is the only known locality for unequivocal specimens of another type of bennettitalean male flower, *Weltrichia setosa*. Harris (1969) reported a fragment from Cloughton Wyke that could belong to this species but it is too poorly preserved to be sure.

The plant beds have also proved important for the study of fossil conifers (Harris, 1979a). The taxodiacean *Elatides thomasii*, which is a characteristic species of the lower Saltwick Formation, is particularly abundant here and often has attached male and female cones. In addition, there are abundant examples of (?)taxodiacean foliage *Elatocladus*

ramosus and Torreya gracilis, this being the only known locality for the latter. The Taxaceae conifers are represented by Marskea jurassica with several attached female cones and one male cone, and Poteridion ballei, for which this is the only known locality. A third family of conifers, the Podozamitaceae, is also abundant here as the foliage species Lindleycladus lanceolatus.

The Czekanowskiales are not particularly common or diverse at Whitby, although there are some fragments of foliage that have yielded well-preserved cuticles (*Czekanoskia furcula* — see Harris, 1974a). More significantly, this is the only known locality for *Ixostrobus whitbiensis*, which Harris *et al.* regarded as a czekanow-skialean male reproductive organ.


The ferns, although represented by a diversity of species, are not especially abundant here. The most complete record is in Harris (1961a). The most notable occurrence is a bed rich in well-preserved matoniacean fronds, *Matonidium goeppertii* at Saltwick. Van Konijnenburg-van Cittert (1978) used specimens of *Todites denticulatus* from Whitby in her study of in-situ osmundaceous fern spores.

It might be thought that this well-studied assemblage would yield some valuable information about the ecology of the early Middle Jurassic Epoch. Using the published records alone presents serious difficulties in developing such a study, as so much of the material came from fallen blocks that cannot always be accurately placed within the local lithostratigraphy. Nevertheless, there is considerable scope here for such work through additional fieldwork.

Conclusions

The cliff section between Whitby and Saltwick is one of the classic localities for the Yorkshire Jurassic flora, with a long history of investigation stretching over nearly two centuries, and providing a unique insight into the vegetation growing in Britain 170 Ma ago. It has yielded over 90 plant species, two of which are unique to the locality, and it is the type locality for 19 species. The coastal section has provided particularly important information about the structure of bennettitalean reproductive organs and yields numerous examples of conifer shoots with cones still attached. It is an outstanding site for its superlative plant remains and, particularly, their bearing on bennettitalean history. It is a valuable locality that will no doubt yield many more exciting discoveries.

References



(Figure 3.13) Schematic view of the cliffs between Whitby and Saltwick, showing the main stratigraphical units exposed. (Redrawn from Rawson and Wright, 1992.)

Whitby Haggerlyth	54° 29' 25", 0° 38' 28"
Whitby Jumpdown Bight	54° 29' 18", 0° 35' 30"
Whitby Long Bight Plant Bed	54° 29' 19", 0° 36' 0"
Whitby Long Bight fallen blocks	
Whitby Rail Hole Bight	
Whitby Spittal Beck just below G.L.	54° 28' 32", 0° 35' 50"
Saltwick Equisetum and Coniopteris Beds	54° 29' 0", 0° 35' 6"
Saltwick Matonidium Bed	54° 28' 59", 0° 34' 52"
Saltwick Waterfall Bed	54° 28' 59", 0° 34' 52"
Saltwick E. laterale Bed above Waterfall Bed	54° 29' 11", 0° 35' 52"

(Table 3.2) Location of in-situ plant beds identified by T.M. Harris (in manuscript) along the cliffs between Whitby and Saltwick.

these 3.1 Records of place bently from a	the Welselmo Jureau GCE alea. These records have been be been come to provide the common of the com-	The state of the s			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
cell of all county that and the York	to Harris (1964, 1964, 1969, 1979a,b, Harris et al., 1974), policy con Citizen (1975), before and 1981 (1979), con	PERCOPSER - contd.		CW shares - made	
Sommerburg van Charri (1971, 1974a.b.	scoburg-rain Citizes (1975), Spinor and ISB (1976), van 1976, 1961, 1987, 1989), and van Kontjoudrang-rain Citizes	Parketti Bendidhar Horis	X +	A primer Thomas and Name A see Starte	
and Novegara (1900), from problemd field	notice in the Natural Historic Museum (London), and Book	D. Marriagnesis William and Taxon		A see Sunt	
numering coheritons in that muscuin a	and the National Hoseum and Gallery, Cardolf: Becords	2) manipants Wilson and Years purpophyllose regresses b, and 3) phospica indiplate (Philips) Thomas		A sec. A of Vigoria	
	the stex have been centred, but those over which there is	Allegarente distribution l'Accher Allegarente (Millips Barbardo		Anamas pracelle Cornolisce A marriage Thomas and Horre	
me doubt have been included.		Alberta and planting fundament		A married Thomas and filters	
Wheth Salman	11. Couglant W/er	Appliagement original (L. and III.) Thereis Algorithm anglism (Phonica) Flamin Manusco Proceed (Company) Flamin		A sp. Defraigns outgens Horis	
Reservick Bay	II. Scally New.	Matures framed (Company) Harris		It angles as them.	
Roscherry Toppeng		Materialism property Strengthowers februik Gamendepois helbit van K. van C.		21 more thanks the spatroles madels run \$ run C.	
Broughon Bank Olasty Sank;	No in enthals:	G of placephora fluris III anert (fluibonik) fluris		Milesperiological Medical Research	
Hillhouse Nah	* tested for the site.	III asked (Rachondo) North		Milesen compac (Mellips) Bross It Amshelli Harris	1 1 1 1
Haphan Wyler Seaton Head	the only record for Nadadore, ope locally for the species,	Phiologistis Anasoli (Congres) (Sursi P. Jackeri (Oliveli) School P. polytudinide Bengalan		X of industry	4. 4.
Security of the Section Street's Section 1	O the only record for the species,	P polynomials Broughter		A remistrations A split tions	
May Water	a in the federation Red.	F accelerate technical Submodulus menuteriorus (Prod.) Schrok		X produceds (Political For Acceptant)	
had Cliff (Goodsorpe RepCarson No.)	the same of the sa	Tolkowanian metamorphic Pleate		X designate format X alternati Harris	
		Stadisphore graces Famoust Stadion abstractates (Brongston) Econom	15 t 20202	N up & of Harts N up & of Harts	
ASSA	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	E principle (Print) Continue		N up. Buildings	
DPWYA				Paradycou cont States Paradycom bereast States	
efficies areator (i. and fil.) Harts adhermous there		E additionant (Integrier) bread		P. Savet Thurston	
preparations (Surris		GYMNOSPERMOPHYTA		P. Decemb Horns P. offense Horns	
INCOME.		CAPROGRA		Samplers nature Floris	
SECULAR STATE OF THE PARTY OF T		Anghorigenous pullers Turns Captionaribis orbird (Thomas) Hartis	N	Streepher's natural Flumb 8. militado Historia	
sirripio depend (fiultys) fluro later basel (flurbus) fluro				A sufficiency (Broughter) from BENGETTYPALES	
Manhate Broughter. State State		C. sp. Contemprisespolis Florin		Assessments educat (Feligic lower)	
Olymp (Spirite Marcelli Fielding		Captered / Thomas		A Minimum Thinks	
nationale Parlige malpresier Seamment (Arleimper) Halls quilerate Entireur		C squeste (Norse) C pourse Norse		Reconstitution allegan Space. It dealer States	
principal Deliterate	*			Residentia pipe formed A postulose filente	
SPORALES		5 philipse (frongoes), there Printed Contracts	1 1 1 1	A promotous thereto	
prodites (statem is, and 1).		Chronic entitle Highly		A sp. R of Huma Constitute in right our Name	
COPRIDA	- Andrews	Chrose-exists thants C. Assesbarrat Tricopetra		s. Audio risora	
opero Malti sa Ciren glete sa Ciren		C. steads Harte C. of Stempolana Harte		C Appear States C miner States	
glicter not Claims			1.4	C spheroscop There.	
Application of tendencial Turnstances Streets		Chromothy (poulse (forger) februic C. Bollenbyt (policely) Nations		C phenocue l'arte C streeper l'arte	
Inclinations (Benergours Prematers*		C manufacture (horse		C tip not of 100 or all	
ethorweek (f. and fil) Bringware errisit van Citore		C regulations fluris C rendered Transpass			
brigherin obouety Fishe				At persons thansa	
aparts felle forts	The second secon	Parkyteric incordate frongence P papelines (Texture and Bose) (Serie		A proble flame A collabor (Marganite) Flame (Management) collabor (Management) (Marganite) (Marganite) (Management) (Marganite) (Management)	
angleum (Natrolity Neward as lines (Natrol) (New Yorks)		Photosec Removal Sports	* * *	O Asset C. and S.; Broughort	
sections (Next) Chen, St and Non recognitionals (Recognise), Servard		CONTRACTO CONTRACTO			
		A PARAMETER .		O grandene (Philips Philips	: ::.: :::.
argented Harts					
eneganiste Hotel servacione (Broggine), Broggines implies (L. and N.) Harris (Radigibilities denticalises probably consus- of Stalline denticalises, and the smaller that a (Sadigibilities harrised to probably the feeds)	of two named into, the large presents being the storile foliage of Communiques storil.	diffeogramme (a) Analysische Stales (SE A septi van K. van C, A septi State		O jegistere (schedel) tiperis O delektel (lant O emplester tiperis O emplester tiperis O educate (lant	
composed (Brongsteel) Brongsteel tegides (L. and R.) Sharin (Ball-pittlebe dericalistic probabil) consens of thatboo dericalistic and the smaller that or (Ball-pittlebe bernool to probably the lends of	of two named was, the large provides being the storile foliage of Communication stories.	disciplement up Andrewski balance (IIII A major san A-mari, A major libera	0	O mangitudine fraprise O mineral filante.	
convergence (Berngeren) Berngeren Ingelen (L. and El.) Havin Challeghilde advantables probably consen- of theirs advantables probably the final of Challeghilde bernell is probably the finals in SOMETHINGS - consid-	of two named late, the large promotes being the state kings: of communication states.	A man flore		O mangitudine fraprise O mineral filante.	
companied (Brongstand) Brongstand spiller (L. and EL) Hawin Dashgildelike developides probably comme of their developides probably the final Cashgildelike bernedit is probably the finals in NORTHINGER - considerations and consideration consideration (Dashgildelike States)	of two named late, the large promotes being the state kings: of communication states.	A major san Kusani, A mand them CERLANDPORTER - annual Association of Males and Miles		O mangitudine fraprise O mineral filante.	_ : : : : : : : : : : : : : : : : : : :
sempland (Brongman) Internation (Brongman) implies (s. and 1) Brotes Samplifiches destrovalent probabili consent of Bullers destrovalent probabili der finde Samplifiche bereicht in probabilit der finde SAMPTETINES - consell semel filmer probabilities (British probabilities (British probabilities (British probabilities (British probabilities (British probabilities (British British probabilities (British Britan British British British British British British Britis	of the second loss, the large promotion being the section belong: Commonlysis dente: 1	A major was it man (A month theris CERNATIFICACIES - commit fraccionardine enforcement fraction and Wilder		O mangitudine fraprise O mineral filante.	_ : : :
werepoint (Brongment Strongment (Brongment Springer) is, and 15 House Taskingstill date absorbability producibly consense Taskingstill date absorbability, and the smallest that or Samulation to producibly day forcible SOMETETINIST - consent bear of the strong of the strong Someter Some	of the control has, the large promotion being the motion beings. Stage of Community and Market.	A major was Kinger (A standa Danie CDBANGHADAGE - contal Association and William Association and Major CDBANGHADAGE - contal Association and		O mangitudine fraprise O mineral filante.	_ : : : : :
semigrand (Brongman) (of the second loss, the large promotion being the section belong: Commonlysis dente: 1	A major has fuel , A maio floris CDBANIPOBICE - const. CDBANIPOBICE - const. descurable shifteness floris and filler Applications committee for an inferior foliation observed (Fillips) floris (Johnson observed Fillips)		O mangitudine fraprise O mineral filante.	
ownered Diverginal Broquest pages 6, sel 61, 1 houses Salipaldoc demonsters probably conserv. Salipaldoc demonsters and below of conserv. Salipaldoc demonsters and be selected as a Salipaldoc feered in pendido for feered for a SALIPATENCIA - conserve or pendido for feered semprent pendido feered semprent pendido feered feered SALIPATENCIA - conserve or pendido feered pendido feered feered SALIPATENCIA - conserve or pendido feered SALIPATENCIA - conserve or p	of the second state, the large promotive height to sective follows: Occasional and American Section 1. 1	A major sa K. van C. A month floors CERRANOPASIGES - comed Association planters and follow Association planters floors and follow Association planters floors and follow Application planters floors and follow Application planters floors and follow PROGES PROGES		O mangitudine fraprise O mineral filante.	_ : : : : :
commenced (Divergence) (Divergence) griph (), and (), if has present (griph (), and ()), if have been contained to president years and baseling principle of produce of principle of the contained of principle of the contained of	of the second less, the large promotive being the section billings being of commonly are large.	A major has hash (A major hash) CDEANOWNESSER - comed from and major problems from and follow from any problems of the same and follow following common (Philipp Marie Sphometers entering (Philipp Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problips Complete Amendments problems Amendments probl	·	O mangitudine fraprise O mineral filante.	
commenced (Divergence) (Divergence) griph (), and (), if has present (griph (), and ()), if have been contained to president years and baseling principle of produce of principle of the contained of principle of the contained of	of the second less, the large promotive being the section billings being of commonly are large.	A major has hast (A moon floor) CERRANGEMENT comed Adjustmental comer limite Solvents control philips have Solvents control philips have Solvents control philips have Solvents control philips have Solvents of the control Management o		O mangitudine fraprise O mineral filante.	_ : : :.
www.med. (Diverginal) (Diverginal) giple is out 1/1 (Internal) Languaghter downshire probably consum. Languaghter downshire probably consum. Languaghter downshire probably consum. Languaghter downshire languaghter languaght	of the second less, the large promotion being the second billings being of commonly as the second period being the second peri	A major has hast (A moon floor) CERRANGEMENT comed Adjustmental comer limite Solvents control philips have Solvents control philips have Solvents control philips have Solvents control philips have Solvents of the control Management o	·	O mangitudine fraprise O mineral filante.	_ : : : : :
commenced (throughout) (throughout) griph (), and (1), filling (throughout) Land gradient describation product) crossess. Land gradient describation product (transport Land gradient describation (transport Land gradient describation (transport Land gradient describation (transport Land gradient describation (transport Land gradient La	of the second less, the large promotive being the section billings being of commonly are large.	A super-war k-ramit (A state) States CEGAN/SPEKECES - ramid Samusandus entireness States and Nilles Samusandus entireness states and Samusandus entireness states Samusandus entireness	·	O mangitudine fraprise O mineral filante.	
emented (inequired française) incorporate (inequired française) control of policy of and 17 fill with a control of policy of control of the control of policy of control of the control of policy of the control of policy of the first francaise of the control of policy of the first francaise of the control o	of the second less, the large promotion being the second billings being of commonly as the second period being the second peri	A super-war k-ramit (A state) States CEGAN/SPEKECES - ramid Samusandus entireness States and Nilles Samusandus entireness states and Samusandus entireness states Samusandus entireness		companyante traperio de national filante de national filante	
increased (Important) Introgrant Langington derivatives probably consex. Langington derivatives probably consex. Langington derivatives probably consex. Langington derivatives of the state of the s	of the second less, the large promotion being the second billings being of commonly as the second period being the second peri	A super-was X-san E. A south States CEDAN/SPEXALES - round San		O mangitudine fraprise O mineral filante.	
increased (Improprietal Surreguest) and political controlleries producty consists and political controlleries producty consists and political controlleries and the makes for an analysis and the makes of the makes of the makes for an analysis MENTENDER - consists and an analysis for form of the makes for an analysis of the makes for an analysis of the makes form of the makes for an analysis of the makes for an anal	of the second less, the large promotive being the section billings being of commonly being billings of commonly billings billings of commonly billings billings of commonly billings billings of commonly billings	A super-wall k-sami (A season States CERLANDIVARICES + consist CERLANDIVARICES + consist Consistence of the forest consist Consistence of the forest consistence of the		Comprehent Sparse Delivered Street	
increased (Impegnate) foreignated foreignated (Impegnated foreignated foreignated (Impegnated foreignated foreigna	of the second less, the large promotive being the section billings being of commonly being billings of commonly billings billings of commonly billings billings of commonly billings billings of commonly billings	A super-wall k-sami (A season States CERLANDIVARICES + consist CERLANDIVARICES + consist Consistence of the forest consist Consistence of the forest consistence of the		Comprehent Sparse Delivered Street	
increased (Improprietal Surreguest) increased and production of the state of the s	of the second less, the large promotive being the section billings being of commonly being billings of commonly billings billings of commonly billings billings of commonly billings billings of commonly billings	A super-was 8-sea (;) A season States CEROACHYSTICES + remaind Extension-land section of Wiles Extension-land section on the Wiles Extension-land section of the Wiles Extension-land section of the Wiles Extension-land section of the Wiles Extension o		Comprehent Sparse Delivered Street	
emment (Impropriet) formigrant (Impropriet)	of the control time, do large granular hongs for some binage. To the control time, do large granular hongs for some binage. And the control time of the control time of the control time of the control time of the control time.	A super-was & same! A season States CEROACOPPARACES - contell Season-shall be contelled Seaso		Comprehent Sparse Delivered Street	
increased (Impagnate) framquared formation of the controllers probably consent and political controllers probably consent and political controllers probably consent and political controllers probably for format the controllers of the controllers of the control controllers of the controllers of the controllers of the cont	of the second less, the large promotive being the section billings being of commonly being billings of commonly billings billings of commonly billings billings of commonly billings billings of commonly billings	A super-was 8-seas (A season States CERAMOPPASCEST - conside Light and the season of the season of the season season of the		Comprehent Sparse Delivered Street	
emment (Impropriet) formigrant (Impropriet)	of the control time, do large granular hongs for some binage. To the control time, do large granular hongs for some binage. And the control time of the control time of the control time of the control time of the control time.	A super-was & seaso! A season States CEREA/SOFFWARGER - contell Insucantive printerpose if their and Willer Insucantive printerpose if their and Willer Insucantive printerpose in their and Willer Insulation and States in the States of Willer Insulation States in their and States Insulation States in their insulation content In		Comprehent Sparse Delivered Street	
emment (Irregulard Turregulard) from the Control of the Control o	of the control time, do large granular hongs for some binage. To the control time, do large granular hongs for some binage. And the control time of the control time of the control time of the control time of the control time.	A super-was & search A search States CERLANOPWARACH - conside CERLANOPWARACH - conside Formation of the consideration of the consid		Comprehent Sparse Delivered Street	
increased (Important) Introgrant Integrated Introgrant Integrated Introgrant Integrated	of the command least, the large promotive being the service bilange. Hongs of Commandages delite 10 1 1 1 11 1 12 1 13 1 14 1 15 1 16 1 17 1 18 1 18 1 19 1 19 1 10 1	A super-was & search A month States CERRACTIVESCED + consist CERRACTIVESCED + consist Insurant consist of the search search Insurant consist of the search search Systematics consist of the search Systematics consist of these search Systematics consists Search Systematics consists Search Se		Comprehent Sparse Delivered Street	
emone di prograndi formiquale de compare de la constanta del constanta d	of the command least, the large promotive being the service bilange. Hongs of Commandages delite 10 1 1 1 11 1 12 1 13 1 14 1 15 1 16 1 17 1 18 1 18 1 19 1 19 1 10 1	A super-was & search A search States CEROACHYMAGER - contell Inscarchable enthrough the search Inscarchable enthrough I make with marked enthrough I make the search I make		Comprehent Sparse Delivered Street	
emone di prograndi formiquale de compare de la constanta del constanta d	of the command least, the large promotive being the service bilange. Hongs of Commandages delite 10 1 1 1 11 1 12 1 13 1 14 1 15 1 16 1 17 1 18 1 18 1 19 1 19 1 10 1	A super-was & search A search States CEROACHYSTICES + created Researched and search States Researched and Research Resear		Comprehent Sparse Delivered Street	
emone di prograndi formiquale de compare de la constanta del constanta d	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was & search A search States CEROACOPPERSON - contell Search States - contell Search		Comprehent Sparse Delivered Street	
emment (Improgrant) foreignant (Improgrant) foreignant) (Improgrant) foreignant) (Improgrant) (I	of two second less, the large promotive less give some bilange. Shape of Community and Mills. 1	A super-was & search A search States CERLANOVENSIASE + created Search States - created Searc		Comprehent Sparse Delivered Street	
ememon (Immyster) formyster) formysteric formysteric formysteric formysteric policy context, and additional context and additional context and the model of the additional context and	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A support as Seasof : A seasof States CEREATORY MINERS - contell Insurant Assessment of Miles Insurant		Comprehent Sparse Delivered Street	
ememon (Immyster) formyster) formysteric formysteric formysteric formysteric policy context, and additional context and additional context and the model of the additional context and	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A support as Seasof : A seasof States CEREATORY MINERS - contell Insurant Assessment of Miles Insurant		Comprehent Sparse Delivered Street	
increased (Imagenetic Imagenetic	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was 8-sept. [A season States CEROACTIVESCED + remed Assembly a super-was a super-was a super- granular and super-was a super-was a super- granular and super-was a super-was a super- polymentary control influence for super- polymentary, merited before super- polymentary, merited before super- polymentary, merited before super- polymentary, merited before super- polymentary, merited before super- polymentary super-was a super- polymentary su		Comprehent Sparse Delivered Street	
increased (Imagenetic Imagenetic	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was & search A search States CERLANCEVERSHIST - consist Instrumental contribution of the search Instrumental contribution of the search Instrumental contribution of the search A search search A search search A		Comprehent Sparse Delivered Street	
increased (Improprietal Europeans) Europeans) Langingstein deutwickers probability consense. Langingstein deutwickers probability consense. Langingstein deutwickers probability consense. Langingstein deutwickers deutwi	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was 8-sept [A season States CERANOPPOLICIAN - remed CERANOPPOLICIAN - remed A season sept and sep		Comprehent Sparse Delivered Street	
investment (Intergrant) Intergrant (Intergrant) Intergrant (Intergrant) Intergrant (Interpretative context) Intergrant (Interference Context) Interpretative (Interpretative Context) Interpretative (Interpre	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was & search A month States CERRACTIVESHIGES - remind Instrumentation of the search of the Instrumentation of the Instrument Instrumentation of Instrumentation Instrumentation Instrumentation of Instrumentation Instrumentation Instrumentation Instrumentation Instrumentation Instrumentation Instrumentation Instrumentation Instrumentation Instrumentation Instrumentation Instrumen		Comprehent Sparse Delivered Street	
severand (Inseguent) Inseguent (Inseguent) I	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was & search A search States CERLANOVENSIASE + created Instrumentable extenderment States and Willer Association of the search of		Comprehent Sparse Delivered Street	
common of longuisted from guest for the graph of the grap	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was & search A search States CERRACTIVESHICES + created Research States Research Stat		Comprehent Sparse Delivered Street	
common of longuisted from guest for the graph of the grap	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was & search A search States CERLANOPTWARGER - consist Beautiful and the search of the se		Comprehent Sparse Delivered Street	
common of longuisted from guest for the graph of the grap	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was & search A search States CERLANOPTWARGER - consist Beautiful and the search of the se		Comprehent Sparse Delivered Street	
common of longuisted from guards of compared for the guards of compared for compare	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was & search A search States CEREA/SEPVERICED + contell Insurant-based processes of Willed Insurant-based processes (Texture of William) Insurant-based Insurant-based (Texture of William) Insu		Comprehent Sparse Delivered Street	
servenent (Integrated Integrated) Integrated integrated Integrated Integrated Langinghout and a charactery probably consent Langinghout and a charactery consent and a charactery consent Langinghout Control (Langinghout Co	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was K-sami C A month States CEROACHYCALCES + remaind CEROACHYCALCES + remaind Construction of the control of the foresteen in foresteen in the foresteen		Comprehent Sparse Delivered Street	
commenced (Intergrant Universal Intergrant Intergrant Universal Intergrant Universal Interpretation of the Interference (Interpretation of Interference Interfere	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-sea & seas ()		Comprehent Sparse Delivered Street	
severe de l'emparte l'invegent l'	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-sea & seas ()		Complement Septem Deliverer Street Septement Street	
commenced throughout throughout commenced throughout throughout the control of th	of the control law, do large grounder hange for an entire binage. Communique along. A boundary of Communique hange for an entire binage. A boundary of Communique hange. A boundary of Communique	A super-was K-sami C A month States CEROACHYCALCES + remaind CEROACHYCALCES + remaind Construction of the control of the foresteen in foresteen in the foresteen		Complement Septem Deliverer Street Septement Street	

(Table 3.1) Records of plant fossils from the Yorkshire Jurassic GCR sites. These records have been gleaned from published accounts, largely by Harris (1961a, 1964, 1969, 1979a,b; Harris et al., 1974), Hill et al. (1985), Hill and van Konijnenburg-van Cittert (1973), Spicer and Hill (1979), van Konijnenburg-van Cittert (1971, 1975a,b, 1978, 1981, 1987, 1989), and van Konijnenburg-van Cittert and Morgans (1999), from archived field notes in the Natural History Museum (London), and from examining collections in that museum and the National Museum and Gallery Cardiff. Records known to fall outside the boundaries of the sites have been omitted, but those over which there is some doubt have been included.



(Figure 3.14) Solonites vimineus (Phillips) Harris. These very long unbranched leaves are typically 150–200 mm long and usually less than 1 mm wide. The leaves often appear in spreading out masses, as shown here, and occasionally are found in bundles of 10–15 attached to small shoots that are covered in scales. Laboratory of Palaeobotany and Palynology, Utrecht, specimen S.14865, Saltwick Formation, south of Whitby, × 0.8. (Photo: J.H. A. van Konijnenburg-van Cittert.)