

---

## References

In this reference list the arrangement is alphabetical by author surname for works by sole authors and dual authors. Where there are references that include the first-named author with others, the sole-author works are listed chronologically first, followed by the dual author references (alphabetically) followed by the references with three or more authors listed *chronologically*. Chronological order is used within each group of identical authors.

Ager, D.V. and Smith, W.E. (1965) The coast of South Devon and Dorset between Branscombe and Burton Bradstock. *Geologists' Association Guide*, 23, 21 pp.

Akhurst, M.C., Chadwick, R.A., Holliday, D.W., McCormac, M., McMillan, A.A., Millward, D. and Young, B. (1997) Geology of the west Cumbria district. *Memoir of the British Geological Survey*, Sheets 28, 37, and 47 (England and Wales), British Geological Survey, Nottingham, 138 pp.

Alberti, F. von (1834) *Beitrag zu einer Monographie des Bunten Sandsteins, Muschelkalks und Keupers, und die Verbindung dieser Gebilde zu einer Formation*. Cotta, Stuttgart and Tübingen, 366 pp.

Alkattan, M.M. (1976) The Geochemistry of Lower Keuper Marl at Lavernock Point, Glamorgan, South Wales. Unpublished MSc thesis, University of Wales.

Anderson, J.G.C. (1960) Geology around the university towns: the Cardiff District. *Geologists' Association Guide*, 16, 12 pp.

Anderson, T.B., Parnell, J. and Ruffell, A.H. (1995) Influence of basement on the geometry of Permo-Triassic basins in the northwest British Isles. In *Permian and Triassic Rifting in Northwest Europe* (ed. S.A.R. Boldy), *Geological Society of London Special Publication No. 91*, 103–22.

Anderton, R., Bridges, P.H., Leeder, M.R. and Sellwood, B.W. (1979) *A Dynamic Stratigraphy of the British Isles*, Allen and Unwin, London, 301 pp.

Andrews, I.J., Long, D., Richards, P.C., Thompson, A.R., Brown, S., Chester, J.A. and McCormac, M. (1990) *The Geology of the Moray Firth*. United Kingdom Offshore Regional Reports, HMSO for British Geological Survey, London, 96 pp.

Antia, D.J. and Sykes, J.H. (1979) The surface textures of quartz grains from a Rhaetian bone-bed, Blue Anchor Bay, Somerset. *Mercian Geologist*, 7, 205–10.

Arkell, W.J. (1933) *The Jurassic System in Great Britain*, Clarendon Press, Oxford, 681 pp.

Arthurton, R.S. (1971) The Permian evaporites of the Langwathby Borehole, Cumberland. *Report of the Institute of Geological Sciences*, No. 71/17.

Arthurton, R.S. (1980) Rhythmic sedimentary sequences in the Triassic Keuper Marl (Mercia Mudstone Group) of Cheshire, northwest England. *Geological Journal*, 15, 43–58.

Arthurton, R.S. and Hemingway, J.E. (1972) The St. Bees evaporites — a carbonate-evaporite formation of Upper Permian age in west Cumberland, England. *Proceedings of the Yorkshire Geological Society*, 38, 43–8.

Arthurton, R.S. and Wadge, A.J. (1981) Geology of the country around Penrith. *Memoir of the Geological Survey of Great Britain*, Sheet 24 (England and Wales), HMSO, London, 178 pp.

Arthurton, R.S., Burgess, I.C. and Holliday, D.W. (1978) Permian and Triassic. In *The Geology of the Lake District* (ed. F. Moseley), *Yorkshire Geological Society Occasional Publication*, 3, 189–206.

- Astin, T.R. and MacDonald, D.I.M. (1983) Syndepositional faulting and valley-fill breccias in the Permo-Triassic of Arran. *Scottish Journal of Geology*, 19, 47–58.
- Aveline, W.T. (1861) The geology of the country around Nottingham. *Memoir of the Geological Survey of Great Britain*, Quarter-sheet 71NE (England and Wales), HMSO, London, 21 pp.
- Aveline, W.T. (1880) The geology of the country around Nottingham, 2nd edn. *Memoir of the Geological Survey of Great Britain*, Quarter-sheet 71NE (England and Wales), HMSO, London, 51 pp.
- Bailey, E.B. and Anderson, E.M. (1925) The geology of Staffa, Iona, and Western Mull. *Memoir of the Geological Survey of Scotland*, Sheet 43 (Scotland), HMSO, Edinburgh, 107 pp.
- Balchin, D.A. and Ridd, M.F. (1970) Correlation of the younger Triassic rocks across eastern England. *Quarterly Journal of the Geological Society of London*, 126, 91–101.
- Ball, H.W. (1980) *Spirorbis* from the Triassic Bromsgrove Sandstone Formation (Sherwood Sandstone Group) of Bromsgrove, Worcestershire. *Proceedings of the Geologists' Association*, 91, 149–54.
- Barclay, W.J., Ambrose, K., Chadwick, R.A. and Pharaoh, T.C. (1997) Geology of the country around Worcester. *Memoir of the British Geological Survey*, Sheet 199 (England and Wales), The Stationery Office, London, 156 pp.
- Barnes, R.P., Ambrose, K., Holliday, D.W. and Jones, N.S. (1994) Lithostratigraphical subdivision of the Triassic Sherwood Sandstone Group in west Cumbria. *Proceedings of the Yorkshire Geological Society*, 50, 51–60.
- Beasley, H.C. (1902) The fauna indicated in the Lower Keuper Sandstone of the neighbourhood of Liverpool. *Transactions of the Liverpool Biological Society*, 16, 3–26.
- Becker, L., Poreda, R.J., Hunt, A.G., Bunch, T.E. and Rampino M. (2001) Impact event at the Permian–Triassic boundary: Evidence from extraterrestrial noble gases in fullerenes. *Science*, 291, 1530–3.
- Bell, B.R. and Harris, J.W. (1986) *An Excursion Guide to the Geology of the Isle of Skye*, Geological Society of Glasgow, Glasgow, 317 pp.
- Bell, J., Holden, J., Pettigrew, T.H. and Sedman, K.W. (1979) The Marl Slate and basal Permian breccia at Middridge, Co. Durham. *Proceedings of the Yorkshire Geological Society*, 42, 439–60.
- Benton, M.J. (1983) The Triassic reptile *Hyperodapedon* from Elgin: functional morphology and relationships. *Philosophical Transactions of the Royal Society of London, Series B*, 302, 605–720.
- Benton, M.J. (1990) The species of *Rhynchosaurus*, a rhynchosaur (Reptilia, Diapsida) from the Middle Triassic of England. *Philosophical Transactions of the Royal Society of London, Series B*, 328, 213–306.
- Benton, M.J. (1994) Late Triassic terrestrial vertebrate extinctions: stratigraphic aspects and the record of the Germanic Basin. *Paleontologia Lombarda, Nuova Serie*, 2, 19–38.
- Benton, M.J. (1999) *Scleromochlus* and the origin of dinosaurs and pterosaurs. *Philosophical Transactions of the Royal Society, Series B*, 354, 1–25.
- Benton, M.J. and Gower, D.J. (1997) Richard Owen's giant Triassic frogs: archosaurs from the Middle Triassic of England. *Journal of Vertebrate Paleontology*, 17, 74–88.
- Benton, M.J. and Spencer, P.S. (1995) *Fossil Reptiles of Great Britain*, Geological Conservation Review Series No. 5, Chapman and Hall, London, 345 pp.

- Benton, M.J. and Walker, A.D. (1985) Palaeoecology, taphonomy and dating of Permo-Triassic reptiles from Elgin, north-east Scotland. *Palaeontology*, 29, 207–34.
- Benton, M.J., Warrington, G., Newell, A.J. and Spencer, P.S. (1994) A review of the British Mid Triassic tetrapod faunas. In *In the Shadow of the Dinosaurs, Early Mesozoic Tetrapods* (eds N.C. Fraser and H.-D. Sues), Cambridge University Press, New York, pp. 131–60.
- Benton, M.J., Juul, L., Storrs, G.W. and Galton, P.M. (2000) Anatomy and systematics of the prosauropod dinosaur *Thecodontosaurus antiquus* from the Upper Triassic of southwest England. *Journal of Vertebrate Paleontology*, 20, 77–108.
- Benton, M.J., Cook, E., Shreve, D., Currant, A. and Hooker, J. (in press) *Fossil Mammals and Birds of Great Britain*, Geological Conservation Review Series, Joint Nature Conservation Committee, Peterborough.
- Berridge, N.G. and Ivimey-Cook, H.C. (1967) The geology of a Geological Survey borehole at Lossiemouth, Morayshire. *Bulletin of the Geological Survey of Great Britain*, 27, 155–69.
- Binney, E.W. (1855) On the Permian beds of the north-west of England. *Memoir and Proceedings of the Manchester Literary and Philosophical Society, Series 2*, 12, 369–96.
- Binney, E.W. (1857) Additional observations on the Permian beds of the north-west of England. *Memoir and Proceedings of the Manchester Literary and Philosophical Society, Series 2*, 14, 101–20.
- Blackith, R.E. (1956) The Haffield Breccias. *Scientific Journal of the Royal College of Sciences*, 26, 77–85.
- Blair, T.C. and McPherson, J.G. (1994) Alluvial fans and their natural distinction from rivers based on morphology, hydraulic processes, sedimentary processes and facies assemblages. *Journal of Sedimentary Research*, 64, 450–89.
- Blodgett, R.H. and Stanley, K.O. (1980) Stratification, bedforms and discharge relationships of the Platte braided river system, Nebraska. *Journal of Sedimentary Petrology*, 50, 139–48.
- Bluck, B.J. (1965) The sedimentary history of some Triassic conglomerates in the Vale of Glamorgan, South Wales. *Sedimentology*, 4, 225–45.
- Boomer, I.D., Duffin, C.J. and Swift, A. (1999) Arthropods 1: crustaceans. In *Fossils of the Rhaetian Penarth Group* (eds A. Swift and D.M. Martill), The Palaeontological Association, London, pp. 129–48.
- Bott, M.H.P. (1974) The geological interpretation of a gravity survey of the English Lake District and the Vale of Eden. *Journal of the Geological Society, London*, 130, 309–31.
- Bott, M.H.P. (1978) Deep structure. In *The Geology of the Lake District* (ed. F. Moseley), *Yorkshire Geological Society, Occasional Publication*, 3, 25–40.
- Boyd Dawkins, W. (1864a) On the Rhaetic Beds and White Lias of western and central Somerset; and on the discovery of a new fossil mammal in the Grey Marlstones beneath the Bone Bed. *Quarterly Journal of the Geological Society of London*, 20, 396–412.
- Boyd Dawkins, W. (1864b) Outline of the Rhaetic Formation in West and Central Somerset. *Geological Magazine, Decade 1*, 1, 257–60.
- Bradshaw, R. and Hamilton, D. (1967) Conjugate gypsum veins at Blue Anchor Point, Somerset. *Proceedings of the Bristol Naturalists' Society*, 31, 305–9.
- Brickenden, L.B. (1852) Notice of the discovery of reptilian foot-tracks and remains in the Old Red or Devonian strata of Moray. *Quarterly Journal of the Geological Society of London*, 8, 97–100.

- Briden, J.C. and Daniels, B.A. (1999) Palaeomagnetic correlation of the Upper Triassic of Somerset, England, with continental Europe and eastern North America. *Journal of the Geological Society, London*, 156, 317–26.
- Bridge, D. McC., Carney, J.N., Lawley, R.S. and Rushton, A.W.A. (1998) Geology of the country around Coventry and Nuneaton. *Memoir of the Geological Survey of Great Britain*, Sheet 169 (England and Wales), The Stationery Office, London, 185 pp.
- Bristow, C.R. and Scrivener, R.C. (1984) The stratigraphy and structure of the Lower New Red Sandstone of the Exeter district. *Proceedings of the Ussher Society*, 6, 68–74.
- Bristow, W.H. (1867) On the Lower Lias or Lias–Conglomerate of a part of Glamorganshire. *Quarterly Journal of the Geological Society of London*, 23, 199–207.
- Brodie, P.B. (1845) *A History of the Fossil Insects in the Secondary Rocks of England*, John van Voorst, London, 130 pp.
- Brodie, P.B. (1856) On the Upper Keuper Sandstone (included in the New Red Marl) of Warwickshire. *Quarterly Journal of the Geological Society of London*, 12, 374–6.
- Brodie, P.B. (1858) Contributions to the geology of Gloucestershire. *The Geologist*, 1, 41–8; 81–8; 227–33; 289–91; 369–77.
- Brodie, P.B. (1886) On the discovery of fossil fish in the New Red Sandstone (Upper Keuper) in Warwickshire. *Geological Magazine, Decade 3*, 3, 507–8.
- Brodie, P.B. (1887) Notes on the Upper Keuper Section at Shrewley where the fish were found, and on the Trias generally in Warwickshire. *Quarterly Journal of the Geological Society of London*, 43, 540–2.43
- Brodie, P.B. (1893) On some additional remains of cestraciant and other fishes in the Green Gritty Marls, immediately overlying the Red Marls of the Upper Keuper in Warwickshire. *Quarterly Journal of the Geological Society of London*, 49, 171–4.
- Brodie, P.B. (1894) On the discovery of molluscs in the Upper Keuper at Shrewley in Warwickshire. *Quarterly Journal of the Geological Society of London*, 50, 170.
- Brookfield, M.E. (1977) The origin of bounding surfaces in ancient aeolian sandstones. *Sedimentology*, 24, 303–32.
- Brookfield, M.E. (1978) Revision of the stratigraphy of Permian and supposed Permian rocks of southern Scotland. *Geologische Rundschau*, 67, 110–43.
- Brookfield, M.E. (1979) Anatomy of a Lower Permian aeolian sandstone complex, southern Scotland. *Scottish Journal of Geology*, 15, 81–96.
- Brookfield, M.E. (1980) Permian intermontane basin sedimentation in southern Scotland. *Sedimentary Geology*, 27, 167–94.
- Brookfield, M.E. (1981) Field guide to the Permian rocks of the Thornhill and Moffat Basins. *Transactions of the Dumfries and Galloway Natural History and Antiquarian Society*, 56, 1–9.
- Brookfield, M.E. (1984) Eolian sands. In *Facies Models*, 2nd edn (ed. R.F. Walker), Geoscience Canada Reprint Series No. 1, pp. 91–103.
- Brookfield, M.E. (2000) Temporary desert lake deposits, Lower Permian (Rotliegendes) Southern Scotland, U.K. In *Lake Basins Through Space and Time* (eds E.H. Gierlowski-Kordesch and K.R. Kelts) AAPG Studies in Geology No. 46, The American Association of Petroleum Geologists, Tulsa, pp 67–74.

- Bruck, P.M., Dedman, R.E. and Wilson, C.L. (1967) The New Red Sandstone of Raasay and Scalpay, Inner Hebrides. *Scottish Journal of Geology*, 3, 168–80.
- Buckland, W. (1829) On the discovery of coprolites, or fossil faeces, in the Lias at Lyme Regis, and in other formations. *Transactions of the Geological Society of London, Series 2*, 1, 223–36.
- Buckland, W. (1844) President's address, 1839. *Proceedings of the Ashmolean Society*, 16, 5–7.
- Buckland, W and Conybeare, W.D. (1824) Observations on the south-western coal district of England. *Transactions of the Geological Society of London, Series 2*, 1, 210–316.
- Burckhardt, R. (1900) On *Hyperodapedon gordonii*. *Geological Magazine, Decade 4*, 7, 486–92, 529–35.
- Burgess, I.C. (1965) The Permo-Triassic rocks around Kirkby Stephen, Westmoreland. *Proceedings of the Yorkshire Geological Society*, 35, 91–101.
- Burgess, I.C. and Holliday, D.W. (1974) The Permo-Triassic rocks of the Hilton Borehole, Westmorland. *Bulletin of the Geological Survey of Great Britain*, 46, 167–82.
- Burgess, I.C. and Holliday, D.W. (1979) Geology of the country around Brough-under-Stainmore. *Memoir of the British Geological Survey*, Sheets 25, 30, and 31 (England and Wales), HMSO, London, 131 pp.
- Burgess, I.C. and Wadge, A.J. (1974) *The Geology of the Cross Fell Area*, Institute of Geological Sciences, HMSO, London, 92 pp.
- Burley, S.D. (1984) Patterns of diagenesis in the Sherwood Sandstone Group (Triassic), United Kingdom. *Clay Minerals*, 19, 403–40.
- Cameron, T.D.J. (1993) Triassic, Permian and pre-Permian of the central and northern North Sea. In *Lithostratigraphic Nomenclature of the UK North Sea, Volume 4* (eds R.W. O'B. Knox and W.G. Cordey), British Geological Survey for the United Kingdom Offshore Operators Association, Keyworth, 163 pp.
- Cameron, T.D.J., Crosby, A., Balson, P.S., Jeffrey D.H., Lou, G.K., Bulat, J. and Harrison, D.J. (1992) *The Geology of the Southern North Sea*, United Kingdom Offshore Regional Reports No. 7, HMSO for British Geological Survey, London, 152 pp.
- Cameron Smith, A. (1925) The Locharbriggs Sandstone. *Transactions of the Dumfries and Galloway Natural History and Antiquarian Society*, 12, 231–6.
- Campbell Smith, W. (1963) Description of the igneous rocks represented among pebbles from the Bunter Pebble Beds of the Midlands of England. *Bulletin of the British Museum (Natural History, Mineralogy Series, 2)*, 1–17.
- Carter, H.J. (1888) On some remains in the Triassic strata of the south coast of Devonshire between Budleigh Salterton and Sidmouth. *Quarterly Journal of the Geological Society of London*, 44, 318–19.
- Carus-Wilson, C. (1913) Cupriferous sandstones at Exmouth. *Nature*, 91, 530.
- Cave, R. (1977) Geology of the Malmesbury district. *Memoir of the Geological Survey of Great Britain*, Sheet 251 (England and Wales), HMSO, London, 343 pp.
- Chadwick, R.A. (1986) Extension tectonics in the Wessex Basin, southern England. *Journal of the Geological Society, London*, 143, 465–88.
- Chadwick, R.A. and Evans, D.J. (1995) The timing and direction of Permo-Triassic extension in southern Britain. In *Permian and Triassic Rifting in Northwest Europe* (ed. S.A.R. Boldy), *Geological Society of London Special Publication*

No. 91, 161–92.

Chaloner, W.G. and Clarke, R.F.A. (1961) A new British Permian spore. *Palaeontology*, 4, 648–52.

Charsley, T.J. (1989) Geology of the Nottingham (South) district, 1:10, 000 sheet SK53NE. *British Geological Survey, Onshore Geology Series, Technical Report, WA/89/4*.

Charsley, T.J., Rathbone, P.A. and Lowe, D.J. (1990) Nottingham: a geological background for planning and development. *British Geological Survey, Onshore Geology Series, Technical Report, WA/90/1*.

Clark, N.D.L. (1999) The Elgin marvel. *Open University Geological Society Journal*, 20, 16–19.

Clarke, R.F.A. (1965a) Keuper miospores from Worcestershire, England. *Palaeontology*, 8, 294–321.

Clarke, R.F.A. (1965b) British Permian saccate and monosulcate miospores. *Palaeontology*, 8, 322–54.

Clemens, W.A., Lillegraven, J.A., Lindsay, E.H. and Simpson, G.G. (1979) Where, when and what — a survey of known Mesozoic mammal distribution. In *Mesozoic Mammals* (eds J.A. Lillegraven, Z. Kielan-Jaworowska and W.A. Clemens), University of California Press, Berkeley, pp. 7–58.

Clemmensen, L.B. (1987) Complex star dunes and associated aeolian bedforms, Hopeman Sandstone (Permo-Triassic), Moray Firth Basin, Scotland. In *Desert Sediments: Ancient and Modern* (eds L. Frostick and I. Reid), *Geological Society of London Special Publication No. 35*, 213–31.

Clemmensen, L.B. (1989) Preservation of inter-draa and plinth deposits by the lateral migration of large linear draas (Lower Permian Yellow Sands, northeast England). *Sedimentary Geology*, 65, 139–51.

Clemmensen, L.B. and Abrahamsen, K. (1983) Aeolian stratification and facies association in desert sediments, Arran basin (Permian), Scotland. *Sedimentology*, 30, 311–39.

Clemmensen, L.B. and Hegner, J. (1991) Eolian sequence and erg dynamics, the Permian Corrie Sandstone, Scotland. *Journal of Sedimentary Petrology*, 61, 768–74.

Clemmensen, L.B., Oxnevad, I.E.I. and de Boer, P.L. (1994) Climatic controls on ancient desert sedimentation: some late Palaeozoic and Mesozoic examples from NW Europe and the Western Interior of the USA. *Special Publications of the International Association of Sedimentologists*, 19, 439–57.

Cocks, L.R.M. (1989) Lower and Upper Devonian brachiopods from the Budleigh Salterton Pebble Bed, Devon. *Bulletin of the British Museum (Natural History), Geology Series*, 45, 21–37.

Cocks, L.R.M. (1993) Triassic pebbles, derived fossils and the Ordovician to Devonian palaeogeography of Europe. *Journal of the Geological Society, London*, 150, 219–26.

Colter, V.S. and Barr, K.W. (1975) Recent developments in the geology of the Irish Sea and Cheshire Basins. In *Petroleum and the Continental Shelf of North West Europe* (ed. A.W. Woodland), Applied Science Publishers, London, pp. 61–75.

Colter, V.S. and Ebborn, J. (1978) The petrography and reservoir properties of some Triassic sandstones of the northern Irish Sea Basin. *Journal of the Geological Society, London*, 135, 57–62.

Conybeare, W D and Phillips, J. (1822) *Outlines of the Geology of England and Wales*, William Phillips, London, 470 pp.

Cope, J.C.W. (1971) Mesozoic rocks of the southern part of the Vale of Glamorgan. In *Geological Excursions in South Wales and the Forest of Dean* (eds D.A. Bassett and M.G. Bassett), Geologists' Association South Wales Group, Cardiff, pp. 114–24.

- Cope, J.C.W., Getty, T.A., Howarth, M.K., Morton, N. and Torrens, H.S. (1980) *A Correlation of the Jurassic Rocks in the British Isles. Part One: Introduction and Lower Jurassic*. Geological Society of London, Special Report, 14, 73 pp.
- Cowan, G. (1993) Identification and significance of aeolian deposits within the dominantly fluvial Sherwood Sandstone Group of the East Irish Sea Basin UK. In *Characterization of Fluvial and Aeolian Reservoirs* (eds C.P. North and D.J. Prosser), *Geological Society of London Special Publication No. 73*, pp. 231–45.
- Coward, M.P. (1995) Structural and tectonic setting of the Permo-Triassic basins of northwest Europe. In *Permian and Triassic Rifting in Northwest Europe* (ed S.A.R. Boldy), *Geological Society of London Special Publication No. 91*, pp. 8–39.
- Coysh, A.W. (1927) The petrology of the Avonian rocks at Sodbury, Gloucestershire. *Geological Magazine*, 64, 167.
- Craig, G.Y. (1965) Permian and Triassic. In *The Geology of Scotland* (ed. G.Y. Craig), Oliver and Boyd, Edinburgh and London, pp. 385–400.
- Cuny, G. and Benton, M.J. (1999) Early radiation of the neoselachian sharks in western Europe. *Geobios*, 32, 193–204.
- Curtis, M.T. (1982) Playa cycles in the Mercia Mudstone (Keuper Marl) of Aust Cliff; Avon. *Proceedings of the Bristol Naturalists' Society*, 42, 13–22.
- Dakyns, J.R., Tiddeman, R.H. and Goodchild, J.G. (1897) The geology of the country between Appleby, Ullswater, and Haweswater. *Memoir of the Geological Survey of Great Britain*, Sheet 30, (England and Wales), HMSO, London, 110 pp.
- Dalglisch, J. and Forster, G.B. (1864) On the Magnesian Limestone of Durham. *Transactions of the Northern England Institution of Mining Engineers*, 13, 205–13.
- Davies, J. (1961) Two derived fossils from the Bunter Pebble Beds of Hilbre Island, Cheshire. *Liverpool and Manchester Geological Journal*, 2, 626.
- De la Beche, H. (1846) On the formation of the rocks of South Wales and south-western England. *Memoir of the Geological Survey of Great Britain*, 1, HMSO, London, 1–261.
- Dineley, D.L. and Metcalfe, S.J. (1999) *Fossil Fishes of Great Britain*. Geological Conservation Review Series No. 16, Joint Nature Conservation Committee, Peterborough, 675 pp.
- Donovan, D.T. (1955) Mesozoic. In *Bristol and its Adjoining Counties* (eds C.M. MacInnes and W.F. Whittard), British Association for the Advancement of Science, Bristol, pp. 23–8.
- Donovan, D.T. and Kellaway, G.A. (1984) Geology of the Bristol District: the Lower Jurassic Rocks. *Memoir of the British Geological Survey*, HMSO, London, 69 pp.
- Duff, K.L., McKirdy, A.P. and Harley, M.J. (1985) *New Sites for Old. A Students' Guide to the Geology of the east Mendips*, Nature Conservancy Council, Peterborough, 189 pp.
- Duff, P. (1842) *Sketch of the Geology of Moray*, Forsyth and Young, Elgin, 72 pp.
- Duffin, C.J. (1978) The Bath geological collections. f. The importance of certain vertebrate fossils collected by Charles Moore: an attempt at scientific perspective. *Geological Curators Group Newsletter*, 2, 59–67.
- Duffin, C.J. (1982) Teeth of a new selachian from the Upper Triassic of England. *Neues Jahrbuch für Geologie and Paläontologie, Monatshefte*, 1982, 157–66.
- Dunham, K.C. (1932) Quartz dolerite pebbles (Whin Sill type) in the Upper Brockram. *Geological Magazine*, 69, 425–9.
- Durrance, E.M. and Laming, D.J.C. (1982) *The Geology of Devon*, University of Exeter, Exeter, 345 pp.

- Earp, J.R. and Taylor, B.J. (1986) Geology of the country around Chester and Winsford. *Memoir of the British Geological Survey*, Sheet 109 (England and Wales), HMSO, London, 119 pp.
- Eastwood, T. (1953) *Northern England*, 3rd edn, *British Regional Geology Series*, No. 7, HMSO for Geological Survey and Museum, London, 72 pp.
- Eastwood, T, Whitehead, T.H. and Robertson, T. (1925) The geology of the country around Birmingham. *Memoir of the Geological Survey of Great Britain*, Sheet 168, (England and Wales), HMSO, London, 152 pp.
- Eastwood, T, Dixon, E.E.L., Hollingworth, S.E. and Smith, B. (1931) The geology of the Whitehaven and Workington district. *Memoir of the Geological Survey of Great Britain*, Sheet 28, (England and Wales), HMSO, London, 304 pp.
- Eccles, J. (1870–1871) On some sections of Permian strata near Kirkby Stephen. *Transactions of the Manchester Geological Society*, 21, 30–7.
- Edmonds, E.A. and Williams, B.J. (1985) Geology of the country around Taunton and the Quantock Hills. *Memoir of the British Geological Survey*, Sheet 295 (England and Wales), HMSO, London, 92 pp.
- Edmonds, E.A., McKeown, M.C. and Williams, M. (1975) *South-West England*, 4th edn, *British Regional Geology Series*, No. 17, HMSO for Institute of Geological Sciences, London, 138 pp.
- Edwards, H.E., Becker, A.D. and Howell, J.A. (1993) Compartmentalization of an aeolian sandstone by structural heterogeneities: Permo-Triassic Hopeman Sandstone, Moray Firth, Scotland. In *Characterization of Fluvial and Aeolian Reservoirs* (eds C.P. North and D.J. Prosser), *Geological Society of London Special Publication No. 73*, pp. 339–65.
- Edwards, R.A. (1999) The Minehead district — a concise account of the geology. *Memoir of the British Geological Survey*, Sheet 278 and part of Sheet 294 (England and Wales), The Stationery Office for the British Geological Survey, London, 128 pp.
- Edwards, R.A. and Scrivener, R.C. (1999) Geology of the country around Exeter. *Memoir of the British Geological Survey*, Sheet 325 (England and Wales), The Stationery Office for the British Geological Survey, London, 184 pp.
- Edwards, R.A., Warrington, G., Scrivener, R.C., Jones, N.S., Haslam, H.W. and Ault, L. (1997) The Exeter Group, south Devon, England: a contribution to the early post-Variscan stratigraphy of northwest Europe. *Geological Magazine*, 134, 177–97.
- Elliott, R.E. (1961) The stratigraphy of the Keuper series in southern Nottinghamshire. *Proceedings of the Yorkshire Geological Society*, 33, 197–234.
- Ellis, N.V., Bowen, D.Q., Campbell, S. *et al.*, (1996) *An Introduction to the Geological Conservation Review*, Geological Conservation Review Series No.1, Joint Nature Conservation Committee, Peterborough, 131 pp.
- Erwin, D.H. (1993) *The Great Paleozoic Crisis: Life and Death in the Permian*, Columbia University Press, New York, 327 pp.
- Etheridge, R. (1865) On the Rhaetic or *Avicula contorta* beds at Garden Cliff, Westbury-upon-Severn, Gloucestershire. *Proceedings of the Cotteswold Naturalists' Field Club*, 3, 218–34.
- Etheridge, R. (1867a) Physical structure of north Devon and the palaeontological value of the Devonian fossils. *Quarterly Journal of the Geological Society of London*, 23, 251–2.
- Etheridge, R. (1867b) Physical structure of west Somerset and north Devon and the palaeontological value of the Devonian fossils. *Quarterly Journal of the Geological Society of London*, 23, 568–98.



- Etheridge, R. (1870) On the geological position and geographical distribution of the Reptilian or Dolomitic Conglomerate of the Bristol area. *Quarterly Journal of the Geological Society of London*, 26, 174–92.
- Etheridge, R. (1872) On the physical structure and organic remains of the Penarth (Rhaetic) beds at Penarth and Lavernock, also with descriptions of the Westbury-on-Severn section. *Transactions of the Cardiff Naturalists' Society*, 3, 39–64.
- Evans, D.J., Rees, J.G. and Holloway, S. (1993) The Permian to Jurassic stratigraphy and structural evolution of the central Cheshire Basin. *Journal of the Geological Society, London*, 150, 857–70.
- Farris, M.A., Oates, M.J. and Torrens, H.S. (1999) New evidence on the origin and Jurassic age of palaeokarst and limestone breccias, Loch Slapin, Isle of Skye. *Scottish Journal of Geology*, 35, 25–9.
- Fisher, M.J. (1972) The Triassic palynofloral succession in England. *Geoscience and Man*, 4, 101–9.
- Fleet, W.F. (1927) The heavy minerals of Keele, Enville, "Permian", and Lower Triassic rocks of the Midlands, and the correlation of these strata. *Proceedings of the Geologists' Association*, 38, 1–48.
- Forster, S.C. and Warrington, G. (1985) Geochronology of the Carboniferous, Permian and Triassic. In *The Chronology of the Geological Record* (ed. N.J. Snelling), *Memoir of the Geological Society*, 10, 99–113, Blackwell Scientific Publications, Oxford.
- Francis, E.H. (1959) The Rhaetic of the Bridgend district. *Proceedings of the Geologists' Association*, 70, 158–70.
- Fraser, N.C. (1994) Assemblages of small tetrapods from the British Late Triassic fissure deposits. In *In the Shadow of the Dinosaurs, Early Mesozoic Tetrapods* (eds N.C. Fraser and H.-D. Sues), Cambridge University Press, New York, pp. 214–26.
- Fraser, N.C. and Benton, M.J. (1989) The Triassic reptiles *Brachyrhinodon* and *Polysphenodon* and the relationships of the sphenodontids. *Zoological Journal of the Linnean Society*, 96, 413–45.
- Frederiksen, K.S., Clemmensen, L.B. and Lawaetz, H.S. (1998) Sequential architecture and cyclicity in Permian desert deposits, Brodick Beds, Arran, Scotland. *Journal of the Geological Society, London*, 155, 677–83.
- Frostick, L.E., Reid, I., Jarvis, J. and Eardley, H. (1988) Triassic sediments of the Inner Moray Firth, Scotland: early rift deposits. *Journal of the Geological Society, London*, 145, 235–48.
- Gardiner, P.R. R.R. and Visscher, H. (1971) Permian-Triassic transition at Kingscourt, Ireland. *Nature Physical Science*, 229, 209–10.
- Garrett, P.A., Hardie, W.G., Lawson, J.D. and Shotton, F.W. (1958) Geology of the area around Birmingham. *Geologists' Association Guide*, 1, 22 pp.
- Geiger, M.E. and Hopping, C.A. (1968) Triassic stratigraphy of the southern North Sea Basin. *Philosophical Transactions of the Royal Society of London, Series B*, 254, 1–36.
- George, G.T. and Berry, J.K. (1993) A new lithostratigraphy and depositional model for the Upper Rotliegend of the UK sector of the southern North Sea. In *Characterization of Fluvial and Aeolian Reservoirs* (eds C.P. North and D.J. Prosser), *Geological Society of London Special Publication No. 73*, pp. 291–319.
- George, T.N., Harland, W.B., Ager, D.V., Ball, H.W., Blow, W.H., Casey, R. *et al.* (1969) Recommendations on stratigraphical usage. *Proceedings of the Geological Society of London*, 1638, 75–87.
- Gibson, W. (1905) The Geology of the North Staffordshire Coalfields. *Memoir of the Geological Survey*, Sheets 110, 123 and 124, (England and Wales), HMSO, London, 525 pp.

- Gillen, C. (1987) Huntly, Elgin and Lossiemouth. In *Excursion Guide to the Geology of the Aberdeen Area* (eds N.H. Trewin, B.C. Kneller and C. Gillen), Scottish Academic Press, Edinburgh, pp. 149–160.
- Glennie, K.W. (1970) *Desert Sedimentary Environments. Developments in Sedimentology*, 14, Elsevier, Amsterdam, 222 pp.
- Glennie, K.W. (1972) Permian Rotliegendes of northwest Europe interpreted in light of modern desert sedimentation studies. *Bulletin of the American Association of Petroleum Geologists*, 56, 1046–71.
- Glennie, K.W. and Buller, A.T. (1983) The Permian Weissliegendes of NW Europe. The partial deformation of aeolian dune sands caused by the Zechstein transgression. *Sedimentary Geology*, 35, 43–81.
- Glover, B.W. and Powell, J.H. (1996) Interaction of climate and tectonics upon alluvial architecture: Late Carboniferous–Early Permian sequences at the southern margin of the Pennine Basin, UK. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 121, 13–34.
- Goodchild, J.G. (1881) The Penrith Sandstone. *Transactions of the Cumberland and Westmoreland Association*, 9, 31.
- Goodchild, J.G. (1893) Observations on the New Red Series of Cumberland and Westmoreland with especial reference to classification. *Transactions of the Cumberland Association*, 17, 1–24.
- Goudie, A.S. (1973) *Duricrusts in Tropical and Sub-tropical Landscapes*, Clarendon Press, Oxford, 174 pp.
- Green, G.W. (1992) *Bristol and Gloucester Region*, 3rd edn. *British Regional Geology Series, No.16*, HMSO for British Geological Survey, London, 188 pp.
- Green, G.W. and Welch, F.B.A. (1965) The geology of the country around Wells and Cheddar. *Memoir of the Geological Survey of Great Britain*, Sheet 280 (England and Wales), HMSO, London, 225 pp.
- Greenwood, H.W. (1916) The origin of the British Trias — a re-statement of the problem in the light of recent research. *Proceedings of the Liverpool Geological Society*, 12, 209–35.
- Gregory, J.W. (1915) The Permian and Triassic rocks of Arran. *Transactions of the Geological Society of Glasgow*, 15, 174–87.
- Groom, T.T. (1902) The sequence of the Cambrian and associated beds of the Malvern Hills. *Quarterly Journal of the Geological Society of London*, 58, 89–135.
- Haim, B.A. and Horton, A. (1969) *Central England*. 3rd edn. *British Regional Geology Series, No. 10*, HMSO for the Institute of Geological Sciences, London, 142 pp.
- Hallam, A. (1960) The White Lias of the Devon coast. *Proceedings of the Geologists' Association*, 71, 47–60.
- Hallam, A. (1981) A revised sea-level curve for the early Jurassic. *Journal of the Geological Society, London*, 138, 735–43.
- Hallam, A. (1990) Correlation of the Triassic–Jurassic boundary in England and Austria. *Journal of the Geological Society, London*, 147, 421–4.
- Hallam, A. (1994) Strontium isotope profiles of Triassic–Jurassic boundary sections in England and Austria. *Geology*, 22, 1079–82.
- Hallam, A. and Wignall, P.B. (1997) *Mass Extinctions and their Aftermath*, Oxford University Press, Oxford, 320 pp.
- Hamblin, R.J.O., Crosby, A., Balson, P.S., Jones, S.M., Chadwick, R.A., Penn, I.E. and Arthur, M.J. (1992) *The Geology of the English Channel*. United Kingdom Offshore Regional Reports No.10, HMSO for the British Geological Survey,

London, 106 pp.

Hamilton, D. (1961) Algal growth in the Rhaetic Cotham Marble of Southern England. *Palaeontology*, 4, 324–33.

Hamilton, D. (1977) Aust Cliff. In *Geological Excursions in the Bristol District* (ed. R.J.G. Savage), University of Bristol, Bristol, pp. 110–18.

Hamilton, D. and Whittaker, A. (1977) Coastal exposures near Blue Anchor, Watchet and St. Audrie's Bay, north Somerset. In *Geological Excursions in the Bristol District* (ed. R.J.G. Savage), University of Bristol, Bristol, pp. 101–9.

Hardie, W.G., Bennison, G.M., Garrett, P.A., Lawson, J.D. and Shotton, F.W. (1971) *The Area around Birmingham*, The Geologists' Association, Colchester, 27 pp.

Harkness, R. (1850) On the New Red Sandstone of the southern portion of the Vale of the Nith. *Quarterly Journal of the Geological Society of London*, 6, 389–99.

Harkness, R. (1862) On the sandstones and their associated deposits in the Vale of Eden, the Cumberland Plain and the south-east of Dumfriesshire. *Quarterly Journal of the Geological Society of London*, 18, 205–18.

Harkness, R. (1864) On the reptiliferous rocks and the footprint-bearing strata of the northeast of Scotland. *Quarterly Journal of the Geological Society of London*, 20, 429–43.

Harland, W.B. and Hacker, J.F. (1966) Fossil lightning strikes 250 million years ago. *Report of the British Association for the Advancement of Science*, 22, 663–71.

Harland, W.B., Cox, A.V., Llewellyn, P.G., Pickton, C.A.G., Smith, A.G. and Walters, R. (1982) *A Geologic Time Scale*, Cambridge University Press, Cambridge, 131 pp.

Harland, W.B., Armstrong, R.I., Cox, A.V., Craig, L.E., Smith, A.G. and Smith, D.G. (1990) *A Geologic Time Scale 1989*, Cambridge University Press, Cambridge, 263 pp.

Harris, T.M. (1938) *The British Rhaetic Flora*, British Museum (Natural History), London, 84 pp.

Harrison, R.K. (1975) Concretionary concentrations of the rarer elements in Permo-Triassic red beds of South-West England. *Bulletin of the Geological Survey of Great Britain*, 52, 1–26.

Henson, M.R. (1970) The Triassic rocks of south Devon. *Proceedings of the Ussher Society*, 2, 172–7.

Henson, M.R. (1972) The form of the Permo-Triassic Basin in south-east Devon. *Proceedings of the Ussher Society*, 3, 447–57. Henson, M.R. (1973) Clay minerals from the lower New Red Sandstone of South Devon. *Proceedings of the Geologists' Association*, 84, 429–45.

Hesselbo, S.P. and Jenkyns, H.C. (1995) A comparison of the Hettangian to Bajocian successions of Dorset and Yorkshire. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 105–50.

Hickling, G. (1909) British Permian footprints. *Memoir and Proceedings of the Manchester Literary and Philosophical Society*, 53 (22), 1–31.

Hodge, M.B. (1932) The Permian Yellow Sands of North East England. *Proceedings of the University of Durham Philosophical Society*, 8, 410–58.

Hodges, P. (1994) The base of the Jurassic System: new data on the first appearance of *Psiloceras planorbis* in southwest Britain. *Geological Magazine*, 131, 841–4.

Holliday, D.W. (1993) Geophysical log signatures in the Eden Shales (Permo-Triassic) of Cumbria and their regional significance. *Proceedings of the Yorkshire Geological Society*, 49, 345–54.

- Hollingworth, S.E. (1942) The correlation of gypsum-anhydrite deposits and the associated strata in the north of England. *Proceedings of the Geologists' Association*, 53, 141–51.
- Holloway, S. (1985a) Permian. In *Atlas of Onshore Sedimentary Basins in England and Wales: Post-Carboniferous Tectonics and Stratigraphy* (ed. A. Whittaker), Blackie, London, pp. 26–30.
- Holloway, S. (1985b) Triassic: Sherwood Sandstone Group (excluding the Kinnerton Sandstone Formation and the Lenton Sandstone Formation). In *Atlas of Onshore Sedimentary Basins in England and Wales: Post-Carboniferous Tectonics and Stratigraphy* (ed. A. Whittaker), Blackie, London, pp. 31–3.
- Holloway, S. (1985c) Triassic: Mercia Mudstone and Penarth Groups. In *Atlas of Onshore Sedimentary Basins in England and Wales: Post-Carboniferous Tectonics and Stratigraphy* (ed. A. Whittaker), Blackie, London, pp. 34–6.
- Holloway, S., Milodowski, A.E., Strong, G.E. and Warrington, G. (1989) The Sherwood Sandstone Group (Triassic) of the Wessex Basin, southern England. *Proceedings of the Geologists' Association*, 100, 383–94.
- Hopkins, C. (1999) New finds in the Hopeman Sandstone. *Open University Geological Society Journal*, 20, 20–5.
- Horne, J. and Gregory, J.W. (1916) The Annan Red Sandstone Series of Dumfriesshire. *Transactions of the Geological Society of Glasgow*, 15, 374–86.
- House, M.R. (1989) Geology of the Dorset coast. *Geologists' Association Guide*, 22, 164 pp.
- Howard, F.T. (1894) *Plesiosaurus* from *Ostrea* Beds of Lower Penarth. *Transactions of the Cardiff Naturalists' Society*, 25, 44.
- Howell, H.H. (1859) The Geology of the Warwickshire Coal-field and the Permian Rocks and Trias of the Surrounding District. *Memoir of the Geological Survey*, (England and Wales), HMSO, London, 57 pp.
- Hudson, J.D. (1983) Mesozoic sedimentation and sedimentary rocks in the Inner Hebrides. *Proceedings of the Royal Society of Edinburgh, Series B*, 83, 47–63.
- Hull, E. (1860) On the new subdivisions of the Triassic rocks of the central countries. *Transactions of the Manchester Geological and Mining Society*, 2, 22–34.
- Hull, E. (1869) The Triassic and Permian Rocks of the Midland Counties of England. *Memoirs of the Geological Survey*, England and Wales, HMSO, London, 127 pp.
- Hull, E. (1892) A comparison of the Red Rocks of the South Devon coast with those of the Midland and Western counties. *Quarterly Journal of the Geological Society of London*, 48, 60–7.
- Hunter, R.E. (1977) Basic types of stratification in small eolian dunes. *Sedimentology*, 24, 361–87.
- Hutchinson, P.O. (1906) Geological section of the cliffs to the west and east of Sidmouth, Devon. *Report of the British Association for the Advancement of Science*, 1905, 168–70.
- Huxley, T.H. (1859a) Postscript [to Murchison (1859)]. *Quarterly Journal of the Geological Society of London*, 15, 435–6.
- Huxley, T.H. (1859b) On the *Stagonolepis robertsoni*; and on the recently discovered footmarks in the sandstones of Cummingstone. *Quarterly Journal of the Geological Society of London*, 15, 440–60.
- Huxley, T.H. (1869) On *Hyperodapedon*. *Quarterly Journal of the Geological Society of London*, 25, 138–52.
- Huxley, T.H. (1877) The crocodilian remains found in the Elgin Sandstones, with remarks on the Ichnites of Cummingstone. *Memoir of the Geological Survey of the United Kingdom, Monograph No. 3*, 1–52.

- Ireland, R.J., Pollard, J.E., Steel, R.J. and Thompson, D.B. (1978) Intertidal sediments and trace fossils from the Waterstones (Scythian-Anisian?) at Daresbury, Cheshire. *Proceedings of the Yorkshire Geological Society*, 41, 399–436.
- Irving, A. (1874) On the geology of the Nottingham district. *Geological Magazine, Decade 2*, 1, 314–9.
- Irving, A. (1888) The red-rock series of the Devon coast-section. *Quarterly Journal of the Geological Society of London*, 44, 149–63.
- Irving, A. (1892) Supplementary note to the paper on the 'Red rocks of the Devon coast-section'. *Quarterly Journal of the Geological Society of London*, 48, 68–80.
- Irving, A. (1893) The base of the Keuper formation in Devon. *Quarterly Journal of the Geological Society of London*, 49, 79–83.
- Ivimey-Cook, H.C. (1974) The Permian and Triassic deposits of Wales. In *The Upper Palaeozoic and Post-Palaeozoic Rocks of Wales* (ed. T.R. Owen), University of Wales Press, Cardiff; pp. 295–321.
- Ivimey-Cook, H.C., Warrington, G., Worley, N.E., Holloway, S. and Young, B. (1995) Rocks of Late Triassic and Early Jurassic age in the Carlisle Basin, Cumbria (north-west England). *Proceedings of the Yorkshire Geological Society*, 50, (4), 305–16.
- Jackson, D.I. and Johnson, H. (1996) *Lithostratigraphic Nomenclature of the Triassic, Permian and Carboniferous of the UK Offshore East Irish Sea Basin*, British Geological Survey for the United Kingdom Offshore Operators Association, Keyworth, 161 pp.
- Jackson, D.I. and Mulholland, P. (1993) Tectonic and stratigraphic aspects of the East Irish Sea Basin and adjacent areas: contrasts in their post-Carboniferous structural. In *Petroleum Geology of Northwest Europe, Proceedings of the Fourth Conference* (ed. J.R. Parker), Geological Society, London, pp. 791–808.
- Jackson, D.I., Mulholland, P., Jones, S.M. and Warrington, G. (1987) The geological framework of the East Irish Sea Basin. In *Petroleum Geology of North West Europe* (eds J. Brookes and K.W. Glennie), Graham and Trotman, London, pp. 191–203.
- Jackson, D.I., Jackson, A.A., Evans, D., Wingfield, R.T.R., Barnes, R.P. and Arthur, M.J. (1995) *The Geology of the Irish Sea*. United Kingdom Offshore Regional Reports, No. 6, HMSO for the British Geological Survey, London, 123 pp.
- Jackson, D.I., Johnson, H. and Smith, N.J.R. (1997) Stratigraphical relationships and a revised lithostratigraphical nomenclature for the Carboniferous, Permian and Triassic rocks of the offshore East Irish Sea Basin. In *Petroleum Geology of the Irish Sea and Adjacent Areas* (eds N.S. Meadows, S.P. Trueblood, M. Hardman and G. Cowan), *Geological Society of London Special Publication No. 124*, pp. 11–32.
- Jeans, C.V. (1978) The origin of the Triassic clay assemblages of Europe with special reference to the Keuper Marl and Rhaetic of parts of England. *Philosophical Transactions of the Royal Society of London, Series B*, 289, 549–639.
- Jin Yugan, Wardlaw, B.R., Glenister, B.F. and Kotlyar, G.V. (1997) Permian chronostratigraphic subdivisions. *Episodes*, 20, 10–15.
- Johnson, H., Warrington, G. and Stoker, S.J. (1994) 6. Permian and Triassic of the Southern North Sea. In *Lithostratigraphic Nomenclature of the UK North Sea* (eds R.W. O'B. Knox and W.G. Cordey), British Geological Survey for the United Kingdom Offshore Operators Association, Keyworth, 141 pp.
- Jones, N.S. and Ambrose, K. (1994) Triassic sandy braidplain and aeolian sedimentation in the Sherwood Sandstone Group of the Sellafeld area, west Cumbria. *Proceedings of the Yorkshire Geological Society*, 50, 61–76.
- Jones, T.R. (1863) A monograph on the fossil *Estheria*. *Monograph of the Palaeontographical Society*, 14 (62), 1–134.

- Judd, J.W. (1873) The Secondary rocks of Scotland. First Paper. *Quarterly Journal of the Geological Society of London*, 29, 97–195.
- Judd, J.W. (1878) The Secondary rocks of Scotland. Third paper. The strata of the Western Coast and Islands. *Quarterly Journal of the Geological Society of London*, 34, 660–743.
- Judd, J.W. (1886) On the relation of the reptiliferous sandstone of Elgin to the Upper Old Red Sandstone. *Proceedings of the Royal Society, London, Series B*, 39, 394–404.
- Judd, J.W. (1893) On composite dykes in Arran. *Quarterly Journal of the Geological Society of London*, 49, 536–64.
- Jukes-Brown, A.J. (1892) *The Building of the British Isles*, Geo. Bell and Sons, London, 465 pp.
- Jukes-Brown, A.J. (1902) On a deep boring at Lyme Regis. *Quarterly Journal of the Geological Society of London*, 58, 279–89.
- Karpeta, W.P. (1990) The morphology of Permian palaeodunes — a reinterpretation of the Bridgnorth Sandstone around Bridgnorth, England, in the light of modern dune studies. *Sedimentary Geology*, 69, 59–75.
- Kellaway, G.A. and Welch, F.B.A. (1993) Geology of the Bristol District. *Memoir of the British Geological Survey*, (England and Wales), HMSO for the British Geological Survey, London, 199 pp.
- Kendall, R.E. (1902) On the brockrams of the Vale of Eden and the evidence they afford of an inter-Permian movement of the Pennine faults. *Geological Magazine*, 39, 510–13.
- Kent, P.E. (1967) Outline geology of the Southern North Sea Basin. *Proceedings of the Yorkshire Geological Society*, 36, 1–22.
- Kent, P.E. (1970) Problems of the Rhaetic in the East Midlands. *Mercian Geologist*, 3, 361–72.
- Kent, P.E. (1975) Review of North Sea Basin development. *Journal of the Geological Society, London*, 131, 435–68.
- King, M.J. and Thompson, D.B. (2000a) Triassic vertebrate footprints from the Sherwood Sandstone Group, Hilbre, Wirral, northwest England. *Proceedings of the Geologists' Association*, 111, 111–32.
- King, M.J. and Thompson, D.B. (2000b) A history of the vertebrate footprint discoveries on Hilbre, Wirral, Merseyside, England 1990–1994. *North West Geologist*, 10, 10–38.
- King, W.W. (1893) Clent Hill Breccias. *Midland Naturalist*, 16.
- Klein, G. de V. (1962) Sedimentary structures in the Keuper Marl (Upper Triassic). *Geological Magazine*, 99, 137–44.
- Kocurek, G. (1988) First-order and super bounding surfaces in eolian surfaces — bounding surfaces revisited. *Sedimentary Geology*, 56, 193–206.
- Laming, D.J.C. (1965) Age of the New Red Sandstone in south Devonshire. *Nature*, 207, 624–5.
- Laming, D.J.C. (1966) Imbrication, palaeocurrents and other sedimentary features in the Lower New Red Sandstone, Devonshire, England. *Journal of Sedimentary Petrology*, 36, 940–59.
- Laming, D.J.C. (1968) New Red Sandstone stratigraphy in Devon and West Somerset. *Proceedings of the Ussher Society*, 2, 23–5.
- Laming, D.J.C. (1969) A guide to the New Red Sandstone of Tor Bay, Petitor and Shaldon. *Transactions of the Devonshire Association*, 101, 207–18.

- Laming, D.J.C. (1982) The New Red Sandstone. In *The Geology of Devon* (eds E.M. Durrance and D.J.C. Laming), University of Exeter, Exeter, pp. 148–78.
- Lamplugh, G.W., Gibson, W., Sherlock, R.L. and Wright, W.B. (1908) The geology of the country between Newark and Nottingham. *Memoir of the Geological Survey of Great Britain*, Sheet 126, (England and Wales), HMSO, London, 126 pp.
- Lang, W.D. (1924) The Blue Lias of the Devon and Dorset Coasts. *Proceedings of the Geologists' Association*, 35, 169–85.
- Lapworth, C. (1898) Sketch of the geology of the Birmingham district. *Proceedings of the Geologists' Association*, 15, 313–416.
- Large, N.F. (1966) The significance of *Spartina townsendii* at Aust Cliff. *Proceedings of the Cotteswold Naturalists' Field Club*, 35, 55–8.
- Lebour, H.H. (1902) The Marl Slate and Yellow Sands of Northumberland and Durham. *Transactions of the Institute of Mining Engineers*, 24, 370–91.
- Lee, G.W. (1920) The Mesozoic rocks of Applecross, Raasay, and north-east Skye. *Memoir of the Geological Survey of Great Britain*, Sheet 81 (Scotland), HMSO, Edinburgh, 93 pp.
- Lee, G.W. and Bailey, E.B. (1925) The pre-Tertiary geology of Mull, Loch Aline, and Oban. *Memoir of the Geological Survey of Great Britain*, Sheet 44 (Scotland), HMSO, Edinburgh, 140 pp.
- Lee, G.W. and Pringle, J. (1932) A synopsis of the Mesozoic rocks of Scotland. *Transactions of the Geological Society of Glasgow*, 19, 158–224.
- Leonard, A.J., Moore, A.C. and Selwood, E.B. (1982) Ventifacts from a deflation surface marking the top of the Budleigh Salterton Pebble Beds. *Proceedings of the Ussher Society*, 5, 333–9.
- Leslie, A.B., Tucker, M.E. and Spiro, B. (1992) A sedimentological and stable isotopic study of travertines and associated sediments within the Upper Triassic lacustrine limestones, South Wales, UK. *Sedimentology*, 39, 613–29.
- Leslie, A.B., Spiro, B. and Tucker, M.E. (1993) Geochemical and mineralogical variations in the upper Mercia Mudstone Group (Late Triassic), southwest Britain: correlation of outcrop sequences with borehole geophysical logs. *Journal of the Geological Society, London*, 150, 67–75.
- Lobley, J.L. (1875) Excursion to the Cheltenham district. *Proceedings of the Geologists' Association*, 4, 167–74.
- Lockley, M.G., King, M., Howe, S. and Sharpe, T. (1996) Dinosaur tracks and other archosaur footprints from the Triassic of South Wales. *Ichnos*, 5, 23–41.
- Lott, G.K. and Warrington, G. (1988) A review of the latest Triassic succession in the UK sector of the Southern North Sea Basin. *Proceedings of the Yorkshire Geological Society*, 47, 139–47.
- Lott, G.K., Sobey, R.A., Warrington, G. and Whittaker, A. (1982) The Mercia Mudstone Group (Triassic) in the western Wessex Basin. *Proceedings of the Ussher Society*, 5, 340–6.
- Lovell, J.P.B. (1971) Petrography and correlation of sandstones in the New Red Sandstone (Permo-Triassic) of Arran. *Scottish Journal of Geology*, 7, 162–9.
- Lovell, J.P.B. (1981) Intertidal sediments in the Auchenheugh Beds (Triassic) of Arran. *Scottish Journal of Geology*, 17, 223–4.

- Lowe, D.J., Crofts, R.G. and Dean, M.T. (1990) *Field Guide to Permo-Triassic Sections in the Nottingham Area*, 13th International Sedimentological Congress, Nottingham, U.K., 1990, Field Guide No. 11, 28 pp.
- Lucas, S.G. (1998) Global Triassic tetrapod bio-stratigraphy and biochronology. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 143, 345–82.
- Lucas, S.G. and Hunt, A.P. (1993) Tetrapod biochronology of the Chinle Group (Upper Triassic), western United States. In *The Nonmarine Triassic* (eds S.G. Lucas and M. Morales), *New Mexico Museum of Natural History and Science Bulletin*, 3, 327–9.
- Macchi, L. (1981) Sedimentology of the Penrith Sandstone and Brockrams (Permo-Triassic) of Cumbria, North-west England. Unpublished PhD thesis, University of Hull, 236 pp.
- Macchi, L. (1990) *A Field Guide to the Continental Permo-Triassic Rocks of Cumbria and North-west Cheshire*, Liverpool Geological Society 88 pp.
- Macchi, L. and Meadows, N.S. (1987) *The Permo-Triassic of Cheshire and Cumbria*, Poroperm Excursion Guide No. 12, Poroperm-Geochem Limited, Chester, 140 pp.
- MacDonald, J.G. and Herriot, A. (1983) *MacGregor's Excursion Guide to the Geology of Arran*, Geological Society of Glasgow, Glasgow, 210 pp.
- Mackie, W. (1897) The sands and sandstones of Eastern Moray. *Transactions of the Edinburgh Geological Society*, 7, 148–72.
- Mackie, W. (1902a) The occurrence of barium sulphate and calcium fluoride as cementing substances in the Elgin Trias. *Report of the British Association for the Advancement of Science*, 1901, 649–50.
- Mackie, W. (1902b) The Pebble-band of the Elgin Trias and its wind-worn pebbles. *Report of the British Association for the Advancement of Science*, 1901, 650–1.
- MacQuaker, J.H.S. (1984) Diagenetic modifications of primary sedimentological fabric in the Westbury Formation (Upper Triassic) of St. Audrie's Bay, North Somerset. *Proceedings of the Ussher Society*, 6, 95–9.
- MacQuaker, J.H.S. (1994) Palaeoenvironmental significance of 'bone-beds' in organic-rich mudstone successions: an example from the Upper Triassic of south-west Britain. *Zoological Journal of the Linnean Society*, 112, 285–308.
- MacQuaker, J.H.S. (1999) Aspects of the sedimentology of the Westbury Formation. In *Fossils of the Rhaetian Penarth Group* (eds A. Swift and D.M. Martill), The Palaeontological Association, London, pp. 39–48.
- MacQuaker, J.H.S., Farrimond, P and Brassell, S.C. (1985) Biological markers in the Rhaetian black shales of South West Britain. *Organic Geochemistry*, 10, 93–100.
- Mader, D. (1985) Braidplain, floodplain and playa lake, alluvial-fan, aeolian and palaeosol facies composing a diversified lithogenetical sequence in the Permian and Triassic of south Devon (England). In *Aspects of Fluvial Sedimentation in the Lower Triassic Buntsandstein of Europe* (ed. D. Mader), Springer-Verlag, Berlin, pp. 15–64.
- Mader, D. and Laming, D.J.C. (1985) Braidplain and alluvial-fan environmental history and climatological evolution controlling origin and destruction of aeolian dune fields and governing overprinting of sand seas and river plains by calcrete pedogenesis in the Permian and Triassic of south Devon (England). In *Aspects of Fluvial Sedimentation in the Lower Triassic Buntsandstein of Europe* (ed. D. Mader), Springer-Verlag, Berlin, pp. 519–28.
- Mader, D. and Yardley, M.J. (1985) Migration, modification and merging in aeolian systems and the significance of the depositional mechanisms in Permian and Triassic dune sands of Europe and North America. *Sedimentary Geology*, 43, 85–218.



- Marie, J.P. P. (1975) Rotliegende stratigraphy and diagenesis. In *Petroleum and the Continental Shelf of Northwest Europe* (ed. A.W. Woodland), Applied Science Publishers, London, pp. 205–11.
- Martill, D.M. (1999) Bone beds of the Westbury Formation. In *Fossils of the Rhaetian Penarth Group* (eds A. Swift and D.M. Martill), The Palaeontological Association, London, pp. 49–64.
- Matley, C.A. (1912) The Upper Keuper (or Arden) Sandstone Group and associated rocks of Warwickshire. *Quarterly Journal of the Geological Society of London*, 68, 254–80.
- May, V.J. and Hansom, J.H. (in press) *Coastal Geomorphology of Great Britain*, Geological Conservation Review Series, Joint Nature Conservation Committee, Peterborough.
- Mayan, M.J. (1979) The clay mineralogy of the Rhaetic transgression in Devon and Somerset — environmental and stratigraphical implications. *Proceedings of the Ussher Society*, 4, 303–11.
- Mayan, M.J. (1981) The Late Triassic Blue Anchor Formation and the initial Rhaetian marine transgression in south west Britain. *Geological Magazine*, 118, 377–84.
- Mayan, M.J. (1983) An earthquake origin for synsedimentary deformation in a late Triassic (Rhaetian) lagoonal sequence, southwest Britain. *Geological Magazine*, 120, 613–22.
- McKeever, P.J. (1991) Trackway preservation in eolian sandstones from the Permian of Scotland. *Geology*, 19, 726–9.
- McKeever, P.J. (1994) The behavioral and biostratigraphical significance and origin of vertebrate trackways from the Permian of Scotland. *Palaios*, 9, 477–87.
- McKeever, P.J. and Haubold, H. 1996. Reclassification of vertebrate trackways from the Permian of Scotland and related forms from Arizona and Germany. *Journal of Paleontology*, 70, 1011–22.
- McKerrow, W.S. and Atkins, F.B. (1989) *Isle of Arran*, The Geologists' Association, London, 104 pp.
- McLean, A.C. (1978) Evolution of fault-controlled ensialic basins in northwestern Britain. In *Crustal Evolution in Northwestern Britain and Adjacent Regions* (eds D.R. Bowes and B.E. Leake), Seel House Press, Liverpool, pp. 325–41.
- McMillan, A.A. and Brand, P.J. (1995) Depositional setting of Permian and Upper Carboniferous strata of the Thornhill Basin, Dumfriesshire. *Scottish Journal of Geology*, 31, 43–52.
- McQuillin, R. and Binns, P.E. (1973) Geological structure in the Sea of the Hebrides. *Nature Physical Sciences*, 241, 2–4.
- Meadows, N.S. and Beach, A. (1993) Structural and climatic controls on facies distribution in a mixed fluvial and aeolian reservoir: the Triassic Sherwood Sandstone Group in the Irish Sea. In *Characterization of Fluvial and Aeolian Reservoirs* (eds C.P. North and D.J. Prosser), *Geological Society of London Special Publication No. 73*, pp. 247–64.
- Meadows, N.S., Trueblood, S.P., Hardman, M. and Cowan, G. (eds) (1997) *Petroleum Geology of the Irish Sea and Adjacent Areas*. Geological Society London, 408 pp.
- Metcalf, A.T. (1884) On further discoveries of vertebrate remains in the Triassic strata of the south coast of Devonshire, between Budleigh Salterton and Sidmouth. *Quarterly Journal of the Geological Society of London*, 40, 257–62.
- Meyer, H.O.A. (1965) Revision of the stratigraphy of the Permian evaporites and associated strata in north-western England. *Proceedings of the Yorkshire Geological Society*, 35, 71–89.
- Miall, A.D. (1996) *The Geology of Fluvial Deposits*, Springer, Berlin, 586 pp.
- Milner, A.R., Gardiner, B.G., Fraser, N.C. and Taylor, M.A. (1990) Vertebrates from the Middle Triassic Otter Sandstone Formation of Devon. *Palaeontology*, 33, 873–92.

- Mitchell, G.H., Pocock, R.W. and Taylor, J.H. (1961) Geology of the country around Droitwich, Abberley and Kidderminster. *Memoir of the Geological Survey of Great Britain*, Sheet 182 (England and Wales), HMSO, London, 137 pp.
- Moore, C. (1867) Abnormal conditions of Secondary deposits when connected with the Somersetshire and South Wales Coal Basin; and on the age of the Sutton and Southerndown Series. *Quarterly Journal of the Geological Society of London*, 23, 449–568.
- Morbey, S.J. (1975) The palynostratigraphy of the Rhaetian Stage, Upper Triassic in the Kendelbachgraben, Austria. *Palaeontographica, Abteilung B*, 152, 1–75.
- Morton, G.H. (1891) *The Geology of the Country around Liverpool, Including the North of Flintshire*, 2nd edn, Phillips, London, 287 pp.
- Morton, N. (1971) The definition of standard Jurassic stages. *Mémoires du Bureau des Recherches Géologiques et Minéralogiques*, 75, 83–93.
- Morton, N. (1992) Dynamic stratigraphy of the Triassic and Jurassic of the Hebrides Basin. In *Basins on the Atlantic Seaboard: Petroleum Geology, Sedimentology and Basin Evolution* (ed. J. Parnell), *Geological Society of London Special Publication No. 62*, 97–110.
- Morton, N. (1999) Middle Hettangian (Lower Jurassic) ammonites from Isle of Raasay, Inner Hebrides, and correlation of the Hettangian–lowermost Sinemurian Breakish Formation in the Skye area, NW Scotland. *Scottish Journal of Geology*, 35, 119–30.
- Murchison, R.I. (1839) *The Silurian System*, John Murray, London, 768 pp.
- Murchison, R.I. (1841) First sketch of some of the principal results of a second geological survey of Russia. *Philosophical Magazine*, 19, 417–22.
- Murchison, R.I. and Harkness, R. (1864) On the Permian rocks of the north west of England and their extension into Scotland. *Quarterly Journal of the Geological Society of London*, 20, 144–65.
- Murchison, R.I. and Strickland, H.E. (1840) On the upper formations of the New Red Sandstone system in Gloucestershire, Worcestershire, and Warwickshire; etc. *Transactions of the Geological Society, London, Series 2*, 5, 331–48.
- Murray, J.W. and Wright, C.A. (1971) The Carboniferous Limestone of Chipping Sodbury and Wick, Gloucestershire. *Geological Journal*, 7, 255–70.
- Mykura, W. (1965) The age of the lower part of the New Red Sandstone of South-West Scotland. *Scottish Journal of Geology*, 1, 9–18.
- Naylor, H., Turner, P., Vaughan, D.J. and Fallick, A.E. (1989a) The Cherty Rock, Elgin: a petrographic and isotopic study of a Permo-Triassic calcrete. *Geological Journal*, 24, 205–21.
- Naylor, H., Turner, P., Vaughan, D.J., Boyce, A.C. and Fallick, A.E. (1989b) Genetic studies of red bed mineralization in the Triassic of the Cheshire Basin, northwest England. *Journal of the Geological Society, London*, 146, 685–99.
- Newell, A.J. (1992) *Sedimentological Controls on Vertebrate Taphonomy in Triassic Fluvial Environments*. Unpublished PhD thesis, University of Bristol, 351 pp.
- Newell, A.J. (2001) Bounding surfaces in mixed aeolian–fluvial system (Rotliegend, Wessex Basin, SW UK). *Marine and Petroleum Geology*, 18, 339–47.

- Newman, P.J. (1999) The geology and hydrocarbon potential of the Peel and Solway basins, East Irish Sea. *Journal of Petroleum Geology*, 22, 305–24.
- Newton, E.T. (1887) On the remains of fishes from the Keuper of Warwick and Nottingham. *Quarterly Journal of the Geological Society of London*, 43, 537–40.
- Newton, E.T. (1899) On a megalosauroid jaw from Rhaetic beds near Bridgend (Glamorganshire). *Quarterly Journal of the Geological Society of London*, 55, 89–96.
- Nicholson, H.A. (1868) *An Essay on the Geology of Cumberland and Westmoreland*, Robert Hardwicke, London, 93 pp.
- Nicholson, R. (1978) The Camas Malag Formation: an interbedded rhythmite/ conglomerate sequence of probable Triassic age, Loch Slapin, Isle of Skye. *Scottish Journal of Geology*, 14, 301–9.
- Oates, M.J. (1978) A revised stratigraphy for the western Scottish Lower Lias. *Proceedings of the Yorkshire Geological Society*, 42, 143–56.
- Old, R.A., Hamblin, R.J.O., Ambrose, K. and Warrington, G. (1991) Geology of the country around Redditch. *Memoir of the British Geological Survey*, Sheet 183 (England and Wales), HMSO, London, 83 pp.
- Old, R.A., Sumbler, M.G. and Ambrose, K. (1987) Geology of the country around Warwick. *Memoir of the British Geological Survey*, Sheet 184 (England and Wales), HMSO, London, 93 pp.
- Orbell, G. (1973) Palynology of the British Rhaeto-Liassic. *Bulletin of the Geological Survey of Great Britain*, 44, 1–44.
- Owen, R. (1842) Description of an extinct lacertian reptile, *Rhynchosaurus articeps* Owen, of which the bones and footprints characterise the new Red Sandstone at Grinshill, near Shrewsbury. *Transactions of the Cambridge Philosophical Society*, 7, 355–369.
- Owen, R. (1871) Monograph of the fossil mammals of the Mesozoic formations. *Palaeontographical Society (Monographs)*, 24, 1–115.
- Owens, B. (1972) A derived Lower Tournaisian miospore assemblage from the Permo-Triassic deposits of South Devon, England. *Septième Congrès International de Stratigraphie et de Géologie du Carbonifère, Krefeld, 23–28 August 1971, Compte Rendu*, 1, 359–65.
- Palmer, C.P. (1972) The Lower Lias (Lower Jurassic) between Watchet and Lilstock in North Somerset (United Kingdom). *Newsletters in Stratigraphy*, 2, 1–30.
- Paton, R.L. (1974) Lower Permian pelycosaurs from the English Midlands. *Palaeontology*, 17, 541–52.
- Paton, R.L. (1975) A Lower Permian tem-nospondylous amphibian from the English Midlands. *Palaeontology*, 18, 831–45.
- Pattison, J. (1970) A review of the marine fossils from the Upper Permian rocks of Northern Ireland and north-west England. *Bulletin of the Geological Survey of Great Britain*, 32, 123–65.
- Pattison, J., Smith, D.B. and Warrington, G. 1973. A review of late Permian and early Triassic biostratigraphy in the British Isles. In *The Permian and Triassic Systems and their Mutual Boundary* (eds A. Logan and L.V. Hills), *Canadian Society of Petroleum Geologists Memoir*, 2, 220–60.
- Peach, B.N., Horne, J., Woodward, B., Clough, C.T., Harker, A. and Wedd, C.B. (1910) The Geology of Glenelg, Lochalsh and the southeast part of Skye. *Memoir of the Geological Survey of Great Britain*, Sheet 71, (Scotland), HMSO, Edinburgh, 206 pp.

- Peacock, J.D. (1966) Contorted beds in the Permo-Triassic aeolian sandstones of Morayshire. *Bulletin of the Geological Survey of Great Britain*, 24, 157–62.
- Peacock, J.D. (1977) Excursion to Elgin district 9th July 1975. In *The Moray Firth Area Geological Studies*, Inverness Field Club, Inverness, pp. 108–9.
- Peacock, J.D., Berridge, N.G., Harris, A.L. and May, F. (1968) The geology of the Elgin district (Sheet 95). *Memoir of the Geological Survey of Great Britain*, Sheet 95, (Scotland), HMSO, Edinburgh, 165 pp.
- Pearson, D.A.B. (1970) Problems of Rhaetian stratigraphy with special reference to the lower boundary of the stage. *Quarterly Journal of the Geological Society of London*, 126, 125–50.
- Pengelly, W. (1866) On certain joints and dykes in the Devonian limestones on the southern shore of Torbay. *Geological Magazine*, Decade 1, 3, 19–22.
- Penn, J.S.W. and French, J. (1971) The Malvern Hills. *Geologists' Association Guide*, 4, 36 pp.
- Perkins, J.W. (1971) *Geology Explained in South and East Devon*. David and Charles, Newton Abbot, 192 pp.
- Phemister, J. (1960) *Scotland: the Northern Highlands*, 3rd edn, *British Regional Geology Series*, No. 2, HMSO, Edinburgh, 120 pp.
- Phillips, J. (1848) The Malvern Hills, compared with the Palaeozoic districts of Abberley, Woolhope, May Hill, Tortworth, and Usk. *Memoir of the Geological Survey of Great Britain*, 2, 1–330.
- Phipps, C.B. and Reeve, F.A.E. (1967) Stratigraphy and geological history of the Malvern, Abberley and Ledbury Hills. *Geological Journal*, 5, 339–68.
- Piper, D.J.W. (1970) Eolian sediments in the basal New Red Sandstone of Arran. *Scottish Journal of Geology*, 6, 295–308.
- Plant, J.A., Jones, D.G. and Haslam, H.W. (eds) (1999) The Cheshire Basin. *Memoir of the British Geological Survey*, British Geological Survey, Keyworth, 263 pp.
- Pocock, R. and Wray, D.A. (1925) The geology of the country around Wem. *Memoir of the Geological Survey of Great Britain*, Sheet 138, (England and Wales), HMSO, London, 122 pp.
- Pollard, J.E. (1975) A problematic trace fossil from the Tor Bay Breccias of south Devon. *Proceedings of the Geologists' Association*, 86, 105–7.
- Pollard, J.E. and Lovell, J.P.B. (1976) Trace fossils from the Permo-Triassic of Arran. *Scottish Journal of Geology*, 12, 209–25.
- Pollard, J.E. and Steel, R.J. (1978) Intertidal sediments in the Auchenhew Beds (Triassic) of Arran. *Scottish Journal of Geology*, 14, 317–28.
- Poole, E.G. (1978) Stratigraphy of the Withycombe Farm Borehole, near Banbury, Oxfordshire. *Bulletin of the Geological Survey of Great Britain*, HMSO for the Institute of Geological Sciences, London.
- Poole, E.G. (1979) The Triassic–Jurassic boundary in Great Britain. *Geological Magazine*, 116, 303–11.
- Poole, E.G. and Whiteman, A.J. (1966) Geology of the country around Nantwich and Whitchurch. *Memoir of the Geological Survey of Great Britain*, Sheet 122 (England and Wales), HMSO, London, 154 pp.
- Powell, J.H., Glover, B.W. and Waters, C.N. (2000) Geology of the Birmingham area. *Memoir of the British Geological Survey*, Sheet 168 (England and Wales), The Stationery Office for the British Geological Survey, London, 132 pp.

- Price, G.D. (1996) Significance of infiltrated clays within the Lower Permian Yellow Sands of north-east England. *Geological Journal*, 31, 189–95.
- Pryor, W.A. (1971) Petrology of the Permian Yellow Sands of northeastern England and their North Sea Basin equivalents. *Sedimentary Geology*, 6, 221–54.
- Pugh, W. (1960) Triassic salt: discoveries in the Cheshire-Shropshire Basin. *Nature*, 187, 278–9.
- Purvis, K. and Wright, V.P. (1991) Calcretes related to phreatophytic vegetation from the Middle Triassic Otter Sandstone of South West England. *Sedimentology*, 38, 539–51.
- Radley, J.D. and Carpenter, S.C. (1999) The late Triassic strata of Manor Farm, Aust, South Gloucestershire. *Proceedings of the Bristol Naturalists' Society*, 58, 57–67.
- Raymond, L.R. (1961) The petrology of the Permian rocks of northeast Yorkshire and southeast Durham, the Lower Magnesian Limestone. *Proceedings of the Geological Society of London*, 1589, 93–5.
- Rees, J.G. and Wilson, A.A. (1998) Geology of the country around Stoke-on-Trent. *Memoir of the British Geological Survey*, Sheet 123 (England and Wales), The Stationery Office for the British Geological Survey London, 152 pp.
- Reynolds, S.H. (1906) On the erosion of the shores of the Severn estuary. *Proceedings of the Bristol Naturalists' Society*, 4th Series, 1, 204–8.
- Reynolds, S.H. (1929) *The Geology of the Bristol District*, The Geologists' Association, London, 27 pp.
- Reynolds, S.H. (1938) A section of Rhaetic and associated strata at Chipping Sodbury, Glos. *Geological Magazine*, 75, 97–102.
- Reynolds, S.H. (1946) The Aust Section. *Proceedings of the Cotteswold Naturalists' Field Club*, 29, 29–39.
- Reynolds, S.H. and Vaughan, A. (1904) The Rhaetic Beds of the South Wales direct line. *Quarterly Journal of the Geological Society of London*, 60, 194–213.
- Rhys, G.H. (1974) A proposed standard lithostratigraphic nomenclature for the southern North Sea and an outline structural nomenclature for the whole of the (UK) North Sea. *Report of the Institute of Geological Sciences*, 74(8), 1–14.
- Rice, R.C. (1939a) The Trias of N.W. Wirral. *Proceedings of the Liverpool Geological Society*, 17, 349–60.
- Rice, R.C. (1939b) Contorted bedding in the Trias of N.W. Wirral. *Proceedings of the Liverpool Geological Society*, 17, 361–70.
- Richardson, L. (1901) Mesozoic geography of the Mendip Archipelago. *Proceedings of the Cotteswolds Naturalists' Field Club*, 14, 59–73.
- Richardson, L. (1903a) The Rhaetic rocks of north-west Gloucestershire. *Proceedings of the Cotteswold Naturalists' Field Club*, 14, 127–74.
- Richardson, L. (1903b) Rhaetic rocks of northwest Gloucestershire. *Proceedings of the Cotteswold Naturalists' Field Club*, 14, 251–6.
- Richardson, L. (1903c) The Rhaetic and Lower Lias of Sedbury Cliff, near Chepstow (Monmouthshire). *Quarterly Journal of the Geological Society of London*, 59, 390–5.
- Richardson, L. (1904) Notes on the Rhaetic rocks around Charfield, Gloucestershire. *Geological Magazine*, 41, 532–5.

- Richardson, L. (1905) The Rhaetic and contiguous deposits of Glamorganshire. *Quarterly Journal of the Geological Society of London*, 61, 385–422.
- Richardson, L. (1906) On the Rhaetic and contiguous deposits of Devon and Dorset. *Proceedings of the Geologists' Association*, 19, 401–9.
- Richardson, L. (1907) The Inferior Oolite and contiguous deposits of the Bath and Doulting district. *Quarterly Journal of the Geological Society of London*, 63, 383–436.
- Richardson, L. (1911) The Rhaetic and contiguous deposits of west, mid and east Somerset. *Quarterly Journal of the Geological Society of London*, 67, 1–72.
- Richardson, L. (1947) The upper limit of the Rhaetic series and the relationship of the Rhaetic and Liassic series. *Proceedings of the Cotteswold Naturalists' Field Club*, 29, 143–4.
- Richter, D. (1966) On the new Red Sandstone neptunian Dykes of the Tor Bay area (Devonshire). *Proceedings of the Geologists' Association*, 77, 173–86.
- Ridgeway, J.M. (1974) A problematical trace fossil from the New Red Sandstone of south Devon. *Proceedings of the Geologists' Association*, 85, 511–8.
- Riley, H. and Stutchbury, S. (1840) A description of various fossil remains of three distinct saurian animals, recently discovered in the Magnesian Conglomerate near Bristol. *Transactions of the Geological Society of London, Series 2*, 5, 349–57.
- Robinson, P.L. (1957) The Mesozoic fissures of the Bristol Channel area and their vertebrate fossils. *Journal of the Linnean Society (Zoology)*, 43, 260–82.
- Rock-Color Chart Committee (1991) *Rock Color Chart*. Geological Society of America, Boulder, Colorado 14 pp.
- Rose, G.N. and Kent, P.E. (1955) A *Lingula-Bed* in the Keuper of Nottinghamshire. *Geological Magazine*, 92, 476–80.
- Ruffell, A. (1991) Palaeoenvironmental analysis of the late Triassic succession in the Wessex Basin and correlation with surrounding areas. *Proceedings of the Ussher Society*, 7, 402–7.
- Runcorn, S.K. (1965) A Symposium on Continental Drift. Palaeomagnetic comparisons between Europe and North America. *Philosophical Transactions of the Royal Society, Series A*, 258, 1–11.
- Sarjeant, W.A.S. (1967) Fossil footprints from the Middle Triassic of Nottinghamshire and Derbyshire. *Mercian Geologist*, 2, 327–41.
- Sarjeant, W.A.S. (1974) A history and bibliography of the study of fossil vertebrate footprints in the British Isles. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 16, 265–378.
- Savage, R.J.G. (1977) The Mesozoic strata of the Mendip Hills. In *Geological Excursions in the Bristol District* (ed. R.J.G. Savage), University of Bristol, Bristol, pp. 85–100.
- Savage, R.J.G. and Large, N.F. (1966) On *Birgeria acuminata* and the absence of labyrinthodonts from the Rhaetic. *Palaeontology*, 9, 135–41.
- Schweitzer, H.J. (1986) The land flora of the English and German Zechstein sequences. In *The English Zechstein and Related Topics* (eds G.H. Harwood and D.B. Smith), *Geological Society of London Special Publication No. 22*, 31–54.
- Scrivener, R.C. (1983) Geological notes and local details for 1:10, 000 Sheet SX98SW (Exeter, Devon). *Geological Report for the DoE: Land Use Planning*. British Geological Survey, Exeter.

- Scrivenor, J.B. (1948) The New Red Sandstone of south Devonshire. *Geological Magazine*, 85, 317–32.
- Sedgwick, A. (1832) On the New Red Sandstone Series in the basin of the Eden, and northwestern coasts of Cumberland and Lancashire. *Transactions of the Geological Society of London, Series 2*, 4, 383–407.
- Sedgwick, A. and Murchison, R.I. (1829a) On the geological relations and internal structure of the Magnesian Limestone, and the lower portion of the New Red Sandstone Series in their range through Nottinghamshire, Derbyshire, Yorkshire, and Durham, to the southern extremity of Northumberland. *Transactions of the Geological Society of London, Series 2*, 3, 37–124.
- Sedgwick, A. and Murchison, R.I. (1829b) On the geological relations of the secondary strata of the Isle of Arran. *Transactions of the Geological Society of London, Series 2*, 3, 21–36.
- Sellwood, B.W., Durkin, M.K. and Kennedy, W.J. (1970) Field meeting on the Jurassic and Cretaceous rocks of Wessex. *Proceedings of the Geologists' Association*, 81, 715–32.
- Seiwood, E.B., Edwards, R.A., Simpson, S., Chester, J.A., Hamblin, R.J.O., Henson, M.R., Riddolls, B.W. and Waters, R.A. (1984) Geology of the country around Newton Abbot. *Memoir of the British Geological Survey, Sheet 339* (England and Wales), HMSO, London, 212 pp.
- Sherlock, R.L. (1911) Relationship of the Permian to the Trias in Nottinghamshire. *Quarterly Journal of the Geological Society of London*, 67, 75–117.
- Sherlock, R.L. (1926) A correlation of the British Permo-Triassic rocks. Part 1. Northern England, Scotland and Ireland. *Proceedings of the Geologists' Association*, 37, 1–72.
- Shipman, J. (1881) Notes on the Triassic rocks of Cheshire and their equivalents at Nottingham. *Annals and Report of the Nottingham Naturalists Society*, 1880, 14–30.
- Short, A.R. (1904) A description of some Rhaetic sections in the Bristol District, with considerations on the mode of deposition of the Rhaetic Series. *Quarterly Journal of the Geological Society of London*, 60, 170–93.
- Shotton, F.W. (1937) The Lower Bunter Sandstone of north Worcestershire and east Shropshire. *Geological Magazine*, 74, 534–53.
- Shotton, F.W. (1956) Some aspects of the New Red desert in Britain. *Liverpool and Manchester Geological Journal*, 1, 450–65.
- Silberling, N.J. and Tozer, E.T. (1968) Biostratigraphic classification of the marine Triassic in North America. *Special Paper of the Geological Society of America*, 110, 1–63.
- Simms, M.J. (1990) Triassic palaeokarst in Britain. *Cave Science*, 17, 93–101.
- Simpson, J.B. and Richey, J.E. (1936) The geology of the Sanquhar Coalfield and the adjacent basin of Thornhill. *Memoir of the Geological Survey of Scotland* (Sheet 15), HMSO, Edinburgh, 47 pp.
- Simpson, S. (1969) Geology. In *Exeter and its Region* (ed. F. Barlow), University of Exeter, Exeter, pp. 5–26.
- Smith, A.G., Smith, D.G. and Funnell, B.M. (1994) *Atlas of Mesozoic and Cenozoic Coastlines*, Cambridge University Press, Cambridge.
- Smith, B. (1910) The Upper Keuper Sandstone of east Nottinghamshire. *Geological Magazine, Decade 5*, 7, 302–11.
- Smith, B. (1912) The Green Keuper basement beds in Nottinghamshire and Lincolnshire. *Geological Magazine, Decade 5*, 9, 252–7.

- Smith, B. (1924) On the West Cumberland Bockram and its associated rocks. *Geological Magazine*, 61, 289–308.
- Smith, D.B. (1970) The Permian and Trias. In *The Geology of Durham County* (ed. G.A.L. Johnson), *Transactions of the Natural History Society of Northumberland, Durham, and Newcastle upon Tyne*, 41, 66–91.
- Smith, D.B. (1974) Permian. In *The Geology and Mineral Resources of Yorkshire* (eds D.H. Rayner and J.E. Hemingway), *Yorkshire Geological Society, Occasional Publication 2*, Leeds, pp. 115–44.
- Smith, D.B. (1979) Rapid marine transgression and regressions of the Upper Permian Zechstein Sea. *Journal of the Geological Society, London*, 136, 155–6.
- Smith, D.B. (1994) Geology of the country around Sunderland. *Memoir of the British Geological Survey, Sheet 21 (England and Wales)*, HMSO, London, 161 pp.
- Smith, D.B. (1995) *Marine Permian of England*, Geological Conservation Review Series No. 11, Chapman and Hall, London, 205 pp.
- Smith, D.B. and Francis, E.A. (1967) Geology of the country between Durham and West Hartlepool. *Memoir of the Geological Survey of Great Britain, Sheet 27 (England and Wales)*, HMSO, London, 354 pp.
- Smith, D.B. and Taylor, J.C.M. (1992) Permian. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), *Memoir of the Geological Society, London*, 13, 87–96.
- Smith, D.B., Brunstrom, R.G.W., Manning, P.I., Simpson, S. and Shotton, F.W. (1974) *A Correlation of the Permian Rocks in the British Isles*. Geological Society of London, Special Report No. 5, 45 pp.
- Smith, D.B., Harwood, G.M., Pattison, J. and Pettigrew, T.H. (1986) A revised nomenclature for Upper Permian strata in eastern England. In *The English Zechstein and Related Topics* (eds G.M. Harwood and D.B. Smith), *Geological Society of London Special Publication No. 22*, pp. 9–17.
- Smith, E.G. and Warrington, G. (1971) The age and relationships of the Triassic rocks assigned to the lower part of the Keuper in north Nottinghamshire, north-west Lincolnshire and South Yorkshire. *Proceedings of the Yorkshire Geological Society*, 38, 201–27.
- Smith, M.A. (1912) The Green Keuper basement beds in Nottinghamshire and Lincolnshire. *Geological Magazine, Decade 5*, 9, 252–7.
- Smith, S.A. (1990) The sedimentology and accretionary styles of an ancient gravel-bed stream: the Budleigh Salterton Pebble Beds (Lower Triassic), southwest England. *Sedimentary Geology*, 67, 199–219.
- Smith, S.A. and Edwards, R.A. (1991) Regional sedimentological variations in Lower Triassic fluvial conglomerates (Budleigh Salterton Pebble Beds), southwest England: some implications for palaeogeography and basin evolution. *Geological Journal*, 26, 65–83.
- Sneh, A. (1988) Permian dune patterns in northwestern Europe challenged. *Journal of Sedimentary Petrology*, 58, 44–51.
- Somerville, I.D., Brenchley, P.J., Cullen, B., Eagar, R.M.C., Shanklin, J.K. and Thompson, D.B. (1986) Geology around the university towns: Liverpool. *Geologists' Association Guide*, 6, 36 pp.
- Spencer, P.S. and Benton, M.J. (2000) Procolophonoids from the Permo-Triassic of Russia. In *The Age of Dinosaurs in Russia and Mongolia* (eds M.J. Benton, M.A. Shishkin, D.M. Unwin and E.N. Kurochkin), Cambridge University Press, Cambridge, pp. 160–76.



- Spencer, P.S. and Issac, K P. (1983) Triassic vertebrates from the Otter Sandstone Formation of Devon, England. *Proceedings of the Geologists' Association*, 94, 267–9.
- Starkey, R.E. (1988) Phosgenite from Lossiemouth, Grampian Region: confirmation of the first Scottish occurrence. *Scottish Journal of Geology*, 24, 15–19.
- Steel, R.J. (1971) New Red Sandstone movement on the Minch Fault. *Nature, Physical Sciences*, 234, 158–9.
- Steel, R.J. (1974a) New Red Sandstone floodplain and piedmont sedimentation in the Hebridean province, Scotland. *Journal of Sedimentary Petrology*, 44, 336–57.
- Steel, R.J. (1974b) Cornstone (fossil caliche) — its origin, stratigraphic, and sedimentological importance in the New Red Sandstone, western Scotland. *Journal of Geology*, 82, 351–69.
- Steel, R.J. and Thompson, D.B. (1983) Structures and textures in Triassic braided stream conglomerate ('Bunter' Pebble Beds) in the Sherwood Sandstone Group, North Staffordshire, England. *Sedimentology*, 30, 341–67.
- Steel, R.J. and Wilson, A.C. (1975) Sedimentation and tectonism (?Permo-Triassic) on the margin of the North Minch Basin, Lewis. *Journal of the Geological Society, London*, 131, 183–202.
- Steel, R.J., Nicholson, R. and Kalandar, L. (1975) Triassic sedimentation and palaeogeography in Central Skye. *Scottish Journal of Geology*, 11, 1–13.
- Steele, R.P. (1981) *Aeolian Sands and Sandstones*. Unpublished PhD thesis, University of Durham, 189 + 322 pp.
- Steele, R.P. (1983) Longitudinal dunes in the Permian Yellow Sand of North-east England. In *Eolian Sediments and Processes* (eds M.E. Brookfield and T.S. Ahlbrandt), *Developments in Sedimentology*, 38, 543–50.
- Stevenson, C.R. and Warrington, G. (1971) Jurassic and Cretaceous rocks of Wessex: highest Keuper deposits. *Proceedings of the Geologist's Association*, 82, 297–9.
- Stevenson, I.P. and Mitchell, G.H. (1955) Geology of the country between Burton Upon Trent, Rugeley and Uttoxeter. *Memoir of the Geological Survey of Great Britain*, Sheet 140 (England and Wales), HMSO, London, 178 pp.
- Stewart, A.D. (1978). Gruinard Bay (Torridonian). In *The Lewisian and Torridonian Rocks of Northwest Scotland* (eds A.J. Barber, A. Beach, R.G. Park, J. Tarney and A.D. Stewart), *Geologists' Association Guide*, 21, 57–9.
- Stone, P. (1996) *Geology in South-west Scotland: An Excursion Guide*, British Geological Survey, Keyworth, 214 pp.
- Stoneley, H.M. (1956) *Hiltonia*, a new plant genus from the Upper Permian of England. *Annals and Magazine of Natural History*, 9, 713–20.
- Stoneley, H.M. (1958) The Upper Permian flora of England. *Bulletin of the British Museum (Natural History), Geology Series*, 3, 295–337.
- Storetvedt, K.M. and Steel, R.J. (1977) Palaeomagnetic evidence for the age of the Stornoway Formation. *Scottish Journal of Geology*, 13, 263–9.
- Storrie, J. (1883) The fossils at Penarth. *Transactions of the Cardiff Naturalists' Society*, 10, 92–3.
- Storrie, J. (1895) Notes on the tooth of a species of *Mastodontosaurus*, found with some other bones near Lavernock. *Transactions of the Cardiff Naturalists' Society*, 26, 105–6.
- Storrs, G.W. (1993) Terrestrial components of the Rhaetian (uppermost Triassic) Westbury Formation of southwestern Britain. In *The Nonmarine Triassic* (eds S.G. Lucas and M. Morales), *New Mexico Museum of Natural History and Science Bulletin*, 3, 447–51.

- Storrs, G.W. (1994) Fossil vertebrate faunas of the British Rhaetian (latest Triassic). *Zoological Journal of the Linnean Society*, 112, 217–60.
- Storrs, G.W. (1999) Tetrapods. In *Fossils of the Rhaetian Penarth Group* (eds A. Swift and D.M. Martill), The Palaeontological Association, London, pp. 223–38.
- Storrs, G.W. and Gower, D.J. (1993) The earliest possible choristodere (Diapsida) and gaps in the fossil record of semi-aquatic reptiles. *Journal of the Geological Society, London*, 150, 1103–7.
- Storrs, G.W., Gower, D.J. and Large, N.F. (1996) The diapsid reptile, *Pachystropeus rhaeticus*, a probable choristodere from the Rhaetian of Europe. *Palaeontology*, 39, 323–49.
- Strahan, A. and Cantrill, T.C. (1902) The geology of the South Wales Coalfield. Part III. The country around Cardiff. *Memoir of the Geological Survey of England and Wales*, Sheet 263, HMSO, London, 147 pp.
- Strahan, A. and Cantrill, T.C. (1904) The geology of the South Wales Coalfield. Part VI. The country around Bridgend. *Memoir of the Geological Survey of England and Wales*, Sheet 262, HMSO, London, 120 pp.
- Strickland, H.E. (1841) On the occurrence of the Bristol Bone-Bed on the Lower Lias near Tewkesbury. *Proceedings of the Geological Society of London*, 3, 585–8.
- Swift, A. (1995) A review of the nature and outcrop of the 'White Lias' facies of the Langport Member (Penarth Group: Upper Triassic) in Britain. *Proceedings of the Geologists' Association*, 106, 247–58.
- Swift, A. and Martin, D.M. (1999) *Fossils of the Rhaetian Penarth Group*. The Palaeontological Association, London, 312 pp.
- Swinnerton, H.H. (1910) Organic remains in the Trias of Nottingham. *Geological Magazine, Decade 5*, 8, 229.
- Swinnerton, H.H. (1914) Periods of dreikanter formation in South Notts. *Geological Magazine, Decade 6*, 1, 208–11.
- Swinnerton, H.H. (1918) The Keuper basement beds near Nottingham. *Proceedings of the Geologists' Association*, 29, 16–38.
- Sykes, J.H. (1977) British Rhaetic bone beds. *Mercian Geologist*, 6, 197–239.
- Symonds, W.S. (1855) Notice of fossils from the Keuper Sandstone of Pendock, Worcestershire. *Quarterly Journal of the Geological Society of London*, 11, 450–1.
- Symonds, W.S. (1860) On the physical relations of the reptiliferous sandstone of Elgin. *Edinburgh New Philosophical Journal*, 12, 95–101.
- Talbot, M.R., Holm, K. and Williams, M.A.J. (1994) Sedimentation in low-gradient desert margin systems: a comparison of the Late Triassic of northwest Somerset (England) and the late Quaternary of east-central Australia. *Geological Society of America Special Paper*, 289, 97–117.
- Tawney, E.B. (1866) On the western limit of the Rhaetic beds in South Wales and on the position of the 'Sutton Stone'. *Quarterly Journal of the Geological Society of London*, 2, 69–89.
- Taylor, B.J., Burgess, I.C., Land, D.H., Mills, D.A.C., Smith, D.B. and Warren, P.T. (1978) *Northern England*, 4th edn (reprinted), *British Regional Geology Series, No.7*, HMSO for the Institute of Geological Sciences, London, 121 pp.
- Taylor, F.M. (1968) Permian and Triassic Formations. In *The Geology of the East Midlands* (eds P.C. Sylvester-Bradley and T.D. Ford), Leicester University Press, Leicester, pp. 149–73.
- Taylor, F.M. (1974) Permian and Lower Triassic landscapes of the East Midlands. *Mercian Geologist*, 5, 89–100.

- Thomas, T.M. (1968) The Triassic rocks of the west-central section of the Vale of Glamorgan, with particular reference to the 'boulder' breccias at Ogmere-by-Sea. *Proceedings of the Geologists' Association*, 79, 429–39.
- Thompson, D.B. (1969) Dome-shaped aeolian dunes in the Frodsham Member of the so-called "Keuper" Sandstone Formation (Scythian–?Anisian: Triassic) at Frodsham, Cheshire (England). *Sedimentary Geology*, 3, 263–89.
- Thompson, D.B. (1970a) Sedimentation of the Triassic (Scythian) red pebbly sandstones in the Cheshire Basin and its margins. *Geological Journal*, 7, 183–216.
- Thompson, D.B. (1970b) The stratigraphy of the so-called Keuper Sandstone Formation (Scythian–?Anisian) in the Permo-Triassic Cheshire Basin. *Quarterly Journal of the Geological Society of London*, 126, 151–81.
- Thompson, D.B. (1985) *Field Excursion to the Permo-Triassic of the Cheshire-East Irish Sea-Needwood and Stafford Basins*. Poroperm-Geochem Limited, Chester, 164 pp.
- Thompson, D.B. (1986) Permo-Triassic rocks of the Wirral and adjacent areas. In *Geology around the University Towns: Liverpool* (eds I.D. Somerville, P.J. Brenchley, B. Cullen, R.M.C. Eagar, J.K. Shanidin and D.B. Thompson), *Geologists' Association Guide*, 6, 27–33.
- Thompson, D.B. (1991) Triassic rocks of the Cheshire Basin. In *Geology of the Manchester Area* (eds R.M.C. Eagar and F.M. Broadhurst), *Geologists' Association Guide*, 7, 57–81.
- Thompson, D.B. (1995) *A Guide to the History and Geology of Quarrying at Localities along the Natural History Trail in Corbet Wood, Grinshill, North Shropshire*, Clive and Grinshill Conservation Committee, Shrewsbury 55 pp.
- Thompson, D.B. (1998) The background to the finding of footprints and other trace fossils of ?Scythian, ?Anisian age in the Sherwood Sandstone Group (Triassic) at Hilbre, Wirral, East Irish Sea Basin. *The North-West Geologist*, 8, 5–45.
- Tozer, E.T. (1967) A standard for Triassic time. *Bulletin of the Geological Survey of Canada*, 156, 1–103.
- Tozer, E.T. (1979) Latest Triassic ammonoid faunas and biochronology, western Canada. *Geological Survey of Canada Paper*, 79–1B, 127–35.
- Tozer, E.T. (1984) The Trias and its ammonoids: the evolution of a time scale. *Geological Survey of Canada, Miscellaneous Report*, 35, 171 pp.
- Tresise, G.R. and Sarjeant, W.A.S. (1998) *The Tracks of Triassic Vertebrates. Fossil Evidence from North-West England*, The Stationery Office, London, 204 pp.
- Trueman, A.E. (1920) The Liassic rocks of the Cardiff district. *Proceedings of the Geologists' Association*, 33, 245–84.
- Trueman, C.N. and Benton, M.J. (1997) A geochemical method to trace the taphonomic history of reworked bones in sedimentary settings. *Geology*, 25, 263–6.
- Tucker, M.E. (1974) Exfoliated pebbles and sheeting in the Triassic. *Nature*, 252, 375–6.
- Tucker, M.E. (1977) The marginal Triassic deposits of South Wales: continental facies and palaeogeography. *Geological Journal*, 12, 169–88.
- Tucker, M.E. (1978) Triassic lacustrine sediments from South Wales: shore-zone clastics, evaporites and carbonates. *Special Publications of the International Association of Sedimentologists*, 2, 205–24.
- Tucker, M.E. and Burchette, T.P. (1977) Triassic dinosaur footprints from South Wales: their context and preservation. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 22, 195–208.

- Tucker, R. and Tucker, M.E. (1981) Evidence of synsedimentary tectonic movements in the Triassic halite of Cheshire. *Nature*, 290, 495–6.
- Turner, B.R. and Smith, D.B. (1997) A playa deposit of pre Yellow Sands age (upper Rotliegend/ Weissliegend) in the Permian of northeast England. *Sedimentary Geology*, 114, 305–19.
- Turner, P. (ed.) (1980) *Continental Red Beds. Developments in Sedimentology*, 29, Elsevier, Amsterdam, 522 pp.
- Turner, P, Vaughan, D.J. and Whitehouse, K.I. (1978) Dolomitization and the mineralization of the Marl Slate (N.E. England). *Mineralium Deposita*, 13, 245–58.
- Tyrrell, G.W. (1928) The geology of Arran. *Memoir of the Geological Survey of Great Britain*, parts of sheets 13 and 21 (Scotland), HMSO, Edinburgh, 292 pp.
- Underhill, J.R., Gayer, R.A, Woodcock, N.H., *et al.* (1988) The Dent fault system, northern England — reinterpreted as a major oblique-slip-fault zone. *Journal of the Geological Society of London*, 145, 303–16.
- Ussher, W.A.E. (1875) On the subdivisions of the Triassic rocks, between the coast of West Somerset and the south coast of Devon. *Geological Magazine, Decade 2*, 2, 163–8.
- Ussher, W.A.E. (1876) On the Triassic rocks of Somerset and Devon. *Quarterly Journal of the Geological Society of London*, 32, 367–94.
- Ussher, W.A.E. (1878) On the chronological value of the Triassic strata of the south-western counties. *Quarterly Journal of the Geological Society of London*, 34, 459–70.
- Ussher, W.A.E. (1902) The geology of the country around Exeter. *Memoir of the Geological Survey*, Sheet 325, (England and Wales), HMSO, London, 122 pp.
- Ussher, W.A.E. (1913) The geology of the country around Newton Abbot. *Memoir of the Geological Survey of Great Britain*, Sheet 339, (England and Wales), HMSO, London, 149 pp.
- Ussher, W.A.E. and Lloyd, W. (1933) The geology of the country around Torquay, 2nd edition. *Memoir of the Geological Survey of Great Britain*, Sheet 350, (England and Wales), HMSO, London, 169 pp.
- Versey, H.C. (1925) The beds underlying the Magnesian Limestones of Yorkshire. *Proceedings of the Yorkshire Geological Society*, 20, 200–14.
- Versey, H.C. (1939) The petrography of the Permian rocks in the southern part of the Vale of Eden. *Quarterly Journal of the Geological Society of London*, 95, 275–98.
- Vicary, W. (1864) On the pebble-bed of Budleigh Salterton. With a note on the fossils, by J.W. Salter. *Quarterly Journal of the Geological Society of London*, 20, 283–327.
- Visscher, H. (1971) The Permian and Triassic of the Kingscourt Outlier, Ireland. *Geological Survey of Ireland, Special Paper*, 1, 1–114.
- Wagner, R.H. (1983) A lower Rotliegend flora from Ayrshire. *Scottish Journal of Geology*, 19, 135–55.
- Walker, A.D. (1961) Triassic reptiles from the Elgin area: *Stagonolepis*, *Dasygnathus* and their allies. *Philosophical Transactions of the Royal Society, Series B*, 244, 103–204.
- Walker, A.D. (1964) Triassic reptiles from the Elgin area: *Ornithosuchus* and the origin of carnosaurs. *Philosophical Transactions of the Royal Society, Series B*, 248, 53–134.
- Walker, A.D. (1969) The reptile fauna of the 'Lower Keuper' Sandstone. *Geological Magazine*, 106, 470–6.

- Walker, A.D. (1973) The age of the Cuttie's Hillock Sandstone (Permo-Triassic) of the Elgin area. *Scottish Journal of Geology*, 9, 177–83.
- Walker, M.J.C., Gray, J.M. and Lowe, J.J. (1985) *Field Guide, Isle of Mull, Inner Hebrides, Scotland*, Quaternary Research Association, Cambridge, 89 pp.
- Walker, T.R. (1967) Formation of red beds in modern and ancient deserts. *Bulletin of the Geological Society of America*, 78, 353–68.
- Wallace, T.D. (1902) The sandstones of the Moray Firth area. *Transactions of the Inverness Science Society*, 6, 119–41.
- Wang, G. (1993) Xiphosurid trace fossils from the Westbury Formation (Rhaetian) of Southern Britain. *Palaeontology*, 36, 111–22.
- Ward, O. (1840) On footprints and ripple marks of the New Red Sandstone at Grinshill, Shropshire. *Report of the British Association for the Advancement of Science*, 1839, 75–6.
- Wardlaw, B.R. (2000) Notes from the SPS Chair. *Permophiles*, 36, 1–2.
- Warrington, G. (1967) Correlation of the Keuper Series of the Triassic by miospores. *Nature*, 214, 1323–4.
- Warrington, G. (1970a) The stratigraphy and palaeontology of the 'Keuper' Series of the central Midlands of England. *Quarterly Journal of the Geological Society of London*, 126, 183–223.
- Warrington, G. (1970b) The "Keuper" Series of the British Trias in the northern Irish Sea and neighbouring areas. *Nature*, 226, 254–6.
- Warrington, G. (1971) Palynology of the New Red Sandstone sequence of the south Devon Coast. *Proceedings of the Ussher Society*, 2, 307–14.
- Warrington, G. (1973) Miospores of Triassic age and organic-walled microplankton from the Auchenhew Beds, south-east Arran. *Scottish Journal of Geology*, 9, 109–16.
- Warrington, G. (1974a) Palynology of the Triassic. In *Geology of the Country around Stratford-upon Avon and Evesham* (eds B.J. Williams and A. Whittaker), *Memoir of the British Geological Survey of Great Britain*, Sheet 200, (England and Wales), HMSO, London, pp.19–21.
- Warrington, G. (1974b) Studies in the palynological biostratigraphy of the British Trias. I. Reference sections in West Lancashire and North Somerset. *Review of Palaeobotany and Palynology*, 17, 133–47.
- Warrington, G. (1974c) Trias. In *The Geology and Mineral Resources of Yorkshire* (eds D.H. Rayner and J.E. Hemingway), Yorkshire Geological Society, pp. 145–60.
- Warrington, G. (1974d) Les évaporites du Trias britannique, *Bulletin de la Société géologique de France*, 16 (6), 708–23.
- Warrington, G. (1981). The indigenous micropalaeontology of British Triassic shelf sea deposits. In *Microfossils from Recent and Fossil Shelf Seas* (ed. J.W. Neale and M.D. Brasier), The British Micropalaeontological Society/Ellis Horwood, Chichester, pp. 61–70.
- Warrington, G. (1984) Late Triassic palynomorph records from Somerset. *Proceedings of the Ussher Society*, 6, 29–34.
- Warrington, G. (1996) Chapter 18E. Permian spores and pollen. In *Palynology, Principles and Applications* (eds J. Jansonius and D.C. McGregor), American Association of Stratigraphic Palynologists Foundation, 2, 607–19.
- Warrington, G. (1997a) The Lyme Regis borehole, Dorset — palynology of the Mercia Mudstone, Penarth and Lias groups (Upper Triassic — Lower Jurassic). *Proceedings of the Ussher Society*, 9, 153–7.

- Warrington, G. (1997b) The Penarth Group-Lias Group succession (Late Triassic-Early Jurassic) in the East Irish Sea Basin and neighbouring area: a stratigraphical review. In *Petroleum Geology of the Irish Sea and Adjacent Areas* (eds N.S. Meadows, S.P. Trueblood, M. Hardman and G. Cowan), *Geological Society of London Special Publication No. 124*, pp. 33–46.
- Warrington, G. and Ivimey-Cook, H.C. (1990) Biostratigraphy of the Late Triassic and Early Jurassic: a review of type sections in Southern Britain. *Cahiers de l'Université Catholique de Lyon, Séries Scientifique*, 3, 207–13.
- Warrington, G. and Ivimey-Cook, H.C. (1992) Triassic. In *Atlas of Palaeogeography and Lithofacies* (eds J.C.W. Cope, J.K. Ingham and P.F. Rawson), *Memoir of the Geological Society, London*, 13, 97–106.
- Warrington, G. and Ivimey-Cook, H.C. (1995) The Late Triassic and Early Jurassic of coastal sections in west Somerset and South and Mid-Glamorgan. In *Field Geology of the British Jurassic* (ed. P.D. Taylor), Geological Society, London, pp. 9–20.
- Warrington, G. and Pollard, J.E. (1985) Late Triassic miospores from Gribun, Western Mull. *Scottish Journal of Geology*, 21, 218–21.
- Warrington, G. and Scrivener, R.C. (1980) The Lyme Regis (1901) Borehole succession and its relationship to the Triassic sequence of the east Devon coast. *Proceedings of the Ussher Society*, 5, 24–32.
- Warrington, G. and Scrivener, R.C. (1988) Late Permian fossils from Devon: regional geological implications. *Proceedings of the Ussher Society*, 7, 95–6.
- Warrington, G. and Scrivener, R.C. (1990) The Permian of Devon, England. *Review of Palaeobotany and Palynology*, 66, 263–72.
- Warrington, G.R. and Thompson, D.B. (1971) The Triassic rocks of Alderley Edge, Cheshire. *Mercian Geologist*, 4, 69–72.
- Warrington, G. and Whittaker, A. (1984) The Blue Anchor Formation (late Triassic) in Somerset. *Proceedings of the Ussher Society*, 6, 100–7.
- Warrington, G. and Williams, B.J. (1984) The North Curry Sandstone Member (late Triassic) near Taunton, Somerset. *Proceedings of the Ussher Society*, 6, 82–7.
- Warrington, G., Audley-Charles, M.G., Elliott, R.E., Evans, W.B., Ivimey-Cook, H.C. *et al.*, (1980) *A Correlation of Triassic Rocks in the British Isles*. Geological Society of London, Special Report, 13, 78 pp.
- Warrington, G., Cope, J.C.W. and Ivimey-Cook, H.C. (1994) St. Audrie's Bay, Somerset, England: a candidate Global Stratotype Section and Point for the base of the Jurassic System. *Geological Magazine*, 131, 191–200.
- Warrington, G., Wilson, A.A., Jones, N.S., Young, S.R. and Haslam, H.W. (1999) Stratigraphy and sedimentology. In *The Cheshire Basin* (eds J.A. Plant, D.G. Jones and H.W. Haslam), British Geological Survey, Keyworth, p. 10.
- Waters, R.A. and Lawrence, D.J.D. (1987) Geology of the South Wales Coalfield, Part III, the country around Cardiff. *Memoir of the British Geological Survey, Sheet 263 (England and Wales)*, HMSO, London, 114 pp.
- Watson, D.M.S. (1909) The 'Trias' of Moray. *Geological Magazine, Decade 5*, 6, 102–7.
- Watson, D.M.S. and Hickling, G. (1914) On the Triassic and Permian rocks of Moray. *Geological Magazine, Decade 6*, 1, 399–402.
- Waugh, B. (1965) A preliminary electron microscope study of the development of authigenic silica in the Penrith Sandstone. *Proceedings of the Yorkshire Geological Society*, 35, 59–69.

- Waugh, B. (1970a) Formation of quartz overgrowths in the Penrith Sandstone (Lower Permian) of northwest England as revealed by scanning electron microscopy. *Sedimentology*, 14, 309–20.
- Waugh, B. (1970b) Petrology, provenance and silica diagenesis in the Penrith Sandstone (Lower Permian) of Northwest England. *Journal of Sedimentary Petrology*, 40, 1226–40.
- Waugh, B. (1978) Authigenic K-feldspar in British Permo-Triassic sandstones. *Journal of the Geological Society, London*, 135, 51–6.
- Wedd, C.B., Smith, B., Simmons, W.C. and Wray, D.A. (1923) The geology of Liverpool with Wirral and part of the Flintshire Coalfield. *Memoir of the Geological Survey of the Great Britain*, Sheet 96, (England and Wales), HMSO, London, 183 pp.
- Westoll, T.S. (1948) Guide to excursion C16. *18th International Geological Congress, Great Britain (1948)*, pp. 14–29.
- Westoll, T.S. (1951) The vertebrate-bearing strata of Scotland. *18th International Geological Congress, Great Britain (1948)*, 9 (11), 5–21.
- Whitaker, W. (1869) On the succession of beds in the 'New Red' on the south coast of Devon, and on the locality of a new specimen of *Hyperodapedon*. *Quarterly Journal of the Geological Society of London*, 25, 152–8.
- White, E.I. (1950) A fish from the Bunter near Kidderminster. *Transactions of the Worcestershire Naturalists' Club*, 10, 185–9.
- Whitehead, T.H. and Eastwood, T. (1927) Geology of the southern part of the South Staffordshire Coalfield (south of the Bentley Faults). *Memoir of the Geological Survey*, HMSO, London, 218 pp.
- Whitehead, T.H. and Pocock, R.W. (1947) Dudley and Bridgnorth. *Memoir of the Geological Survey of Great Britain*, Sheet 167 (England and Wales), HMSO, London, 226 pp.
- Whittaker, A. (1978) The lithostratigraphical correlation of the uppermost Rhaetic and lowermost Liassic strata of the Somerset and Glamorgan areas. *Geological Magazine*, 115, 63–7.
- Whittaker, A. (1980) Kempsey no.1. *Geological Well Completion Report*. Report of the Deep Geology Unit, Institute of Geological Sciences, 80/1.
- Whittaker, A. (1985) *Atlas of Onshore Sedimentary Basins in England and Wales: Post-Carboniferous Tectonics and Stratigraphy*. Blackie, Glasgow and London, 71 pp.
- Whittaker, A. and Green, G.W. (1983) Geology of the country around Weston-super-Mare. *Memoir of the Geological Survey of Great Britain*, Sheet 279 and parts of 263 and 295 (England and Wales), HMSO, London, 147 pp.
- Whittaker, A., Holliday, D.W. and Penn, I.E. (1985) *Geophysical Logs in British Stratigraphy*, *Geological Society Special Report No. 18*, Blackwell Scientific Publications.
- Whittard, W.F. (1949) Geology of the Aust–Beachley district, Gloucestershire. *Geological Magazine*, 86, 365–76.
- Whittard, W.E and Smith, S. (1944) Unrecorded inliers of Silurian rocks near Wickwar, Gloucestershire, with notes on the occurrence of a stromatolite. *Geological Magazine*, 81, 65–76.
- Wickes, W.H. (1904) The Rhaetic bone beds. *Proceedings of the Bristol Naturalists' Society, New Series*, 10, 213–27.
- Wignall, P.B. (2001) Sedimentology of the Triassic-Jurassic boundary beds in Pinhay Bay (Devon, S.W. England). *Proceedings of the Geologists' Association*, 112, 349–60.

- Williams, D. (1973) The Sedimentology and Petrology of the New Red Sandstone of the Elgin Basin, North-east Scotland. Unpublished PhD thesis, University of Hull.
- Wills, L.J. (1910) On the fossiliferous Lower Keuper rocks of Worcestershire. *Proceedings of the Geologists' Association*, 21, 249–331.
- Wills, L.J. (1935) An outline of the palaeogeography of the Birmingham country. *Proceedings of the Geologists' Association*, 46, 211–46.
- Wills, L.J. (1947) A monograph of British Triassic scorpions. *Palaeontographical Society (Monographs)*, 137 pp.
- Wills, L.J. (1948) *The Palaeogeography of the Midlands*. University Press of Liverpool in association with Hodder and Stoughton, London, 144 pp.
- Wills, L.J. (1970a) The Triassic succession in the Central Midlands in its regional setting. *Quarterly Journal of the Geological Society of London*, 126, 225–85.
- Wills, L.J. (1970b) The Bunter Formation at the Bellington Pumping Station of the East Worcestershire Waterworks Company. *Mercian Geologist*, 3, 387–97.
- Wills, L.J. (1976) The Trias of Worcestershire and Warwickshire. *Report of the Institute of Geological Sciences*, 76/2, 1–211.
- Wills, L.J. and Campbell Smith, W. (1913) Notes on the flora and fauna of the Upper Keuper Sandstones of Warwickshire and Worcestershire. *Geological Magazine*, 50, 461–2.
- Wilson, A.A. (1990) The Mercia Mudstone Group (Trias) of the East Irish Sea Basin. *Proceedings of the Yorkshire Geological Society*, 48, 1–22.
- Wilson, A.A. (1993) The Mercia Mudstone Group (Trias) of the Cheshire Basin. *Proceedings of the Yorkshire Geological Society*, 49, 171–88.
- Wilson, D., Davies, J.R., Fletcher, C.J.N. and Smith, M. (1990) Geology of the South Wales Coalfield, Part VI, the country around Bridgend. *Memoir of the British Geological Survey*, Sheets 261 and 262 (England and Wales), HMSO, London, 62 pp.
- Woodward, A.S. (1893) Palaeichthyological Notes. *Annals and Magazine of Natural History, Series 6*, 12, 281–7.
- Woodward, H.B. (1888) Notes on the Rhaetic Beds and Lias of Glamorganshire. *Proceedings of the Geologists' Association*, 10, 529–38.
- Woodward, H.B. (1893) The Jurassic Rocks of Britain, Vol. III, the Lias of England and Wales (Yorkshire excepted). *Memoir of the Geological Survey of the United Kingdom*, HMSO, London, 399 pp.
- Woodward, H.B. and Ussher, G.W. (1899) Excursion to Seaton, Sidmouth, Budleigh Salterton, and Exeter. *Proceedings of the Geologists' Association*, 16, 133–53.
- Woodward, H.B. and Ussher, W.A.E. (1906) The geology of the country near Sidmouth and Lyme Regis. *Memoir of the Geological Survey of Great Britain*, Sheets 326 and 340, (England and Wales), HMSO, London, 96 pp.
- Woodward, H.B. and Ussher, W.A.E. (1911) The geology of the country near Sidmouth and Lyme Regis, 2nd edn, *Memoir of the Geological Survey of Great Britain*, Sheets 326 and 340, (England and Wales), HMSO, London, 102 pp.
- Woodward, H.B. and Young, G.W. (1906) Excursion to Lyme Regis, Easter, 1906. *Proceedings of the Geologists' Association*, 19, 320–40.



- Worssam, B.C. and Old, R.A. (1988) Geology of the country around Coalville. *Memoir of the British Geological Survey*, Sheet 155 (England and Wales), HMSO, London, 161 pp.
- Wright, T. (1860) On the zone of *Avicula contorta*, and the Lower Lias of the South of England. *Quarterly Journal of the Geological Society, London*, 16, 374–411.
- Wright, V.P. and Mayan, M. (1981) Organism-sediment interactions in stromatolites: an example from the Upper Triassic of South West Britain. In *Phanerozoic Stromatolites* (ed. C. Monty), Springer-Verlag, Berlin, pp. 74–84.
- Wright, V.P., North, C.P., Hancock, P.L., Curtis, M. and Robinson, D. (1988) Pedofacies variations across an alluvial basin: a case study from the Upper Triassic of SW Britain. *Abstracts from the 9th I.A.S. Regional Meeting of Sedimentology, Leuven, Belgium*, pp. 227–8.
- Wright, V.P., Marriott, S.B. and Vanstone, S.D. (1991) A 'reg' palaeosol from the Lower Triassic of south Devon: stratigraphy and palaeoclimatic implications. *Geological Magazine*, 128, 517–23.
- Younger, P.L. and Milne, C.A. (1997) Hydrostratigraphy and hydrogeochemistry of the Vale of Eden, Cumbria, UK. *Proceedings of the Yorkshire Geological Society*, 51, 349–66.
- Ziegler, P.A. (1982) *Geological Atlas of Western Europe*, Elsevier, Amsterdam, 130 pp.
- Ziegler, P.A. (1990) *Geological Atlas of Western and Central Europe*, Elsevier, Amsterdam, 240 pp.