
References

In this reference list the arrangement is alphabetical by author surname for works by sole authors and dual authors. Where there are references that include the first-named author with others, the sole-author works are listed chronologically first, followed by the dual author references (alphabetically) followed by the references with three or more authors listed *chronologically*. Chronological order is used within each group of identical authors.

Aftalion, M. and van Breemen, O. (1980) U-Pb zircon, monazite and Rb-Sr whole rock systematics of granitic gneiss and psammitic to semipelitic host gneiss from Glenfinnan, northwestern Scotland. *Contributions to Mineralogy and Petrology*, 72, 87–98.

Al-Ameen, S.I. (1979) Mineralogy, petrology and geochemistry of the Banded Iron Formation, Gairloch, NW Scotland. Unpublished PhD thesis, University of Keele.

Alderman, A.R. (1936) Eclogites from the neighbourhood of Glenelg, Inverness-shire. *Quarterly Journal of the Geological Society of London*, 92, 488–528.

Allen, J.R.L. (1984) Parallel lamination developed from upper-stage plane beds: A model based on the larger coherent structures of the turbulent boundary layer. *Sedimentology*, 39, 227–42.

Allen, P., Allen, J.R.L., Goldring, R. and Maycock, I.D. (1960) Festoon bedding and "mud-with-lenticles" lithology. *Geological Magazine*, 97, 261–3.

Allison, I., May, F. and Strachan, R.A. (1988) *An Excursion Guide to the Moine Geology of the Scottish Highlands*, Scottish Academic Press on behalf of Edinburgh Geological Society and the Geological Society of Glasgow, Edinburgh, 270 pp.

Alsop, G.I. and Holdsworth, R.E. (1993) The distribution, geometry and kinematic significance of Caledonian buckle folds in the western Moine Nappe, northwestern Scotland. *Geological Magazine*, 130, 353–62.

Alsop, G.I. and Holdsworth, R.E. (1999). Vergence and facing patterns in large-scale sheath folds. *Journal of Structural Geology*, 21, 1335–49.

Alsop, G.I. and Holdsworth, R.E. (2002) The geometry and kinematics of flow perturbation folds. *Tectonophysics*, 350, 99–125.

Alsop, G.I., Holdsworth, R.E. and Strachan, R.A. (1996) Transport-parallel cross folds within mid-crustal Caledonian thrust stack, Northern Scotland. *Journal of Structural Geology*, 18(6), 783–90.

Amelin, Y.V., Heaman, L.M. and Semenov, V.S. (1995) U-Pb geochronology of layered mafic intrusions in the eastern Baltic Shield; implications for the timing and duration of Paleoproterozoic continental rifting. *Precambrian Research*, 75, 31–46.

Anderson, F.W. and Dunham, K.C. (1966) *The Geology of Northern Skye*, Memoir of the Geological Survey of Great Britain, Sheet 80 and parts of 90, 81 and 91 (Scotland), Institute of Geological Sciences, Edinburgh, 216 pp.

Anderton, R. (1980) Distinctive pebbles as indicators of Dalradian provenance. *Scottish Journal of Geology*, 16, 143–52.

Andrews, I.J. (1985) The deep structure of the Moine Thrust, southwest of Shetland. *Scottish Journal of Geology*, 21, 213–17.

Ashworth, J.R. (1985) Introduction. In *Migmatites* (ed. J.R. Ashworth), Blackie, Glasgow, pp. 1–35.

- Ashworth, J.R. and Tyler, I.M. (1983) The distribution of metamorphic temperatures around the Strontian granodiorite. *Geological Magazine*, 120(3), 281–90.
- Attfield, P. (1987) The structural history of the Canisp Shear Zone. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological Society of London Special Publication*, No. 27, Blackwell Scientific, Oxford, pp. 165–73.
- Baba, S. (1997) Geology and geochemical characteristics of the Leverburgh Belt in South Harris, Outer Hebrides, Northwest Scotland. *Journal of Geosciences, Osaka City University*, 40, 119–43.
- Baba, S. (1998) Proterozoic anticlockwise P-T path of the Lewisian Complex, South Harris, northwest Scotland. *Journal of Metamorphic Geology*, 16, 819–41.
- Baba, S. (1999a) Sapphirine-bearing orthopyroxene-kyanite/sillimanite granulites from South Harris, NW Scotland: evidence for Proterozoic UHT metamorphism in the Lewisian. *Contributions to Mineralogy and Petrology*, 136, 33–47.
- Baba, S. (1999b) Evolution of the Lewisian Complex in South Harris, Northwest Scotland, and its Relation to the North Atlantic Craton in the Palaeoproterozoic (2.0 Ga). *Journal of Geosciences, Osaka City University*, 42, 115–25.
- Bailey, E.B. (1922) The structure of the South-west Highlands of Scotland. *Quarterly Journal of the Geological Society of London*, 78, 82–127.
- Bailey, E.B. (1935) The Glencoul Nappe and the Assynt Culmination. *Geological Magazine*, 72, 151–65.
- Bailey, E.B. (1939) Caledonian tectonics and Moine metamorphism in Skye. *Bulletin of the Geological Survey of Great Britain*, 2, 46–62.
- Bailey, E.B. (1955) Moine tectonics and metamorphism in Skye. *Transactions of the Edinburgh Geological Society*, 16, 93–166.
- Bailey, E.B. and Anderson, E.M. (1925) *The Geology of Staffa, Iona and Western Mull*, Memoir of the Geological Survey of Great Britain, Sheet 43 (Scotland), HMSO, Edinburgh, 107 pp.
- Bailey, E.B. and Maufe, H.B. (1916) *The Geology of Ben Nevis and Glen Coe and the Surrounding Country*, Memoir of the Geological Survey of Great Britain, Sheet 53 (Scotland), HMSO, Edinburgh, 247 pp.
- Bailey, E.B. and Tilley, C.E. (1952) Rocks claimed as conglomerate at the Moinian-Lewisian junction (abstract). In *International Geological Congress: Report of the 18th Session, Great Britain, 1948. Part 13, Proceedings of Section M: Other subjects, also including meetings on the geology and mineralogy of clays* (ed. R.M. Shackleton), International Geological Congress, London, p. 272.
- Baird, A.W. (1982) The Sgurr Slide within the Moine rocks at Loch Eilt, Inverness-shire. *Journal of the Geological Society of London*, 139, 647–53.
- Bally, A.W., Gordy, P.L. and Stewart, G.A. (1966) Structure, seismic data, and orogenic evolution of southern Canadian Rocky Mountains, *Bulletin of Canadian Petroleum Geology*, 14, 337–81.
- Baltzer, F. (1991) Late Pleistocene and Recent detrital sedimentation in the deep parts of Lake Tanganyika (East African rift). In *Lacustrine Facies Analysis* (eds P. Anadon, L.I. Cabrera and K. Kelts), *Special Publication of the International Association of Sedimentologists*, No. 13, Blackwell Scientific Publications, Oxford, pp. B147–73.
- Barber, A.J. (1965) The history of the Moine Thrust Zone, Lochcarron and Lochalsh, Scotland. *Proceedings of the Geologists' Association*, 76, 215–42.

- Barber, A.J. (1968) The geology of the country round Dornie, Wester Ross. Unpublished PhD thesis, University of London.
- Barber, A.J. and May, E (1976) The history of the Western Lewisian in the Glenelg Inlier, Lochalsh, Northern Highlands. *Scottish Journal of Geology*, 20, 35–50.
- Barber, A.J. and Soper, N.J. (1973) Summer Field Meeting in the Northwest of Scotland; Report by the Directors. *Proceedings of the Geologists' Association*, 84, 207–35.
- Barber, A.J., Beach, A., Park, R.G., Tarney, J. and Stewart, A.D. (1978) *The Lewisian and Torridonian Rocks of North-West Scotland*, Geologists' Association Guide, No. 21, Geologists' Association, London, 99 pp.
- Barclay, W.J., Browne, M.A.E., McMillan, A.A., Pickett, E.A., Stone, P. and Wilby, P.R. (2005) *The Old Red Sandstone of Great Britain*, Geological Conservation Review Series, No. 31, Joint Nature Conservation Committee, Peterborough, 393 pp.
- Barnicoat, A.C. (1983) Metamorphism of the Scourian complex, northwest Scotland. *Journal of Metamorphic Geology*, 1, 163–82.
- Barnicoat, A.C. (1987) The causes of the high-grade metamorphism of the Scourie complex, NW Scotland. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological Society of London Special Publication*, No. 27, Blackwell Scientific, Oxford, pp. 73–9.
- Barnicoat, A.C. and O'Hara, M.J. (1979) High temperature pyroxenes from an ironstone at Scourie. *Mineralogical Magazine*, 43, 371–5.
- Barnicoat, A.C., Cartwright, I. and O'Hara, K.J. (1987) Kyanite in the mainland Lewisian complex. *Scottish Journal of Geology*, 23, 209–13.
- Barooah, B.C. (1970) Significance of calc-silicate rocks and meta-arkose in the Lewisian complex south-east of Scourie. *Scottish Journal of Geology*, 6, 221–5.
- Barr, D. (1983) Genesis and structural relationships of Moine migmatites. Unpublished PhD thesis, University of Liverpool.
- Barr, D. (1985) Migmatites in the Moines. In *Migmatites* (ed. J.R. Ashworth), Blackie, Glasgow, pp. 225–64.
- Barr, D., Roberts, A.M., Highton, A.J., Parson, L.M. and Harris, A.L. (1985) Structural setting and geochronological significance of the West Highland Granitic Gneiss, a deformed early granite within Proterozoic, Moine rocks of NW Scotland. *Journal of the Geological Society of London*, 142, 663–76.
- Barr, D., Holdsworth, R.E. and Roberts, A.M. (1986) Caledonian ductile thrusting in a Precambrian metamorphic complex: the Moine of NW Scotland. *Bulletin of the Geological Society of America*, 97, 754–64.
- Beach, A. (1973) The mineralogy of high temperature shear zones at Scourie, NW Scotland. *Journal of Petrology*, 14, 231–48.
- Beach, A. (1976) The interrelationships of fluid transport, deformation, geochemistry and heat flow in early Proterozoic shear zones in the Lewisian complex. *Philosophical Transactions of the Royal Society of London*, 280, 569–604.
- Beach, A. (1978) Itinerary I: The Scourie-Laxford region (Lewisian). In *The Lewisian and Torridonian Rocks of North-West Scotland* (eds A.J. Barber, A. Beach, R.G. Park, J. Tarney and A.D. Stewart), Geologists' Association Guide, No. 21, Geologists' Association, London, pp. 14–27.

- Beach, A. and Tarney, J. (1978) Major and trace element patterns established during retrogressive metamorphism of granulite-facies gneisses, NW Scotland. *Precambrian Research*, 7, 325–48.
- Beach, A., Coward, M.P. and Graham, R.H. (1974) An interpretation of the structural evolution of the Laxford front. *Scottish Journal of Geology*, 9, 297–308.
- Beacom, L.E. (1999) The kinematic evolution of reactivated and non-reactivated faults in basement rocks, NW Scotland. Unpublished PhD thesis, Queen's University of Belfast.
- Beacom, L.E., Anderson, T.B. and Holdsworth, R.E. (1999) Using basement-hosted elastic dykes as syn-rifting palaeostress indicators; an example from the basal Stoer Group, Northwest Scotland. *Geological Magazine*, 136, 301–10.
- Beadle, L.C. (1981) *The Inland Waters of Tropical Africa: An Introduction to Tropical Limnology*, 2nd edn, Longman, London, 475 pp.
- Bell, A.M. (1981) Vergence: an evaluation. *Journal of Structural Geology*, 3, 197–202.
- Bell, B.R. and Harris, J.W. (1986) *An Excursion Guide to the Geology of the Isle of Skye*, Geological Society of Glasgow, Glasgow, 317 pp.
- Bhattacharjee, C.C. (1968) The structural history of the Lewisian rocks north-west of Loch Tollie, Ross-shire, Scotland. *Scottish Journal of Geology*, 4, 235–64.
- Bickerman, M., Bowes, D.R. and van Breemen, O. (1975) Rb-Sr whole rock isotopic studies of Lewisian metasediments and gneisses in the Loch Maree region, Ross-shire. *Journal of the Geological Society of London*, 131, 237–54.
- Blackbourn, G.A. (1981) Probable Old Red Sandstone conglomerates around Tongue and adjacent areas, north Sutherland. *Scottish Journal of Geology*, 17, 103–17.
- Bonney, T.G. (1879) The "Pre-Cambrian" rocks of Great Britain. *Proceedings of the Birmingham Philosophical Society*, 1, 140–59.
- Bonney, T.G. (1880) The "Pre-Cambrian" rocks of Ross-shire (*Discussion of Hicks, H. (and Davies, T.), on the Pre-Cambrian rocks of West and Central Ross-shire*). *Geological Magazine*, 7, 329–30.
- Bonsor, H.C. and Prave, A.R. (2008) The Upper Morar Psammite of the Moine Supergroup, Ardnamurchan Peninsula, Scotland: depositional setting, tectonic implications. *Scottish Journal of Geology*, 44, 111–22.
- Bosworth, T.O. (1910) Metamorphism around the Ross of Mull Granite. *Quarterly Journal of the Geological Society of London*, 66, 376–401.
- Bowes, D.R. (1968a) The absolute time-scale and the subdivision of the Precambrian rocks in Scotland. *Geologiska Foreningens i Stockholm Forhandlingar*, 90, 175–88.
- Bowes, D.R. (1968b) An orogenic interpretation of the Lewisian of Scotland. In *International Geological Congress: Report of the 23rd Session, Czechoslovakia, 1968* (ed. M. Malkovsky), Academia, Prague, vol. 4, pp. 225–36.
- Bowes, D.R. (1969) The Lewisian of Northwest Highlands of Scotland. In *North Atlantic: Geology and Continental Drift* (ed. M. Kay), *American Association of Petroleum Geologists Memoir*, No. 12, American Association of Petroleum Geologists, Tulsa, pp. 575–94.
- Bowes, D.R. and Hopgood, A.M. (1969) The Lewisian gneiss complex of Mingulay, Outer Hebrides. *Memoir of the Geological Society of America*, 115, 317–60.

- Bowes, D.R. and Hopgood, A.M. (1975) Framework of the Precambrian crystalline complex of the Outer Hebrides. *Krystalinikum*, 11, 7–23.
- Bowes, D.R. and Khoury, S.G. (1965) Successive periods of basic dyke emplacement in the Lewisian complex south of Scourie, Sutherland. *Scottish Journal of Geology*, 1, 295–9.
- Bowes, D.R., Wright, A.E. and Park, R.G. (1964) Layered intrusive rocks in the Lewisian of the North-West Highlands of Scotland. *Quarterly Journal of the Geological Society of London*, 120, 153–92.
- Bowie, S.H.U. (1964) Annual Report of the Atomic Energy Division. *Summary of Progress for the Geological Survey of Great Britain*, 1963, 75–6.
- Bowler, S. (1987) Deformation processes and strain in thrust systems. Unpublished PhD thesis, University of Leeds.
- Boyer, S.E. and Elliott, D. (1982) Thrust systems. *Bulletin of the American Association of Petroleum Geologists*, 66, 1196–230.
- Brearley, A.J. (1984) A TEM study of the development of fibrolite sillimanite in a thermal aureole. *Journal of the Geological Society of London*, 141, 190.
- Brewer, M.S. and Smythe, D.K. (1984) MOIST and the continuity of crustal reflector geometry along the Caledonian-Appalachian orogen. *Journal of the Geological Society of London*, 141, 105–20.
- Brewer, M.S., Brook, M. and Powell, D. (1979) Dating of the tectonometamorphic history of the southwestern Moine, Scotland. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 129–37.
- Brewer, T.S., Storey, C.D., Parrish, R.R., Temperley, S. and Windley, B.F. (2003) Grenvillian age decompression of eclogites in the Glenelg–Attadale Inlier, NW Scotland. *Journal of the Geological Society of London*, 160, 565–74.
- Briden, J.C., Turnell, H.B. and Watts, D.R. (1984) British palaeomagnetism, Iapetus Ocean and the Great Glen Fault. *Geology*, 12, 136–9.
- Bridgewater, D., Mengel, F.C., Fryer, B.J., Wagner, P.A. and Hansen, S.C. (1995) Early Proterozoic mafic dykes in the North Atlantic and Baltic cratons: field setting and chemistry of distinctive dyke swarms. In *Early Precambrian Processes* (eds M.P. Coward and A.C. Ries), *Geological Society of London Special Publication*, No. 95, Geological Society of London, London, pp. 193–210.
- British Geological Survey (1986) *Glen Affric. Scotland Sheet 72E. Solid. 1:50 000*, Ordnance Survey for the British Geological Survey, Southampton.
- British Geological Survey (1994) *Yell. Scotland, part of sheets 130 and 131. Solid and drift. 1:50 000*, British Geological Survey, Keyworth.
- British Geological Survey (1995) *Invermoriston. Scotland Sheet 73W. Solid. 1:50 000*, British Geological Survey, Keyworth.
- British Geological Survey (1996) *Strathy. Scotland Sheet 115W. Solid and drift. 1:50 000*, British Geological Survey, Keyworth.
- British Geological Survey (1997a) *Ross of Mull. Scotland Sheet 43S. Solid and Drift. 1:50 000*, British Geological Survey, Keyworth.
- British Geological Survey (1997b) *Tongue. Scotland Sheet 114E. Solid. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (1997c) *Fortrose. Scotland Sheet 84W Solid and Drift. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (1998) *Summer Isles. Scotland Sheet 101W Solid and Drift. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (1999) *Gairloch. Scotland Sheet 91 and part of 100. Solid and Drift. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2001) *Strathconon. Scotland Sheet 83W. Solid and Drift. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2002) *Loch Eriboll. Scotland Sheet 114W Solid. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2003) *Reay. Scotland Sheet 115E. Bedrock and Superficial Deposits. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2004a) *Ben Wyvis. Scotland Sheet 93W. Bedrock and Superficial Deposits. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2004b) *Evanton. Scotland Sheet 93E. Bedrock and Superficial Deposits. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2004c) *Loch Naver. Scotland Sheet 108E. Bedrock. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2004d) *Exploring the Landscape of Assynt. a Map Showing the Rocks and Landscape of Assynt and Inverpolly. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2004e) *Northmaven. Scotland Sheet 129. Bedrock. 1:50 000*, British Geological Survey, Keyworth.

British Geological Survey (2007) *Assynt. Scotland Special Sheet. Bedrock. 1:50 000*, British Geological Survey, Keyworth.

Brook, M., Brewer, M.S. and Powell, D. (1976) Grenville age for the rocks in the Moine of northwestern Scotland. *Nature*, 260, 515–17.

Brook, M., Powell, D. and Brewer, M.S. (1977) Grenville events in Moine rocks of the Northern Highlands, Scotland. *Quarterly Journal of the Geological Society of London*, 133, 489–96.

Brown, M. (1973) The definition of metatexis, diatexis and migmatite. *Proceedings of the Geologists' Association*, 84, 371–82.

Brown, P.E. (1967) Major element composition of the Loch Coire migmatite complex, Sutherland, Scotland. *Contributions to Mineralogy and Petrology*, 14, 1–26.

Brown, P.E. (1971) The origin of granitic sheets and veins of the Loch Coire Migmatites, Scotland. *Mineralogical Magazine*, 38, 446–50.

Brown, P.E., Miller, J.A., Grasty, R.L. and Fraser, W.E. (1965) Potassium-argon ages of some Aberdeenshire granites and gabbros. *Nature*, 207, 1287–8.

- Brown, P.E., Miller, J.A. and Grasty, R.L. (1968) Isotopic ages of Late Caledonian granitic intrusions in the British Isles. *Proceedings of the Yorkshire Geological Society*, 36, 251–76.
- Brown, R.L., Dalziel, I.W.D. and Johnson, M.R.W. (1970) A review of the structure and stratigraphy of the Moinian of Ardgour, Moidart and Sunart, Argyll and Inverness-shire. *Scottish Journal of Geology*, 6, 309–35.
- Buchan, K.L., Mertanen, S., Park, R.G., Pesonen, L.J., Elming, S.-A., Abrahamsen, N. and Bylund, G. (2000) Comparing the drift of Laurentia and Baltica in the Proterozoic: the importance of key palaeomagnetic poles. *Tectonophysics*, 319, 167–98.
- Buchan, K.L., Ernst, R.E., Hamilton, M.A., Mertanen, S., Pesonen, L.J. and Elming, S.-A. (2001) Rodinia: the evidence from integrated palaeomagnetism and U-Pb geochronology. *Precambrian Research*, 110, 9–32.
- Bull, W.B. (1972) Recognition of alluvial-fan deposits in the stratigraphic record. In *Recognition of Ancient Sedimentary Environments* (eds K.J. Rigby and W.K. Hamblin), *Society of Economic Paleontologists and Mineralogists Special Publication*, No. 16, Society of Economic Paleontologists and Mineralogists, Tulsa, pp. 68–83.
- Burns, I.M. (1994) Tectonothermal evolution and petrogenesis of the Naver and Kirtomy nappes, Sutherland, Scotland. Unpublished PhD thesis, University of Oxford Brookes.
- Burns, I.M., Fowler, M.B., Strachan, R.A. and Greenwood, P.B. (2004) Geochemistry, petro-genesis and structural setting of the meta-igneous Strathgy Complex: a unique basement block within the Scottish Caledonides? *Geological Magazine*, 141, 209–23.
- Burton, K.W., Cohen, A.S., O'Nions, R.K. and O'Hara, M.J. (1994) Archaean crustal development in the Lewisian complex of northwest Scotland. *Nature*, 370, 552–5.
- Burton, K.W., Capmas, F., Birck, J.-L., Allegre, C.J. and Cohen, A.S. (2000) Resolving crystallisation ages of Archaean mafic-ultramafic rocks using the Re-Os isotope system. *Earth and Planetary Science Letters*, 179, 453–67.
- Butler, C.A., Holdsworth, R.E. and Strachan, R.A. (1995) Evidence for Caledonian sinistral strike-slip and associated fault zone weakening, Outer Hebrides Fault Zone, Scotland. *Journal of the Geological Society of London*, 152, 743–6.
- Butler, R.W.H. (1982a) The terminology of structures in thrust belts. *Journal of Structural Geology*, 4, 239–45.
- Butler, R.W.H. (1982b) A structural analysis of the Moine Thrust Zone between Loch Eriboll and Foinaven, NW Scotland. *Journal of Structural Geology*, 4, 19–29.
- Butler, R.W.H. (1987) Thrust sequences. *Journal of the Geological Society of London*, 144, 619–34.
- Butler, R.W.H. (1988a) Excursion 9: The thrust belt in northern Assynt. In *An Excursion Guide to the Moine Geology of the Scottish Highlands* (eds I. Allison, F. May, and R.A. Strachan), Scottish Academic Press on behalf of Edinburgh Geological Society and the Geological Society of Glasgow, Edinburgh, pp. 176–88.
- Butler, R.W.H. (1988b) Excursion 10: The Moine Thrust Belt from central Assynt to Durness: Panoramas. In *An Excursion Guide to the Moine Geology of the Scottish Highlands* (eds I. Allison, F. May, and R.A. Strachan), Scottish Academic Press on behalf of Edinburgh Geological Society and the Geological Society of Glasgow, Edinburgh, pp. 189–94.
- Butler, R.W.H. (1997) Late Proterozoic rift faults and basement-cover relationships within the Ben More thrust sheet, NW Scotland. *Journal of the Geological Society of London*, 154, 761–4.
- Butler, R. (2000) A short walk with Archibald Geikie. *Geoscientist*, 10(10), 4–6.

- Butler, R.W.H. (2004a) The nature of 'roof thrusts' in the Moine Thrust Belt, NW Scotland: implications for the structural evolution of thrust belts. *Journal of the Geological Society of London*, 161, 849–59.
- Butler, R. (2004b) Mountain Building with Henry Cadell. *Geoscientist*, 14(6), 4–7.
- Butler, R. (2007) Peach and Horne — the Memoir at 100. *Geoscientist*, 17(1), 20–25.
- Butler, R.W.H. and Coward, M.P. (1984) Geological constraints, structural evolution and deep geology of the NW Scottish Caledonides. *Tectonics*, 3, 347–65.
- Butler, R.W.H. and Hutton, D.H.W. (1994) Basin structure and Tertiary magmatism on Skye, NW Scotland. *Journal of the Geological Society of London*, 151, 931–44.
- Butler, R.W.H., Holdsworth, R.E. and Matthews, S.J. (2006) Styles of basement involvement in the Moine thrust Belt, NW Scotland. In *Styles of Continental Contraction* (eds S. Mazzoli and R.W.H. Butler), *Geological Society of America Special Paper*, The Geological Society of America, Boulder, No. 414, pp. 133–50.
- Butler, R.W.H., Matthews, S.J. and Morgan, R.K. (2007) Structural evolution of the Achna-shellach culmination, southern Moine Thrust Belt: testing the duplex model. In *Deformation of the Continental Crust: the Legacy of Mike Coward* (eds A.C. Ries, R.W.H. Butler and R.H. Graham), *Geological Society of London Special Publication*, No. 272, Geological Society of London, London, pp. 103–20.
- Cadell, H.M. (1888) Experimental researches in mountain building. *Transactions of the Royal Society of Edinburgh*, 35, 337–57.
- Callaway, C. (1881) The limestone of Durness and Assynt. *Quarterly Journal of the Geological Society of London*, 37, 239–45.
- Callaway, C. (1883) The age of the newer gneissoic rocks of the northern Highlands. *Quarterly Journal of the Geological Society of London*, 39, 355–422.
- Carreras, J., Estrada, A. and White, S.H. (1977) The effects of folding on the c-axis fabric of a quartz mylonite. *Tectonophysics*, 39, 3–24.
- Carswell, D.A. (1989) *Eclogite Facies Rocks*, Blackie, Glasgow, 396 pp.
- Carter, A., Bristow, C.S. and Hurford, A.J. (1995) The application of fission track analysis to the dating of barren sequences: examples from red beds in Scotland and Thailand. In *Non-Biostratigraphical Methods of Dating and Correlation* (eds R.E. Dunay and E.A. Hailwood), *Geological Society of London Special Publication*, No. 91, Geological Society of London, London, pp. 41–56.
- Cartwright, I. (1988) Crystallisation of melts, pegmatite intrusion and the Inverian retrogression of the Scourian complex, north-west Scotland. *Journal of Metamorphic Geology*, 6, 7–93.
- Cartwright, I., Fitches, W.R., O'Hara, M.J., Barnicoat, A.C. and O'Hara, S. (1985) Archaean supracrustals from the Lewisian near Stoer, Sutherland. *Scottish Journal of Geology*, 21, 187–96.
- Casey, M. and Williams, D.M. (2000) Micro-mechanical control of Theological anisotropy in quartz mylonite. *Physics and Chemistry of the Earth, Part A: Solid Earth and Geodesy*, 25(2), 127–32.
- Cawood, P.A., Nemchin, A.A., Strachan, R., Kinny, P. and Loewy, S. (2004) Laurentian provenance and an intracratonic tectonic setting for the Moine Supergroup, Scotland, constrained by detrital zircons from the Loch Eil and Glen Urquhart successions. *Journal of the Geological Society of London*, 161, 861–74.

- Cawood, P.A., Nemchin, A.A., Strachan, R.A., Prave, A.R. and Krabbendam, M. (2007) Sedimentary basin and detrital zircon record along East Laurentia and Baltica during assembly and breakup of Rodinia. *Journal of the Geological Society, London*, 164, 257–75.
- Chapman, H.J. (1979) 2390 Myr Rb-Sr whole-rock age for the Scourie dykes of north-west Scotland. *Nature*, 277, 642–3.
- Chapman, H.T. and Moorbath, S. (1977) Lead isotope measurements from the oldest recognised Lewisian gneisses of north-west Scotland. *Nature*, 268, 41–2.
- Cheaney, R.F. (2002) Charles Lapworth's mylonites. *Scottish Journal of Geology*, 38, 1–3.
- Cheaney, R.F. and Matthews, D.W. (1965) The structural evolution of the Tarskavaig and Moine Nappes in south-west Skye. *Scottish Journal of Geology*, 1, 256–81.
- Cheng, Y.C. (1942) A hornblendic complex, including appinitic types, in the migmatite area of north Sutherland, Scotland. *Proceedings of the Geologists' Association*, 53, 67–85.
- Cheng, Y.C. (1943) The migmatite area around Bettyhill, Sutherland. *Quarterly Journal of the Geological Society of London*, 99, 107–54.
- Chowns, T.M. and Elkins, J.E. (1974) Quartz geodes and cauliflower cherts from anhydrite nodules. *Journal of Sedimentary Petrology*, 44, 885–903.
- Christie, J.M. (1963) The Moine thrust zone in the Assynt region, Northwest Scotland. *University of California Publications in Geological Sciences*, 40, 345–440.
- Christie, J.M. (1965) The Moine Thrust: a reply. *Journal of Geology*, 73, 677–81.
- Cliff R.A. and Rex, D.C. (1989) Evidence for a 'Grenville' event in the Lewisian of the northern Outer Hebrides. *Journal of the Geological Society of London*, 146, 921–4.
- Cliff, R.A., Gray, C.M. and Huhma, H. (1983) A Sm-Nd isotope study of the South Harris Igneous Complex, the Outer Hebrides. *Contributions to Mineralogy and Petrology*, 82, 91–8.
- Cliff, R.A., Rex, D. and Guise, P.G. (1998) Geochronological studies of Proterozoic crustal evolution in the northern Outer Hebrides. *Precambrian Research*, 91, 401–18.
- Clifford, T.N. (1957) The stratigraphy and structure of part of the Kintail district of southern Ross-shire — its relationship to the Northern Highlands. *Quarterly Journal of the Geological Society of London*, 113, 57–92.
- Cloos, E. (1946) *Lineation: a Critical Review and Annotated Bibliography*, *Memoir of the Geological Society of America*, No. 18, Waverly Press, Baltimore, 122 pp.
- Cloud, P. and Germs, A. (1971) New pre-Paleozoic nanofossils from the Stoer Formation (Torridonian), northwest Scotland. *Bulletin of the Geological Society of America*, 82, 3469–74.
- Cobbold, P.R. and Quinquis, H. (1980) Development of sheath folds in shear regimes. *Journal of Structural Geology*, 2, 119–26.
- Cohen, A.S., O'Nions, R.K. and O'Hara, M.J. (1987) The timing and mechanism of depletion in Lewisian granulites. In *Workshop on the Growth of Continental Crust* (ed. L.D. Ashwal). *LPI Technical Report*, 88–02, Lunar and Planetary Institute, Houston, p. 48.
- Cohen, A.S., O'Nions, R.K. and O'Hara, M.J. (1991) Chronology and mechanism of depletion in Lewisian granulites. *Contributions to Mineralogy and Petrology*, 106, 142–53.

Cooper, M.A. and Williams, G.D. (1989) *Inversion Tectonics, Geological Society of London Special Publication*, No. 44, Blackwell Scientific for the Geological Society of London, Oxford, 375 pp.

Corfu, F., Heaman, L.M. and Rogers, G. (1994) Polymetamorphic evolution of the Lewisian complex, NW Scotland, as recorded by U-Pb isotopic compositions of zircon, titanite and rutile. *Contributions to Mineralogy and Petrology*, 117, 215–28.

Corfu, F., Heaman, L.M. and Rogers, G. (1998) U-Pb zircon systematics at Gruinard Bay, northwest Scotland: implications for the early orogenic evolution of the Lewisian complex. *Contributions to Mineralogy and Petrology*, 133, 329–45.

Coward, M.P. (1969) The structural and metamorphic geology of South Uist, Outer Hebrides. Unpublished PhD thesis, University of London.

Coward, M.P. (1972) The Eastern Gneisses of South Uist. *Scottish Journal of Geology*, 8, 1–12.

Coward, M.P. (1973a) The structure and origin of areas of anomalously low-intensity finite deformation in the basement gneiss complex of the outer Hebrides. *Tectonophysics*, 16, 117–40.

Coward, M.P. (1973b) Heterogeneous deformation in the development of the Laxfordian complex of South Uist, Outer Hebrides. *Journal of the Geological Society of London*, 129, 139–60.

Coward, M.P. (1980) The Caledonian thrust and shear zones of NW Scotland. *Journal of Structural Geology*, 2, 11–17.

Coward, M.P. (1982) Surge zones in the Moine Thrust Zone of NW Scotland. *Journal of Structural Geology*, 4, 247–56.

Coward, M.P. (1983) The thrust and shear zones of the Moine Thrust Zone of NW Scotland. *Journal of the Geological Society of London*, 140, 795–811.

Coward, M.P. (1984a) A geometrical study of the Arnaboll and Heilam thrust sheets, NW of Ben Arnaboll, Sutherland. *Scottish Journal of Geology*, 20, 87–106.

Coward, M.P. (1984b) The strain and textural history of thin-skinned tectonic zones: examples from the Assynt region of the Moine thrust zone. *Journal of Structural Geology*, 6, 89–99.

Coward, M.P. (1985) The thrust structures of southern Assynt, Moine thrust zone. *Geological Magazine*, 122, 596–607.

Coward, M.P. (1990) Shear zones at the Laxford front, NW Scotland and their significance in the interpretation of lower crustal structure. *Journal of the Geological Society of London*, 147, 279–86.

Coward, M.P. and Endfield, M.A. (1987) The structure of the West Orkney and adjacent basins. In *Petroleum Geology of North-west Europe: Proceedings of the 3rd Conference on*

Petroleum Geology of North-west Europe, Held at the Barbican Centre, London, 26–29 October 1986 (eds J. Brooks and K. Glennie), Graham and Trotman, London, pp. 687–96.

Coward, M.P. and Kim, J.H. (1981) Strain within thrust sheets. In *Thrust and Nappe Tectonics* (eds K.R. McClay and N.J. Price), *Geological Society of London Special Publication*, No. 9, Blackwell Scientific for the Geological Society of London, Oxford, pp. 275–92.

Coward, M.P. and Park, R.G. (1987) The role of mid-crustal shear zones in the Early Proterozoic evolution of the Lewisian. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological Society of London Special Publication*, No. 27, Blackwell Scientific, Oxford, pp. 127–38.

- Coward, M.P. and Potts, G.J. (1983) Complex strain patterns at the frontal and lateral tips to shear zones and thrust zones. *Journal of Structural Geology*, 5, 383–99.
- Coward, M.P. and Potts, G.J. (1985) Fold nappes: examples from the Moine Thrust Zone. In *The Caledonide Orogen — Scandinavia and Related Areas* (eds D.G. Gee and B.A. Sturt), Wiley, Chichester, pp. 1147–58.
- Coward, M.P. and Whalley, J.S. (1979) Texture and fabric studies across the Kishorn Nappe, near Kyle of Lochalsh, Western Scotland. *Journal of Structural Geology*, 1, 259–73.
- Coward, M.P., Francis, P.W., Graham, R.H., Myers, J.S. and Watson, J. (1969) Remnants of an early metasedimentary assemblage in the Lewisian Complex of the Outer Hebrides. *Proceedings of the Geologists' Association*, 80, 387–408.
- Coward, M.P., Francis, P.W., Graham, R.H. and Watson, J.V. (1970) Large-scale Laxfordian structures of the Outer Hebrides in relation to those of the Scottish mainland. *Tectonophysics*, 10, 425–535.
- Coward, M.P., Kim, J.H. and Parke, J. (1980) A correlation of Lewisian structures and their displacement across the lower thrusts of the Moine thrust zone, NW Scotland. *Proceedings of the Geologists' Association*, 91, 327–37.
- Cowie, J.W. (1974) The Cambrian of Spitzbergen and Scotland. In *Cambrian of the British Isles, Norden and Spitzbergen* (ed. C.H. Holland), Wiley, Chichester, pp. 123–55.
- Crampton, C.B. and Carruthers, R.G. (1914) *The Geology of Caithness*, Memoir of the Geological Survey of Great Britain, sheets 110 and 116 (Scotland), HMSO, Edinburgh, 194 pp.
- Crane, A. (1973) The geology of the Lewisian complex near Poolewe, Ross-shire, Unpublished PhD thesis, University of Keele.
- Crane, A. (1978) Correlation of metamorphic fabrics and the age of Lewisian metasediments near Loch Maree. *Scottish Journal of Geology*, 14, 225–46.
- Cresswell, D. (1969) *The Geology of the Lewisian Rocks of Loch Torridon, Scotland*, University of Keele, Keele.
- Cresswell, D. (1972) The structural development of the Lewisian rocks on the north shore of Loch Torridon, Ross-shire. *Scottish Journal of Geology*, 8, 293–308.
- Cunningham, R.J.H. (1841) Geognostic account of the County of Sutherland. *Transactions of the Highland and Agricultural Society of Scotland*, n.s., 7, 73–114.
- Cunningham Craig, E.H., Wright, W.B. and Bailey, E.B. (1911) *The Geology of Colonsay and Oronsay with part of the Ross of Mull*, Memoir of the Geological Survey of Great Britain, Sheet 35 and part of Sheet 27 (Scotland), HMSO, Edinburgh, 109 pp.
- Dahlstrom, C.D.A. (1970) Structural geology in the eastern margin of the Canadian Rocky Mountains. *Bulletin of Canadian Petroleum Geology*, 18, 332–402.
- Dallmeyer, R.D., Strachan, R.A., Rogers, G., Watt, G.R. and Friend, C.R.L. (2001) Dating deformation and cooling in the Caledonian thrust nappes of north Sutherland, Scotland: insights from $^{40}\text{Ar}/^{39}\text{Ar}$ and Rb-Sr chronology. *Journal of the Geological Society of London*, 158, 501–12.
- Daly, J.S., Aitcheson, S.T., Cliff, R.A., Gayer, R.A. and Rice, A.H.N. (1991) Geochronological evidence from discordant plutons for a late Proterozoic orogen in the Caledonides of Finnmark, Northern Norway. *Journal of the Geological Society of London*, 148, 29–40.
- Dalziel, I.W.D. (1966) A structural study of the granitic gneiss of western Ardgour and Inverness-shire. *Scottish Journal of Geology*, 2, 125–52.

- Dalziel, I.W.D. (1997) Neoproterozoic–Paleozoic geography and tectonics; review, hypothesis, environmental speculation. *Bulletin of the Geological Society of America*, 109(1), 16–42.
- Dalziel, I.W.D. and Johnson, M.R.W. (1963) Evidence for the geological dating of the granitic gneiss of western Ardgour. *Geological Magazine*, 100, 244–54.
- Dalziel, I.W.D. and Soper, N.J. (2001) Neoproterozoic extension on the Scottish promontory of Laurentia: Paleogeographic and tectonic implications. *Journal of Geology*, 109, 299–317.
- Darabi, M.H. and Piper, J.D.A. (2004) Palaeomagnetism of the (late Mesoproterozoic) Stoer Group, northwest Scotland: implications for diagenesis, age and relationship to the Grenville Orogeny. *Geological Magazine*, 141, 15–39.
- Dash, B. (1969) Structure of the Lewisian rocks between Strath Dionard and Rhiconich, Sutherland, Scotland. *Scottish Journal of Geology*, 5, 347–74.
- Davidson, C.F. (1943) The Archaean rocks of the Rodil District, South Harris, Outer Hebrides. *Transactions of the Royal Society of Edinburgh*, 61, 71–112.
- Davies, F.B. (1974) A layered basic complex in the Lewisian, south of Loch Laxford, Sutherland. *Journal of the Geological Society of London*, 130, 279–84.
- Davies, F.B. (1975) Origin and ancient history of gneisses older than 2,800 myr Lewisian complex. *Nature*, 258, 589–91.
- Davies, F.B. (1977) Archaean evolution of the Lewisian Complex of Gruinard Bay, Ross-shire. *Scottish Journal of Geology*, 13, 189–95.
- Davies, F.B. (1978) Progressive simple shear deformation of the Laxford shear zone, Sutherland. *Proceedings of the Geologists' Association*, 89, 177–96.
- Davies, F.B., Lisle, R.J. and Watson, J.V. (1975) The tectonic evolution of the Lewisian complex in Northern Lewis, Outer Hebrides. *Proceedings of the Geologists' Association*, 86, 45–61.
- Davison, S. and Hambrey, M.J. (1996) Indications of glaciation at the base of the Proterozoic Stoer Group (Torridonian), NW Scotland. *Journal of the Geological Society of London*, 153, 139–49.
- Davison, S. and Hambrey, M.J. (1997) Discussion on indications of glaciation at the base of the Proterozoic Stoer Group (Torridonian), NW Scotland. *Journal of the Geological Society of London*, 154, 1087–8.
- Dayan, H. (1981) Deformation studies of the folded mylonites of the Moine Thrust, Eriboll district, N. W Scotland. Unpublished PhD thesis, University of Leeds.
- Deans, T., Garson, M. and Coats, J.S. (1971) Fenite-type soda metasomatism in the Great Glen, Scotland. *Nature*, 234, 145–7.
- Dearnley, R. (1959) Metamorphic petrology and history of the Lewisian rocks of South Harris. Unpublished PhD thesis, University of Leeds.
- Dearnley, R. (1962a) An outline of the Lewisian complex of the Outer Hebrides in relation to that of the Scottish Mainland. *Quarterly Journal of the Geological Society of London*, 118, 143–76.
- Dearnley, R. (1962b) Diopside-orthoclase-hornblende rocks from the Lewisian paragneiss of South Harris, Outer Hebrides. *Geological Magazine*, 99, 27–9.
- Dearnley, R. (1963) The Lewisian complex of South Harris, with some observations on the metamorphosed basic intrusions of the Outer Hebrides, Scotland. *Quarterly Journal of the Geological Society of London*, 119, 243–312.

- Dearnley, R. and Dunning, F.W. (1968) Metamorphosed and deformed pegmatites and basic dykes in the Lewisian complex of the Outer Hebrides and their geological significance. *Quarterly Journal of the Geological Society of London*, 123, 353–78.
- Dempster, T.J., Rogers, G., Tanner, P.W.G., Bluck, B.J., Muir, R.J., Redwood, S.D., Ireland, T.E. and Paterson, B.A. (2002) Timing of deposition, orogenesis and glaciation within the Dalradian rocks of Scotland: constraints from U-Pb zircon ages. *Journal of the Geological Society of London*, 159(1), 83–94.
- Dewey, J.F. and Mange, M. (1999) Petrography of Ordovician and Silurian sediments in the western Irish Caledonides: tracers of a short-lived Ordovician continent-arc collision orogeny and the evolution of the Laurentian Appalachian-Caledonian margin. In *Continental Tectonics* (eds C. MacNiocaill and P.D. Ryan), *Geological Society of London Special Publication*, No. 164, Geological Society of London, Bath, pp. 55–107.
- Dewey, J.F. and Strachan, R.A. (2003) Changing Silurian-Devonian relative plate motion in the Caledonides: sinistral transpression to sinistral transtension. *Journal of the Geological Society of London*, 160, 219–29.
- Dhonau, T.J. (1960) *The Geology of the Five Sisters of Kintail, Ross-shire*, University of London, London, 125 pp.
- Dickinson, B.B. and Watson, J. (1976) Variations in crustal level and geothermal gradient during the evolution of the Lewisian complex of northwest Scotland. *Precambrian Research*, 3, 363–74.
- Donovan, R.N. (1973) Basin margin deposits of the Middle Old Red Sandstone at Dirlot, Caithness. *Scottish Journal of Geology*, 9, 203–11.
- Downie, C. (1962) So-called spores from the Torridonian. *Proceedings of the Geological Society of London*, 1600, 127–8.
- Dreyer, H. (1940) The geology of Ardgour, Argyllshire. *Transactions of the Royal Society of Edinburgh*, 60, 141–70.
- Droop, G.T.R., Fernandes, L.A.D. and Shaw, S. (1998) Laxfordian metamorphic conditions of the Palaeoproterozoic Loch Maree Group, Lewisian Complex, NW Scotland. *Scottish Journal of Geology*, 35, 31–50.
- Dzulynski, S. and Walton, E.K. (1965) *Sedimentary Features of Flysch and Greywackes*, Developments in Sedimentology, No. 7, Elsevier, Amsterdam, 274 pp.
- Einsele, G. (1992) *Sedimentary Basins: Evolution, Facies, and Sediment Budget*, Springer-Verlag, Berlin, 628 pp.
- Elliot, C.G. and Williams, P.F. (1988) Sediment slump structures: a review of diagnostic criteria and application to an example from Newfoundland. *Journal of Structural Geology*, 10, 171–82.
- Elliott, D. and Johnson, M.R.W. (1980) Structural evolution in the northern part of the Moine thrust belt, NW Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 71, 69–96.
- Ellis, N.V. (ed.), Bowen, D.Q., Campbell, S., Knill, J.L., McKirdy, A.P., Prosser, C.D., Vincent, M.A. and Wilson, R.C.L. (1996) *An Introduction to the Geological Conservation Review*, Geological Conservation Review Series, No. 1, Joint Nature Conservation Committee, Peterborough, 131 pp.
- Emery, M., Friend, C.R.L., Jones, K.A., Kinny, P.D., Strachan, R.A. and Leslie, A.G. (2004) Metamorphic evolution and U-Pb zircon geochronology of Moine migmatites in Glen Urquhart, Inverness-shire: further evidence for Neoproterozoic (Knoydartian) orogenesis in the Scottish Highlands. In *Tectonic Studies Group Highlands Workshop Abstracts*, Glenties, Donegal.
- Enfield, M.A. and Coward, M.P. (1987) The structure of the West Orkney Basin, northern Scotland. *Journal of the Geological Society of London*, 144, 871–84.
- Evans, C.R. (1965) Geochronology of the Lewisian basement near Lochinver, Sutherland. *Nature*, 204, 638–41.

- Evans, C.R. and Lambert, R.St.-J. (1974) The Lewisian of Lochinver, Sutherland; the type area for the Inverian metamorphism. *Journal of the Geological Society of London*, 130, 125–50.
- Evans, C.R. and Tarney, J. (1964) Isotopic ages of Assynt dykes. *Nature*, 204, 638–41.
- Evans, D.J. and White, S.H. (1984) Micro-structural and fabric studies from the rocks of the Moine Nappe, Eriboll, NW Scotland. *Journal of Structural Geology*, 6, 369–89.
- Fettes, D.J. and Macdonald, R. (1978) The Glen Garry vein complex, Inverness-shire. *Scottish Journal of Geology*, 14, 335–58.
- Fettes, D.J. and Mendum, J.R. (1987) The evolution of the Lewisian complex in the Outer Hebrides. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological Society of London Special Publication*, No. 27, Blackwell Scientific, Oxford, pp. 27–44.
- Fettes, D.J., Long, C.B., Max, M.D. and Yardley, B.W.D. (1985) Grade and time of metamorphism in the Caledonide Orogen of Britain and Ireland. In *The Nature and Timing of Orogenic Activity in the Caledonian Rocks of the British Isles* (ed. A.L. Harris), *Geological Society of London Memoir*, No. 9, Blackwell Scientific for the Geological Society of London, Oxford, pp. 41–53.
- Fettes, D.J., Mendum, J.R., Smith, D.I. and Watson, J.V. (1992) *Geology of the Outer Hebrides*, Memoir of the British Geological Survey (Scotland), HMSO for the British Geological Survey, London, 197 pp.
- Field, D. (1978) Granulites at Gruinard Bay. *Scottish Journal of Geology*, 14, 359–61.
- Finlay, C.A. and Kerr, A. (1979) Garnet growth in a metapelite from the Moinian rocks of northern Sutherland, Scotland. *Contributions to Mineralogy and Petrology*, 71, 185–91.
- Fischer, M.W. and Coward, M.P. (1982) Strains and folds within thrust sheets: an analysis of the Heilam sheet, northwest Scotland. *Tectonophysics*, 88, 291–312.
- Fitch, F.J., Miller, J.A. and Mitchell, J.G. (1969) A new approach to radio-isotopic dating in orogenic belts. In *Time and Place in Orogeny* (eds P.E. Kent, G.E. Satterthwaite and A.M. Spencer), *Geological Society of London Special Publication*, No. 3, Geological Society of London, London, pp. 157–95.
- Fletcher, T.P. and Key, R. (1991) Solid geology of the Dounreay district. *British Geological Survey Technical Report*, WA/91/35C.
- Fletcher, T.P., Auton, C.A., Highton, A.J., Merritt, J.W., Robertson, S. and Rollin, K.E. (1996) *Geology of the Fortrose and Eastern Inverness District*, Memoir of the British Geological Survey, Sheet 84W (Scotland), HMSO for the British Geological Survey, London, 137 pp.
- Flinn, D. (1954) On the time relations between regional metamorphism and permeation in Delting, Shetland. *Quarterly Journal of the Geological Society of London*, 110, 177–202.
- Flinn, D. (1956) On the deformation of the Funzie Conglomerate, Fetlar, Shetland. *Journal of Geology*, 64, 480–505.
- Flinn, D. (1961) Continuation of the Great Glen Fault beyond the Moray Firth. *Nature*, 191, 589–91.
- Flinn, D. (1962) On folding during three-dimensional progressive deformation. *Quarterly Journal of the Geological Society of London*, 118, 385–433.
- Flinn, D. (1967) The metamorphic rocks of the southern part of the Mainland of Shetland. *Geological Journal*, 5, 251–90.

- Flinn, D. (1969) A geological interpretation of the aeromagnetic maps of the continental shelf around Orkney and Shetland. *Geological Journal*, 6, 279–92.
- Flinn, D. (1977) Transcurrent faults and associated cataclasis in Shetland. *Journal of the Geological Society of London*, 133, 231–48.
- Flinn, D. (1985) The Caledonides of Shetland. In *The Caledonide Orogen — Scandinavia and Related Areas* (eds D.G. Gee and B.A. Stun), Wiley, Chichester, pp. 1158–71.
- Flinn, D. (1988) The Moine rocks of Shetland. In *Later Proterozoic Stratigraphy of the Northern Atlantic Regions* (ed. J.A. Winchester), Biocide, Glasgow, pp. 74–85.
- Flinn, D. (1992) The history of the Walls Boundary fault, Shetland — the northward continuation of the Great Glen fault from Scotland. *Journal of the Geological Society of London*, 149, 721–6.
- Flinn, D. (1993) Discussion on the location and history of the Walls Boundary fault and Moine thrust north and south of Shetland. *Journal of the Geological Society of London*, 149, 1006–7.
- Flinn, D. (1994) *Geology of Yell and some Neighbouring Islands in Shetland*, Memoir of the British Geological Survey, Sheet 130 (Scotland), HMSO for the British Geological Survey, London, 110 pp.
- Flinn, D. (1995) Formation of gneisses of migmatite and diatexite appearance in Yell, Shetland, by solid-state grain-growth recrystallisation. *Geological Journal*, 30, 415–22.
- Flinn, D., May, F., Roberts, J.L. and Treagus, J.E. (1972) A review of the stratigraphic succession of the East Mainland of Shetland. *Scottish Journal of Geology*, 8, 335–43.
- Flinn, D., Frank, P.L., Brook, M. and Pringle, I.R. (1979) Basement cover relations in Shetland. In *The Caledonides of the British Isles Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 109–15.
- Flinn, D., Miller, J.A. and Roddam, D. (1991) The age of the Norwick hornblende schists of Unst and Fetlar and the obduction of the Shetland ophiolite. *Scottish Journal of Geology*, 27, 11–19.
- Floyd, P.A. and Winchester, J.A. (1983) Element mobility associated with meta-shear zones within the Ben Hope amphibolite suite, Scotland. *Chemical Geology*, 34, 1–15.
- Floyd, P.A., Winchester, J.A. and Park, R.G. (1989) Geochemistry and tectonic setting of Lewisian elastic metasediments from the early Proterozoic Loch Maree Group of Gairloch, NW Scotland. *Precambrian Research*, 45, 203–14.
- Fowler, M.B. (1988a) Ach'uaire hybrid appinite pipes: evidence for mantle-derived shoshonitic parent magmas in Caledonian granite gneiss. *Geology*, 16, 1026–30.
- Fowler, M.B. (1988b) Elemental evidence for crustal contamination of mantle-derived Caledonian syenite by metasediment anatexis and magma mixing. *Journal of the Geological Society of London*, 149, 209–20.
- Fowler, M.B. (1992) Elemental and O-Sr-Nd isotope geochemistry of the Glen Dessarry syenite, NW Scotland. *Journal of the Geological Society of London*, 149, 209–20.
- Fowler, M.B. and Henney, P.J. (1996) Mixed Caledonian appinite magmas: implications for lamprophyre fractionation and high Ba-Sr granite genesis. *Contributions to Mineralogy and Petrology*, 126, 199–215.
- Fowler, M.B. and Plant, J.A. (1987) Rare earth element geochemistry of Lewisian grey gneisses from Gruinard Bay. *Scottish Journal of Geology*, 23, 193–202.

- Fowler, M.B., Henney, P.J., Darbyshire, D.P.F. and Greenwood, P.B. (2001) Petrogenesis of high Ba-Sr granites; the Rogart Pluton, Sutherland. *Journal of the Geological Society of London*, 158, 521–34.
- Francis, P.W. (1969) Some aspects of the Lewisian geology of Barra and adjacent islands. Unpublished PhD thesis, University of London.
- Francis, P.W. (1973) Scourian–Laxfordian relationships in the Barra Isles. *Journal of the Geological Society of London*, 129, 161–89.
- Francis, P.W., Moorbath, S. and Welke, H.J. (1971) Isotopic age data from Scourian intrusive rocks on the Isle of Barra, Outer Hebrides, north-west Scotland. *Geological Magazine*, 108, 13–22.
- Freeman, S.R., Butler, R.W.H., Cliff, R.A. and Rex, D.C. (1998) Direct dating of mylonite evolution; a multi-disciplinary geochronological study from the Moine thrust zone, NW Scotland. *Journal of the Geological Society of London*, 155, 745–58.
- Friend, C.R.L. and Kinny, P.D. (1995) New evidence for protolith ages of Lewisian granulites, northwest Scotland. *Geology*, 23, 1027–30.
- Friend, C.R.L. and Kinny, P.D. (2001) A reappraisal of the Lewisian Gneiss Complex: geochronological evidence for its tectonic assembly from disparate terranes in the Proterozoic. *Contributions to Mineralogy and Petrology*, 142, 198–218.
- Friend, C.R.L., Kinny, P.D., Rogers, G., Strachan, R.A. and Patterson, B.A. (1997) U-Pb zircon geochronological evidence for Neoproterozoic events in the Glenfinnan Group (Moine Supergroup): the formation of the Ardgour granite gneiss, north-west Scotland. *Contributions to Mineralogy and Petrology*, 128, 101–13.
- Friend, C.R.L., Jones, K.A. and Burns, I.M. (2000) New high-pressure granulite event in the Moine Supergroup, northern Scotland: implications for Taconic (early Caledonian) crustal evolution. *Geology*, 28, 543–6.
- Friend, C.R.L., Strachan, R.A., Kinny, P.D. and Watt, G.R. (2003) Provenance of the Moine Supergroup of NW Scotland; evidence from geochronology of detrital and inherited zircons from (meta)sedimentary rocks, granites and migmatites. *Journal of the Geological Society of London*, 160, 247–57.
- Friend, C.R.L., Strachan, R.A. and Kinny, P.D. (2008) U-Pb zircon dating of basement inliers within the Moine Supergroup, Scottish Caledonides: implications of Archaean protolith ages. *Journal of the Geological Society*, 165, 807–15.
- Gallagher, M.J., Smith, R.T., Peacock, J.D. and Haynes, L. (1974) Molybdenite mineralisation in Precambrian rocks near Lairg, Scotland. *Transactions of the Institute of Mineralogy and Metallurgy*, B83, 99–134.
- Garson, M.S., Coates, J.S., Rock, N.M.S. and Deans, T. (1984) Fenites, breccia dykes, albitites and carbonatitic veins near the Great Glen Fault, Inverness, Scotland. *Journal of the Geological Society of London*, 141, 711–32.
- Geikie, A. (1865) *The Scenery of Scotland Viewed in Connection with its Physical Geology (with a Geological Map by Sir Roderick I. Murchison and Archibald Geikie)*, Macmillan, London and Cambridge.
- Geikie, A. (1884) The crystalline schists of the Scottish Highlands. *Nature*, 31, 29–31.
- Geikie, A. (1888) Report on the recent work of the Geological Survey in the North-West Highlands of Scotland, based on the field notes and maps of Messrs Peach, B N, Horn, J, Gunn, W, Clough, C T, Hinxman, L, and Cadell, H M. *Quarterly Journal of the Geological Society of London*, 44, 378–441.
- Geikie, A. (1893) On the pre-Cambrian rocks of the British Isles. *Journal of Geology*, 1, 1–14.
- Geikie, A. (1900) *Summary of Progress of the Geological Survey of Great Britain for 1899*, London.

Geikie, A. (1903) *Summary of Progress of the Geological Survey of Great Britain for 1902*, London.

Geological Survey of Great Britain (1923) *Assynt District. Scotland Special Sheet. Solid and Drift. One-Inch Series*, Ordnance Survey for the Geological Survey of Great Britain, Southampton.

Geological Survey of Scotland (1889) *Tongue. Scotland Sheet 114. Solid. 1:63 360*, Ordnance Survey for the Geological Survey of Scotland, Southampton.

Geological Survey of Scotland (1909) *Glenelg. Scotland Sheet 71. Solid. 1:63 360*, Ordnance Survey for the Geological Survey of Scotland, Chessington.

Geological Survey of Scotland (1913a) *Inver-broom. Scotland Sheet 92. Solid and Drift. 1:63 360*, Ordnance Survey for the Geological Survey of Scotland, Southampton.

Geological Survey of Scotland (1913b) *Lochcarron. Scotland Sheet 82. Solid. 1:63 360*, Ordnance Survey for the Geological Survey of Scotland, Southampton.

Geological Survey of Scotland (1931) *Altnaharra. Scotland Sheet 108. Solid and Drift. One-inch Series*, Ordnance Survey for the Geological Survey of Scotland, Southampton.

George, M.T. (2000) Rb/Sr and Sm/Nd mineral ages from the Laxford area of the Lewisian complex and implications for the isotope dating of ancient polymetamorphic terranes. In *Geoscience 2000 Abstracts*, Manchester, p. 71.

Giletti, B.J., Moorbath, S. and Lambert, R.St.-J. (1961) A geochronological study of the metamorphic complexes of the Scottish Highlands. *Quarterly Journal of the Geological Society of London*, 117, 233–64.

Gill, K.R. (1965) The petrology of the Brae Complex, Delting, Shetland. Unpublished PhD thesis, University of Cambridge.

Gillespie, M.R. and Styles, M.T. (1999) BGS rock classification scheme, Volume 1: classification of igneous rocks, 2nd edn. *British Geological Survey Research Report, RR/99/6*, 26 pp.

Glendinning, N.R.W. (1988) Sedimentary structures and sequences within a late Proterozoic tidal shelf deposit; the upper Morar Psammite Formation of northwestern Scotland. In *Later Proterozoic Stratigraphy of the Northern Atlantic Regions* (ed. J.A. Winchester), Biocide, Glasgow and London, pp. 17–31.

Goodenough, K.M., Young, B.N. and Parsons, I. (2004) The minor intrusions of Assynt, NW Scotland: early development of magmatism along the Caledonian Front. *Mineralogical Magazine*, 68, 541–60.

Goodenough, K.M., Evans, J.A. and Krabbendam, M. (2006) Constraining the maximum age of movements in the Moine Thrust Belt: dating the Canisp Porphyry. *Scottish Journal of Geology*, 42, 77–81.

Goodenough, K.M., Park, R.G., Krabbendam M., Myers, J.S., Wheeler, J., Loughlin, S.C., Crowley, Q.G., Friend, C.R.L., Beach, A., Kinny, P.D. and Graham, R.H. (in press). The Laxford Shear Zone: an end-Archaeon terrane boundary? In *Continental Tectonics and Mountain Building — The Legacy of Peach and Horne* (eds R.D. Law, R.W.H. Butler, R.E. Holdsworth, M. Krabbendam and R.A. Strachan), *Geological Society of London Special Publication*.

Gordon, J.E. and Sutherland, D.G. (1993) *Quaternary of Scotland*, Geological Conservation Review Series, No. 5, Chapman and Hall, London, 695 pp.

Gould, D. (1966) Geochemical and mineralogical studies of the granitic gneiss of western Ardgour and Argyll. Unpublished PhD thesis, University of Edinburgh.

Gower, C.F. and Krogh, T.E. (2002) A U-Pb geochronological review of the Proterozoic history of the eastern Grenville Province. *Canadian Journal of Earth Sciences*, 39, 795–829.

- Gracie, A.J. and Stewart, A.D. (1967) Torridonian sediments at Enard Bay, Ross-shire. *Scottish Journal of Geology*, 3, 181–94.
- Graham, R.H. (1970) A structural analysis of Lewisian rocks in parts of North Uist and the Sound of Harris, Outer Hebrides. Unpublished PhD thesis, Imperial College, London.
- Graham, R.H. and Coward, M.P. (1973) The Laxfordian of the Outer Hebrides. In *The Early Precambrian of Scotland and Related Rocks of Greenland* (eds R.G. Park and J. Tarney), University of Keele, Keele, pp. 85–93.
- Grant, C.J. (1989) The kinematics and tectonic significance of ductile shear zones within the Northern Highland Moine. Unpublished PhD thesis, University of Liverpool.
- Grant, C.J. and Harris, A.L. (2000) The kinematic and metamorphic history of the Sgurr Beag Thrust, Ross-shire, NW Scotland. *Journal of Structural Geology*, 22, 191–205.
- Griggs, D.T. and Handin, J. (eds) (1960) *Rock Deformation (A Symposium)*, *Memoir of the Geological Society of America*, No. 79, Geological Society of America, New York, 382 pp.
- Gregory, J.W. (1917) The geology of phosphates and their bearing on the conservation of mineral resources. *Transactions of the Geological Society of Glasgow*, 16, 115–63.
- Halliday, A.N., Aftalion, M., van Breemen, O. and Jocelyn, J. (1979) Petrogenetic significance of Rb-Sr and U-Pb isotopic systems in the 400 Ma old British Isles granitoids and their hosts. In *The Caledonides of the British Isles Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 653–62.
- Halliday, A.N., Aftalion, M., Parsons, I., Dickin, A.P. and Johnson, M.R.W. (1987) Syn-orogenic alkaline magmatism and its relationship to the Moine Thrust Zone and the thermal state of the lithosphere in NW Scotland. *Journal of the Geological Society of London*, 144, 611–18.
- Halliday, A.N., Graham, C.M., Aftalion, M. and Dymoke, P. (1989) The depositional age of the Dalradian Supergroup: U-Pb and Sm-Nd isotopic studies of the Tayvallich Volcanics, Scotland. *Journal of the Geological Society of London*, 146, 3–6.
- Hamilton, P.J., Evensen, N.M. and O'Nions, R.K. (1979) Sm-Nd systematics of Lewisian gneisses: implications for the origin of granulites. *Nature*, 277, 25–8.
- Hanski, E., Huhma, H. and Vaasjoki, M. (2001) Geochronology of northern Finland; a summary and discussion. In *Radiometric Age Determinations from Finnish Lapland and Their Bearing on the Timing of Precambrian Volcano-Sedimentary Sequences* (ed. M. Vaasjoki), *Geological Survey of Finland Special Paper*, No. 33, Geological Survey of Finland, Espoo, pp. 255–79.
- Harker, R.I. (1962) The older ortho-gneisses of Carn Chuinneag and Inchbae. *Journal of Petrology*, 3, 215–37.
- Harris, A.L. (1978) Metamorphic rocks of the Moray Firth District. In *The Moray Firth Area Geological Studies* (ed. G. Gill), Inverness Field Club, Inverness, pp. 9–24.
- Harris, A.L. (1991) The growth and structure of Scotland. In *Geology of Scotland*, 3rd edn (ed. G.Y. Craig), The Geological Society of London, London, pp. 1–24.
- Harris, A.L. (1995) Nature and timing of orogenesis in the Scottish Highlands and the role of the Great Glen Fault. In *Current Perspectives in the Appalachian-Caledonian Orogen* (eds J.P. Hibbard, C.R. van Staal and P.A. Cawood), *Geological Association of Canada Special Paper*, No. 41, Geological Association of Canada, St John's, pp. 65–79.

- Harris, A.L. and Johnson, M.R.W. (1991) Moine. In *Geology of Scotland*, 3rd edn (ed. G.Y. Craig), The Geological Society of London, London, pp. 87–123.
- Harry, W.T. (1954) The composite granite gneiss of Western Ardgour, Argyll. *Quarterly Journal of the Geological Society of London*, 109, 285–309.
- Hay, ST, Hall, J., Simmons, G. and Russell, M.J. (1988) Sealed microcracks in the Lewisian of NW Scotland: a record of 2 billion years of fluid circulation. *Journal of the Geological Society of London*, 145, 819–30.
- Heaman, L.M. (1997) Global mafic magmatism at 2.45 Ga; remnants of an ancient large igneous province? *Geology*, 25, 299–302.
- Heaman, L.M. and Tarney, J. (1989) U-Pb baddeleyite ages for the Scourie dyke swarm, Scotland: evidence for two distinct intrusion events. *Nature*, 340, 705–8.
- Heddle, M.F. (1878) Chapters on the mineralogy of Scotland. Chapter four — augite, hornblende and serpentinous change. *Transactions of the Royal Society of Edinburgh*, 28, 453–555.
- Heim, A. (1878) *Untersuchungen fiber den Mechanismus der Gebirgsbildung: Im Anschluss an die geologische Monographie der Tödt-Windgallen-Gruppe*. Benno Schwabe, Basle.
- Heim, A. (1919) *Geologie der Schweiz*, Tauchnitz, Leipzig, 3 volumes.
- Heinrich, C.A. (1982) Kyanite-eclogite to amphibolite facies evolution of hydrous mafic and pelitic rocks, Adula Nappe, Central Alps. *Contributions to Mineralogy and Petrology*, 81, 30–8.
- Heyes, A.J. (1978) A metamorphic, structural and geochemical study of the South Harris Anorthosite. Unpublished PhD thesis, University of London.
- Hicks, H. (1878) On the metamorphic and overlying rocks in the neighbourhood of Loch Maree, Ross-shire. *Quarterly Journal of the Geological Society of London*, 34, 811–18.
- Higgins, A.I., Leslie, A.G. and Smith, M.P. (2001) Neoproterozoic-Lower Palaeozoic stratigraphical relationships in the marginal thin-skinned thrust belt of the East Greenland Caledonides: comparisons with the foreland in Scotland. *Geological Magazine*, 138, 143–60.
- Higgins, M.W. (1971) *Cataclastic Rocks*, Geological Survey Professional Paper, No. 687, United States Government Printing Office, Washington, 92 pp.
- Highton, A.J. (1999) Late Silurian and Devonian granite intrusions of Scotland. In *Caledonian Igneous Rocks of Great Britain* (eds D. Stephenson, R.E. Bevins, D. Milward, A.J. Highton, I. Parsons, P. Stone and W.J. Wadsworth), Geological Conservation Review Series, No. 17, Chapman and Hall, London, pp. 395–477.
- Highton, A.J. (In prep.) Port Bheathain (Ross of Mull). In *Mineralogy of Scotland* (eds C.G. Smith and A.G. Livingstone), Geological Conservation Review Series.
- Hippler, S.J. (1989) Fault rock evolution and fluid flow in sedimentary basins. Unpublished PhD thesis, University of Leeds.
- Hippler, S.J. and Knipe, R.J. (1990) The evolution of cataclastic fault rocks from a pre-existing mylonite. In *Deformation Mechanisms, Rheology and Tectonics* (eds R.J. Knipe and E.H. Rutter), *Geological Society of London Special Publication*, No. 54, Geological Society of London, London, pp. 71–9.
- Hoffman, P.F. (1988) United Plates of America, the birth of a Craton: Early Proterozoic assembly and growth of Laurentia. *Annual Review of Earth and Planetary Science*, 16, 543–603.

- Holdsworth, R.E. (1987) Basement/cover relationships, reworking and Caledonian ductile thrust tectonics of the Northern Moine, NW Scotland. Unpublished PhD thesis, University of Leeds.
- Holdsworth, R.E. (1988) The stereographic analysis of facing. *Journal of Structural Geology*, 10, 219–23.
- Holdsworth, R.E. (1989a) The geology and structural evolution of a Caledonian fold and ductile thrust zone, Kyle of Tongue region, Sutherland, northern Scotland. *Journal of the Geological Society of London*, 146, 809–23.
- Holdsworth, R.E. (1989b) Late brittle deformation in a Caledonian ductile thrust wedge: new evidence for gravitational collapse in the Moine Thrust sheet, Sutherland, Scotland. *Tectonophysics*, 170, 17–28.
- Holdsworth, R.E. (1990) Progressive deformation structures associated with ductile thrusts in the Moine Nappe, Sutherland, N Scotland. *Journal of Structural Geology*, 12, 443–52.
- Holdsworth, R.E. and Grant, C.J. (1990) Convergence-related 'dynamic spreading' in a mid-crustal ductile thrust zone: a possible orogenic wedge model. In *Deformation Mechanisms, Rheology and Tectonics* (eds R.J. Knipe and E.H. Rutter), *Geological Society of London Special Publication*, No. 54, Geological Society of London, London, pp. 491–500.
- Holdsworth, R.E. and Roberts, A.M. (1984) Early curvilinear fold structures and strain in the Moine of the Glen Garry region, Inverness-shire. *Journal of the Geological Society of London*, 141, 327–38.
- Holdsworth, R.E., Harris, A.L. and Roberts, A.M. (1987) The stratigraphy, structure and regional significance of the Moine Rocks of Mull, Argyllshire, W Scotland. *Geological Journal*, 22, 83–107.
- Holdsworth, R.E., Strachan, R.A. and Harris, A.L. (1994) The Moine Supergroup. In *A Revised Correlation of Precambrian Rocks in the British Isles* (eds W. Gibbons and A.L. Harris), *Geological Society of London Special Report*, No. 22, Geological Society of London, Bath, pp. 23–32.
- Holdsworth, R.E., McErlean, M.A. and Strachan, R.A. (1999) The influence of country rock structural architecture during pluton emplacement: the Loch Loyal syenites, Scotland. *Journal of the Geological Society of London*, 156, 163–75.
- Holdsworth, R.E., Woodcock, N. and Strachan, R. (2000) Geological Framework of Britain and Ireland. In *Geological History of Britain and Ireland* (eds N. Woodcock and R. Strachan), Blackwell Science Ltd, Oxford, pp. 19–40.
- Holdsworth, R.E., Strachan, R.A. and Alsop, G.I. (2001) *Solid Geology of the Tongue District*, Memoir of the British Geological Survey, Sheet 114E (Scotland), The Stationery Office for the British Geological Survey, London, 75 pp.
- Holdsworth, R.E., Strachan, R.A., Alsop, G.I., Grant, C.J. and Wilson, R.W. (2006) Thrust sequences and the significance of low angle, out-of-sequence faults in the northernmost Moine Nappe and Moine Thrust Zone, NW Scotland. *Journal of the Geological Society of London*, 163, 801–14.
- Holdsworth, R.E., Alsop, G.I. and Strachan, R.A. (2007) Tectonic stratigraphy and structural continuity of the northernmost Moine Thrust Zone and Moine Nappe, Scottish Caledonides. In *Deformation of the Continental Crust: the Legacy of Mike Coward* (eds A.C. Ries, R.W.H. Butler and R.H. Graham), *Geological Society of London Special Publication*, No. 272, Geological Society of London, London, pp. 121–42.
- Holland, J.G. and Lambert, R.St.-J. (1973) Comparative major element geochemistry of the Lewisian of the mainland of Scotland. In *The Early Precambrian of Scotland and Related Rocks of Greenland (Proceedings of a Conference)* (eds R.G. Park and J. Tarney), University of Keele, Keele, pp. 51–62.
- Holland, J.G. and Lambert, R.St.-J. (1995) The geochemistry and geochronology of the gneisses and pegmatites of the Tollie antiform in the Lewisian complex of northwestern Scotland. *Canadian Journal of Earth Sciences*, 32, 496–507.
- Holmes, A., Shillibeer, H.A. and Wilson, J.T. (1955) Potassium-argon ages of some of Lewisian and Fennoscandian pegmatites. *Nature*, 176, 390–2.

- Hopgood, A.M. (1964) Structure and tectonic history of Lewisian gneiss — Isle of Barra. Unpublished PhD thesis, University of St Andrews.
- Hopgood, A.M. (1971) Structure and tectonic history of Lewisian gneiss, Isle of Barra, Scotland. *Krystalinikum*, 7, 27–59.
- Hopgood, A.M. (1980) Polyphase fold analysis of gneisses and migmatites. *Transactions of the Royal Society of Edinburgh*, 71, 55–68.
- Horne, J. (1923) *The Geology of the Lower Findhorn and Lower Strath Nairn, Including Part of the Black Isle Near Fortrose (with Contributions by B.N. Peach, L.W. Hinxman, R.G. Carruthers and E.M. Anderson and a Petrographical Chapter by J. S. Flett)*, Memoir of the Geological Survey of Great Britain, Sheet 84 and part of 94 (Scotland), HMSO, Edinburgh, 128 pp.
- Horne, J. and Hinxman, L.W. (1914) *The Geology of the Area Around Beaully and Inverness: Including a Part of the Black Isle*, Memoir of the Geological Survey of Great Britain, Sheet 83 (Scotland), HMSO, Edinburgh, 108 pp.
- Horsley, R.J. (1978) Geochemistry of meta-igneous rocks from the South Harris Complex, Outer Hebrides. Unpublished PhD thesis, University of London.
- Howarth, R.J. and Leake, B.E. (2002) *The Life of Frank Coles Phillips (1902–1982) and the Structural Geology of the Moine Petrofabric Controversy*, Geological Society of London Memoir, No. 23, Geological Society of London, London, 95 pp.
- Howkins, J.B. (1961) Helicitic textures in garnets from the Moine rocks of Moidart. *Transactions of the Edinburgh Geological Society*, 18, 315–24.
- Humphries, F.J. and Cliff, R.A. (1982) Sm-Nd dating and cooling history of Scourian granulites, Sutherland. *Nature*, 295, 515–17.
- Hutton, D.H.W. (1988). Igneous emplacement in a shear zone termination; the biotite granite at Strontian. *Bulletin of the Geological Society of America*, 100, 1392–9.
- Hutton, D.H.W. and McErlean, M. (1991) Silurian and Early Devonian sinistral deformation of the Ratagain granite, Scotland: Constraints on the age of Caledonian movements on the Great Glen fault system. *Journal of the Geological Society of London*, 148, 1–4.
- Hutton, D.W. (1979) Tectonic slides: a review and reappraisal. *Earth Science Reviews*, 15, 151–72.
- Hyslop, E.K. (1992) Strain-induced metamorphism and pegmatite development in the Moine rocks of Scotland. Unpublished PhD thesis, University of Hull.
- Imber, J., Holdsworth, R.E., Butler, C.A. and Lloyd, G.E. (1997) Fault-zone weakening processes along the reactivated Outer Hebrides Fault Zone, Scotland. *Journal of the Geological Society of London*, 154, 105–9.
- Imber, J., Holdsworth, R.E. and Butler, C.A. (2001) A reappraisal of the Sibson-Scholz fault zone model: The nature of the frictional to viscous ("brittle-ductile") transition along a long-lived, crustal-scale fault, Outer Hebrides, Scotland. *Tectonics*, 20, 601–24.
- Imber, J., Strachan, R.A., Holdsworth, R.E. and Butler, C.A. (2002) The initiation and early tectonic significance of the Outer Hebrides fault zone, Scotland. *Geological Magazine*, 139, 609–19.
- Indares, A. and Dunning, G.R. (1997) Coronitic metagabbro and eclogite from the Grenville Province of western Quebec; interpretation of U-Pb geochronology and metamorphism. *Canadian Journal of Earth Sciences*, 34, 891–901.

Institute of Geological Sciences (1971) *Arisaig. Scotland Sheet 61. Solid. 1:63 360*, Ordnance Survey for the Institute of Geological Sciences, Southampton.

Institute of Geological Sciences (1973) *Cromarty. Scotland Sheet 94. Solid. 1:63 360*, Ordnance Survey for the Institute of Geological Sciences, Southampton.

Institute of Geological Sciences (1975a) *Loch Torridon. Scotland Sheet 81E. Drift. 1:50 000*, Ordnance Survey for the Institute of Geological Sciences, Southampton.

Institute of Geological Sciences (1975b) *Loch Quoich. Scotland Sheet 62W Solid. 1:50 000*, Ordnance Survey for the Institute of Geological Sciences, Southampton.

Institute of Geological Sciences (1975c) *Loch Lochy. Scotland Sheet 62E. Solid. 1:50 000*, Ordnance Survey for the Geological Survey, Southampton.

Institute of Geological Sciences (1976a) *Lochalsh. Scotland Sheet 71E. Solid. 1:50 000*, Ordnance Survey for the Institute of Geological Sciences, Southampton.

Institute of Geological Sciences (1976b) *Broadford. Scotland Sheet 71W Solid. 1:50 000*, Ordnance Survey for the Institute of Geological Sciences, Southampton.

Institute of Geological Sciences (1981) *Central Shetland. Scotland Sheet 128. Solid. 1:50 000*, Ordnance Survey for the Institute of Geological Sciences, Southampton.

Institute of Geological Sciences (1983) *Uist and Barra (South). Structure. 1:100 000*, Ordnance Survey for the Institute of Geological Sciences, Southampton.

Irving, E. and Runcorn, S.K. (1957) Analysis of the palaeomagnetism of the Torridonian sandstone series of north-west Scotland. *Philosophical Transactions of the Royal Society of London*, A250, 83–99.

James, J.A. (1977) Correlation of events affecting the Moine rocks bordering the Sound of Sleat, Inverness-shire, Scotland. Unpublished PhD thesis, Bedford College, University of London.

Jehu, T.J. and Craig, R.M. (1923) Geology of the Outer Hebrides. Part I — The Barra Isles. *Transactions of the Royal Society of Edinburgh*, 53, 419–41.

Jehu, T.J. and Craig, R.M. (1925) Geology of the Outer Hebrides. Part II — South Uist and Eriskay. *Transactions of the Royal Society of Edinburgh*, 53, 615–41.

Jehu, T.J. and Craig, R.M. (1926) Geology of the Outer Hebrides. Part III — North Uist and Benbecula. *Transactions of the Royal Society of Edinburgh*, 54, 467–89.

Jehu, T.J. and Craig, R.M. (1927) Geology of the Outer Hebrides. Part IV — South Harris. *Transactions of the Royal Society of Edinburgh*, 55, 457–88.

Jehu, T.J. and Craig, R.M. (1934) Geology of the Outer Hebrides. Part V — North Harris and Lewis. *Dansactions of the Royal Society of Edinburgh*, 57, 839–74.

Jensen, L.N. (1984) Quartz microfabric of the Laxfordian Canisp shear zone, NW Scotland. *Journal of Structural Geology*, 6, 293–302.

Johnson, M.R.W (1955) The tectonics and metamorphism of the pre-Cambrian rocks in the Lochcarron and Coulin Forest areas of Wester Ross. Unpublished PhD thesis, Imperial College, London.

- Johnson, M.R.W. (1956) Conjugate fold systems in the Moine Thrust Zone in Lochcarron and Coulin Forest areas of Wester Ross. *Geological Magazine*, 93, 345–50.
- Johnson, M.R.W. (1957) The structural geology of the Moine Thrust Zone in Coulin Forest. *Quarterly Journal of the Geological Society of London*, 113, 241–70.
- Johnson, M.R.W. (1960) The structural history of the Moine Thrust Zone at Loch Carron, Wester Ross. *Transactions of the Royal Society of Edinburgh*, 64, 139–68.
- Johnson, M.R.W. (1965) The Moine Thrust: a discussion. *Journal of Geology*, 73, 672–6.
- Johnson, M.R.W. and Parsons, I. (1979) *Geological Excursion Guide to the Assynt District of Sutherland*, Edinburgh Geological Society, Edinburgh, 76 pp.
- Johnson, M.R.W. and Strachan, R.A. (2006) A discussion of possible heat sources during nappe stacking: the origin of Barrovian metamorphism within the Caledonian thrust sheets of NW Scotland. *Journal of the Geological Society of London*, 163, 579–82.
- Johnson, Y, Park, R.G. and Winchester, J. (1987) Geochemistry, petrogenesis and tectonic significance of the Early Proterozoic Loch Maree amphibolites. In *Geochemistry and Mineralization of Proterozoic Volcanic Suites* (eds T.C. Pharaoh, R.D. Beckinsale and D.T. Rickard), *Geological Society of London Special Publication*, No. 33, Blackwell Scientific for the Geological Society of London, Oxford, pp. 255–69.
- Johnstone, G.S. (1975) The Moine Succession. In *A Correlation of Precambrian Rocks in the British Isles* (eds A.L. Harris *et al.*), *Geological Society of London Special Report*, No. 6, Scottish Academic Press, Edinburgh, pp. 30–42.
- Johnstone, G.S. and Mykura, W (1989) *British Regional Geology: The Northern Highlands*, 4th edn, HMSO for the British Geological Survey, Edinburgh.
- Johnstone, G.S., Smith, D.I. and Harris, A.L. (1969) The Moinian Assemblage of Scotland. In *North Atlantic: Geology and Continental Drift* (ed. M. Kay), *American Association of Petroleum Geologists Memoir*, No. 12, American Association of Petroleum Geologists, Tulsa, pp. 159–80.
- Jones, E.M., Rice, C.M. and Tweedie, J.R. (1987) Lower Proterozoic stratiform sulphide deposits in the Loch Maree Group, Gairloch, Northwest Scotland. *Transactions of the Institute of Mining and Metallurgy*, 96, B128–40.
- Kalsbeek, F., Austrheim, H., Bridgwater, D., Hansen, B.T., Pedersen, S. and Taylor, P.N. (1993) Geochronology of the Ammassalik area, South-East Greenland, and comparisons with the Lewisian of Scotland and the Nagssugtoqidian of West Greenland. *Precambrian Research*, 62, 239–70.
- Kanungo, D. (1956) The structural geology of the Torridonian, Lewisian and Moinian rocks of the area between Plockton and Kyle of Lochalsh in Wester Ross. Unpublished PhD thesis, University of London.
- Karcz, I. (1963) The Structural and Sedimentary Features of Torridonian and Cambrian near Loch Eishort (Sleat of Skye). Unpublished PhD thesis, University of London.
- Kelley, S.P. (1988) The relationship between K-Ar mineral ages, mica grain sizes and movement on the Moine Thrust Zone, NW Highlands, Scotland. *Journal of the Geological Society of London*, 145, 1–10.
- Kelley, S.P. and Powell, D. (1985) Relationships between marginal thrusting and movement on major, internal shear zones in the northern Highland Caledonides, Scotland. *Journal of Structural Geology*, 7, 161–74.
- Kelley, S.P., Reddy, S.M. and Maddock, R.H. (1994) Laser-probe $^{40}\text{Ar}/^{39}\text{Ar}$ investigation of a pseudotachylyte and its host rock from the Outer Isles thrust, Scotland. *Geology*, 22, 443–6.

- Kelly, N.M., Hinton, R.W., Harley, S.L. and Appleby, S.K. (2008) New SIMS U-Pb zircon ages from the Langavat Belt, South Harris, NW Scotland: implications for the Lewisian terrane model. *Journal of the Geological Society of London*, 165, 967–81.
- Kennedy, W.Q. (1946) The Great Glen Fault. *Quarterly Journal of the Geological Society of London*, 102, 41–76.
- Kennedy, W.Q. (1949) Zones of progressive regional metamorphism in the Moine Schists of the Western Highlands of Scotland. *Geological Magazine*, 86, 43–56.
- Kennedy, W.Q. (1955) The tectonics of the Morar Anticline and the problem of north-west Caledonian front. *Quarterly Journal of the Geological Society of London*, 110, 357–90.
- Kennedy, W.Q., Lawrie, T.R.M. and Simpson, J.B. (1943) Commercial mica in Scotland, part II. In *Wartime pamphlets, Geological Survey of Great Britain (Scotland)*, 34, 9 pp.
- Kinny, P and Friend, C.R.L. (1997) U-Pb isotopic evidence for the accretion of different crustal blocks to form the Lewisian Complex of Northwest Scotland. *Contributions to Mineralogy and Petrology*, 129, 326–40.
- Kinny, P.D., Friend, C.R.L., Strachan, R.A., Watt, G.R. and Burns, I.M. (1999) U-Pb geochronology of regional migmatites in East Sutherland, Scotland; evidence for crustal melting during the Caledonian Orogeny. *Journal of the Geological Society of London*, 156, 1143–52.
- Kinny, P.D., Strachan, R.A., Friend, C.R.L., Kocks, H., Rogers, G. and Paterson, B.A. (2003a) U-Pb geochronology of deformed metagranites in central Sutherland, Scotland; evidence for widespread late Silurian metamorphism and ductile deformation of the Moine Supergroup during the Caledonian orogeny. *Journal of the Geological Society of London*, 160, 259–69.
- Kinny, P.D., Strachan, R.A., Kocks, H. and Friend, C.R.L. (2003b) U-Pb geochronology of late Neoproterozoic augen granites in the Moine Supergroup, NW Scotland: dating of rift-related, felsic magmatism during supercontinent break-up? *Journal of the Geological Society of London*, 160(6), 925–34.
- Kinny, P.D., Friend, C.R.L. and Love, G.J. (2005) Proposal for a terrane-based nomenclature for the Lewisian Gneiss Complex of NW Scotland. *Journal of the Geological Society of London*, 162, 175–86.
- Kirkland, C.L. and Daly, J.S. (2004) Evidence for the Neoproterozoic Porsanger Orogeny in the Caledonides of Arctic Norway. *GFF Transactions of the Geological Society in Stockholm*, 126, 81–2.
- Knipe, R.J. (1989) Deformation mechanisms: recognition from natural tectonites. *Journal of Structural Geology*, 11, 127–46.
- Knipe, R.J. and Lloyd, G.E. (1994) Micro-structural analysis of faulting in quartzite, Assynt, NW Scotland; implications for fault zone evolution. *Pure and Applied Geophysics*, 143(1–3), 229–54.
- Knorring, O. v. (1959) Niobium-zirconium-thorium-uranium and rare-earth minerals from the pegmatites of South Harris, Outer Hebrides. *Nature*, 183, 255–6.
- Knorring, O. v. and Dearnley, R. (1960) The Lewisian pegmatites of South Harris, Outer Hebrides. *Mineralogical Magazine*, 32, 366–78.
- Kocks, H., Strachan R.A. and Evans, J.A. (2006) Heterogeneous reworking of Grampian metamorphic complexes during Scandian thrusting in the Scottish Caledonides: insights from the structural setting and U-Pb geochronology of the Strath Halladale Granite. *Journal of the Geological Society of London*, 163(3), 525–38.
- Koons, P.O. and Thompson, A.B. (1985) Non-mafic rocks in the greenschist, blueschist and eclogite facies. *Chemical Geology*, 50, 3–30.

- Krabbendam, M. and Leslie, A.G. (2004) Lateral ramps and thrust terminations: an example from the Moine Thrust Zone, NW Scotland. *Journal of the Geological Society of London*, 161, 551–4.
- Krabbendam, M., Prave, A.R. and Cheer, D.A. (2008) A fluvial origin for the Neoproterozoic Morar Group, NW Scotland; implications for Torridon–Morar Group correlation and the Grenville Orogen foreland basin. *Journal of the Geological Society of London*, 165, 379–94.
- Lailey, M., Stein, A.M. and Reston, T.J. (1989) The Outer Hebrides Fault: A major Proterozoic structure in NW Britain. *Journal of the Geological Society of London*, 146, 253–9.
- Lambert, R.St.-J. (1958) A metamorphic boundary in the Moine schists of the Morar and Knoydart districts of Inverness-shire (northwest Scotland). *Geological Magazine*, 95, 177–94.
- Lambert, R.St.-J. (1969) Isotopic studies relating to the Precambrian history of the Moinian in Scotland. *Proceedings of the Geological Society of London*, 1652, 243–5.
- Lambert, R.St.-J. and Poole, A.B. (1964) The relationship of Moine schists and Lewisian gneisses near Mallaigmore, Inverness-shire. *Proceedings of the Geologists' Association*, 75, 1–14.
- Lambert, R.St.-J., Myers, J.S. and Watson, J. (1970) An apparent age for a member of the Scourie dyke suite in Lewis, Outer Hebrides. *Scottish Journal of Geology*, 6, 214–20.
- Lapworth, C. (1883) The Secret of the Highlands. *Geological Magazine, Decade 2*, 10, 120–8, 193–9, 337–44.
- Lapworth, C. (1883–1884) On the structure and metamorphism of the rocks of the Durness-Eriboll district. *Proceedings of the Geologists' Association*, 8, 438–42.
- Lapworth, C. (1885) The Highlands controversy in British Geology: Its causes, course and consequences. *Nature*, 32, 558–9.
- Laubach, S.E. and Marshak, S. (1987) Fault patterns generated during extensional deformation of crystalline basement, NW Scotland. In *Continental Extensional Tectonics* (eds M.P. Coward, J.F. Dewey and P.L. Hancock), *Geological Society of London Special Publication*, No. 28, Blackwell Scientific Publications for the Geological Society of London, Oxford, pp. 495–9.
- Law, R.D. (1987) Heterogeneous deformation and quartz crystallographic fabric transitions; natural examples from the Moine thrust zone at the Stack of Glencoul, northern Assynt. *Journal of Structural Geology*, 9, 819–33.
- Law, R.D. (1990) Crystallographic fabrics: a selective review of their applications to research in structural geology. In *Deformation Mechanisms, Rheology and Tectonics* (eds R.J. Knipe and E.H. Rutter), *Geological Society of London Special Publication*, No. 54, Geological Society of London, London, pp. 335–52.
- Law, R.D. and Potts, G.J. (1987) The Tarskavaig Nappe of Skye, NW Scotland: a re-examination of the fabrics and their kinematic significance. *Geological Magazine*, 124, 231–48.
- Law, R.D., Knipe, R.J. and Dayan, H. (1984) Strain path partitioning within thrust sheets: microstructural and petrofabric evidence from the Moine thrust zone at Loch Eriboll, North-West Scotland. *Journal of Structural Geology*, 6, 477–97.
- Law, R.D., Casey, M. and Knipe, R.J. (1986) Kinematic and tectonic significance of microstructures and crystallographic fabrics within quartz mylonites from the Assynt and Eriboll regions of the Moine Thrust Zone, NW Scotland. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 7, 99–125.
- Lawson, D.E. (1965) Lithofacies and correlation within the lower Torridonian. *Nature*, 207, 706–8.
- Lawson, D.E. (1972) Torridonian volcanic sediments. *Scottish Journal of Geology*, 8, 345–62.

- Le Cheminant, A.N. and Heaman, L.M. (1989) Mackenzie igneous events, Canada: Middle Proterozoic hotspot magmatism associated with ocean opening. *Earth and Planetary Science Letters*, 96, 38–48.
- Le Maitre, R.W. (ed.) (2002) *Igneous Rocks: a Classification and Glossary of Terms; Recommendations of the International Union of Geological Sciences Subcommission on the Systematics of Igneous Rocks*, Cambridge University Press, Cambridge, 236 pp.
- Leedal, G.P. (1952) The Cluanie igneous intrusion, Inverness-shire and Ross-shire. *Quarterly Journal of the Geological Society of London*, 108, 35–63.
- Leloup, PH., Lacassin, R., Tapponier, P, Schaerer, U., Zhong Dalai, Liu Xiaohan, Zhang Liangshang, Ji Shaochemg, Phan Trong Trinh (1995) The Ailao Shan-Red River shear zone (Yunnan, China), Tertiary transform boundary of Indochina. *Tectonophysics*, 251, 3–84
- Leslie, A.G. and Nutman, A.P. (2003) Evidence for Neoproterozoic orogenesis and early high temperature Scandian deformation events in the southern East Greenland Caledonides. *Geological Magazine*, 140, 309–33.
- Lintern, B.C. and Storey, B.C. (1980) Geology of the Altnabreac Research Site, Caithness. *IGS EPU Report*, ENPU 80–2.
- Lisle, R.J. (1993) Strike-slip motion in the Minches, NW Scotland, deduced from the trends of the Scourie Dyke swarm. *Journal of the Geological Society of London*, 150, 653–6.
- Lloyd, G.E. and Knipe, R.J. (1992) Deformation mechanisms accommodating faulting of quartzite under upper crustal conditions. *Journal of Structural Geology*, 14, 127–43.
- Long, L.E. and Lambert, R.St.-J. (1963) Rb-Sr isotope ages from the Moine Series. In *The British Caledonides* (eds M.R.W. Johnson and F.H. Stewart), Oliver and Boyd, Edinburgh, pp. 217–47.
- Love, G.J., Kinny, P.D. and Friend, C.R.L. (2004) Timing of magmatism and metamorphism in the Gruinard Bay area of the Lewisian Gneiss Complex: comparisons with the Assynt terrane and implications for terrane accretion. *Contributions to Mineralogy and Petrology*, 146, 620–36.
- Lyon, T.B.D., Pidgeon, R.T., Bowes, D.R. and Hopgood, A. (1973) Geochronological investigation of the quartzofeldspathic rocks of the Lewisian of Rona, Inner Hebrides. *Journal of the Geological Society of London*, 129, 389–402.
- Ma, H.Y. (1948) On the occurrence of agmatite in the Rogart migmatite area, Sutherland; a study in granitization. *Geological Magazine*, 85, 1–18.
- MacCulloch, J. (1819) *A Description of the Western Islands of Scotland*, Constable, Edinburgh.
- MacCulloch, J. (1836) *Memoirs to his Majesty's Treasury Respecting a Geological Survey of Scotland* (to accompany A Geological Map of Scotland), S. Arrowsmith, London.
- MacGregor, A.G. (1948) Resemblances between Moine and "sub-Moine" metamorphic sediments in the western Highlands of Scotland. *Geological Magazine*, 85, 265–75.
- MacGregor, M. and Phemister, J. (1948) Northwest Highlands: Assynt and Durness. In *International Geological Congress, Guide to Excursion A14*, 18 pp.
- MacInnes, E.A., Alsop, G.I. and Oliver, G.J.H. (2000) Contrasting modes of reactivation in the Outer Hebrides fault zone, northern Barra, Scotland. *Journal of the Geological Society of London*, 157, 1009–17.
- MacKenzie, W.S. (1949) Kyanite-gneisses within a thermal aureole. *Geological Magazine*, 86, 251–5.

- MacQueen, J.A. and Powell, D. (1977) Relationship between deformation and garnet growth in Moine (Precambrian) rocks of western Scotland. *Bulletin of the Geological Society of America*, 88, 235–40.
- Mangan, L.S. (1996) Equilibrium disequilibrium aspects of contact metamorphism: the Ross of Mull granite aureole, Scotland. Unpublished PhD thesis, University of Liverpool.
- Mason, A.J. and Brewer, T.S. (2004) Mafic dyke remnants in the Lewisian Complex of the Outer Hebrides, NW Scotland: a geochemical record of continental break-up and re-assembly. *Precambrian Research*, 133, 121–41.
- Mason, A.J. and Brewer, T.S. (2005) A reevaluation of a Laxfordian terrane boundary in the Lewisian Complex of south Harris, NW Scotland. *Journal of the Geological Society of London*, 162(2), 401–8.
- Mason, A.J., Parrish, R.R. and Brewer, T.S. (2004a) U-Pb geochronology of Lewisian orthogneisses in the Outer Hebrides, Scotland: implications for the tectonic setting and correlation of the South Harris Complex. *Journal of the Geological Society of London*, 161(1), 45–54.
- Mason, A.J., Temperley, S. and Parrish, R.R. (2004b) New light on the construction, evolution and correlation of the Langavat Belt (Lewisian Complex), Outer Hebrides, Scotland: field, petrographic and geochronological evidence for an early Proterozoic imbricate zone. *Journal of the Geological Society of London*, 161(5), 837–48.
- Matthews, D.W. (1967) Zoned ultrabasic bodies in the Lewisian of the Moine Nappe in Skye. *Scottish Journal of Geology*, 3, 17–33.
- Matthews, D.W. and Cheeney, R.F. (1968) The metamorphic evolution of the Moine Nappe in Skye. *Scottish Journal of Geology*, 4, 20–30.
- Matthews, S.J. (1984) Thrust sheet evolution in the Kinlochewe region of the Moine thrust zone, NW Scotland, and the Pelvoux-Briançonnais, French alps. Unpublished PhD thesis, University of Leeds.
- May, F. (1959) The structural geology of the Lewisian and Moinian rocks of the area between Stromeferry and Attadale in Wester Ross, Scotland. Unpublished PhD thesis, Imperial College, London.
- May, F. and Highton, A.J. (1997) *Geology of the Invermoriston District*, Memoir of the British Geological Survey, Sheet 73W (Scotland), HMSO for the British Geological Survey, London, 77 pp.
- May, F., Peacock, J.D., Smith, D.I. and Barber, A.J. (1993) *Geology of the Kintail District*, Memoir of the British Geological Survey, Sheet 72W and part of 71E (Scotland), HMSO for the British Geological Survey, London, 75 pp.
- McBride, J.H. and England, R.W. (1994) Deep seismic reflection structure of the Caledonian orogenic front west of Shetland. *Journal of the Geological Society of London*, 151, 9–16.
- McCann, T. and Saintot, A. (2003) Tracing tectonic deformation using the sedimentary record: an overview. In *Tracing Tectonic Deformation Using the Sedimentary Record* (eds T McCann and A. Saintot), *Geological Society of London Special Publication*, No. 208, Geological Society of London, London, pp. 1–28.
- McClay, K.R. (1987) *The Mapping of Geological Structures*, Geological Society of London Handbook, Open University Press, Milton Keynes, 161 pp.
- McClay, K.R. (1992) Glossary of thrust tectonic terms. In *Thrust Tectonics* (ed. K.R. McClay), Chapman and Hall, London, pp. 419–33.
- McClay, K.R. and Coward, M.P. (1981) The Moine Thrust Zone: an overview. In *Thrust and Nappe Tectonics* (eds K.R. McClay and N.J. Price), *Geological Society of London Special Publication*, No. 9, Blackwell Scientific for the Geological Society of London, Oxford, pp. 241–60.

- McCourt, W.J. (1980) The geology of the Strath Halladale–Altnabreac district. *Institute of Geological Sciences Report*, ENPU-1, 17 pp.
- McIntyre, D.B., Brown, W, Clarke, W.J. and MacKenzie, D.H. (1956) On the conglomerates of supposed Old Red Sandstone age near Tongue, Sutherland. *Transactions of the Geological Society of Glasgow*, 22, 35–47.
- McKenzie, D. and Brune, J.N. (1972) Melting on Fault Planes During Large Earthquakes. *Geophysical Journal International*, 29, 65–78.
- McLeish, A.T. (1971) Strain analysis of deformed pipe rock in the Moine Thrust Zone, northwest Scotland. *Tectonophysics*, 12, 469–503.
- McLellan, E. (1984) Deformational behaviour of migmatites and problems of structural analysis in migmatite terrains. *Geological Magazine*, 121, 339–45.
- Mendum, J.R. (1976) A strain study of the Strathan Conglomerate, North Scotland. *Scottish Journal of Geology*, 12, 135–46.
- Mendum, J.R. (1979) Caledonian thrusting in NW Scotland. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 291–8.
- Mendum, J.R. and Noble, S.R. (2003) The age and significance of the Rosemarkie Inlier: implications for the movement of the Great Glen Fault. In *Tectonic Studies Group Highlands Workshop Abstracts*, British Geological Survey, Edinburgh.
- Mendum, J.R. and Noble, S.R. (in press) Mid-Devonian sinistral transpressional movements on the Great Glen Fault: the rise of the Rosemarkie Inlier and the Acadian Event in Scotland. In *Continental Tectonics and Mountain Building: The Legacy of Peach and Horne* (eds R.D. Law, R.W.H. Butler, R.E. Holdsworth, M. Krabendam and R.A. Strachan), *Geological Society of London Special Publication*.
- Mendum, J.R., Merritt, J.W. and McKirdy, A.P. (2001) *Northwest Highlands. A Landscape Fashioned by Geology*, Scottish Natural Heritage, Perth, 44 pp.
- Mercy E.L.P. (1963) The geochemistry of some Caledonian granitic and metasedimentary rocks. In *The British Caledonides* (eds M.R.W. Johnson and F.H. Stewart), Oliver and Boyd, Edinburgh, pp. 189–215.
- Mercy E.L.P. and O'Hara, M.J. (1965) Websterite from Glenelg, Ross-shire. *Scottish Journal of Geology*, 1, 282–4.
- Mercy E.L.P. and O'Hara, M.J. (1968) Nepheline normative eclogite from Loch Duich, Ross-shire. *Scottish Journal of Geology*, 4, 19.
- Meybeck, M. (1979) Concentrations des eaux fluviales en éléments majeurs et apports en solution aux océans. *Revue de Géologie. Dynamique et de Géographie. Physique*, 21, 215–46.
- Milici, R.C. (1975) Structural patterns in the southern Appalachians; evidence for a gravity slide mechanism for Alleghanian deformation. *Bulletin of the Geological Society of America*, 86, 1316–20.
- Millar, I.L. (1990) Caledonian and Pre-Caledonian events in Moine rocks of the Cluanie area, Inverness-shire. Unpublished PhD thesis, University of London.
- Millar, I.L. (1999) Neoproterozoic extensional basic magmatism associated with the West Highland granite gneiss in the Moine Supergroup of NW Scotland. *Journal of the Geological Society of London*, 156, 1153–62.
- Miller, H. (1841) *The Old Red Sandstone; or New Walks in an Old Field*, J. Johnstone, Edinburgh.

- Miller, J.A. and Brown, P.E. (1965) Potassium-argon age studies in Scotland. *Geological Magazine*, 102, 106–34.
- Miller, J.A. and Flinn, D. (1966) A survey of the age relations of Shetland rocks. *Geological Journal*, 5, 95–116.
- Milne, K.P. (1978) Folding and thrusting in the upper Glen Oykel area, Assynt. *Scottish Journal of Geology*, 14, 141–6.
- Mitra, G. and Elliott, D. (1980) Deformation of basement in the Blue Ridge and the development of the South Mountain window. In *Caledonides in the U.S.A. (Proceedings of International Geological Congress Project 27: Blacksburg, Virginia)* (ed. D.R. Wones), *Virginia Polytechnic Institute and State University Memoir*, No. 2, Virginia Polytechnic Institute and State University, Blacksburg, pp. 307–11.
- Moller, C. (1998) Decompressed eclogites in the Sveconorwegian (-Grenvillian) Orogen of SW Sweden; petrology and tectonic implications. *Journal of Metamorphic Geology*, 16, 641–56.
- Moorbath, S. (1969) Evidence for the age of deposition of the Torridonian sediments of north-west Scotland. *Scottish Journal of Geology*, 3, 389–412.
- Moorbath, S. and Park, R.G. (1972) The Lewisian chronology of the southern region of the Scottish Mainland. *Scottish Journal of Geology*, 8, 51–74.
- Moorbath, S. and Taylor, P.N. (1974) Lewisian age for the Scardroy mass. *Nature*, 250, 41–3.
- Moorbath, S., Stewart, A.D., Lawson, D.E. and Williams, G.E. (1967) Geochronological studies on the Torridonian sediments of north-west Scotland. *Scottish Journal of Geology*, 3, 389–412.
- Moorbath, S., Welke, H. and Gale, N. (1969) The significance of lead isotope studies in ancient, high-grade metamorphic basement complexes, as exemplified by the Lewisian rocks of northwest Scotland. *Earth and Planetary Science Letters*, 6, 245–56.
- Moorbath, S., Powell, J.L. and Taylor, P.N. (1975) Isotopic evidence for the age and origin of the 'grey gneiss' complex of the southern Outer Hebrides, Scotland. *Journal of the Geological Society of London*, 131, 213–22.
- Moorhouse, S.J. (1971) A geochemical reconnaissance of some Lewisian "inliers" in the Northern Highlands. Unpublished MSc thesis, University of Birmingham.
- Moorhouse, S.J. (1976) The geochemistry of the Lewisian and Moine of the Borgie area, north Sutherland. *Scottish Journal of Geology*, 12, 159–65.
- Moorhouse, S.J. (1977) The geology and geochemistry of central Sutherland. Unpublished PhD thesis, University of Hull.
- Moorhouse, S.J. and Moorhouse, V.E. (1977) A Lewisian basement sheet within the Moine at Ribigill, North Sutherland. *Scottish Journal of Geology*, 13, 289–300.
- Moorhouse, S.J. and Moorhouse, V.E. (1979) The Moine amphibolite suites of central and northern Sutherland. *Mineralogical Magazine*, 43, 211–25.
- Moorhouse, S.J. and Moorhouse, V.E. (1983) The geology and geochemistry of the Strathy Complex of north-east Sutherland, Scotland. *Mineralogical Magazine*, 47, 123–37.
- Moorhouse, S.J., Moorhouse, V.E. and Holdsworth, R.E. (1988) Excursion 12: North Sutherland. In *An Excursion Guide to the Moine Geology of the Scottish Highlands* (eds I. Allison, F. May and R.A. Strachan), Scottish Academic Press on behalf of Edinburgh Geological Society and the Geological Society of Glasgow, Edinburgh, pp. 216–48.
- Moorhouse, V.E. (1979) The Geology and geochemistry of the Bettyhill-Strathy area of NE Sutherland. Unpublished PhD thesis, University of Hull.

- Morgan, R.K. (1985) Comparison of strain and microstructure in deformed quartzites. Unpublished PhD thesis, University of Leeds.
- Murchison, R.I. (1858) The quartz rocks, crystalline limestones, and micaceous schists of the north-western Highlands of Scotland, proved to be of Silurian age, through recent discoveries of Mr. C. Peach. *Report of the Twenty-seventh Meeting of the British Association for the Advancement of Science; held in Dublin in August and September 1857*, John Murray, London.
- Murchison, R.I. (1859) On the sandstones of Morayshire containing reptilian remains; and on their relations to the Old Red Sandstone of that country. *Quarterly Journal of the Geological Society of London*, 15, 419–23.
- Murchison, R.I. (1862) Thirty years retrospect of the progress in our knowledge of the geology of the older rocks. *American Journal of Science, Series 2*, 33, 1–21.
- Murchison, R.I. and Geikie, A. (1861) On the altered rocks of the Western Islands of Scotland and the North-Western and Central Highlands. *Quarterly Journal of the Geological Society of London*, 17, 171–232.
- Myers, J.S. (1968) The tectonic and metamorphic history of the Lewisian migmatite complex of Western Harris, Outer Hebrides, Scotland. Unpublished PhD thesis, Imperial College, University of London.
- Myers, J.S. (1971) The Late Laxfordian granite-migmatite complex of western Harris, Outer Hebrides. *Scottish Journal of Geology*, 7, 234–84.
- Nesbitt, H.C. (1961) The geology of North Rona. *Transactions of the Geological Society of Glasgow*, 24, 169–89.
- Niamatullah, M. and Park, R.G. (1990) Laxfordian structure, strain distribution and kinematic interpretation of the Kenmore inlier, loch Torridon: anatomy of a major Lewisian shear zone. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 81, 195–207.
- Nicholls, G.D. (1951) The Glenelg-Ratagain Igneous Complex. *Quarterly Journal of the Geological Society of London*, 106, 309–44.
- Nicholson, P.G. (1993) A basin reappraisal of the Proterozoic Torridon Group, northwest Scotland. In *Tectonic Controls and Signatures in Sedimentary Successions* (eds L.E. Frostick and R.J. Steel), *International Association of Sedimentologists Special Publication*, No. 20, Blackwell Scientific, Oxford, pp. 183–202.
- Nicol, J. (1858) *Geological Map of Scotland from the Most Recent Authorities and Personal Observations*, K. Johnston, Edinburgh and London.
- Nicol, J. (1860) On the geological structure of the vicinity of Aberdeen and the north-east of Scotland. *Report of the British Association for the Advancement of Science, 29th meeting*, 116–119.
- Nicol, J. (1861) On the structure of the North-Western Highlands, and the relations of the Gneiss, Red Sandstone and Quartzite of Sutherland and Ross-shire. *Quarterly Journal of the Geological Society of London*, 17, 85–113.
- Noble, S.R., Hyslop, E.K. and Highton, A.J. (1996) High-precision U-Pb monazite geochronology of the c. 806 Ma Grampian shear zone and the implications for the evolution of the Central Highlands of Scotland. *Journal of the Geological Society of London*, 153, 511–14.
- O'Brien, B.H. (1981) The structure and metamorphism of the Moine Succession in Ardnamurchan, West Highlands, Scotland, with particular reference to the tectonics of the Morar anticline. Unpublished PhD thesis, University of Liverpool.
- O'Brien, C. (1985) The petrogenesis and geochemistry of the British Caledonian granites, with special reference to mineralized intrusions. Unpublished PhD thesis, University of Leicester.

- O'Brien, P.J. and Router, J. (2003) High-pressure granulites: formation, recovery of peak conditions and implications for tectonics. *Journal of Metamorphic Geology*, 21, 3–20.
- Odling, N.E. (1984) Strain analysis and strain path modelling in the Loch Tollie gneisses, Gairloch, NW Scotland. *Journal of Structural Geology*, 6, 543–62.
- O'Hara, M.J. (1960) The metamorphic petrology of the Scourie district, Sutherland. Unpublished PhD thesis, University of Cambridge.
- O'Hara, M.J. (1961a) Zoned ultrabasic and basic gneiss masses in the early Lewisian metamorphic complex at Scourie, Sutherland. *Journal of Petrology*, 2, 248–76.
- O'Hara, M.J. (1961b) Petrology of the Scourie dyke, Sutherland. *Mineralogical Magazine*, 32, 848–65.
- O'Hara, M.J. (1965) Origin of ultrabasic and basic gneiss masses in the Lewisian. *Geological Magazine*, 102, 296–314.
- O'Hara, M.J. (1977) Thermal history of excavation of Archaean gneisses from the base of the continental crust. *Journal of the Geological Society of London*, 134, 185–200.
- Okeke, P.O., Borley, G.D. and Watson, J.V. (1983) A geochemical study of Lewisian metasedimentary granulites and gneisses in the Scourie–Laxford area of the northwest of Scotland. *Mineralogical Magazine*, 47, 1–9.
- Oldroyd, D.R. (1990) *The Highlands Controversy: Constructing Geological Knowledge through Fieldwork in Nineteenth-Century Britain*, University of Chicago Press, 438 pp.
- Oliver, G.J.H. (2001) Reconstruction of the Grampian episode in Scotland: its place in the Caledonian Orogeny. *Tectonophysics*, 332, 23–49.
- Oliver, G.J.H. (2002) Chronology and terrane assembly, new and old controversies. In *The Geology of Scotland*, 4th edn (ed. N.H. Trewin), The Geological Society of London, London, pp. 201–11.
- O'Nions, R.K., Hamilton, P.J. and Hooker, P.J. (1983) A Nd isotope investigation of sediments related to crustal development in the British Isles. *Earth and planetary Science Letters*, 63, 229–40.
- O'Reilly, K.J. (1971) Geology and structure of an area around Tongue, north Sutherland. Unpublished PhD thesis, University of London.
- O'Reilly, K.J. (1983) Composition and age of the conglomerate outliers around the Kyle of Sutherland, Scotland. *Proceedings of the Geologists' Association*, 94, 53–64.
- Osinski, G.R., Alsop, G.I. and Oliver, G.J.H. (2001) Extensional tectonics of the Outer Hebrides Fault Zone, South Uist, NW Scotland. *Geological Magazine*, 138, 325–44.
- Owen, G. (1995) Soft-sediment deformation in upper Proterozoic Torridonian sandstones (Applecross Formation) at Torridon, northwest Scotland. *Journal of Sedimentary Research*, A65, 495–504.
- Owen, G. (1996) Anatomy of a water-escape cusp in Upper Proterozoic Torridon Group sandstones, Scotland. *Sedimentary Geology*, 103, 117–28.
- Palmer, K.F. (1971) A comparative study of two Precambrian gneiss areas — the Supertoq region, East Greenland and South Harris, Outer Hebrides — and their bearing on Precambrian crustal evolution. Unpublished PhD thesis, University of Birmingham.
- Pankhurst, R.J. (1982) Caledonian Granites and Diorites. In *Igneous Rocks of the British Isles* (ed. D.M. Sutherland), Wiley Interscience, London, pp. 575–81.

- Park, R.G. (1963) The Lewisian complex near Gairloch, Wester Ross. Unpublished PhD thesis, University of Glasgow
- Park, R.G. (1964) The structural history of the Lewisian rocks of Gairloch, Wester Ross. *Quarterly Journal of the Geological Society of London*, 120, 397–434.
- Park, R.G. (1965) Early metamorphic complex of the Lewisian north-east of Gairloch, Ross-shire, Scotland. *Nature*, 207, 66–8.
- Park, R.G. (1966) Nature and origin of Lewisian basic rocks at Gairloch, Ross-shire. *Scottish Journal of Geology*, 2, 179–99.
- Park, R.G. (1970) Observations on Lewisian chronology. *Scottish Journal of Geology*, 6, 379–99.
- Park, R.G. (1978) Itinerary VI: The Tollie and Gairloch districts (Lewisian). In *The Lewisian and Torridonian Rocks of North-West Scotland* (eds A.J. Barber, A. Beach, R.G. Park, J. Tarney and A.D. Stewart), Geologists' Association Guide, No. 21, Geologists' Association, London, pp. 59–72.
- Park, R.G. (1992) Plate kinematic history of Baltica during the Middle to Late Proterozoic: a model. *Geology*, 20, 725–8.
- Park, R.G. (1994) Early Proterozoic tectonic overview of the northern British Isles and neighbouring terrains in Laurentia and Baltica. *Precambrian Research*, 68, 65–79.
- Park, R.G. (2002) *The Lewisian Geology of Gairloch, NW Scotland*, Geological Society of London Memoir, No. 26, Geological Society of London, London, 80 pp.
- Park, R.G. (2005) The Lewisian terrane model: a review. *Scottish Journal of Geology*, 41, 105–18.
- Park, R.G. and Cresswell, D. (1972) Basic dykes in the early Precambrian (Lewisian) of NW Scotland: their structural relations, conditions of emplacement and orogenic significance. In *Proceedings of the 24th International Geological Congress*, pp. 238–45.
- Park, R.G. and Cresswell, D. (1973) The dykes of the Laxfordian belts. In *The Early Precambrian of Scotland and Related Rocks of Greenland (Proceedings of a Conference)* (eds R.G. Park and J. Tarney), University of Keele, Keele, pp. 119–30.
- Park, R.G. and Tarney, J. (1987) The Lewisian complex: a typical Precambrian high-grade terrain? In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), Geological Society of London Special Publication, No. 27, Blackwell Scientific, Oxford, pp. 13–25.
- Park, R.G., Crane, A. and Niamatullah, M. (1987) Early Proterozoic structure and kinematic evolution of the southern mainland Lewisian. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), Geological Society of London Special Publication, No. 27, Blackwell Scientific, Oxford, pp. 139–51.
- Park, R.G., Cliff, R.A., Fettes, D.J. and Stewart, A.D. (1994) Precambrian rocks in northwest Scotland west of the Moine Thrust: the Lewisian Complex and the Torridonian. In *A Revised Correlation of Precambrian Rocks in the British Isles* (eds W. Gibbons and A.L. Harris), Geological Society of London Special Report, No. 22, Geological Society of London, Bath, pp. 6–22.
- Park, R.G., Tarney, J. and Connelly, J.N. (2001) The Loch Maree Group: Palaeoproterozoic subduction-accretion complex in the Lewisian of NW Scotland. *Precambrian Research*, 105, 205–26.
- Parnell, J. (1983) Ancient duricrusts and related rocks in perspective: a contribution from the Old Red Sandstone. In *Residual Deposits: Surface Related Weathering Processes and Materials* (ed. R.C.L. Wilson), Geological Society of London Special Publication, No. 11, Blackwell Scientific for the Geological Society of London, Oxford, pp. 197–209.

- Parsons, I. (1979) The Assynt alkaline suite. In *The Caledonides of the British Isles Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 677–81.
- Parsons, I. (1999) Late Ordovician to mid-Silurian alkaline intrusions of the North-west Highlands of Scotland. In *Caledonian Igneous Rocks of Great Britain* (eds D. Stephenson, R.E. Bevins, D. Milward, A.J. Highton, I. Parsons, P. Stone and W.J. Wadsworth), *Geological Conservation Review Series*, No. 17, Chapman and Hall, London, pp. 345–93.
- Parsons, I. and McKirdy, A.P. (1983) The interrelationship of igneous activity and thrusting in Assynt, excavations at Loch Borralan. *Scottish Journal of Geology*, 19, 59–67.
- Paterson, B.A., Rogers, G., Stephens, W.E. and Hinton, R.W. (1993) The longevity of acid-basic magmatism associated with a major transcurrent fault. *Geological Society of America, Abstracts with Programs*, 25, 42.
- Peach, B.N. and Horne, J. (1884) Report on the geology of the north-west of Scotland. *Nature*, 31, 31–5.
- Peach, B.N. and Horne, J. (1914) Outliers of Old Red Sandstone between Bighouse Bay and the Kyle of Tongue. In *The Geology of Caithness* (eds C.B. Crampton and R.G. Carruthers), *Memoir of the Geological Survey of Great Britain*, sheets 110 and 116 with parts of 109, 115 and 117 (Scotland), HMSO, Edinburgh.
- Peach, B.N. and Horne, J. (1930) *Chapters on the Geology of Scotland*, Oxford University Press, London, 232 pp.
- Peach, B.N., Horne, J., Gunn, W, Clough, C.T., Hinxman, L.W. and Cadell, H.M. (1888) Report on the recent work of the geological Survey in the north-west Highlands of Scotland, based on field notes and maps by Messrs B N Peach, J Horne, W Gunn, C T Clough, L W Hinxman and H M Cadell. *Quarterly Journal of the Geological Society of London*, 44, 378–441.
- Peach, B.N., Horne, J., Gunn, W, Clough, C.T., Hinxman, L.W. and Teall, J.J.H. (1907) *The Geological Structure of the North-West Highlands of Scotland*, *Memoir of the Geological Survey of Great Britain*, Sheet 92 (Scotland) HMSO, Edinburgh, 668 pp.
- Peach, B.N., Horne, J., Woodward, H.B., Clough, C.T., Harker, A. and Webb, C.B. (1910) *The Geology of Glenelg, Lochalsh and South-East Part of Skye*, *Memoir of the Geological Survey of Great Britain*, Sheet 71 (Scotland), HMSO, Edinburgh. 206 pp.
- Peach, B.N., Gunn, W and others (1912) *The Geology of Ben Wyvis, Carn Chuinneag, Inchbae and the Surrounding Country, Including Garve, Evanton, Alness and Kincardine*, *Memoir of the Geological Survey of Great Britain*, Sheet 93 (Scotland), HMSO, Edinburgh, 176 pp.
- Peach, B.N., Horne, J., Hinxman, L.W., Anderson, E.M. and Carruthers, R.G. (1913) *The Geology of Central Ross-shire*, *Memoir of the Geological Survey of Great Britain*, Sheet 82 (Scotland), HMSO, Edinburgh, 114 pp.
- Peacock, J.D. (1975) 'Slide Rocks' in the Moine of the Loch Shin area, Northern Scotland. *Bulletin of the Geological Survey of Great Britain*, 49, 23–30.
- Peacock, J.D. (1977) Metagabbros in granitic gneiss, Inverness-shire, and their significance in the structural history of the Moines. *Report of the Institute of Geological Sciences*, 77/20, 9 pp.
- Peacock, J.D., Mendum, J.R. and Fettes, D.J. (1992) *Geology of the Glen Affric District*, *Memoir of the British Geological Survey*, Sheet 72E (Scotland), HMSO, London, 81 pp.
- Peat, C. and Diver, W. (1982) First signs of life on Earth. *New Scientist*, 95, 776–81.
- Peters, D., Highton, A.J., Noble, S.R., Horstwood, M.S.A. and Winchester, J.A. (2001) U-Pb detrital zircon geochronology of Precambrian coarse elastic formation in the Northern and Central highlands of Scotland. In *Tectonic Studies Group*

- Phillips, F.C. (1937) A fabric study of some Moine schists and associated rocks. *Quarterly Journal of the Geological Society of London*, 93, 581–620.
- Phillips, F.C. (1945) The microfabric of the Moine Schists. *Geological Magazine*, 82, 205–20.
- Piasecki, M.A.J. and van Breemen, O. (1979a) A Morarian age for the 'younger Moines' of central and western Scotland. *Nature*, 278, 734–6.
- Piasecki, M.A.J. and van Breemen, O. (1979b) The 'Central Highland Granulites': cover-basement tectonics in the Moine. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 134–44.
- Piasecki, M.A.J. and van Breemen, O. (1983) Field and isotopic evidence for a c. 750 Ma tectonothermal event in Moine rocks in the Central Highland region of the Scottish Caledonides. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 73, 119–34.
- Pidgeon, R.T. and Aftalion, M. (1978) Cogenetic and inherited zircon U-Pb systems in granites: Palaeozoic granites of Scotland and England. In *Crustal Evolution in Northwestern Britain and Adjacent Regions* (eds D.R. Bowes and B.E. Leake), *Geological Journal Special Issue*, No. 10, Seel House Press, Liverpool, pp. 183–220.
- Pidgeon, R.T. and Bowes, D.R. (1972) Zircon U-Pb ages of granulites from the Central Region of the Lewisian, northwestern Scotland. *Geological Magazine*, 109, 247–58.
- Piper, J.D.A. and Poppleton, T.J. (1991) Palaeomagnetic conglomerate tests on basal Stoer Group sediments, NW Scotland. *Scottish Journal of Geology*, 27, 97–106.
- Piper, J.D.A. and Darabi, M.H. (2005) Palaeomagnetic study of the (late Mesoproterozoic) Torridon Group, NW Scotland: Age, magnetostratigraphy, tectonic setting and partial magnetic overprinting by Caledonian orogeny. *Precambrian Research*, 142, 45–81.
- Poole, A.B. (1966) The stratigraphy and structure of north-eastern Morar, Inverness-shire. *Scottish Journal of Geology*, 2, 38–53.
- Poole, A.B. and Spring, J.S. (1974) Major structures in Morar and Knoydart, NW Scotland. *Journal of the Geological Society of London*, 130, 43–53.
- Potts, G.J. (1982) Finite strains within recumbent folds of the Kishorn Nappe, Northwest Scotland. *Tectonophysics*, 88, 313–19.
- Potts, G.J. (1983) The origin of recumbent fold nappes: the Lochalsh Fold as the main example. Unpublished PhD thesis, University of Leeds.
- Potts, G.J. (1990) A palaeomagnetic study of recumbently folded and thermally metamorphosed Torridon Group sediments, Eishort anticline, Skye, Scotland. *Journal of the Geological Society of London*, 147, 999–1007.
- Powell, D. (1964) The stratigraphical succession of the Moine schists around Lochailort (Inverness-shire) and its regional significance. *Proceedings of the Geologists' Association*, 75, 223–46.
- Powell, D. (1966) The structure of the southeastern part of the Morar antiform, Inverness-shire. *Proceedings of the Geologists' Association*, 77, 79–100.
- Powell, D. (1974) Stratigraphy and structure of the western Moine and the problem of Moine orogenesis. *Journal of the Geological Society of London*, 130, 575–93.

- Powell, D. (1983) Time of deformation in the British Caledonides. In *Regional Trends in the Geology of the Appalachian-Caledonian-Hercynian-Mauritanide Orogen* (ed. P.E. Schenk), Reidel, Dordrecht, pp. 293–9.
- Powell, D. and MacQueen, J.A. (1976) Relationships between garnet shape, rotational inclusion fabrics and strain in some Moine metamorphic rocks of Skye, Scotland. *Tectonophysics*, 35, 391–402.
- Powell, D., Baird, A.W., Charnley, N.R. and Jordon, P.J. (1981) The metamorphic environment of the Sgurr Beag Slide, a major crustal displacement zone in Proterozoic, Moine rocks of Scotland. *Journal of the Geological Society of London*, 138, 661–73.
- Powell, D., Brook, M. and Baird, A.W. (1983) Structural dating of a Precambrian pegmatite in Moine rocks of northern Scotland and its bearing on the status of the 'Morahan orogeny'. *Journal of the Geological Society of London*, 140, 813–23.
- Power, G.M. and Park, R.G. (1969) A chemical study of five amphibolite bodies from the Lewisian of Gairloch, Ross-shire. *Scottish Journal of Geology*, 5, 26–41.
- Prave, A., Oliver, G.J.H., Stephens, W.E., Parrish, R.R. and Pringle, M. (2002) The Scottish Highlands: a revisionist Neoproterozoic tectonostratigraphic template. In *Tectonic Studies Group Annual Meeting Abstracts*, University of Leeds, p. 45.
- Pride, C. and Muecke, G.K. (1980) Rare earth element geochemistry of the Scourian complex N.W. Scotland — evidence for the granite-granulite link. *Contributions to Mineralogy and Petrology*, 73, 403–12.
- Pride, C. and Muecke, G.K. (1982) Geochemistry and origin of granitic rocks. Scourian complex N.W. Scotland. *Contributions to Mineralogy and Petrology*, 80, 385–97.
- Prigmore, J.K. and Rushton, A.W.A. (1999) Scotland: Cambrian and Ordovician of the Hebridean Terrane. In *British Cambrian to Ordovician Stratigraphy* (eds A.W.A. Rushton, A.W. Owen, R.M. Owens and J.K. Prigmore), Geological Conservation Review Series, No. 18, Joint Nature Conservation Committee, Peterborough, pp. 295–315.
- Pringle, I.R. (1964) The structural and metamorphic history of North Roe, Shetland. Unpublished PhD thesis, University of Liverpool.
- Pringle, J.R. (1970) The structural geology of the North Roe area of Shetland. *Geological Journal*, 7, 147–70.
- Rainbird, R.H., Hamilton, M.A. and Young, G.M. (2001) Detrital zircon geochronology and provenance of the Torridonian, NW Scotland. *Journal of the Geological Society of London*, 158, 15–27.
- Ramberg, H. (1949) On the petrogenesis of the gneiss complexes between Sukkertoppen and Christianshaab, West Greenland. *Meddelelser fra Dansk Geologisk Forening*, 11, 312–27.
- Ramsay, J.G. (1954) The stratigraphy, structure and metamorphism of the Lewisian 'inlier' and Moine rocks of Glenstrathfarrar, Ross-shire. Unpublished PhD thesis, Imperial College, University of London.
- Ramsay, J.G. (1957a) Superimposed folding at Loch Monar, Inverness-shire and Ross-shire. *Quarterly Journal of the Geological Society of London*, 113, 271–308.
- Ramsay, J.G. (1957b) Moine-Lewisian relations at Glenelg, Inverness-shire. *Quarterly Journal of the Geological Society of London*, 113, 487–523.
- Ramsay, J.G. (1960) The deformation of earlier linear structures in areas of repeated folding. *Journal of Geology*, 68, 75–93.

- Ramsay, J.G. (1962) Interference patterns produced by the superposition of folds of similar *type*. *Journal of Geology*, 70, 466–81.
- Ramsay, J.G. (1963a) Structure and metamorphism of the Moine and Lewisian rocks in the northwestern Caledonides. In *The British Caledonides* (eds M.R.W. Johnson and F.H. Stewart), Oliver and Boyd, Edinburgh, pp. 143–75.
- Ramsay, J.G. (1963b) The folding of angular unconformable sequences. *Journal of Geology*, 71, 397–400.
- Ramsay, J.G. (1967) *Folding and Fracturing of Rocks*, McGraw Hill, New York, 568 pp.
- Ramsay, J.G. (1969) The measurement of strain and displacement in orogenic belts. In *Time and Place in Orogeny* (eds P.E. Kent, G.E. Satterthwaite and A.M. Spencer), *Geological Society of London Special Publication*, No. 3, Geological Society of London, London, pp. 43–79.
- Ramsay, J.G. (1980) Shear zone geometry: a review. *Journal of Structural Geology*, 2, 83–99.
- Ramsay, J.G. (1997) The geometry of a deformed unconformity in the Caledonides of NW Scotland. In *Evolution of Geological Structures in Micro- and Macro-scales* (ed. S. Sengupta), Chapman and Hall, London, pp. 445–72.
- Ramsay, J.G. and Graham, R.H. (1970) Strain variation in shear belts. *Canadian Journal of Earth Sciences*, 7, 786–813.
- Ramsay, J.G. and Huber, M.I. (1983) *The Techniques of Modern Structural Geology. Volume 1: Strain Analysis*, Academic Press, London, 307 pp.
- Ramsay, J.G. and Huber, M.I. (1987) *The Techniques of Modern Structural Geology. Volume 2: Folds and Fractures*, Academic Press, London, 391 pp.
- Ramsay, J.G. and Spring, J. (1962) Moine stratigraphy in the Western Highlands of Scotland. *Proceedings of the Geologists' Association*, 73, 295–326.
- Rathbone, P.A. (1980) Basement-cover relationships in the Moine Series of Scotland, with particular reference to the Sgurr Beag Slide. Unpublished PhD thesis, University of Liverpool.
- Rathbone, P.A. and Harris, A.L. (1979) Basement-cover relationships at Lewisian inliers in the Moine rocks. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 101–7.
- Rathbone, P.A. and Harris, A.L. (1980) Moine and Lewisian near the Great Glen Fault in Easter Ross. *Scottish Journal of Geology*, 16, 51–64.
- Rathbone, P.A., Coward, M.P. and Harris, A.L. (1983) Cover and basement: a contrast in style and fabrics. In *Contributions to the Tectonics and Geophysics of Mountain Chains* (eds R.D. Hatcher Jr, H. Williams and I. Zierz), *Memoir of the Geological Society of America*, No. 158, Geological Society of America, Boulder, pp. 213–23.
- Rawson, J.R., Carswell, D.A. and Smallwood, D. (2001) Garnet-bearing olivine-websterite within the eastern Glenelg Lewisian of the Glenelg Inlier, NW Highlands. *Scottish Journal of Geology*, 37(1), 27–34.
- Read, H.H. (1931) *The Geology of Central Sutherland (East-Central Sutherland and South Western Caithness)*, Memoir of the Geological Survey of Great Britain, sheets 108 and 109 (Scotland), HMSO, Edinburgh, 238 pp.
- Read, H.H. (1934) Age problems in the Moine Series of Scotland. *Geological Magazine*, 71, 302–17.
- Read, H.H. and Double, I.S. (1935) On the occurrence of chondrodite in the Glenelg limestone of Inverness-shire. *Mineralogical Magazine*, 24, 84–9.

- Read, H.H., Ross, G., Phemister, J. and Lee, G.W. (1925) *The Geology of the Country around Golspie, Sutherlandshire (Strath Fleet, Strath Brora, and Glenloth)*, Memoir of the Geological Survey of Great Britain, Sheet 103 (Scotland), HMSO, Edinburgh, 143 pp.
- Read, H.H., Phemister, J. and Lee, G.W. (1926) *The Geology of Strath Oykeell and Lower Loch Shin (South Sutherlandshire and North Ross-shire)*, Memoir of the Geological Survey of Great Britain, Sheet 102 (Scotland), HMSO, Edinburgh, 220 pp.
- Retallack, G.J. and Mindszenty, A. (1994) Well preserved late Precambrian paleosols from northwest Scotland. *Journal of Sedimentary Research*, A64, 264–81.
- Rich, J.L. (1934) Mechanics of low-angle overthrust faulting as illustrated by Cumberland thrust block, Virginia, Kentucky, and Tennessee. *Bulletin of the American Association of Petroleum Geologists*, 18, 1584–96.
- Richardson, S.W. (1968) The petrology of the metamorphosed syenite in Glen Dessarry, Inverness-shire. *Quarterly Journal of the Geological Society of London*, 124, 9–51.
- Richey, J.E. and Kennedy, W.Q. (1939) The Moine and sub-Moine series of Morar, Inverness-shire. *Bulletin of the Geological Survey of Great Britain*, 2, 26–45.
- Riley, P. (1966) A re-investigation of the pre-Tertiary geology of the Ross of Mull, Argyll. Unpublished PhD thesis, University of Sheffield.
- Ringrose, P. (1989) Recent fault movement and palaeoseismicity in western Scotland. *Tectonophysics*, 163, 305–14.
- Ritchie, J.D. and Hitchen, K. (1993) Discussion on the location and history of the Walls Boundary Fault and Moine Thrust north and south of Shetland. *Journal of the Geological Society of London*, 150, 1003–4.
- Ritchie, J.D., Hitchen, K. and Mitchell, J.G. (1987) The offshore continuation of the Moine Thrust north of Shetland as deduced from basement isotope ages. *Scottish Journal of Geology*, 23, 163–73.
- Rivers, T. (1997) Lithotectonic elements of the Grenville Province; review and tectonic implications. *Precambrian Research*, 86, 117–54.
- Roberts, A.M. (1984) Stratigraphy and structure in Moine rocks along the Loch Quoich Line, Inverness-shire, Scotland. Unpublished PhD thesis, University of Liverpool.
- Roberts, A.M. and Barr, D. (1988) Excursion 5: Invergarry to Kinloch Hourn. In *An Excursion Guide to the Moine Geology of the Scottish Highlands* (eds I. Allison, F. May and R.A. Strachan), Scottish Academic Press on behalf of Edinburgh Geological Society and the Geological Society of Glasgow, Edinburgh, pp. 103–30.
- Roberts, A.M. and Harris, A.L. (1983) The Loch Quoich Line — a limit of early Scotland. *Journal of the Geological Society of London*, 140, 883–92.
- Roberts, A.M. and Holdsworth, R.E. (1999) Linking onshore and offshore structures; Mesozoic extension in the Scottish Highlands. *Journal of the Geological Society of London*, 156, 1061–4.
- Roberts, A.M., Smith, D.I. and Harris, A.L. (1984) The structural setting and tectonic significance of the Glen Dessarry Syenite, Inverness-shire. *Journal of the Geological Society of London*, 141, 1033–42.
- Roberts, A.M., Strachan, R.A., Harris, A.L., Barr, D. and Holdsworth, R.E. (1987) The Sgurr Beag nappe: a reassessment of the stratigraphy and structure of the northern Highland Moine. *Bulletin of the Geological Society of America*, 98, 497–506.
- Robertson, R.C.R. and Parsons, I. (1974) The Loch Loyal syenites. *Scottish Journal of Geology*, 10, 129–46.

- Robinson, T. (1983) Basement/cover relations in west Shetland. Unpublished PhD thesis, University of Liverpool.
- Rock, N.M.S. (1983) Nature and origin of calc-alkaline lamprophyres: minettes, vogesites, kersantites and spessartites. *Transactions of the Royal Society of Edinburgh*, 74, 193–227.
- Rock, N.M.S. (1985) A compilation of analytical data for metamorphic limestones from the Scottish Highlands and Islands, with lists of BGS registered samples, and comments on the reproducibility and accuracy of limestone analyses by different analytical techniques. *British Geological Survey Technical Report*, WG/PM/85/005, 31 pp.
- Rock, N.M.S. and Macdonald, R. (1986) Petrology, chemistry and origin of a peculiar lens of pelites, 'limestones' and possible paraamphibolites from the Moines of the Ross of Mull, Scotland. *Proceedings of the Geologists' Association*, 97, 249–58.
- Rock, N.M.S., Macdonald, R., Walker, B.H., May, F., Peacock, J.D. and Scott, P (1985) Intrusive metabasite belts within the Moine assemblage, west of Loch Ness, Scotland: evidence for metabasite modification by country rock interactions. *Journal of the Geological Society of London*, 142, 643–61.
- Rock, N.M.S., MacDonald, R. and Bower, J. (1986) The comparative geochemistry of some Highland pelites (anomalous local limestone-pelite successions within the Moine outcrop; H). *Scottish Journal of Geology*, 22, 107–26.
- Rodd, J.A. and Stewart, A.D. (1992) Geochemistry, weathering and diagenesis of the Diabaig Formation (Torridon Group) in NW Scotland. *Scottish Journal of Geology*, 28, 27–35.
- Rodd, D.S. (1992) $^{40}\text{Ar}/^{39}\text{Ar}$ dating of some tectonic events in the U.K. Unpublished PhD thesis, University of Cambridge.
- Rodd, D.S., Miller, J.A. and Flinn, D. (1994) Radiometric ages. In *Geology of Yell and Some Neighbouring Islands in Shetland* (ed. D. Flinn), Memoir of the British Geological Survey, Sheet 130 (Scotland), HMSO for the British Geological Survey, London, pp. 90–92.
- Rogers, D.A., Marshall, J.E.A. and Astin, T.R. (1989) Devonian and later movements on the Great Glen fault system, Scotland. *Journal of the Geological Society of London*, 146, 369–72.
- Rogers, G. and Dunning, G.R. (1991) Geochronology of appinitic and related granitic magmatism in the W Highlands of Scotland: constraints on the timing of transcurrent fault movement. *Journal of the Geological Society of London*, 148, 17–27.
- Rogers, G. and Pankhurst, R.J. (1993) Unravelling dates through the ages: geochronology of the Scottish metamorphic complexes. *Journal of the Geological Society of London*, 150, 447–64.
- Rogers, G., Dempster, T.J., Bluck, B.J. and Tanner, P.W.G. (1989) A high precision U-Pb age for the Ben Vuirich granite: implications for the evolution of the Scottish Dalradian Supergroup. *Journal of the Geological Society of London*, 146, 789–98.
- Rogers, G., Krogh, T.E., Bluck, B.J. and Kwok, Y.Y. (1990) Provenance ages of the Torridonian sandstone of NW Scotland using single grain U-Pb zircon analysis. *Geological Society of Australia Abstracts*, 27, 84.
- Rogers, G., Hyslop, E.K., Strachan, R.A., Paterson, B.A. and Holdsworth, R.A. (1998) The structural setting and U-Pb geochronology of the Knoydartian pegmatites of W Inverness-shire: evidence for Neoproterozoic tectonothermal events in the Moine of NW Scotland. *Journal of the Geological Society of London*, 155, 685–96.
- Rogers, G., Kinny, P.D., Strachan, R.A., Friend, C.R.L. and Patterson, B.A. (2001) U-Pb geochronology of the Fort Augustus granite gneiss, constraints on the timing of Neoproterozoic and Paleozoic tectonothermal events in the NW Highlands of Scotland. *Journal of the Geological Society of London*, 158, 7–14.

- Rollinson, H.R. (1987) Early basic magmatism in the evolution of Archaean high-grade gneiss terrains; an example from the Lewisian of NW Scotland. *Mineralogical Magazine*, 51, 345–55.
- Rollinson, H.R. (1994) Origin of felsic sheets in the Scourian granulites: new evidence from rare earth elements. *Scottish Journal of Geology*, 30, 121–9.
- Rollinson, H.R. (1996) Tonalite-trondhjemite-granodiorite magmatism and the genesis of Lewisian crust during the Archaean. In *Precambrian Crustal Evolution in the North Atlantic Region* (ed. T.S. Brewer), *Geological Society of London Special Publication*, No. 112, Geological Society of London, London, pp. 25–42.
- Rollinson, H.R. and Fowler, M.B. (1987) The magmatic evolution of the Scourian Complex at Gruinard Bay. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological Society of London Special Publication*, No. 27, Blackwell Scientific, Oxford, pp. 57–71.
- Rollinson, H.R. and Windley, B.F. (1980) Geochemistry and origin of an Archaean granulite grade tonalite-trondhjemite-granite suite from Scourie, N.W. Scotland. *Contributions to Mineralogy and Petrology*, 72, 265–81.
- Rushton, A.W.A., Owen, A.W., Owens, R.M. and Prigmore, J.K. (2000) *British Cambrian to Ordovician Stratigraphy*, Geological Conservation Review Series, No. 18, Joint Nature Conservation Committee, Peterborough, 436 pp.
- Rutledge, H. (1952) Contact phenomena of the southern part of the Loch Doon plutonic complex. *Proceedings of the Geological Society of London*, 1484, 60–66.
- Ryan, P.D. and Soper, N.J. (2001) Modelling anatexis in intra-cratonic rift basins: an example from the Neoproterozoic rocks of the Scottish Highlands. *Geological Magazine*, 138, 577–88.
- Sabine, P.A. (1963) The Strontian granite complex, Argyllshire. *Bulletin of the Geological Survey of Great Britain*, 20, 6–42.
- Sander, B. (1930) *Gefugekunde der Gesteine mit besonderer Beriicksichtigung der Tektonite*, Springer, Vienna, 352 pp.
- Sander, B. (1934) Petrofabrics and orogenesis. *American Journal of Science*, 28, 37–50.
- Sanders, I.S. (1972) The petrology of eclogites and related rocks at Glenelg, Inverness-shire. Unpublished PhD thesis, University of Cambridge.
- Sanders, I.S. (1978) A possible Al-Ti-augite high pressure cumulate from the Glenelg inlier, NW Scotland. *Lithos*, 11, 15–22.
- Sanders, I.S. (1979) Observations on eclogite-and granulite-facies rocks in the basement of the Caledonides. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 97–101.
- Sanders, I.S. (1988) Plagioclase breakdown and regeneration reactions in Grenville kyanite eclogite at Glenelg, NW Scotland. *Contributions to Mineralogy and Petrology*, 98, 33–9.
- Sanders, I.S. (1989) Phase relations and P-T conditions for eclogite facies rocks at Glenelg, north-west Scotland. In *Evolution of Metamorphic Belts* (eds J.S. Daly, R.A. Cliff and B.W. Yardley), *Geological Society of London Special Publication*, No. 43, Blackwell Scientific for the Geological Society of London, Oxford, pp. 513–17.
- Sanders, I.S. and Johnston, J.D. (1989) The Torridonian Stac Fada Member: an extrusion of fluidized peperite? *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 80, 1–4.
- Sanders, I.S., van Calsteren, P.W.C. and Hawkesworth, C.J. (1984) A Grenville Sm-Nd age for the Glenelg eclogite in north-west Scotland. *Nature*, 312, 439–40.

- Sanderson, D. (1973) The development of fold axes oblique to the regional trend. *Tectonophysics*, 16, 55–70.
- Savage, D. and Sills, J.D. (1980) High pressure metamorphism in the Scourian of NW Scotland: evidence from granulite granulites. *Contributions to Mineralogy and Petrology*, 74, 153–63.
- Scholz, C.H. (1988) The brittle-plastic transition and the depth of seismic faulting. *Geologische Rundschau*, 77, 319–28.
- Searle, M.P., Weinberg, R. and Dunlap, W.J. (1998) Transpressional tectonics along the Karakoram fault zone, northern Ladakh: constraints on Tibetan extrusion. In *Continental Transpressional and Transtensional Tectonics* (eds R.E. Holdsworth, R.A. Strachan and J.F. Dewey), *Geological Society of London Special Publication*, No. 135, Geological Society of London, London, pp. 307–26.
- Sederholm, J.J. (1926) *On Migmatites and Associated Precambrian Rocks in Southwestern Finland. Part II. The Region Around Bärösundsfjärd West of Helsnngfors and Neighbouring Areas*, *Bulletin de la Commission Géologique de Finlande*, No. 77, Government Printing Office, Helsinki, 143 pp.
- Shepherd, J. (1973) The structure and structural dating of the Carn Chuinneag intrusion, Ross-shire. *Scottish Journal of Geology*, 9, 63–88.
- Sheraton, J.W., Skinner, A.C. and Tarney, J. (1973) The geochemistry of the Scourian gneisses of the Assynt district. In *The Early Precambrian of Scotland and Related Rocks of Greenland (Proceedings of a Conference)* (eds R.G. Park and J. Tarney), University of Keele, Keele, pp. 31–43.
- Sherlock, S.C., Jones, K.A. and Park, R.G. (2008) Grenville-age pseudotachylite in the Lewisian: laserprobe $^{40}\text{Ar}/^{39}\text{Ar}$ ages from the Gairloch region of Scotland (UK). *Journal of the Geological Society of London*, 165, 73–83.
- Shihe, L. and Park, R.G. (1993) Reversals of movement sense in Lewisian brittle-ductile shear zones at Gairloch, NW Scotland, in the context of Laxfordian kinematic history. *Scottish Journal of Geology*, 29, 9–19.
- Sibson, R.H. (1975) Generation of pseudotachylite by ancient seismic faulting. *Geophysical Journal of the Royal Astronomical Society*, 43, 775–94.
- Sibson, R.H. (1977a) Fault rocks and fault mechanisms. *Journal of the Geological Society of London*, 133, 191–213.
- Sibson, R.H. (1977b) The Outer Hebrides Thrust: its structure, mechanism and deformation environment. Unpublished PhD thesis, Imperial College, London.
- Sibson, R.H. (1983) Continental fault structure and shallow earthquake source. *Journal of the Geological Society of London*, 140, 741–67.
- Sibson, R.H., White, S.H. and Atkinson, B.K. (1981) Structure and distribution of fault rocks in the Alpine Fault Zone, New Zealand. In *Thrust and Nappe Tectonics* (eds K. McClay and N.J. Price), *Geological Society of London Special Publication*, No. 9, Blackwell Scientific for the Geological Society of London, Oxford, pp. 197–210.
- Sills, J.D. and Rollinson, H.R. (1987) Metamorphic evolution of the mainland Lewisian complex. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological Society of London Special Publication*, No. 27, Blackwell Scientific, Oxford, pp. 81–92.
- Sills, J.D., Savage, D., Watson, J.V. and Windley, B.F. (1982) Layered ultramafic-gabbro bodies in the Lewisian of northwest Scotland: geochemistry and petrogenesis. *Earth and Planetary Science Letters*, 58, 345–60.
- Simony, P.S. (1973) Lewisian sheets within the Moines around 'The Saddle' of North West Scotland. *Journal of the Geological Society of London*, 129, 191–201.

- Smith, D.I. (1979) Caledonian minor intrusions of the Northern Highlands of Scotland. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 683–97.
- Smith, D.I. and Harris, A.L. (1972) Microcline porphyroblasts in the Moinian rocks of the Western Highlands. *Scottish Journal of Geology*, 8, 193–202.
- Smith, D.I. and Watson, J.V. (1983) Scale and timing of movements on the Great Glen Fault, Scotland. *Geology*, 11, 523–6.
- Smith, M.P., Rasmussen, J.A., Robertson, S., Higgins, A.K. and Leslie, A.G. (2004) Lower Palaeozoic stratigraphy of the East Greenland Caledonides. In *East Greenland Caledonides: Stratigraphy, Structure and Geochronology* (eds A.K. Higgins and F. ICalsbek), *Geological Survey of Denmark and Greenland Bulletin*, No. 6, Geological Survey of Denmark and Greenland, Copenhagen, pp. 5–28.
- Smith, R.L., Stearns, J.E.F. and Piper, J.D.A. (1983) Palaeomagnetic studies of the Torridonian sediments, NW Scotland. *Scottish Journal of Geology*, 19, 29–45.
- Smythe, D.K., Dobinson, A., McQuillin, R., Brewer, J.A., Matthews, D.H., Blundell, D.J. and Kelk, B. (1982) Deep structure of the Scottish Caledonides revealed by the MOIST reflection profile. *Nature*, 299, 338–40.
- Snoke, A.W. and Tullis, J. (1998) An overview of fault rocks. In *Fault-related Rocks: a Photographic Atlas* (eds A.W. Snoke, J. Tullis, and V.R. Todd), Princeton University Press, Princeton, pp. 3–18.
- Snyder, D.B. (1990) The Moine thrust on the BIRPS data set. *Journal of the Geological Society of London*, 147, 81–6.
- Soldin, S.R. (1978) The tectonic evolution and geochemistry of the Lewisian complex of North Harris. Unpublished PhD thesis, Imperial College, London.
- Soper, N.J. (1963) The structure of the Rogart igneous complex, Sutherland, Scotland. *Quarterly journal of the Geological Society of London*, 119, 445–78.
- Soper, N.J. (1971) The earliest Caledonian structures in the Moine Thrust Belt. *Scottish Journal of Geology*, 7, 241–7.
- Soper, N.J. (1994) Was Scotland a Vendian RRR junction? *Journal of the Geological Society of London*, 151, 579–82.
- Soper, N.J. and Barber, A.J. (1973) Summer Field Meeting in the North-West of Scotland, 11–18 September 1971. *Proceedings of the Geologists' Association*, 84(2), 207–35.
- Soper, N.J. and Barber, A.J. (1982) A model for the deep structure of the Moine Thrust Zone. *Journal of the Geological Society of London*, 139, 127–38.
- Soper, N.J. and Brown, P.E. (1971) Relationship between metamorphism and migmatization in the northern part of the Moine Nappe. *Scottish Journal of Geology*, 7, 305–25.
- Soper, N.J. and England, R.W. (1995) Vendian and Riphean rifting in NW Scotland. *Journal of the Geological Society of London*, 152, 11–14.
- Soper, N.J. and Harris, A.L. (1997) Proterozoic orogeny questioned: a view from Scottish Highland Field Workshops, 1995–1996. (Letter to the Editors). *Scottish Journal of Geology*, 33, 187–90.
- Soper, N.J. and Wilkinson, P. (1975) The Moine thrust and the Moine Nappe at Loch Eriboll, Sutherland. *Scottish Journal of Geology*, 11, 339–59.

- Soper, N.J., Harris, A.L. and Strachan, R.A. (1998) Tectonostratigraphy of the Moine Supergroup; a synthesis. *Journal of the Geological Society of London*, 155, 13–24.
- Soper, N.J., Ryan, P.D. and Dewey, J.F. (1999) Age of the Grampian Orogeny in Scotland and Ireland. *Journal of the Geological Society of London*, 156, 1231–6.
- Sorby, H.C. (1908) Application of Quantitative Methods to the Study of the Structure and History of Rocks. *Quarterly Journal of the Geological Society of London*, 64, 71–233.
- Speight, J.M., Skelhorn, R.R., Sloan, R. and Knapp, R.J. (1982) The dyke swarms of Scotland. In *Igneous Rocks of the British Isles* (ed. D.S. Sutherland), John Wiley and Sons, Chichester, pp. 449–59.
- Steel, R.J. and Wilson, A.C. (1975) Sedimentation and tectonism (?Permo-Triassic) on the margins of the North Minch Basin. *Journal of the Geological Society of London*, 131, 183–202.
- Stein, A.M. (1988) Basement controls upon basin development in the Caledonian foreland. *Basin Research*, 1, 107–19.
- Stephenson, D., Bevins, R.E., Miliward, D., Highton, A.J., Parsons, I., Stone, P. and Wadsworth, W.J. (1999) *Caledonian Igneous Rocks of Great Britain*, Geological Conservation Review Series, No. 17, Joint Nature Conservation Committee, Peterborough, 648 pp.
- Stephenson, D., Leslie, A.G., Mendum, J.R., Tanner, P.W.G. and Treagus, J.E. (in prep) *Dalradian Rocks of Scotland*, Geological Conservation Review Series.
- Stewart, A.D. (1962) On the Torridonian sediments of Colonsay and their relationship to the main outcrop in north-west Scotland. *Liverpool and Manchester Geological Journal*, 3, 121–56.
- Stewart, A.D. (1966a) On the correlation of the Torridonian between Rhum and Skye. *Geological Magazine*, 103, 432–9.
- Stewart, A.D. (1966b) An unconformity in the Torridonian. *Geological Magazine*, 103, 462–5.
- Stewart, A.D. (1969) Torridonian rocks of Scotland reviewed. In *North Atlantic: Geology and Continental Drift* (ed. M. Kay), *American Association of Petroleum Geologists Memoir*, No. 12, American Association of Petroleum Geologists, Tulsa, pp. 595–608.
- Stewart, A.D. (1972) Pre-Cambrian landscapes in northwest Scotland. *Geological Journal*, 8, 111–24.
- Stewart, A.D. (1975) 'Torridonian' rocks of western Scotland. In *A Correlation of Precambrian Rocks in the British Isles* (eds A.L. Harris *et al.*), *Geological Society of London Special Report*, No. 6, Scottish Academic Press, Edinburgh, pp. 43–51.
- Stewart, A.D. (1977) Quantitative limits to palaeogravity. *Journal of the Geological Society of London*, 133, 281–91.
- Stewart, A.D. (1982) Late Proterozoic rifting in NW Scotland: the genesis of the 'Torridonian'. *Journal of the Geological Society of London*, 139, 413–20.
- Stewart, A.D. (1988a) The Stoer Group, Scotland. In *Later Proterozoic Stratigraphy of the Northern Atlantic Regions* (ed. J.A. Winchester), Blackie, Glasgow, pp. 97–103.
- Stewart, A.D. (1988b) The Sleat and Torridon Groups. In *Later Proterozoic Stratigraphy of the Northern Atlantic Regions* (ed. J.A. Winchester), Blackie, Glasgow, pp. 104–12.
- Stewart, A.D. (1990a) The Torridonian Stac Fada Member: a discussion. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 81, 247.

- Stewart, A.D. (1990b) Geochemistry, provenance and climate of the Upper Proterozoic Stoer Group in Scotland. *Scottish Journal of Geology*, 26, 89–97.
- Stewart, A.D. (1991a) Geochemistry, provenance and palaeoclimate of the Sleat and Torridon Groups in Skye. *Scottish Journal of Geology*, 27, 81–95.
- Stewart, A.D. (1991b) Stoer Group (Torridonian) Stoer Peninsula. In *The Late Precambrian Geology of the Scottish Highlands and Islands* (eds M.J. Hambrey *et al.*), Geologists' Association Guide, No. 44, Geologists' Association, London, pp. 111–19.
- Stewart, A.D. (1993) Late Proterozoic and late Palaeozoic movement on the Coigach fault in NW Scotland. *Scottish Journal of Geology*, 29, 21–8.
- Stewart, A.D. (1995a) Well preserved late Precambrian paleosols from northwest Scotland — discussion *Journal of Sedimentary Research*, A65, 444.
- Stewart, A.D. (1995b) Possible sources of elastic sediment in the late Proterozoic Torridon Group, from geochemical mass balance. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 85, 303–9.
- Stewart, A.D. (1997) Discussion on indications of glaciation at the base of the Proterozoic Stoer Group of Scotland. *Journal of the Geological Society of London*, 154, 373–6.
- Stewart, A.D. (2002) *The Later Proterozoic Torridonian Rocks of Scotland: their Sedimentology, Geochemistry and Origin*, Geological Society of London Memoir, No. 24, Geological Society of London, London, 130 pp.
- Stewart, A.D. and Donnellan, N.C.B. (1992) Geochemistry and provenance of red sandstones in the Upper Proterozoic Torridon Group of Scotland. *Scottish Journal of Geology*, 28, 143–53.
- Stewart, A.D. and Irving, E. (1974) Palaeomagnetism of Precambrian sedimentary rocks from NW Scotland and the apparent polar wandering path of Laurentia. *Geophysical Journal of the Royal Astronomical Society*, 37, 51–72.
- Stewart, A.D. and Parker, A. (1979) Palaeosalinity and environmental interpretation of red beds from the late Precambrian ('Torridonian') of Scotland. *Sedimentary Geology*, 22, 229–41.
- Stewart, M., Strachan, R.A. and Holdsworth, R.E. (1997) Direct field evidence for sinistral displacement along the Great Glen Fault Zone: late Caledonian reactivation of a regional basement structure? *Journal of the Geological Society of London*, 154, 135–9.
- Stewart, M., Strachan, R.A. and Holdsworth, R.E. (1999) Structure and early kinematic history of the Great Glen fault zone, Scotland. *Tectonics*, 18, 326–42.
- Stewart, M., Strachan, R.A., Martin, M.W. and Holdsworth, R.E. (2001) Constraints on early sinistral displacements along the Great Glen Fault Zone, Scotland; structural setting, U-Pb geochronology and emplacement of the syn-tectonic Clunes Tonalite. *Journal of the Geological Society of London*, 158, 821–30.
- Stoker, M.S. (1983) The stratigraphy and structure of the Moine rocks of eastern Ardgour. *Scottish Journal of Geology*, 19, 369–85.
- Stoker, M.S., Hitchen, K. and Graham, C.C. (1993) *United Kingdom Offshore Regional Report: The Geology of the Hebrides and West Shetland Shelves, and Adjacent Deep-Water Areas*, HMSO for the British Geological Survey, London, 149 pp.
- Storey, C.D. (2002) Tectonometamorphic evolution of the Glenelg–Attadale Inlier, Northwest Scotland. Unpublished PhD thesis, University of Leicester.

- Storey, C.D., Brewer, T.S. and Parrish, R.R. (2004) Late-Proterozoic tectonics in northwest Scotland: one contractional orogeny or several? *Precambrian Research*, 134, 227–47.
- Storey, C.D., Brewer, T.S. and Temperley, S. (2005) P-T conditions of Grenville-age eclogite facies metamorphism and amphibolite facies retrogression of the Glenelg–Attadale Inlier, NW Scotland. *Geological Magazine*, 142, 1–11.
- Strachan, L.J. and Alsop, G.I. (2004) The geometry and kinematics of syn-sedimentary slump folds: a case study from the Namurian of County Clare, Ireland. *Tectonic Studies Group Annual Meeting, Abstracts*. Glenties, Donegal, 4–7 May 2004
- Strachan, R.A. (1985) The stratigraphy and structure of the Moine rocks of the Loch Eil area, West Inverness-shire. *Scottish Journal of Geology*, 21, 9–22.
- Strachan, R.A. (1986) Shallow-marine sedimentation in the Proterozoic Moine Succession, Northern Scotland. *Precambrian Resources*, 32, 17–33.
- Strachan, R.A. (1988) The metamorphic rocks of the Scaraben area, East Sutherland and Caithness. *Scottish Journal of Geology*, 24, 1–13.
- Strachan, R.A. and Evans, J.A. (2008) Structural setting and U-Pb zircon geochronology of the Glen Scaddle Metagabbro: evidence for polyphase Scandian ductile deformation in the Caledonides of northern Scotland. *Geological Magazine*, 145, 361–71.
- Strachan, R.A. and Holdsworth, R.E. (1988) Basement-cover relationships and structure within the Moine rocks of central and southeast Sutherland. *Journal of the Geological Society of London*, 145, 23–36.
- Strachan, R.A. and Holdsworth, R.E. (2000) Proterozoic sedimentation, orogenesis and magmatism on the Laurentian Craton (2700–750 Ma). In *Geological History of Great Britain and Ireland* (eds N.H. Woodcock and R.A. Strachan), Blackwell Science, Oxford, pp. 52–72.
- Strachan, R.A., May, F. and Barr, D. (1988) The Glenfinnan and Loch Eil Divisions of the Moine Assemblage. In *Later Proterozoic Stratigraphy of the Northern Atlantic Regions* (ed. J.A. Winchester), Blackie, Glasgow and London, pp. 32–45.
- Strachan, R.A., Smith, M., Harris, A.L. and Fettes, D.J. (2002a) The Northern Highland and Grampian terranes. In *The Geology of Scotland*, 4th edn (ed N.H. Trewin), The Geological Society of London, London, pp. 81–147.
- Strachan, R.A., Hand, M., Kinny, P.D., Friend, C.R.L., Holdsworth, R.E. and Hyslop, E. (2002b) Dating early metamorphic events in the Moine Supergroup. In *Program Abstracts of the Highlands Workshop of the Tectonic Studies Group, Abstracts, University of St Andrews 2002*.
- Suppe, J. (1983) Geometry and kinematics of fault-bend folding. *American Journal of Science*, 283, 684–721.
- Sutton, J. and Watson, J. (1951) The pre-Torridonian metamorphic history of the Loch Torridon and Scourie areas in the north-west Highlands, and its bearing on the chronological classification of the Lewisian. *Quarterly Journal of the Geological Society of London*, 106, 241–307.
- Sutton, J. and Watson, J. (1953) The supposed Lewisian inlier of Scardroy, central Ross-shire and its relations with the surrounding Moine rocks. *Quarterly Journal of the Geological Society of London*, 108, 99–126.
- Sutton, J. and Watson, J. (1960) Sedimentary structures in the Epidotic Grits of Skye. *Geological Magazine*, 97, 106–22.
- Sutton, J. and Watson, J. (1964) Some aspects of Torridonian stratigraphy in Skye. *Proceedings of the Geologists' Association*, 75, 251–89.

- Sutton, J. and Watson, J.V. (1954) The structure and stratigraphic succession of the Moines of Fannich Forest and Strath Bran, Ross-shire. *Quarterly Journal of the Geological Society of London*, 110, 21–48.
- Sutton, J. and Watson, J.V. (1958) Structures in the Caledonides between Loch Duich and Glenelg, North-West Highlands. *Quarterly Journal of the Geological Society of London*, 114, 231–57.
- Swett, K. (1969) Interpretation of depositional and diagenetic history of Cambro-Ordovician succession of North-west Scotland. In *North Atlantic: Geology and Continental Drift* (ed. M. Kay), *American Association of Petroleum Geologists Memoir*, No. 12, American Association of Petroleum Geologists, Tulsa, pp. 630–46.
- Swett, K. and Smit, D.E. (1972) Cambro-Ordovician shelf sedimentation of western Newfoundland, north west Scotland and central east Greenland. In *Proceedings of the 24th International Geological Congress*, pp. 33–41.
- Taft, M.B. (1978) Basic minor intrusions in the Lewisian gneisses of southern Lewis, Outer Hebrides. *Scottish Journal of Geology*, 14, 185–90.
- Talbot, C.J. (1979) Fold trains in a glacier of salt in southern Iran. *Journal of Structural Geology*, 1, 5–18.
- Talbot, C.J. (1983) Microdiorite sheet intrusions as incomplete time and strain markers in the Moine assemblage north-west of the Great Glen Fault, Scotland. *Transactions of the Royal Society of Edinburgh*, 74, 137–52.
- Tanner, P.W.G. (1965) Structural and metamorphic history of the Kinloch Hourn Area, Inverness-shire. Unpublished PhD thesis, Imperial College, London.
- Tanner, P.W.G. (1971) The Sgurr Beag Slide — a major tectonic break within the Moine of the Western Highlands of Scotland. *Quarterly Journal of the Geological Society of London*, 126, 435–63.
- Tanner, P.W.G. (1976) Progressive regional metamorphism of thin calcareous bands from the Moinian rocks of NW Scotland. *Journal of Petrology*, 17, 100–34.
- Tanner, P.W.G. and Bluck, B.J. (1999) Current controversies in the Caledonides: Introduction. *Journal of the Geological Society of London*, 156, 1137–41.
- Tanner, P.W.G. and Evans, J.A. (2003) Late Precambrian U-Pb titanite age for peak regional metamorphism and deformation (Knorydarian Orogeny) in the western Moine, Scotland. *Journal of the Geological Society of London*, 160, 555–64.
- Tanner, P.W.G., Johnstone, C.S., Smith, D. and Harris, A.L. (1970) Moinian stratigraphy and the problem of the Central Ross-shire inliers. *Bulletin of the Geological Society of America*, 81, 299–306.
- Tarney, J. (1963) Assynt dykes and their metamorphism. *Nature*, 199, 672–4.
- Tarney, J. (1973) The Scourie dyke suite and the nature of the Inverian event in Assynt. In *The Early Precambrian of Scotland and Related Rocks of Greenland (Proceedings of a Conference)* (eds R.G. Park and J. Tarney), University of Keele, Keele, pp. 105–18.
- Tarney, J. (1976) Geochemistry of Archaean high-grade gneisses, with implications as to the origin and evolution of the Precambrian crust. In *The Early History of the Earth* (ed. B.F. Windley), Wiley, New York, pp. 405–17.
- Tarney, J. (1978) Itinerary III: Achmelvich Bay, Assynt (Lewisian). In *The Lewisian and Torridonian Rocks of North-West Scotland* (eds A.J. Barber, A. Beach, R.G. Park, J. Tarney and A.D. Stewart), Geologists' Association Guide, No. 21, Geologists' Association, London, pp. 35–50.
- Tarney, J. and Weaver, B.L. (1987a) Geochemistry of the Scourian complex: petrogenesis and tectonic models. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological*

Society of London Special Publication, No. 27, Blackwell Scientific, Oxford, pp. 217–33.

Tarney, J. and Weaver, B.L. (1987b) Mineralogy, petrology and geochemistry of the Scourie dykes: petrogenesis and crystallisation processes in dykes intruded at depth. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological Society of London Special Publication*, No. 27, Blackwell Scientific, Oxford, pp. 217–33.

Teall, J.J.H. (1885) The metamorphism of dolerite into hornblende schist. *Quarterly Journal of the Geological Society of London*, 41, 133–52.

Teall, J.J.H. (1891) On an eclogite from Loch Duich. *Mineralogical Magazine*, 9, 271.

Temperley, S. and Windley, B.F. (1997) Grenvillian extensional tectonics in Northwest Scotland. *Geology*, 25, 53–6.

Thomas, P. (1973) A geochemical investigation of the Lochalsh Lewisian inlier. Unpublished MSc thesis, University of Birmingham.

Thompson, R.N. (1982) Magmatism of the British Tertiary Volcanic Province. *Scottish Journal of Geology*, 18, 49–105.

Tilley, C.E. (1936) Eulysites and related rock types from Loch Duich, Ross-shire. *Mineralogical Magazine*, 24, 331–42.

Tilley, C.E. (1937a) Paragenesis of kyanite amphibolites. *Mineralogical Magazine*, 24, 355–68.

Tilley, C.E. (1937b) Pyroxmangite from Inverness-shire Scotland. *American Mineralogist*, 22, 720–7.

Tobisch, O.T. (1963) The structure and metamorphism of the Moinian rocks in the Glen Cannich-Fasnakyle Forest area, Inverness-shire, Scotland. Unpublished PhD thesis, Imperial College, University of London.

Tobisch, O.T., Fleuty, M.J., Merh, S.S., Mukhopadhyay, D. and Ramsay, J.G. (1970) Deformational and metamorphic history of Moinian and Lewisian rocks between Strathconon and Glen Affric. *Scottish Journal of Geology*, 6, 243–65.

Torsvik, T.H. and Sturt, B.A. (1987) On the origin and stability of remanence and the magnetic fabric of the Torridonian red beds, NW Scotland. *Scottish Journal of Geology*, 23, 23–38.

Torsvik, T.H., Smethurst, M.A., Meert, J.G., Van der Voo, R., McKerrow, W.S., Brasier, M.D., Sturt, B.A. and Walderhaug, H.J. (1996) Continental break-up and collision in the Neoproterozoic and Palaeozoic — a tale of Baltica and Laurentia. *Earth Science Reviews*, 40, 229–58.

Trewin, N.H. (ed.) (2002) *The Geology of Scotland*, 4th edn, The Geological Society of London, London, 576 pp.

Trewin, N.H. and Hurst, A. (eds) (1994) *Excursion Guide to the Geology of East Sutherland and Caithness*, Scottish Academic Press, Edinburgh, 183 pp.

Tucker, R.D. and McKerrow, W.S. (1995) Early Paleozoic chronology: a review in light of new U-Pb zircon ages from Newfoundland and Britain. *Canadian Journal of Earth Sciences*, 32, 368–79.

Turnbull, M.J.M., Whitehouse, M.J. and Moorbath, S. (1996) New isotopic age determinations for the Torridonian, NW Scotland. *Journal of the Geological Society of London*, 153, 955–64.

Underhill, J.R. and Brodie, J.A. (1993) Structural Geology of Easter Ross, Scotland: implications for movement on the Great Glen Fault zone. *Journal of the Geological Society of London*, 150, 515–27.

United Kingdom Nirex Limited (1994a) The geology of the region around Dounreay: report of the Regional Geology Joint Interpretation Team. *Nirex Report*, 657.

United Kingdom Nirex Limited (1994b) Dounreay Geological Investigations: site/ District Geology. *Nirex Report*, 658.

- United Kingdom Nirex Limited (1994c) Dounreay geological investigations: Geological Structure. *Nirex Report*, 659.
- Upfold, R.L. (1984) Tufted microbial (cyano-bacterial) mats from the Proterozoic Stoer Group, Scotland. *Geological Magazine*, 121, 351–5.
- Upton, B.G.J., Emeleus, C.H., Heaman, L.M., Goodenough, K.M. and Finch, A.A. (2003) Magmatism of the mid-Proterozoic Gardar Province, South Greenland: chronology, petrogenesis and geological setting. *Lithos*, 68, 43–65.
- van Breemen, O. and Piasecki, M.A.J. (1983) The Glen Kyllachy granite and its bearing on the Caledonian orogeny in Scotland. *Journal of the Geological Society of London*, 140, 47–62.
- van Breemen, O., Aftalion, M. and Pidgeon, R.T. (1971) The age of the granite injection complex of Harris, Outer Hebrides. *Scottish Journal of Geology*, 5, 269–85.
- van Breemen, O., Pidgeon, R.T. and Johnson, M.R.M. (1974) Precambrian and Palaeozoic pegmatites in the Moines of northern Scotland. *Journal of the Geological Society of London*, 130, 493–507.
- van Breemen, O., Halliday, A.N., Johnson, M.R.W. and Bowes, D.R. (1978) Crustal additions in late Precambrian times. In *Crustal Evolution in Northwestern Britain and Adjacent Regions* (eds D.R. Bowes and B.E. Leake), *Geological Journal Special Issue*, No. 10, Seel House Press, Liverpool, pp. 81–106.
- van Breemen, O., Aftalion, M. and Johnson, M.R. (1979a) Age of the Loch Borrolan complex, Assynt and late movements along the Moine Thrust Zone. *Journal of the Geological Society of London*, 136, 489–95.
- van Breemen, O., Aftalion, M., Pankhurst, R.J. and Richardson, S.W. (1979b) Age of the Glen Dessarry syenite, Inverness-shire: diachronous Palaeozoic metamorphism across the Great Glen. *Scottish Journal of Geology*, 15, 49–62.
- van Gool, J.A.M., Connelly, J.N., Marker, M. and Mengel, F.C. (2002) The Nagssugtoqidian Orogen of West Greenland: tectonic evolution and regional correlations from a West Greenland perspective. *Canadian Journal of Earth Sciences*, 39, 665–86.
- Van de Kamp, P.C. and Leake, B.E. (1997) Mineralogy, geochemistry, provenance and sodium metasomatism of Ibrirdonian rift basin elastic rocks, NW Scotland. *Scottish Journal of Geology*, 33, 105–24.
- Van Staal, C.R., Dewey, J.F., McKerrow, W.S. and MacNiocaill, C. (1998) The Cambrian-Silurian tectonic evolution of the northern Appalachians and British Caledonides: history of a complex, southwest Pacific-type segment of Iapetus. In *Lyell: the Present is in the Past* (eds D.J. Blundell and A.C. Scott), *Geological Society of London Special Publication*, No. 143, Geological Society of London, Bath, pp. 199–242.
- Vance, D., Strachan, R.A. and Jones, K.A. (1998) Extensional versus compressional settings for metamorphism: Garnet chronometry and pressure-temperature-time histories in the Moine Supergroup, northwest Scotland. *Geology*, 26, 927–30.
- Vernon, R.H. (1990) K-feldspar augen in felsic gneisses and mylonites — deformed phenocrysts or porphyroblasts? *Geologiska foreningens i Stockholm forhandlingar*, 51, 395–405.
- Waltham, A.C., Simms, M.J., Farrant, A.R. and Goldie, H.S. (1997) *Karst and Caves of Great Britain*, Geological Conservation Review Series, No. 12, Chapman and Hall, London, 358 pp.
- Waters, F.G., Cohen, A.S., O'Nions, R.K. and O'Hara, M.J. (1990) Development of Archaean lithosphere deduced from chronology and isotope chemistry of Scourie Dykes. *Earth and Planetary Science Letters*, 97, 241–55.
- Watkinson, A.J. and Cobbold, P.R. (1981) Folding of anisotropic rocks with linear/planar fabrics. *Journal of Structural Geology*, 3, 211–17.

- Watson, J.V. (1984) The ending of the Caledonian Orogeny in Scotland. *Journal of the Geological Society of London*, 141, 193–214.
- Watson, J.V. and Lisle, R.J. (1973) The Pre-Laxfordian complex of the Outer Hebrides. In *The Early Precambrian of Scotland and Related Rocks of Greenland* (eds R.G. Park and J. Tarney), University of Keele, Keele, pp. 45–50.
- Watt, G.R., Burns, I.M. and Graham, G.G. (1996) Chemical characteristics of migmatites: accessory phase distribution and evidence for fast melt segregation rates. *Contributions to Mineralogy and Petrology*, 125, 100–11.
- Weaver, B.L. and Tarney, J. (1980) Rare-earth geochemistry of Lewisian granulite-facies gneisses, northwest Scotland: implications for the petrogenesis of the Archaean lower continental crust. *Earth and Planetary Science Letters*, 51, 279–96.
- Westbrook, G.K. (1974) The South Harris magnetic anomaly. *Proceedings of the Geologists' Association*, 85, 1–12.
- Wheeler, J., Windley, B.F. and Davies, F.B. (1987) Internal evolution of the major Precambrian shear belt at Torridon, NW Scotland. In *Evolution of the Lewisian and Comparable Precambrian High Grade Terrains* (eds R.G. Park and J. Tarney), *Geological Society of London Special Publication*, No. 27, Blackwell Scientific, Oxford, pp. 217–33.
- Wheeler, J., Mangan, L.S. and Prior, D.J. (2004) Disequilibrium in the Ross of Mull contact metamorphic aureole, Scotland: a consequence of polymetamorphism. *Journal of Petrology*, 45, 835–53.
- White, S.H. (1977) Geological significance of recovery and recrystallization processes in quartz. *Tectonophysics*, 39, 143–70.
- White, S.H. (1979) Grain and sub-grain size variations across a mylonite zone. *Contributions to Mineralogy and Petrology*, 70, 193–202.
- White, S.H. (1998) Fault rocks from Ben Arnaboll, Moine Thrust Zone, NW Scotland. In *Fault-related Rocks: a Photographic Atlas* (eds A.W. Snoke, J. Tullis and V.R. Todd), Princeton University Press, Princeton, pp. 382–91.
- White, S.H., Evans, D.J. and Zhong, D.-L. (1982) Fault rocks of the Moine Thrust Zone: microstructures and textures of selected mylonites. *Textures and Microstructures*, 5, 33–61.
- Whitehouse, M.J. (1988) Granulite facies Nd-isotopic homogenization in the Lewisian Complex of northwest Scotland. *Nature*, 331, 705–7.
- Whitehouse, M.J. (1989) Sm-Nd evidence for diachronous crustal accretion in the Lewisian complex of northwest Scotland. *Tectonophysics*, 161, 245–56.
- Whitehouse, M.J. (1990a) Isotopic evolution of the southern Outer Hebrides Lewisian gneiss complex: constraints on Late Archaean source regions and the generation of transposed palaeoisochrons. *Chemical Geology*, 86, 1–20.
- Whitehouse, M.J. (1990b) An early Proterozoic age for the Ness anorthosite, Lewis, Outer Hebrides. *Scottish Journal of Geology*, 26, 131–6.
- Whitehouse, M.J. (1993) Age of the Corodale Gneiss, South Uist. *Scottish Journal of Geology*, 29, 1–7.
- Whitehouse, M.J. and Bridgwater, D. (2001) Geochronological constraints on Palaeoproterozoic crustal evolution and regional correlations of the northern Outer Hebridean Lewisian complex, Scotland. *Precambrian Research*, 105, 289–314.
- Whitehouse, M.J., Fowler, M.B. and Friend, C.R.L. (1996) Conflicting mineral and whole-rock isochron ages from the Late-Archaean Lewisian Complex of northwestern Scotland: Implications for geochronology in polymetamorphic high-grade terrains. *Geochimica et Cosmochimica Acta*, 60, 3085–102.

- Whitehouse, M.J., Claesson, S., Sunde, T and Vestin, J. (1997a) Ion microprobe U-Pb zircon geochronology and correlation of Archaean gneisses from the Lewisian Complex of Gruinard Bay, northwestern Scotland. *Geochimica et Cosmochimica Acta*, 61, 4429–38.
- Whitehouse, MT, Bridgewater, D. and Park, R.G. (1997b) Detrital zircons from the Loch Maree Group, Lewisian Complex, NW Scotland: confirmation of a Palaeoproterozoic Laurentia-Fennoscandia connection. *Terra Nova*, 9, 260–63.
- Whitehouse, M.J., Kalsbeek, F. and Nutman, A.P. (1998) Crustal growth and crustal recycling in the Nagssugtoqidian Orogen of West Greenland; constraints from radiogenic isotope systematics and U-Pb zircon geochronology. *Precambrian Research*, 91(3–4), 365–81.
- Wibberley, C.A.J. (1997) Three-dimensional geometry, strain rates and basement deformation mechanisms of thrust-bend folding. *Journal of Structural Geology*, 19, 535–50.
- Wilkinson, P., Soper, N.J. and Bell, A.N. (1975) Skolithus pipes as strain markers in mylonites. *Tectonophysics*, 28, 143–57.
- Williams, D.M. (1997) Folds and fold modification in shear zones and mylonite belts. Unpublished PhD thesis, University of Leeds.
- Williams, G.D. (1978) Rotation of contemporary folds into the x-direction during overthrust processes in Laksefjord, Finnmark. *Tectonophysics*, 48, 29–40.
- Williams, G.D. and Chapman, T.J. (1983) Strains developed in the hangingwalls of thrusts due to their slip/propagation rate; a dislocation model. *Journal of Structural Geology*, 5, 563–71.
- Williams, G.E. (1968) Torridonian weathering, and its bearing on Torridonian palaeoclimate and source. *Scottish Journal of Geology*, 4, 164–84.
- Williams, G.E. (1969a) Characteristics and origin of a Precambrian pediment. *Journal of Geology*, 77, 183–207.
- Williams, G.E. (1969b) Petrography and origin of pebbles from Torridonian strata (late Precambrian), northwest Scotland. In *North Atlantic: Geology and Continental Drift* (ed. M. Kay), *American Association of Petroleum Geologists Memoir*, No. 12, American Association of Petroleum Geologists, Tulsa, pp. 609–29.
- Williams, G.E. (2001) Neoproterozoic (Torridonian) alluvial fan succession, northwest Scotland, and its tectonic setting and provenance. *Geological Magazine*, 138, 161–84.
- Williams, G.E. and Schmidt, P.W. (1997) Palaeomagnetic dating of sub-Torridon Group weathering profiles, NW Scotland: verification of Neoproterozoic palaeosols. *Journal of the Geological Society of London*, 154, 987–97.
- Williams, P.J. (1986) Petrology and origin of iron-rich silicate-magnetite-quartz rocks from Flowerdale near Gairloch, Wester Ross. *Scottish Journal of Geology*, 22, 1–12.
- Wilson, D. (1975) Structure and metamorphism of the Ben Wyvis District, Ross-shire. Unpublished PhD thesis, University of Edinburgh.
- Wilson, D. and Shepherd, J. (1979) The Carn Chuinneag granite and its aureole. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 669–75.
- Wilson, G. (1953) Mullions and rodding structures in the Moine Series of Scotland. *Proceedings of the Geologists' Association*, 64, 118–51.

- Wilson, G. (1961) The tectonic significance of small scale structures, and their importance to the geologist in the field. *Annals of the Geological Society of Belgium*, 84, 423–548.
- Wilson, G.V. (1932) Shetland. In *Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology for the Year 1931. Part 1*, Geological Survey of Great Britain, HMSO, pp. 61–3.
- Winchester, J.A. (1971) Some geochemical distinctions between Moinian and Lewisian rocks and their use in the Moinian. *Scottish Journal of Geology*, 7, 327–44.
- Winchester, J.A. (1972) Pattern of regional metamorphism suggests a sinistral displacement of 160 km along the Great Glen Fault. *Nature*, 246, 81–4.
- Winchester, J.A. (1973) Extensions to the Lewisian Inliers of Fannich Forest, Ross-shire. *Proceedings of the Geologists' Association*, 84, 273–82.
- Winchester, J.A. (1974) The zonal pattern of regional metamorphism in the Scottish Caledonides. *Journal of the Geological Society of London*, 130, 509–24.
- Winchester, J.A. (1976) Different Moinian amphibolite suites in northern Ross-shire. *Scottish Journal of Geology*, 12, 187–204.
- Winchester, J.A. and Floyd, P.A. (1984) The geochemistry of the Ben Hope sill suite, Northern Scotland, UK. *Chemical Geology*, 53, 49–75.
- Winchester, J.A. and Lambert, R.St.-J. (1970) Geo-chemical distinctions between the Lewisian of Cassley, Durness and Loch Shin, Sutherland and the surrounding Moinian. *Proceedings of the Geologists' Association*, 81, 275–301.
- Winchester, J.A., Park, R.G. and Floyd, P.A. (1980) The geochemistry of Lewisian semipelitic schists from the Gairloch district, Wester Ross. *Scottish Journal of Geology*, 16, 165–79.
- Windley, B.F., Herd, R.K. and Bowden, A.A. (1973) The Fiskensætt complex: part 1, a preliminary study of the stratigraphy, petrology and whole-rock chemistry. *Rapport Grønlands Geologiske Undersøgelse*, 106, 1–80.
- Witty, G.J. (1975) The geochemistry of the Roneval Anorthosite, South Harris, Scotland. Unpublished PhD thesis, Imperial College, London.
- Wood, D.S. (1973) Patterns and magnitudes of natural strain in rocks. *Philosophical Transactions of the Royal Society of London*, A274, 373–82.
- Woodcock, N. and Strachan, R. (2000) *Geological History of Britain and Ireland*, Blackwell Science, Oxford, 432 pp.
- Woolley, A.R. (1970) The structural relationships of the Loch Borrolan complex, Scotland. *Geological Journal*, 7, 171–82.
- Wright, A.E. and Bowes, D.R. (1979) Geochemistry of the Appinite Suite. In *The Caledonides of the British Isles — Reviewed* (eds A.L. Harris, C.H. Holland and B.E. Leake), *Geological Society of London Special Publication*, No. 8, Scottish Academic Press, Edinburgh, pp. 599–704.
- Wright, D.T. and Knight, I. (1995) A revised chronostratigraphy for the lower Durness group. *Scottish Journal of Geology*, 31, 11–22.
- Wynn, T.J. (1995) Deformation in the mid to lower continental crust: analogues from Proterozoic shear zones in NW Scotland. In *Early Precambrian Processes* (eds M.P. Coward and A.C. Ries), *Geological Society of London Special Publication*, No. 95, Geological Society of London, London, pp. 225–41.
- Yardley, B.W.D. (1989) *An Introduction to Metamorphic Petrology*, Longman Scientific and Technical, Harlow, 248 pp.

Young, G.M. (1999a) A geochemical investigation of palaeosols developed on Lewisian rocks beneath the Torridonian Applecross Formation, NW Scotland. *Scottish Journal of Geology*, 35, 107–18.

Young, G.M. (1999b) Some aspects of the geochemistry, provenance and palaeoclimatology of the Torridonian of NW Scotland. *Journal of the Geological Society of London*, 156, 1097–113.

Zaniewski, A., Reavy, R.J. and Harris, A.L. (2006) Field relationships and emplacement of the Caledonian Ross of Mull Granite, Argyllshire, *Scottish Journal of Geology*, 42, 179–89.

Zeh, A. and Millar, I.L. (2001) Metamorphic evolution of garnet-epidote-biotite gneiss from the Moine Supergroup, Scotland, and geotectonic implications. *Journal of Petrology*, 42(3), 529–54.

Zhang, Z. (1982) Upper Proterozoic microfossils from the Summer Isles, NW Scotland. *Palaeontology*, 25, 443–60.

Zhang, Z., Diver, W.L. and Grant, P.R. (1981) Microfossils from the Aultbea Formation, Torridon Group, on Tanera Beg, Summer Isles. *Scottish Journal of Geology*, 17, 149–54.

Zhu, X.K., O'Nions, R.K., Belshaw, N.S. and Gibb, A.J. (1997a) Significance of *in situ* SIMS chronometry of zoned monazite from the Lewisian granulites, Northwest Scotland. *Chemical Geology*, 135, 35–53.

Zhu, X.K., O'Nions, R.K., Belshaw, N.S. and Gibb, A.J. (1997b) Lewisian crustal history from *in situ* mineral chronometry and related metamorphic textures. *Chemical Geology*, 136, 205–18.

[References](#)