
References

- AFTALION, M. and VAN BREEMEN, O. (1980): U-Pb zircon, monazite and Rb-Sr whole-rock systematics of granitic gneiss and psammitic to semipelitic host gneiss from Glenfinnan, northwestern Scotland, *Contributions to Mineralogy and Petrology*, 72, pp. 87-98.
- ALSOP, G. I. (1992): Late Caledonian sinistral strike-slip displacement across the Leannan Fault system, northwest Ireland, *Geological Journal*, 27, pp. 119-25.
- ALSOP, G. I. and HOLDSWORTH, R. E. (1999): Vergence and facing patterns in large-scale sheath folds, *Journal of Structural Geology*, 21, pp. 1335-49.
- ALSOP, G. I. and HOLDSWORTH, R. E. (2002): The geometry and kinematics of flow perturbation folds, *Tectonophysics*, 350, pp. 99-125.
- ALSOP, G. I. and HOLDSWORTH, R. E. (2004a): The geometry and topology of natural sheath folds: a new tool for structural analysis, *Journal of Structural Geology*, 26, pp. 1561-89.
- ALSOP, G. I. and HOLDSWORTH, R. E. (2004b): Shear zone folds: records of flow perturbation or structural inheritance?, in ALSOP, G. I., HOLDSWORTH, R. E., MCCAFFREY, K. J. W. and HAND, M. (eds): *Flow Processes in Faults and Shear Zones*, Geological Society, London, Special Publications, 224, pp. 177-99.
- ALSOP, G. I. and HOLDSWORTH, R. E. (2007): Flow perturbation folding in shear zones, in REES, A. C., BUTLER, R. W. H. and GRAHAM, R. H. (eds): *Deformation of the Continental Crust: The Legacy of Mike Coward*, Geological Society, London, Special Publications, 272, pp. 75-101.
- ANDERSON, D. E. and OLYMPIO, J. C. (1977): Progressive homogenization of metamorphic garnets, S. Morar, *Canadian Mineralogist*, 15, pp. 205-16.
- ANDERTON, R. (1976): Tidal-shelf sedimentation: an example from the Scottish Dalradian, *Sedimentology*, 23, pp. 429-58.
- ANDERTON, R. (1985): Sedimentation and tectonics in the Scottish Dalradian, *Scottish Journal of Geology*, 21, pp. 407-36.
- ATHERTON, M. P. and GHANI, A. A. (2002): Slab breakoff: a model for Caledonian, late granite syn-collisional magmatism in the orthotectonic (metamorphic) zone of Scotland and Donegal, Ireland, *Lithos*, 62, pp. 65-85.
- BARBER, A. J. and SOPER, N. J. (1973): Summer field meeting in the North-West of Scotland, *Proceedings of the Geologists' Association*, 84, pp. 207-35.
- BAIRD, A. W. (1982): The Sgurr Beag Slide within Moine rocks at Loch Eilt, Invernessshire, *Journal of the Geological Society, London*, 139, pp. 647-54.
- BAIRD, A. W. (1985): Discussion of the structural setting of the Glen Dessary syenite, Inverness-shire, *Journal of the Geological Society, London*, 142, p. 713.
- BARR, D. (1983): *Genesis and structural relations of Moine migmatites*, University of Liverpool PhD thesis.
- BARR, D. (1985): Migmatites in the Moine, in ASHWORTH, J. R. (ed): *Migmatites* (Glasgow & London: Blackie), pp. 226-64.

- BARR, D., HOLDSWORTH, R. E. and ROBERTS, A. M. (1986): Caledonian ductile thrusting in a Precambrian metamorphic complex: the Moine of north-western Scotland, *Geological Society of America Bulletin*, 97, pp. 754-64.
- BARR, D., ROBERTS, A. M., HIGHTON, A. J., PARSON, L. M. and HARRIS, A. L. (1985): Structural setting and geochronological significance of the West Highland Granitic Gneiss, a deformed early granite within the Proterozoic, Moine rocks of NW Scotland, *Journal of the Geological Society, London*, 142, pp. 663-75.
- BAXTER, A. N. and MITCHELL, J. G. (1984): Camptonite-monchiquite dyke swarms of northern Scotland: age relationships and their implications, *Scottish Journal of Geology*, 20, pp. 297-308.
- BEACOM, L. E. (1999): *The kinematic evolution of reactivated and non-reactivated faults in basement rocks*, PhD thesis, Queen's University of Belfast.
- BINGEN, B., DEMAFFE, D. and VAN BREEMEN, O. (1998): The 616 Ma Old Egursund Basaltic Dike Swarm, SW-Norway, and Late Neoproterozoic Opening of the Iapetus Ocean, *Journal of Geology*, 106, pp. 565-74.
- BLACKBOURN, G. (1981): Probable Old Red Sandstone conglomerates around Tongue and adjacent areas, north Sutherland, *Scottish Journal of Geology*, 17, pp. 103-18.
- BONSOR, H. C. and PRAVE, A. R. (2008): The Upper Morar Psammite of the Moine Supergroup, Ardnamurchan Peninsular, Scotland: depositional setting, tectonic implications, *Scottish Journal of Geology*, 44, pp. 111-22.
- BOWES, D. R. (1968): The absolute time scale and the subdivision of Precambrian rocks in Scotland, *Geologiska Föreningens i Stockholm Förhandlingar*, 90, pp. 175-88.
- BOYER, S. and ELLIOTT, D. (1982): Thrust systems, *Bulletin of the American Association of Petroleum Geologists*, 66, pp. 1196-230.
- BREWER, J. A. and SMYTHE, D. K. (1984): MOIST and the continuity of crustal reflector geometry along the Appalachian-Caledonian orogen, *Journal of the Geological Society, London*, 141, pp. 105-20.
- BREWER, M. S., BROOK, M. and POWELL, D. (1979): Dating of the tectono-metamorphic history of the southwestern Moine, in HARRIS, A. L., HOLLAND, C. H. and LEAKE, B. E. (eds): *The Caledonides of the British Isles – Reviewed*, Geological Society, London, Special Publications, 8, pp. 129-37.
- BREWER, T. S., STOREY, C. D., PARRISH, R. R., TEMPERLEY, S. and WINDLEY, B. F. (2003): Grenvillian age decompression of eclogites in the Glenelg-Attadale Inlier, NW Scotland, *Journal of the Geological Society, London*, 160, pp. 565-74.
- BRIDEN, J. C., TURNELL, H. B. and WATTS, D. R. (1984): British paleomagnetism, Iapetus Ocean and the Great Glen Fault, *Geology*, 12, pp. 136-39.
- BRITISH GEOLOGICAL SURVEY (1997): *Tongue, Scotland Sheet 114E, Solid Geology, 1:50,000*, British Geological Survey, Keyworth, Nottingham.
- BRITISH GEOLOGICAL SURVEY (2002): *Loch Eriboll, Scotland Sheet 114W, Solid Geology, 1:50,000*, British Geological Survey, Keyworth, Nottingham.
- BROWN, R. L., DALZIEL, I. W. D. and JOHNSON, M. R. W. (1970): A review of the structure and stratigraphy of the Moinian of Ardgour, Moidart and Sunart-Argyll and Inverness-shire, *Scottish Journal of Geology*, 6, pp. 309-35.
- BURNS, I. M. (1994): *Tectono-thermal evolution and petrogenesis of the Naver and Kirtomy nappes, north Sutherland*, PhD thesis, Oxford Brookes University.

BURNS, I. M., FOWLER, M. B., STRACHAN R. A. and GREENWOOD, P. B. (2004): Geochemistry, petrogenesis and structural setting of the meta-igneous Strathy Complex: a unique basement block within the Scottish Caledonides?, *Geological Magazine*, 141, pp. 209-23.

BUTLER, R. W. H. (1982): A structural analysis of the Moine Thrust zone between Loch Eriboll and Foinaven, NW Scotland, *Journal of Structural Geology*, 4, pp. 19-29.

BUTLER, R. W. H. (1987): Thrust sequences, *Journal of the Geological Society, London*, 144, pp. 619-34.

BUTLER, R. W. H. (2004a): Mountain Building with Henry Cadell, *Geoscientist*, 14(6), pp. 4-7.

BUTLER, R. W. H. (2004b): The nature of 'roof thrusts' in the Moine Thrust Belt, NW Scotland: implications for the structural evolution of thrust belts, *Journal of the Geological Society, London*, 161, pp. 849-59.

BUTLER, R. W. H. (2009): Eriboll in MENDUM, J R., BARBER, A. J., BUTLER, R. W. H., FLINN, D., GOODENOUGH, K. M., KRABBENDAM, M., PARK, R.G. and STEWART, A.D. (eds): *Lewisian Torridonian and Moine Rocks of Scotland*, Geological Conservation Review Series, Joint Nature Committee, Peterborough, 34, pp. 242-49.

BUTLER, R. W. H. and COWARD, M. P. (1984): Geological constraints, structural evolution and the deep geology of the NW Scottish Caledonides, *Tectonics*, 3, pp. 347-65.

BUTLER, R. W. H., HOLDSWORTH, R. E. MATTHEWS, S. J. (2006): Styles of basement involvement in the Moine thrust Belt, NW Scotland, in MAZZOLI, S. and BUTLER, R. W. H. (eds): *Styles of continental contraction*, Geological Society of America Special Paper, 414, pp. 133-50.

CADELL, H. M. (1888): Experimental researches in mountain building, *Transactions of the Royal Society of Edinburgh*, 35, pp. 337-57.

CANNING, J. C., HENNEY, P. J., MORRISON, M. A. and GASKARTH, J. W. (1996): Geochemistry of late Caledonian minettes from Northern Britain: Implications for the Caledonian sub-continental lithospheric mantle, *Mineralogical Magazine*, 128, pp. 385-88.

CANNING, J. C., HENNEY, P. J., MORRISON, M. A., VAN CALSTEREN, P. W., GASKARTH, J. W. and SWARBRICK, A. (1998): The Great Glen Fault: A major lithospheric boundary, *Journal of the Geological Society, London*, 155, pp. 424-27.

CAWOOD, P. A., NEMCHIN, A. A., STRACHAN, R. A., KINNY, P. D. and LOEWY, S. (2004): Laurentian provenance and tectonic setting for the upper Moine Supergroup, Scotland, constrained by detrital zircons from the Loch Eil and Glen Urquhart successions, *Journal of the Geological Society, London*, 161, pp. 863-74.

CAWOOD, P. A., NEMCHIN, A. A., STRACHAN, R. A., PRAVE, A. R. and KRABBENDAM, M. (2007): Sedimentary basin and detrital zircon record along east Laurentia and Baltica during assembly and breakup of Rodinia, *Journal of the Geological Society, London*, 164, pp. 257-75.

CAWOOD, P. A., STRACHAN, R. A., CUTTS, K., KINNY, P. D., HAND, M. and PISAREVSKY, S. (2010): Neoproterozoic orogeny along the margin of Rodinia: development of the Valhalla Orogen, North Atlantic, *Geology*, 38, pp. 99-102.

CHENG, Y. C. (1942): A hornblendic complex, including appinitic types, in the migmatite area of northern Sutherland, *Proceedings of the Geologists' Association*, 53, pp. 67-85.

CHENG, Y. C. (1943): The migmatite area around Bettyhill, Sutherland, *Quarterly Journal of the Geological Society of London*, 99, pp. 107-54.

CLIFFORD, T. N. (1957): The stratigraphy and structure of part of the Kintail district of southern Ross-shire – its relationship to the Northern Highlands, *Quarterly Journal of the Geological Society of London*, 113, pp. 57-92.

COCKS, L. R. M. and TORSVIK, T. H. (2002): Earth geography from 500 to 400 million years ago: a faunal and palaeomagnetic review, *Journal of the Geological Society, London*, 159, pp. 631-44.

COWARD, M. P. (1980): The Caledonian thrust and shear zones of N.W. Scotland, *Journal of Structural Geology*, 2, pp. 11-17.

COWARD, M. P. (1984): A geometrical study of the Arnaboll and Heilam thrust sheets, NW of Ben Arnaboll, Sutherland, *Scottish Journal of Geology*, 20, pp. 87-106.

COWARD, M. P. (1988): The Moine Thrust and the Scottish Caledonides, in *Geometries and Mechanics of Thrusting, with special reference to the Appalachians*, in MITRA, G. and WOJTAL, S. (eds): Geological Society of America Special Paper, 222, pp. 1-16.

COWARD, M. P. (1990): The Precambrian, Caledonian and Variscan framework to NW Europe, in HARDMAN, R. F. P. and BROOKS, J. (eds): *Tectonic Events Responsible for Britain's Oil and Gas Reserves*, Geological Society, London, Special Publications, 55, pp. 1-34.

COWARD, M. P. and ENFIELD, M. A. (1987): The structure of the West Orkney Basin and adjacent basins, in BROOKS, J. and GLENNIE, K. (eds): *Petroleum Geology of North West Europe: proceedings from the 3rd Petroleum Geology Conference*, (UK: Graham & Titman), pp. 687-96.

CUTTS, K. A., HAND, M., KELSEY, D. E. STRACHAN, R. A. (2009): Orogenic versus extensional settings for regional metamorphism: Knoydartian events in the Moine Supergroup revisited, *Journal of the Geological Society, London*, 166, pp. 201-204.

CUTTS, K. A., KINNY, P. D., STRACHAN, R. A., HAND, M., KELSEY, D. E., EMERY, M., FRIEND, C. R. L. and LESLIE, A. G. (2010): Three metamorphic events recorded in a single garnet: coupled phase modelling with in situ LA-ICPMS, and SIMS geochronology from the Moine Supergroup, NW Scotland, *Journal of Metamorphic Geology*, 28, pp. 249-67.

DALLMEYER, R. D., STRACHAN, R. A., ROGERS, G., WATT, G. R. and FRIEND, C. R. L. (2001): Dating deformation and cooling in the Caledonian thrust nappes of north Sutherland, Scotland: insights from $40\text{Ar}/39\text{Ar}$ and Rb-Sr chronology, *Journal of the Geological Society, London*, 158, pp. 501-12.

DALZIEL, I. W. D. (1966): A structural study of the granitic gneiss of Western Ardgour, Argyll and Inverness-shire, *Scottish Journal of Geology*, 2, pp. 125-52.

DALZIEL, I. W. D. and SOPER, N. J. (2001): Neoproterozoic extension on the Scottish promontory of Laurentia: paleogeographic and tectonic implications, *Journal of Geology*, 109, pp. 299-317.

DEWEY, J. F. and SHACKLETON, R. J. (1984): A model for the evolution of the Grampian tract in the early Caledonides and Appalachians, *Nature*, 312, pp. 115-20.

DEWEY, J. F. and RYAN, P. D. (1990): The Ordovician evolution of the South Mayo Trough, western Ireland, *Tectonics*, 9, pp. 887-903.

DEWEY, J. F. and MANGE, M. (1999): Petrography of Ordovician and Silurian sediments in the western Irish Caledonides: tracers of a short-lived Ordovician continent-arc collision orogeny and the evolution of the Laurentian Appalachian-Caledonian margin, in MACNIOCAILL, C. and RYAN, P. D. (eds): *Continental Tectonics*, Geological Society, London, Special Publications, 164, pp. 55-107.

DEWEY, J. F. and STRACHAN, R. A. (2003): Changing Silurian-Devonian relative plate motion in the Caledonides: sinistral transpression to sinistral transtension, *Journal of the Geological Society, London*, 160, pp. 219-29.

ELLIOTT, D. and JOHNSON, M. R. W. (1980): Structural evolution in the northern part of the Moine thrust belt, NW Scotland, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 71, pp. 69-96.

ENFIELD, M. A. and COWARD, M. P. (1987): The structure of the West Orkney Basin, northern Scotland, *Journal of the Geological Society, London*, 144, pp. 871-84.

EVANS, D. J. and WHITE, S. H. (1984): Microstructural and fabric studies from the Moine rocks of the Moine Nappe, Eriboll, NW Scotland, *Journal of Structural Geology*, 6, pp. 369-89.

FETTES, D. J. (1979): A metamorphic map of the British and Irish Caledonides, in HARRIS, A. L., HOLLAND, C. H. and LEAKE, B. E. (eds): *The Caledonides of the British Isles – Reviewed*, Geological Society, London, Special Publications, 8, pp. 307-21.

FETTES, D. J. and MACDONALD, R. (1978): The Glen Garry vein complex, *Scottish Journal of Geology*, 14, pp. 335-58.

FETTES, D. J., LONG, C. B., MAX, M. D. YARDLEY, B. W. D. (1985): Grade and time of metamorphism in the Caledonide Orogen of Britain and Ireland, in HARRIS, A. L. (ed.): *The Nature and Timing of Orogenic Activity in the Caledonian Rocks of the British Isles*, Geological Society, London, Memoirs, 9, pp. 41-53.

FISCHER, M. W. and COWARD, M. P. (1982): Strains and folds within thrust sheets: the Heilam sheet NW Scotland, *Tectonophysics*, 88, pp. 291-312.

FLETT, J. S. (1905): *On the petrographic characters of the inliers of Lewisian rocks among the Moine gneisses of the north of Scotland*, Memoirs of the Geological Survey, Summary of Progress for 1905, pp. 155-67.

FLINN, D. (1961): Continuation of the Great Glen Fault beyond the Moray Firth, *Nature*, 191, pp. 589-91.

FREEMAN, S. R., BUTLER, R. W. H., CLIFF, R. A. and REX, D. C. (1998): Dating mylonite evolution: an Rb-Sr and K-Ar study of the Moine mylonites, NW Scotland, *Journal of the Geological Society, London*, 155, pp. 745-58.

FRIEND, C. R. L., JONES, K. A. and BURNS, I. M. (2000): New high-pressure granulite facies event in the Moine Supergroup, northern Scotland: implications for Taconic (early Caledonian) crustal evolution, *Geology*, 28, pp. 543-46.

FRIEND, C. R. L., KINNY, P. D., ROGERS, G., STRACHAN, R. A. and PATERSON, B. A. (1997): U-Pb zircon geochronological evidence for Neoproterozoic events in the Glenfinnan Group (Moine Supergroup): the formation of the Ardgour granite gneiss, north-west Scotland, *Contributions to Mineralogy and Petrology*, 128, pp. 101-13.

FRIEND, C. R. L., STRACHAN, R. A. and KINNY, P. D. (2008): U-Pb zircon dating of basement inliers within the Moine Supergroup, Scottish Caledonides: implications of Archaean protolith ages, *Journal of the Geological Society, London*, 165, pp. 807-15.

FRIEND, C. R. L., STRACHAN, R. A., KINNY, P. D. and WATT, G. R. (2003): Provenance of the Moine Supergroup of NW Scotland: evidence from geochronology of detrital and inherited zircons from sediments, granites and migmatites, *Journal of the Geological Society, London*, 160, pp. 247-

GEIKIE, A. (1884): The crystalline schists of the Scottish Highlands, *Nature*, 31, pp. 29-31.

GILETTI, B. J., MOORBATH, S. and LAMBERT, R. ST. J. (1961): A geochronological study of the metamorphic complexes of the Scottish Highlands, *Quarterly Journal of the Geological Society of London*, 117, pp. 233-72.

GLENDINNING, N. R. W. (1988): Sedimentary structures and sequences within a late Proterozoic tidal shelf deposit: the Upper Morar Psammite Formation of northwestern Scotland, in WINCHESTER, J. A. (ed.): *Later Proterozoic Stratigraphy of the Northern Atlantic Regions* (Glasgow: Blackie), pp. 14-31.

GRANT, C. J. and HARRIS, A. L. (2000): The kinematic and metamorphic history of the Sgurr Beag Thrust, Ross-shire, Scotland, *Journal of Structural Geology*, 22, pp. 191-205.

HALL, J., BREWER, J. A., MATTHEWS, D. H. and WARNER, M. (1984): Crustal structure across the Caledonides from the WINCH seismic reflection profile: Influences on the evolution of the Midland Valley of Scotland, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, pp. 97-109.

HARRISON, V. E. and MOORHOUSE, S. J. (1976): A possible early Scourian supracrustal assemblage within the Moine, *Journal of the Geological Society, London*, 132, pp. 461-66.

HIPPLER, S. J. and KNIPE, R. J. (1990): The evolution of cataclastic rocks from a pre-existing mylonite, in KNIPE, R. J. and RUTTER, E. H. (eds): *Deformation Mechanisms, Rheology and Tectonics*, Geological Society, London, Special Publications, 54, pp. 71-79.

HOLDSWORTH, R. E. (1987): *Basement/cover relationships, reworking and Caledonian ductile thrusts of the Northern Moine, NW Scotland*, University of Liverpool PhD thesis.

HOLDSWORTH, R. E. (1988): The stereographic analysis of facing, *Journal of Structural Geology*, 10, pp. 219-23.

HOLDSWORTH, R. E. (1989a): The geology and structural evolution of a Caledonian fold and ductile thrust zone, Kyle of Tongue region, Sutherland, northern Scotland, *Journal of the Geological Society, London*, 146, pp. 809-23.

HOLDSWORTH, R. E. (1989b): Late brittle deformation in a Caledonian ductile thrust wedge: new evidence for gravitational collapse in the Moine Thrust sheet, Sutherland, Scotland, *Tectonophysics*, 170, pp. 17-28.

HOLDSWORTH, R. E. (1990): Progressive deformation structures associated with ductile thrusts in the Moine Nappe, Sutherland, N. Scotland, *Journal of Structural Geology*, 12, pp. 443-52.

HOLDSWORTH, R. E. and ROBERTS, A. M. (1984): A study of early curvilinear fold structures and strain in the Moine of the Glen Garry region, Inverness-shire, *Journal of the Geological Society, London*, 141, pp. 327-38.

HOLDSWORTH, R. E. and STRACHAN, R. A. (1988): The structural age and possible origin of the Vagastie Bridge granite and associated intrusions, central Sutherland, *Geological Magazine*, 125, pp. 613-20.

HOLDSWORTH, R. E. and GRANT, C. J. (1990): Convergence-related 'dynamic spreading' in a mid-crustal ductile thrust zone: a possible orogenic wedge model, in KNIPE, R. J. and RUTTER, E. H. (eds): *Deformation Mechanisms, Rheology and Tectonics*, Geological Society, London, Special Publications, 54, pp. 491-500.

HOLDSWORTH, R. E., HARRIS, A. L. and ROBERTS, A. M. (1987): The stratigraphy, structure and regional significance of the Moine rocks of Mull, Argyllshire, W Scotland, *Geological Journal*, 22, pp. 83-107.

HOLDSWORTH, R. E., STRACHAN, R. A. and HARRIS, A. L. (1994): Precambrian rocks in northern Scotland east of the Moine Thrust: the Moine Supergroup, in GIBBONS, W. and HARRIS, A. L. (eds): *A revised correlation of Precambrian rocks in the British Isles*, Geological Society, London, Special Report, 22, pp. 23-32.

HOLDSWORTH, R. E., MCERLEAN, M. A. STRACHAN, R. A. (1999): The influence of country rock structural architecture during pluton emplacement: the Loch Loyal syenites, Scotland, *Journal of the Geological Society, London*, 156, pp. 163-75.

HOLDSWORTH, R. E., STRACHAN, R. A. and ALSOP, G. I. (2001a): *Geology of the Tongue District*, Memoir of the British Geological Survey (UK: HMSO).

HOLDSWORTH, R. E., STEWART, M., IMBER, J. STRACHAN, R. A. (2001b): The structure and rheological evolution of reactivated continental fault zones: a review and case study, in MILLER, J. A., HOLDSWORTH, R. E., BUICK, I. and HAND, M. (eds): *Continental Reworking and Reactivation*, Geological Society, Special Publication, 184, pp. 115-37.

HOLDSWORTH, R. E., STRACHAN, R. A., ALSOP, G. I., GRANT, C. J. and WILSON, R. W. (2006): Thrust sequences and the significance of low-angle, out-of-sequence faults in the northernmost Moine Nappe and Moine Thrust Zone, NW

Scotland, *Journal of the Geological Society, London*, 163, pp. 801-14.

HOLDSWORTH, R. E., ALSOP, G. I. and STRACHAN, R. A. (2007): Tectonic stratigraphy and structural continuity of the northernmost Moine Thrust Zone and Moine Nappe, Scottish Caledonides, in RIES, A. C., BUTLER, R. W. H. and GRAHAM, R.H. (eds): *Deformation of the Continental Crust: The Legacy of Mike Coward*, Geological Society, London, Special Publication, 272, pp. 121-42.

HOWARTH, R. J. and LEAKE, B. E. (2002): *The Life of Frank Cole Phillips* (London: Geological Society).

HUTTON, D. H. W. and MCERLEAN, M. (1991): Silurian and Early Devonian sinistral deformation of the Ratagan granite, Scotland: constraints on the age of Caledonian movements on the Great Glen fault system, *Journal of the Geological Society, London*, 148, pp. 1-4.

HYSLOP, E. K. (1992): *Strain-induced metamorphism and pegmatite development in the Moine rocks of Scotland*, PhD thesis, University of Hull.

JACQUES, J. M. and REAVY, R. J. (1994): Caledonian plutonism and major lineaments in the SW Scottish Highlands, *Journal of the Geological Society, London*, 151, pp. 955-69.

JOHNSON, H. D. (1978): Shallow siliciclastic seas, in READING, H. (ed): *Sedimentary Environments and Facies* (Oxford: Blackwell Scientific Publications), pp. 209-58.

JOHNSON, M. R. W. and DALZIEL, I. W. D. (1963): Metamorphosed lamprophyres and the late thermal history of the Moine, *Geological Magazine*, 103, pp. 240-49.

JOHNSON, M .R. W., KELLEY, S. P., OLIVER, G. J. H. and WINTER, D. A. (1985): Thermal effects and timing of thrusting in the Moine Thrust zone, *Journal of the Geological Society, London*, 142, pp. 863-74.

JOHNSTONE, G. S. (1975): The Moine Succession, in HARRIS, A. L., SHACKLETON, R. M., WATSON, R. M., WATSON, J. V., DOWNIE, C., HARLAND, W. B. and MOORBATH, S. (eds): *A Correlation of Precambrian rocks in the British Isles*, Geological Society, London, Special Report, 6, pp. 30-42.

JOHNSTONE, G. S., SMITH, D. I. and HARRIS, A. L. (1969): The Moinian Assemblage of Scotland, in KAY, M. (ed.): *North Atlantic geology and continental drift*, American Association of Petroleum Geologists, Memoirs, 12, pp. 159-80.

KELLEY, S. P. (1988): The relationship between K-Ar mineral ages, mica grainsizes and movement on the Moine Thrust Zone, NW Highlands, Scotland, *Journal of the Geological Society, London*, 145, pp. 1-10.

KELLEY, S. P. and POWELL, D. (1985): Relationships between marginal thrusting and movement on major, internal shear zones in the N. Highland Caledonides, Scotland, *Journal of Structural Geology*, 7, pp. 43-56.

KENNEDY, W. Q. (1946): The Great Glen Fault, *Quarterly Journal of the Geological Society of London*, 102, pp. 41-76.

KENNEDY, W. Q. (1949): Zones of progressive metamorphism in the Moine Schists of the Western Highlands of Scotland, *Mineralogical Magazine*, 86, pp. 43-56.

KENNEDY, W. Q. (1955): The tectonics of the Morar anticline and the problems of the north-west Caledonian front, *Quarterly Journal of the Geological Society of London*, 110, pp. 375-90.

KINNY, P. D. and FRIEND, C. R. L. (1997): U-Pb isotopic evidence for the accretion of different crustal blocks to form the Lewisian Complex of northwestern Scotland, *Contributions to Mineralogy & Petrology*, 129, pp. 26-340.

KINNY, P. D., FRIEND, C. R. L. and LOVE, G. J. (2005): Proposal for a terrane-based nomenclature for the Lewisian Gneiss Complex of NW Scotland, *Journal of the Geological Society, London*, 162, pp. 175-86.

KINNY, P. D., FRIEND, C. R. L., STRACHAN, R. A., WATT, G. R. and BURNS, I. M. (1999): U-Pb geochronology of regional migmatites, East Sutherland, Scotland: evidence for crustal melting during the Caledonian orogeny, *Journal of the Geological Society, London*, 156, pp. 1143-52.

KINNY, P. D., STRACHAN, R. A., ROGERS, G. R., FRIEND, C. R. L. and KOCKS, H. (2003a): U-Pb geochronology of deformed metagranites in central Sutherland, Scotland: evidence for widespread Silurian metamorphism and ductile deformation of the Moine Supergroup during the Caledonian orogeny, *Journal of the Geological Society, London*, 160, pp. 259-69.

KINNY, P. D., STRACHAN, R. A., KOCKS, H. FRIEND, C. R. L. (2003b): U-Pb geochronology of late Neoproterozoic augen granites in the Moine Supergroup, NW Scotland: dating of rift-related, felsic magmatism during supercontinent break-up?, *Journal of the Geological Society of London*, 160, pp. 925-34.

KIRKLAND, C. L., STRACHAN, R. A. and PRAVE, A. R. (2008): Detrital zircon signature of the Moine Supergroup, Scotland: contrasts and comparisons with other Neoproterozoic successions within the circum-North Atlantic region, *Precambrian Research*, 163, pp. 332-50.

KOCKS, H., STRACHAN, R. A. and EVANS, J. A. (2006): Heterogeneous reworking of Grampian metamorphic complexes during Scandian thrusting in the Scottish Caledonides: insights from the structural setting and U-Pb geochronology of the Strath Halladale Granite, *Journal of the Geological Society, London*, 163, pp. 525-38.

KRABBENDAM, M, PRAVE, A. R. and CHEER, D. (2008): A fluvial origin for the Neoproterozoic Morar Group, NW Scotland: implications for Torridon-Morar group correlations and the Grenville Orogen Foreland Basin, *Journal of the Geological Society, London*, 165, pp. 379-94.

LAMBERT, R. ST. J. (1959): The mineralogy and metamorphism of the Moine schists of the Morar and Knoydart districts of Invernessshire, *Transactions of the Royal Society of Edinburgh*, 63, pp. 553-86.

LAMBERT, R. ST. J. (1969): Isotopic studies relating to the Pre-Cambrian history of the Moinian of Scotland, *Proceedings of the Geological Society, London*, 1652, pp. 243-45.

LAMBERT, R. ST. J. and MCKERROW, W. S. (1976): The Grampian Orogeny, *Scottish Journal of Geology*, 12, pp. 271-92.

LAPWORTH, C. (1883): On the structure and metamorphism of the rocks of the Durness-Eriboll district, *Proceedings of the Geological Association*, 8, pp. 438-42.

LAPWORTH, C. (1885): The Highland Controversy in British geology: its causes, course and consequence, *Nature*, 32, pp. 558-59.

LAW, R. D. and JOHNSON, M. R. W. (2010) Microstructures and crystal fabrics of the Moine thrust zone and Moine nappe: history of research and changing tectonic interpretations in: LAW, R. D., BUTLER, R. W. H., HOLDSWORTH, R. E., KRABBENDAM, M. and STRACHAN R. A. (eds): *Continental Tectonics and Mountain Building – The Legacy of Peach and Horne*, Geological Society, London, Special Publication, 335, pp. 441-501.

LAW, R. K., CASEY, M. and KNIPE, R. J. (1986): Kinematic and tectonic significance of microstructural and crystallographic fabrics within quartz mylonites from the Assynt and Eriboll regions of the Moine thrust zone, NW Scotland, *Transactions of the Royal Society of Edinburgh, Earth Sciences*, 77, pp. 99-126.

LEEDAL, G. P. (1952): The Cluanie igneous intrusion, Inverness-shire and Ross-shire, *Quarterly Journal of the Geological Society of London*, 108, pp. 35-63.

LESLIE, A. G., KRABBENDAM, M., KIMBALL, G. S. and STRACHAN, R. A. (2010): Regional-scale lateral variation and linkage in ductile thrust architecture: the Oykell Traverse Zone, and mullions, in the Moine Nappe, NW Scotland in LAW,

R. D., BUTLER, R. W. H., HOLDSWORTH, R. E., KRABBENDAM, M. and STRACHAN R. A. (eds): *Continental Tectonics and Mountain Building – The Legacy of Peach and Horne*, Geological Society, London, Special Publication, 335, pp. 357-79.

LONG, L. E. and LAMBERT, R. ST. J. (1963): Rb-Sr isotopic ages from the Moine series, in

JOHNSON, M. R. W. and STEWART, F. H. (eds): *The British Caledonides* (Edinburgh: Oliver & Boyd), pp. 217-46.

MCBRIDE, J. H. (1994) Investigating the crustal structure of a strike-slip 'step-over' zone along the Great Glen Fault, *Tectonics*, 13, pp. 1150-60.

MCCLAY, K. R. and COWARD, M. P. (1981): The Moine Thrust zone: an overview, in MCCLAY, K. R. and PRICE, N. J. (eds): *Thrust and Nappe Tectonics*, Geological Society, London, Special Publications, 9, pp. 241-60.

MACKENZIE, W. S. (1949): Kyanite gneiss within a thermal aureole, *Geological Magazine*, 86, pp. 251-55.

MACQUEEN, J. A. and POWELL, D. (1977): Relationships between deformation and garnet growth in Moine (Precambrian) rocks of western Scotland, *Geological Society of America Bulletin*, 88, pp. 235-40.

MACKIE, D. W. (1975): The Brochs of Scotland, in FOWLER, P. J. (ed): *Recent Work in Rural Archaeology* (Bradford: Moonraker Press), pp. 72-92.

MAY, F., PEACOCK, J. D., SMITH, D. I. and BARBER, A. J. (1993): *Geology of the Kintail District*, Memoir of the British Geological Survey.

MENDUM, J. R. (1976): A strain study of the Strathan Conglomerate, North Sutherland, *Scottish Journal of Geology*, 12, pp. 135-46.

MENDUM, J. R., BARBER, A. J., BUTLER, R. W. H., FLINN, D., GOODENOUGH, K. M., KRABBENDAM, M., PARK, R. G. and STEWART, A. D. (eds) (2009): *Lewisian, Torridonian and Moine Rocks of Scotland*, Geological Conservation Review Series, Joint Nature Committee, Peterborough, 34, 722 pp.

MENDUM, J. R. and NOBLE, S. R. (2010): Mid-Devonian sinistral transpressional movements on the Great Glen fault: the rise of the Rosemarkie Inlier and the Acadian Event in Scotland in LAW, R. D., BUTLER, R. W. H., HOLDSWORTH, R. E., KRABBENDAM, M. STRACHAN R. A. (eds): *Continental Tectonics and Mountain Building – The Legacy of Peach and Horne*, Geological Society, London, Special Publication, 335, pp. 159-85.

MILLAR, I. L. (1999): Neoproterozoic extensional basic magmatism associated with emplacement of the West Highland granite gneiss in the Moine Supergroup of NW Scotland, *Journal of the Geological Society, London*, 156, pp. 1153-62.

MOORHOUSE, S. J. (1976): The geochemistry of the Lewisian and the Moinian of the Borgie area, north Sutherland, *Scottish Journal of Geology*, 12, pp. 159-67.

MOORHOUSE, S. J. and MOORHOUSE, V. E. (1979): The Moine amphibolite suites of central and northern Sutherland, *Mineralogical Magazine*, 43, 211-25.

MOORHOUSE, S. J. and MOORHOUSE, V. E. (1988): The Moine Assemblage in Sutherland, in WINCHESTER, J. A. (ed.): *Later Proterozoic Stratigraphy in the Northern Atlantic Regions* (Glasgow: Blackie), pp. 54-73.

MOORHOUSE, V. E. (1979): *The geology and geochemistry of the Bettyhill-Strathy area of north-east Sutherland*, PhD thesis, University of Hull.

MOORHOUSE, V. E. and MOORHOUSE, S. J. (1983): The geology and geochemistry of the Strathy complex of north-east Sutherland, Scotland, *Mineralogical Magazine*, 47, pp. 123-37.

MOORHOUSE, S. J., MOORHOUSE, V. E. HOLDSWORTH, R. E. (1988): Excursion 12: North Sutherland, in ALLISON, I., MAY, F. and STRACHAN, R. A. (eds): *An Excursion Guide to the Moine Geology of the Scottish Highlands* (Edinburgh: Scottish Academic Press), pp. 216-48.

MYKURA, W. (1982): The Old Red Sandstone east of Loch Ness, Inverness-shire, *Institute of Geological Sciences, Report*, 82-13, Edinburgh.

OLIVER, G. J. H. (2001): Reconstruction of the Grampian episode in Scotland: its place in the Caledonian Orogeny, *Tectonophysics*, 332, pp. 23-49.

OLIVER, G. J. H., WILDE, S. and YUSHENG, W. (2008): Geochronology of Scottish granitoids between ~600 and ~390 Ma: from break-up of Rodinia to collisions with a lapetan arc, Avalonia, Baltica and Armorica, *Journal of the Geological Society, London*, 165, pp. 661-74.

OPEN UNIVERSITY (2003): *Mountain Building in Scotland* (Milton Keynes: Open University).

PANKHURST, R. J. (1982): Geochronological tables for British igneous rocks, in SUTHERLAND, D.S. (ed): *Igneous Rocks of the British Isles* (Chichester: John Wiley & Sons), pp. 575-81.

PARK, R. G., STEWART, A. D. and WRIGHT, D. T. (2002): The Hebridean Terrane, in TREWIN, N. (ed): *Geology of Scotland* (4th edition) (London: Geological Society), pp. 45-80.

PASSCHIER, C. W. (2001): Flanking structures, *Journal of Structural Geology*, 23, pp. 951-62.

PEACH, B. N., HORNE, J., GUNN, W., CLOUGH, C. T. and HINXMAN, L. W. (1907): *The Geological Structure of the Northwest Highlands of Scotland*, Memoirs of the Geological Survey of Great Britain.

PEACH, B. N., HORNE, J., WOODWARD, H. B., CLOUGH, C. T., HARKER, A. and WEDD, C. D. (1910): *The Geology of Glenelg, Lochalsh and south-east part of Skye*, Memoirs of the Geological Survey of Great Britain.

PEACH, B. N., GUNN, W., CLOUGH, C. T., HINXMAN, L. W., CRAMPTON, C. B., ANDERSON, E. M. and FLETT, J. S. (1912): *The Geology of Ben Wyvis, Carn Chuinneag, Inchbae and the surrounding country*, Memoirs of the Geological Survey of Great Britain.

PEACH, B. N. et al. (1913): *The geology of central Ross-shire*, Memoirs of the Geological Survey of Great Britain.

PEACOCK, J. D. (1975): 'Slide' rocks in the Moine of the Loch Shin area, Northern Scotland, *Bulletin of the Geological Survey, Great Britain*, 49, pp. 23-30.

PEACOCK, J. D. (1977): Metagabbros in granitic gneiss, Inverness-shire, and their significance in the structural history of the Moines, *Institute of Geological Sciences Report*, 77/ 20.

PIASECKI, M. A. J. (1984): Ductile thrusts as time markers in orogenic evolution: an example from the Scottish Caledonides, in GALSON, D. and MUELLER, S. E. (eds): *First European Geotraverse Workshop: the northeastern segment* (Strasbourg: Publication of the European Science Foundation), pp. 109-14.

PIASECKI, M. A. J. and VAN BREEMEN, O. (1983): Field and isotopic evidence for a c.750 Ma tectonothermal event in the Moine rocks of the central Highland region of the Scottish Caledonides, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 73, pp. 119-34.

PICKERING, K. T., BASSETT, M. G. and SIVETER, D. J. (1988): Late Ordovician-Early Silurian destruction of the Iapetus Ocean: Newfoundland, British Isles and Scandinavia – a discussion, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 79, pp. 361-82.

PITCHER, W. S., ELWELL, R. W. D., TOZER, C. F. and CAMBRAY, F. W. (1964): The Leanan Fault, *Quarterly Journal of the Geological Society of London*, 120, pp. 241-73.

POOLE, A. B. and SPRING, J. S. (1974): Major structures in Morar and Knoydart, NW Scotland, *Journal of the Geological Society, London*, 130, pp. 43-53.

POTTS, G. J., HUNTER, R. H., HARRIS, A. L. and FRASER, F. M. (1995): Late-orogenic extension tectonics at the NW margin of the Caledonides in Scotland, *Journal of the Geological Society, London*, 152, pp. 907-10.

POWELL, D. (1964): The stratigraphical succession of the Moine schists around Lochailort (Inverness-shire) and its regional significance, *Proceedings of the Geologists' Association*, 75, pp. 223-50.

POWELL, D. (1966): The Structure of the South-Eastern Part of the Morar Antiform, Inverness-shire, *Proceedings of the Geologists' Association*, 77, pp. 79-100.

POWELL, D. (1974): Stratigraphy and structure of the western Moine and the problem of Moine orogenesis, *Journal of the Geological Society, London*, 130, pp. 575-93.

POWELL, D. and MACQUEEN, J. A. (1976): Relationships between garnet shape, rotational inclusion fabrics and strain in some Moine metamorphic rocks of Skye, Scotland, *Tectonophysics*, 35, pp. 391-402.

POWELL, D., BROOK, M. and BAIRD, A. W. (1983): Structural dating of a Precambrian pegmatite in Moine rocks of northern Scotland and its bearing on the status of the 'Morarian Orogeny', *Journal of the Geological Society, London*, 140, pp. 813-23.

POWELL, D., BAIRD, A. W., CHARNLEY, N. R. and JORDAN, P. J. (1981): The metamorphic environment of the Sgurr Beag Slide: a major crustal displacement zone in Proterozoic, Moine rocks of Scotland, *Journal of the Geological Society, London*, 138, pp. 661-73.

RAMSAY, J. G. (1956): The supposed Moinian basal conglomerate at Glen Strathfarrar, Inverness-shire, *Geological Magazine*, 93, pp. 32-40.

RAMSAY, J. G. (1957): Superimposed folding at Loch Monar, Inverness-shire and Rossshire, *Quarterly Journal of the Geological Society of London*, 113, pp. 271-307.

RAMSAY, J. G. (1958): Moine-Lewisian relations at Glenelg, Inverness-shire, *Quarterly Journal of the Geological Society of London*, 113, pp. 487-523.

RAMSAY, J. G. (1960): The deformation of early linear structures in areas of repeated folding, *Journal of Geology*, 68, pp. 75-93.

RAMSAY, J. G. (1962): The geometry and mechanics of 'similar type folds', *Journal of Geology*, 70, pp. 309-27.

RAMSAY, J. G. (1967): *Folding and fracturing of rocks* (New York: McGraw Hill Book Co.).

RAMSAY, J. G. (1997): The geometry of a deformed unconformity in the Caledonides of NW Scotland, in SENGUPTA, S. (ed): *Evolution of Geological Structures in Micro- to Macro-scales* (London: Chapman and Hall), pp. 445-72.

RAMSAY, J. G. and SPRING, J. S. (1962): Moinian stratigraphy in the western Highlands of Scotland, *Proceedings of the Geologists' Association*, 73, pp. 295-326.

RAMSAY, J. G. and HUBER, M. I. (1987): *The Techniques of Modern Structural Geology 2: Folds and Fractures* (London: Academic Press).

RAMSAY, J. G. and LISLE, R. J. (2000): *The Techniques of Modern Structural Geology 3: Applications of Continuum Mechanics in Structural Geology* (London: Academic Press).

RATHBONE, P. A. and HARRIS, A. L. (1979): Basement-cover relationships at Lewisian inliers in the Moine rocks, in HARRIS, A. L., HOLLAND, C. H. and LEAKE, B. E. (eds): *The Caledonides of the British Isles – Reviewed*, Geological Society, London, Special Publications, 8, pp. 101-107.

RATHBONE, P. A. and HARRIS, A. L. (1980): Moine and Lewisian near the Great Glen Fault in Easter Ross, *Scottish Journal of Geology*, 16, pp. 51-64.

RATHBONE, P. A., COWARD, M. P. and HARRIS, A. L. (1983): Cover and basement: A contrast in style and fabrics, in HARRIS, L. D. and WILLIAMS, H. (eds): *Tectonics and Geophysics of Mountain Chains*, Geological Society of America Memoir, 158, pp. 213-23.

RAWSON, J. R. (2004): *Origin and metamorphic evolution of high pressure rocks in the Glenelg-Attadale inlier of the Caledonian Moine Thrust Nappe, Northwest Scotland*, University of Sheffield PhD thesis.

RAWSON, J. R., CARSWELL, D. A. and SMALLWOOD, D. (2001): Garnet-bearing olivine-websterite within the Eastern Glenelg Lewisian of the Glenelg Inlier, NW Highlands, *Scottish Journal of Geology*, 37, pp. 27-34.

READ, H. H. (1931): *The Geology of Central Sutherland*, Memoir of the Geological Survey of Great Britain.

READ, H. H. (1961): Aspects of the Caledonian magmatism in Britain, *Liverpool and Manchester Geological Journal*, 2, pp. 653-83.

RICHEY, J. E. and KENNEDY, W. Q. (1939): The Moine and Sub-Moine Series of Morar, Inverness-shire, *Geological Survey of Great Britain Bulletin*, 2, pp. 26-45.

RICKWOOD, P. C. (1990): The anatomy of a dyke and the determination of propagation and magma flow directions, in RICKWOOD, P. C. and TUCKER, R. (eds): *Mafic Dykes and Emplacement Mechanisms* (Rotterdam: Balkema), pp. 81-100.

ROBERTS, A. M. (1984): *Stratigraphy and structure in Moine rocks along the Loch Quoich Line, Inverness-shire*, PhD thesis, University of Liverpool.

ROBERTS, A. M. and HARRIS, A. L. (1983): The Loch Quoich Line – a limit of early Palaeozoic crustal reworking in the Moine of the northern Highlands of Scotland, *Journal of the Geological Society, London*, 140, pp. 883-92.

ROBERTS, A. M., SMITH, D. I. and HARRIS, A. L. (1984): The structural setting and tectonic significance of the Glen Dessary syenite, Inverness-shire, *Journal of the Geological Society, London*, 141, pp. 1033-42.

ROBERTS, A. M., STRACHAN, R. A., HARRIS, A. L., BARR, D. and HOLDSWORTH, R. E. (1987): The Sgurr Beag nappe: a reassessment of the northern Highland Moine, *Bulletin of the Geological Society of America*, 98, pp. 497-506.

ROCK, N. M. S., MACDONALD, R., WALKER, B. H., MAY, F., PEACOCK, J. D. and SCOTT, P. (1985): Intrusive metabasite belts within the Moine assemblage, west of Loch Ness, Scotland: evidence for metabasite modification by country rock interactions, *Journal of the Geological Society, London*, 142, pp. 643-61.

ROGERS, G. and DUNNING, G. R. (1991): Geochronology of appinitic and related granitic magmatism in the W Highlands of Scotland: constraints on the timing of transcurrent fault movement, *Journal of the Geological Society, London*, 148, pp. 17-27.

ROGERS, G., HYSLOP, E. K., STRACHAN, R. A., PATERSON, B. A. and HOLDSWORTH, R. E. (1998): The structural setting and U-Pb geochronology of Knoydartian pegmatites in W. Inverness-shire: evidence for Neoproterozoic tectonothermal events in the Moine of NW Scotland, *Journal of the Geological Society, London*, 155, pp. 685-96.

ROGERS, G., KINNY, P. D., STRACHAN, R. A., FRIEND, C. R. L. and PATERSON, B. A. (2001): b geochronology of the Fort Augustus granite gneiss: constraints on the timing of Neoproterozoic and Palaeozoic tectonothermal events in

the NW Highlands of Scotland, *Journal of the Geological Society, London*, 158, pp. 7-14.

RYAN, P. D. and SOPER, N. J. (2001): Modelling anatexis in intra-cratonic rift basins: an example from the Neoproterozoic rocks of the Scottish Highlands, *Geological Magazine*, 138, pp. 577-88.

SANDERS, I. S. (1979): Observations on eclogite- and granulite-facies rocks in the basement of the Caledonides, in HARRIS, A. L., HOLLAND, C. H. and LEAKE, B. E. (eds): *The Caledonides of the British Isles – Reviewed*, Geological Society, London, Special Publication, 8, pp. 97-101.

SANDERS, I. S. (1988): Plagioclase breakdown and regeneration reactions in Grenville kyanite eclogite at Glenelg, NW Scotland *Contributions to Mineralogy and Petrology*, 98, pp. 33-39.

SANDERS, I. S., VAN CALSTEREN, P. W. C. HAWKESWORTH, C. J. (1984): A Grenville Sm-Nd age for the Glenelg eclogite in northwest Scotland, *Nature*, 312, pp. 439-40.

SMITH, D. I. (1979): Caledonian minor intrusions of the N Highlands of Scotland, in HARRIS, A. L., HOLLAND, C. H. and LEAKE, B. . (eds): *The Caledonides of the British Isles – Reviewed*, Geological Society, London, Special Publications, 8, pp. 129-37.

SMITH, D. I. and WATSON, J. V. (1983): Scale timing of movements on the Great Glen Fault, Scotland, *Geology*, 11, pp. 523-26.

SMITH, M., ROBERTSON, S. and ROLLIN, K. E. (1999): Rift basin architecture and stratigraphical implications for basement-cover relationships in the Neoproterozoic Grampian Group of the Scottish Caledonides, *Journal of the Geological Society, London*, 156, pp. 1163-73.

SNOKE, A. W. and TULLIS, J. (1998): An overview of fault rocks, in SNOKE, A. W., TULLIS, J. and TODD, V. R. (eds): *Fault-related rocks: a photographic atlas* (Princeton, New Jersey: Princeton University Press), pp. 3-18.

SNOKE, A. W., TULLIS, J. and TODD, V. R. (1998): *Fault-related rocks: a photographic atlas* (Princeton, NJ: Princeton University Press).

SOPER, N. J. (1971): The earliest Caledonian structures in the Moine Thrust belt, *Scottish Journal of Geology*, 7, pp. 241-47.

SOPER, N. J. and BROWN, P. E. (1971): Relationship between metamorphism and migmatisation in the northern part of the Moine Nappe, *Scottish Journal of Geology*, 7, p. 305-25.

SOPER, N. J. and WILKINSON, P. (1975): The Moine Thrust and Moine Nappe at Loch Eriboll, Scotland, *Scottish Journal of Geology*, 11, pp. 239-59.

SOPER, N. J. and BARBER, A. J. (1982): A model for the deep structure of the Moine thrust zone, *Journal of the Geological Society, London*, 139, pp. 127-38.

SOPER, N. J. and ANDERTON, R. (1984): Did the Dalradian slides originate as extensional faults?, *Nature*, 307, pp. 357-60.

SOPER, N. J. and HUTTON, D. H. W. (1984): Late Caledonian sinistral displacements in Britain: Implications for a three-plate model, *Tectonics*, 3, pp. 781-94.

SOPER, N. J. and HARRIS, A. L. (1997): Report: Highland field workshops 1995-1996, *Scottish Journal of Geology*, 33, pp. 187-90.

SOPER, N. J., HARRIS, A. L. and STRACHAN, R. A. (1998): Tectonostratigraphy of the Moine Supergroup: a synthesis, *Journal of the Geological Society, London*, 155, pp. 13-24.

SOPER, N. J., RYAN, P. D. and DEWEY, J. F. (1999): Age of the Grampian orogeny in Scotland and Ireland, *Journal of the Geological Society, London*, 156, pp. 1231-36.

SOPER, N. J., STRACHAN, R. A., HOLDSWORTH, R. E., GAYER, R. A. and GREILING, R. O. (1992): Sinistral transpression and the Silurian closure of Iapetus, *Journal of the Geological Society, London*, 149, pp. 871-80.

STEPHENS, W. E. and HALLIDAY, A. N. (1984): Geochemical contrasts between late Caledonian granitoid plutons of northern, central and southern Scotland, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 75, pp. 259-73.

STEPHENSON, D., BEVINS, R. E., MILLWARD, D., HIGHTON, A. J., PARSONS, I., STONE, P. and WADSWORTH, W. J. (1999): *Caledonian Igneous Rocks of Great Britain*, Geological Conservation Review Series, 17, (Peterborough: Joint Nature Conservation Committee).

STEWART, A. D. (2002): *The Later Proterozoic Torridonian Rocks of Scotland: their Sedimentology, Geochemistry and Origin*, Geological Society, London, Memoir, 24, 130 pp.

STEWART, M., STRACHAN, R. A. and HOLDSWORTH, R. E. (1997): Direct field evidence for sinistral displacements along the Great Glen Fault Zone: late Caledonian reactivation of a regional basement structure? *Journal of the Geological Society, London*, 154, pp. 135-39.

STEWART, M., STRACHAN, R. A. and HOLDSWORTH, R. E. (1999): Structure and early kinematic history of the Great Glen Fault Zone, Scotland, *Tectonics*, 18, pp. 326-42.

STEWART, M., HOLDSWORTH, R. E. and STRACHAN, R. A. (2000): Deformation processes and weakening mechanisms within the frictional-viscous transition zone of major crustal-scale faults: insights from the Great Glen Fault Zone, Scotland, *Journal of Structural Geology*, 22, pp. 543-60.

STEWART, M., STRACHAN, R. A., MARTIN, M. W. and HOLDSWORTH, R. E. (2001): Dating early sinistral displacements along the Great Glen Fault Zone, Scotland: structural setting, emplacement and U-Pb geochronology of the syn-tectonic Clunes Tonalite, *Journal of the Geological Society, London*, 158, pp. 821-30.

STOKER, M. S. (1982): Old Red Sandstone sedimentation and deformation in the Great Glen Fault Zone NW of Loch Linnhe, *Scottish Journal of Geology*, 19, pp. 369-86.

STOKER, M. S. (1983): The stratigraphy and structure of the Moine rocks of eastern Ardgour, *Scottish Journal of Geology*, 19, pp. 369-85.

STOKER, M. S., HITCHEN, K. and GRAHAM, C. C. (1993): *The geology of the Hebrides and West Shetland shelves and adjacent deepwater areas*, United Kingdom offshore regional report, British Geological Survey.

STOREY, C. D. (2002): *Tectono-metamorphic evolution of the Glenelg-Attadale Inlier, northwest Scotland*, University of Leicester PhD thesis.

STOREY, C. D., BREWER, T. S. and PARRISH, R. R. (2004): Late-Proterozoic tectonics in northwest Scotland: one contractional orogeny or several? *Precambrian Research*, 134, pp. 227-47.

STOREY, C. D., BREWER, T. S. and TEMPERLEY, S. (2005): P-T conditions of Grenville-age eclogite facies metamorphism and amphibolite facies retrogression of the Glenelg-Attadale Inlier, NW Scotland, *Geological Magazine*, 142, pp. 605-15.

STOREY, C. D., BREWER, T. S., ANCZKIEWICZ, R., PARRISH, R. R. and THIRLWALL, M. F. (2010): Multiple high-pressure metamorphic events and crustal telescoping in the northwest Highlands of Scotland, *Journal of the Geological Society, London* (in press).

STRACHAN, R. A. (1985): The stratigraphy and structure of the Moine rocks of the Loch Eil area, West Inverness-shire, *Scottish Journal of Geology*, 21, pp. 9-22.

STRACHAN, R. A. (1986): Shallow marine sedimentation in the Proterozoic Moine succession, northern Scotland, *Precambrian Research*, 32, pp. 17-33.

STRACHAN, R. A. and EVANS, J. A. (2008): Structural setting and U-Pb zircon geochronology of the Glen Scaddle Metagabbro: evidence for polyphase Scandian ductile deformation in the Caledonides of northern Scotland, *Geological Magazine*, 145, pp. 361-71.

STRACHAN, R. A. and HOLDSWORTH, R. E. (1988): Basement-cover relationships and structure within the Moine rocks of central and southeast Sutherland, *Journal of the Geological Society, London*, 145, pp. 23-36.

STRACHAN, R. A., MAY, F. and BARR, D. (1988): The Glenfinnan and Loch Eil Divisions of the Moine Assemblage, in WINCHESTER, J. A. (ed.): *Later Proterozoic Stratigraphy of the Northern Atlantic Regions* (Glasgow: Blackie), pp. 32-45.

STRACHAN, R. A., SMITH, M., HARRIS, A. L. FETTES, D. J. (2002): The Northern Highland and Grampian terranes, in TREWIN, N. (ed): *Geology of Scotland* (4th edition), (London: Geological Society), pp. 81-147.

STRACHAN, R. A., HOLDSWORTH, R. E., KRABBENDAM, M. and ALSOP, G. I. (2010): The Moine Supergroup of NW Scotland: insights into the analysis of polyorogenic supracrustal sequences, in LAW, R. D., BUTLER, R. W. H., HOLDSWORTH, R. E., KRABBENDAM, M. STRACHAN R. A. (eds): *Continental Tectonics and Mountain Building – The Legacy of Peach and Horne*, Geological Society, London, Special Publication, 335, pp. 231-

SUTTON, J. and WATSON, J. V. (1954): The structural and stratigraphic succession of Fannich Forest and Strath Bran, Rossshire, *Quarterly Journal of the Geological Society of London*, 110, pp. 21-54.

SUTTON, J. and WATSON, J. V. (1959): Structures in the Caledonides between Loch Duich and Glenelg, North-West Highlands, *Quarterly Journal of the Geological Society of London*, 114, pp. 231-54.

SWETT, K. (1969): Interpretation of depositional and diagenetic history of Cambrian-Ordovician Succession of northwest Scotland, in KAY, M. (ed.): *North Atlantic Geology and Continental Drift*, American Association of Petroleum Geologists, Memoirs, 12, pp. 630-46.

TALBOT, C. J. (1983): Microdiorite sheet intrusions as incompetent time and strain-markers in the Moine assemblage NW of the Great Glen Fault, Scotland, *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 74, pp. 137-52.

TANNER, P. W. G. (1965): *Structural and metamorphic history of the Kinloch Hourn area, Inverness-shire*, Scotland, PhD thesis, University of London.

TANNER, P. W. G. (1971): The Sgurr Beag Slide – a major tectonic break within the Moinian of the western Highlands of Scotland, *Quarterly Journal of the Geological Society of London*, 126, pp. 435-63.

TANNER, P. W. G. (1976): Progressive regional metamorphism of thin calcareous bands from the Moinian rocks of NW Scotland, *Journal of Petrology*, 17, pp. 100-34.

TANNER, P. W. G. and MILLER, R. G. (1980): Geochemical evidence for loss of Na and K from Moinian calc-silicate pods during prograde metamorphism, *Geological Magazine*, 117, pp. 267-75.

TANNER, P. W. G. and EVANS, J. A. (2003): Late Precambrian U-Pb titanite age for peak regional metamorphism and deformation (Knoydartian orogeny) in the western Moine, Scotland, *Journal of the Geological Society, London*, 160, pp. 555-64.

TANNER, P. W. G., JOHNSTONE, G. S., SMITH, D. I. and HARRIS, A. L. (1970): Moinian Stratigraphy and the problem of the Central Ross-shire Inliers, *Bulletin of the Geological Society of America*, 81, pp. 299-306.

TEMPERLEY, S. and WINDLEY, B. F. (1997): Grenvillian extensional tectonics in northwest Scotland, *Geology*, 25, pp. 53-56.

THIRLWALL, M. F. (1988): Geochronology of late Caledonian magmatism in northern Britain, *Journal of the Geological Society, London*, 145, pp. 951-67.

TILLEY, C. E. (1936): Eulysites and related rock types from Loch Duich, Ross-shire, *Mineralogical Magazine*, 154, pp. 331-42.

VAN BREEMEN, O., PIDGEON, R.T. and JOHNSON, M. R. W. (1974): Precambrian and Palaeozoic pegmatites in the Moines of northern Scotland, *Journal of the Geological Society, London*, 130, pp. 493-507.

VAN BREEMEN, O., HALLIDAY, A. N., JOHNSON, M. R. W. and BOWES, D. R. (1978): Crustal additions in late Precambrian times, in BOWES, D. R. and LEAKE, B. E. (eds): *Crustal Evolution in Northwestern Britain and Adjacent Regions, Geological Journal Special Issue*, 10, pp. 81-106.

VAN BREEMEN, O., AFTALION, M. and JOHNSON, M. R. W. (1979a): Age of the Loch Borrolan complex, Assynt, and late movements along the Moine Thrust zone, *Journal of the Geological Society, London*, 136, pp. 489-96.

VAN BREEMEN, O., AFTALION, M., PANKHURST, R. J. and RICHARDSON, S. W. (1979b): Age of the Glen Dessary syenite, Inverness-shire: diachronous Palaeozoic metamorphism across the Great Glen, *Scottish Journal of Geology*, 15, pp. 49-62.

VANCE, D., STRACHAN, R. A. and JONES, K. A. (1998): Extensional versus compressional settings for metamorphism: garnet chronometry and pressure-temperature-time histories in the Moine Supergroup, northwest Scotland, *Geology*, 26, pp. 927-30.

WALKER, R. G. (1979): Shallow marine sands, in WALKER, R. G. (ed): *Facies Models, Geosciences Canada*, reprint series 1, pp. 75-89.

WHEELER, J., MORGAN, L. S. and PRIOR, D. J. (2004): Disequilibrium in the Ross of Mull contact metamorphic aureole, Scotland: a consequence of polymetamorphism, *Journal of Petrology*, 45, pp. 835-53.

WHITE, S. H. (1998): Fault rocks from Ben Arnaboll, Moine Thrust Zone, Northwest Scotland, in SNOKE, A. W., TULLIS, J. and TODD, V. R. (eds): *Fault-related rocks: a photographic atlas* (Princeton, NJ: Princeton University Press), pp. 382-91.

WIBBERLEY, C. (2005): Initiation of basement thrust detachments by fault-zone reaction weakening, in BRUHN, D. and BURLINI, L. (eds): *High Strain Zones: Structure and Physical Properties*, Geological Society, London, Special Publications, 245, pp. 347-72.

WIBBERLEY, C. A. J. and BUTLER, R. W. H. (2010): Structure and internal deformation of the Arnaboll Thrust Sheet, north-west Scotland: implications for strain localization in thrust belts in LAW, R. D., BUTLER, R. W. H., HOLDSWORTH, R. E., KRABBENDAM, M. STRACHAN R. A. (eds): *Continental Tectonics and Mountain Building – The Legacy of Peach and Horne*, Geological Society, London, Special Publication (in press).

WILSON, G. (1953): Mullion and rodding structures in the Moine Series of Scotland, *Proceedings of the Geologists' Association*, 64, pp. 118-51.

WILSON, D. and SHEPHERD, J. (1979): The Carn Chuinneag granite and its aureole, in HARRIS, A. L., HOLLAND, C. H. and LEAKE, B. E. (eds): *The Caledonides of the British Isles – Reviewed*, Geological Society, London, Special Publications, 8, pp. 669-75.

WILSON, R. W., HOLDSWORTH, R. E., WILD, L. E., MCCAFFREY, K. J. W., ENGLAND, R. W., IMBER, J. and STRACHAN, R. A. (2010): Basement-influenced rifting and basin development: a reappraisal of post-Caledonian faulting

patterns in the North Coast Transfer Zone, Scotland in LAW, R. D., BUTLER, R. W. H., HOLDSWORTH, R. E., KRABBENDAM, M. and STRACHAN R. A. (eds): *Continental Tectonics and Mountain Building – The Legacy of Peach and Horne*, Geological Society, London, Special Publication, 335, pp. 785-816.

WINCHESTER, J. A. (1971): Some geochemical distinctions between Moinian and Lewisian rocks and their use in establishing the identity of supposed inliers in the Moinian, *Scottish Journal of Geology*, 7, pp. 327-44.

WINCHESTER, J. A. (1974): The zonal pattern of regional metamorphism in the Scottish Caledonides, *Journal of the Geological Society, London*, 130, pp. 509-24.

WINCHESTER, J. A. (1976): Different Moine amphibolite suites in northern Ross-shire, *Scottish Journal of Geology*, 12, pp. 187-204.

WINCHESTER, J. A. (1984): The geochemistry of the Strathconon amphibolites, Northern Scotland, *Scottish Journal of Geology*, 20, 37-51.

WINCHESTER, J. A. and LAMBERT, R. ST. J. (1970): Geochemical distinctions between the Lewisian of Cassley, Durnea and Loch Shin, Sutherland and the surrounding Moinian, *Proceedings of the Geologists' Association*, 81, pp. 275-301.

WINCHESTER, J. A. and FLOYD, P. A. (1983). The geochemistry of the Ben Hope sill suite, northern Scotland, UK, *Chemical Geology*, 43, pp. 49-75.

WOODCOCK, N. H. and STRACHAN, R. A. (eds) (2000): *Geological History of Britain and Ireland* (Oxford: Blackwell).

ZANIEWSKI, A., REAVY, R. J. and HARRIS, A. L. (2006): Field relationships and emplacement of the Caledonian Ross of Mull Granite, Argyllshire, *Scottish Journal of Geology*, 42, pp. 179-89.

Map of Scotland showing the areas covered by Excursion Guides of the Edinburgh Geological Society. Leaflets are indicated in italics. For more information: www.edinburghgeolsoc.org

1. NW Highlands to be published 2010
2. SW Scotland is published jointly with the British Geological Survey;
3. Fife and Angus is published by the Pentland Press with financial support from the Society.