

---

## References

- Aberdeen University Engineering Services (1994) *An Investigation into the Flooding of Garmouth, Speyside*. Unpublished report.
- Acreman, M.C. (1983) The significance of the flood of September, 1981 on the Ardessie Burn, Wester Ross. *Scottish Geographical Magazine*, 99, 150–60.
- Acreman, M.C. (1986) Estimating flood statistics from basin characteristics in Scotland. Unpublished PhD thesis, University of St Andrews.
- Acreman, M.C. (1989) Extreme historic UK floods and maximum flood estimation. *Journal of the Institution of Water and Environmental Management*, 4(3), 104–12.
- Acreman, M.C. (1991) The flood of July 25th on the Hermitage Water, Roxburghshire. *Scottish Geographical Magazine*, 107, 170–8.
- Agassiz, L. (1841) On glaciers, and the evidence of their having once existed in Scotland, Ireland and England. *Proceedings of the Geological Society of London*, 3, 327–32. (Also in *Philosophical Magazine*, 18, 1841, 569–74).
- Agassiz, L. (1842) The glacial theory and its recent progress. *Edinburgh New Philosophical Journal*, 33, 217–83.
- Allen, J.R.L. (1970) *Physical Processes of Sedimentation*, George Allen and Unwin, London, 248pp.
- Allen, P., Benton, M.J., Black, G.P., Cleal, C.J., Evans, K.M., Jusypiw, S.I., Rowlands, M.A. and Weston, T.S. (1989) The future of earth-science site conservation in Great Britain. *Geological Curator*, 5, 101–09.
- Allen, P., Keen, D.H., Lewis, S. *et al.* (in prep.) *Quaternary of East Anglia and the Midlands*. Geological Conservation Review Series. Chapman and Hall, London.
- Anderson, M.G. and Calver, A. (1977) On the persistence of landscape features formed by a large flood. *Transactions of the Institute of British Geographers*, 2, 243–54.
- Andrews, E.D. (1983) Entrainment of gravel from naturally sorted riverbed material. *Bulletin of the Geological Society of America*, 94, 1225–31.
- Archer, D. (1992) *Land of Singing Waters, Rivers and Great Floods of Northumbria*. Spredden Press, Northumbria.
- Arkell, B., Leeks, G.J.L., Newson, M.D. and Oldfield, F. (1983) Trapping and tracing: some recent observations of supply and transport of coarse sediment from upland Wales. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, Blackwell Scientific, London, 6, 107–19.
- Arnell, N.W., Brown, R.P.C. and Reynard, N.S. (1990) Impact of climatic variability and change on river flow regimes in the UK, *Institute of Hydrology Report*, 107, 154pp.
- Asaad, N.M. (1982) Sediments and sediment transport in the Forth basin. Unpublished PhD thesis, University of Dundee.
- Asaad, N.M. and McManus, J. (1986) The bathymetry, sediment and sedimentation of Loch Lubnaig, Scotland. *Journal of Water Resources*, 5, 187–205.
- Ashworth, P.J. (1982) Abandoned channel sedimentation on the upper Severn. Unpublished BSc dissertation, University of Wales, Aberystwyth.

- Ashworth, P. (1987) Bedload transport and channel change in gravel-bed rivers. Unpublished PhD thesis, University of Stirling.
- Aspinall, R.J., Macklin, M.G. and Brewis, T. (1986) Metal mining and floodplain sedimentation at Garrigill, and their influence on terrace and floodplain soil development. In *Quaternary River Landforms and Sediments in the Northern Pennines, England* (eds M.G. Macklin and J. Rose), Quaternary Research Association, Cambridge, 35–45.
- Atherden, M.A. (1976) The impact of late prehistoric cultures on the vegetation of the North York Moors. *Transactions of the Institute of British Geographers*, 1, 284–300.
- Atkinson, R.W. (1890) Field walk to the waterfalls of the Vale of Neath. *Transactions of the Cardiff Naturalists' Society*, 21, 40–1.
- Auton, C.A. (1990) The middle Findhorn valley. In *Beaully to Nairn: Field Guide* (eds C.A. Auton, C.R. Firth and J.W. Merritt), Quaternary Research Association, Cambridge, 74–96.
- Bailey, E.B. and Maufe, H.B. (1916) *The Geology of Ben Nevis and Glen Coe, and the Surrounding Country*. Memoirs of the Geological Survey of Scotland. HMSO, Edinburgh, 247 pp.
- Baird, P.D. and Lewis, W.V. (1957) The Cairngorm floods, 1956: summer solifluction and distributary formation. *Scottish Geographical Magazine*, 73, 91–100.
- Baker, V.R. (1977) Stream channel response to floods, with examples from central Texas. *Bulletin of the Geological Society of America*, 88, 1057–71.
- Ballantyne, C.K. (1979) A sequence of Lateglacial ice-dammed lakes in east Argyll. *Scottish Journal of Geology*, 15, 153–60.
- Ballantyne, C.K. (1991a) Late Holocene erosion in upland Britain: climatic deterioration or human influence? *The Holocene*, 1 (1), 81–5.
- Ballantyne, C.K. (1991b) Holocene geomorphic activity in the Scottish Highlands. *Scottish Geographical Magazine*, 107, 84–98.
- Ballantyne, C.K. and Harris, C. (1994) *The Periglaciation of Great Britain*, Cambridge University Press, Cambridge, 330pp.
- Barber, K.E. (1981) *Peat Stratigraphy and Climatic Change: a Palaeoecological Test of the Theory of Cyclic Peat Bog Regeneration*, Balkema, Rotterdam.
- Barber, K.E., Chambers, F.M., Maddy, D., Stoneman, R. and Brew, J.S. (1994) A sensitive high-resolution record of late Holocene climatic change from a raised bog in northern England. *The Holocene*, 4 (2), 198–205.
- Barrow, G. and Cunningham-Craig, E.H. (1912) *The Geology of Braemar, Ballater and Glen Clova*. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh.
- Bathurst, J.C. (1979) Distribution of boundary shear stress in rivers. In *Adjustment of the Fluvial System* (eds D.D. Rhodes and G.P. Williams), Kendall/Hunt Publishing Company, Dubuque, Iowa, 95–116.
- Bathurst, J.C., Thorne, C.R. and Hey, R.D. (1977) Direct measurement of secondary currents in river bends. *Nature*, 269, 504–6.
- Bathurst, J.C., Thorne, C.R. and Hey, R.D. (1979) Secondary flows and shear stresses at river bends. *Journal of the Hydraulics Division, American Society of Civil Engineers*, HY10, 1277–95.

- Battarbee, R.W. (1984) Diatom analysis and the acidification of lakes, *Philosophical Transactions of the Royal Society of London*, B305, 451–77.
- Battarbee, R.W., Appleby, P.G., Odell, K. and Flower, R.J. (1985)  $^{210}\text{Pb}$  dating of Scottish lake sediments, afforestation and accelerated erosion, *Earth Surface Processes and Landforms*, 10, 137–42.
- Battiau-Queney, Y. (1984) The pre-glacial evolution of Wales. *Earth Surface Processes and Landforms*, 9, 229–52.
- Beckinsdale, R.P. and Richardson, L. (1964) Recent findings on the physical development of the Lower Severn Valley. *Geological Journal*, 130, 87–105.
- Beven, K.J. and Carling, P. (eds) (1989) *Floods: Hydrological, Sedimentological and Geomorphological Implications*. John Wiley, Chichester.
- Black, A.R. (1992) Seasonality of flooding in Scottish rivers. Unpublished. PhD thesis, University of St Andrews.
- Black, A.R. and Anderson, J.L. (1994) The great Tay flood of January 1993. In *Hydrological Data UK: 1993 Yearbook*, Institute of Hydrology, Wallingford, pp. 25–34.
- Black, A.R. and Werritty, A. (1993) Seasonality and the generation of peak flow in small Scottish upland catchments. In *Proceedings of the Fourth National Hydrology Symposium*, September 1993, British Hydrological Society, pp. 4.7–4.12.
- Blackford, J.J. and Chambers, F.M. (1991) Proxy records of climate from blanket mires: evidence from a Dark Age (1400 BP) climatic deterioration in the British Isles. *The Holocene*, 1 (1), 63–7.
- Blacknell, C. (1982) Morphology and surface sedimentary features of point bars in Welsh gravel bed rivers. *Geological Magazine*, 119, 181–91.
- Bleasdale, A. and Douglas, C.K.M. (1952) The storm over Exmoor on August 15th 1952. *Meteorological Magazine*, 81, 353–67.
- Bluck, B.J. (1971) Sedimentation in the meandering River Endrick. *Scottish Journal of Geology*, 7, 93–138.
- Bluck, B.J. (1976) Sedimentation in some Scottish rivers of low sinuosity. *Transactions of the Royal Society of Edinburgh*, 69, 425–56.
- Bluck, B.J. (1981) Scottish alluvium: modern and ancient. In *Field Guides to Modern and Ancient Fluvial Systems in Britain and Spain* (ed. T. Elliot), International Fluvial Sedimentology Conference, University of Keele, 5.1–5.5.
- Bluck, B.J. (1987) Bed forms and clast size changes in gravel-bed rivers. In *River Channels — Environment and Process* (ed. K.S. Richards), Blackwell, Oxford, 159–78.
- Boardman, J. (1988) *Classic Landforms of the Lake District*, Geographical Association, Classic Landform Guides No. 8, 46 pp.
- Boon, P.T., Calow, P. and Petts, G.E. (eds) *River Conservation and Management*, John Wiley, Chichester, 207–35.
- Born, S.M. and Ritter, D.F. (1978) Modern terrace development near Pyramid Lake, Nevada, and its geological implications. *Bulletin of the Geological Society of America*, 81, 1233–42.
- Bowen, D.Q. (1967) On the supposed ice-dammed lakes of South Wales. *Transactions of the Cardiff Naturalists' Society*, 93, 4–17.
- Bowen, D.Q. (1973) The Pleistocene succession of the Irish Sea. *Proceedings of the Geologists' Association*, 84, 249–73.

- Bowen, D.Q. and Gregory, K.J. (1965) A glacial drainage system near Fishguard, Pembrokeshire. *Proceedings of the Geologists' Association*, 74, 275–82.
- Bowen, D.Q. and Lear, D.L. (1982) The Quaternary geology of the lower Teifi Valley. In *Geological Excursions in Dyfed, SW Wales* (ed. M.G. Bassett), National Museum of Wales, Cardiff, 297–302.
- Bowen, D.Q., Rose, J., McCabe, A.M. and Sutherland, D.G. (1986) Correlation of Quaternary glaciations in England, Ireland, Scotland and Wales. *Quaternary Science Reviews*, 6, 299–340.
- Bower, M.M. (1960) The erosion of blanket peat in the Pennines. *East Midland Geographer*, 13, 22–3.
- Bower, M.M. (1961) The distribution of erosion in the blanket peat bogs in the Pennines. *Transactions of the Institute of British Geographers*, 29, 17–30.
- Bower, M.M. (1962) The causes of erosion in blanket peat bogs. *Scottish Geographical Magazine*, 78, 33–44.
- Brazier, V.B. (1987) Late Quaternary alluvial fans, debris cones and talus cones in the Grampian Highlands, Scotland. Unpublished PhD thesis, University of St Andrews.
- Brazier, V.B. and Ballantyne, C.K. (1989) Late Holocene debris cone evolution in Glen Feshie, western Cairngorm Mountains, Scotland. *Transactions of the Royal Society of Edinburgh*, 80, 17–24.
- Brazier, V.B. and Werritty, A. (1992) *The Geomorphology, Conservation and Management of the Endrick Water, Downstream of Drymen Bridge*, Report to the Nature Conservancy Council of Scotland.
- Brazier, V.B. and Werritty, A. (1994) Conservation management of dynamic rivers: the case of the River Feshie, Scotland. In *Geological and Landscape Conservation* (eds D. O'Halloran, C. Green, M. Harley, M. Stanley and J. Knill), Geological Society, London, 147–52.
- Brazier, V.B., Kirkbride, M. and Werritty, A. (1993) Scottish landform examples: the River Clyde–Medwin meanders. *Scottish Geographical Magazine*, 109, 45–9.
- Brazier, V.B., Whittington, G. and Ballantyne, C.K. (1988) Holocene debris cone evolution in Glen Etive, Western Grampian Highlands, Scotland. *Earth Surface Processes and Landforms*, 13, 525–31.
- Bremner, A. (1939) The River Findhorn. *Scottish Geographical Magazine*, 55, 65–85.
- Bridgland, D.R. (1994) *Quaternary of the Thames*. Geological Conservation Review Series, 7. Chapman and Hall, London, 441pp.
- Briggs, D.J., Coope, G.R. and Gilbertson, D.D. (1975) Late Pleistocene terrace deposits at Beckford, Worcestershire, England. *Geological Journal*, 10, 1–17.
- Broadhurst, F.M. (1985) The geological evolution of North-West England. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 24–36.
- Brookes, A. (1988) *Channelized Rivers: Perspectives for Environmental Management*, John Wiley, Chichester, 326pp.
- Brookes, A. (1990) Restoration and enhancement of engineered river channels: some European experiences. *Regulated Rivers; Research and Management*, 5, 45–56.
- Brookes, A. (1992) Recovery and restoration of some engineered British river channels. In *River Conservation and Management* (eds P.J. Boon, P. Calow and G.E. Petts), John Wiley, Chichester, 337–52.
- Brookes, A., Gregory, K.J. and Dawson, F.H. (1983) An assessment of river channelisation in England and Wales. *The Science of the Total Environment*, 27, 97–111.

- Brown, E.H. (1960) The building of Southern Britain. *Zeitschrift für Geomorphologie*, 4, 264–74.
- Brown, A.G. (1982) Human impact on the former floodplain woodlands of the Severn. In *Archaeological Aspects of Woodland Ecology* (eds M. Bell and S. Limbrey), British Archaeological Research Series, 116, 93–105.
- Brown, A.G. (1983a) Late Quaternary palaeohydrology, palaeoecology and floodplain development of the lower River Severn. Unpublished PhD thesis, University of Southampton.
- Brown, A.G. (1983b) Floodplain deposits and accelerated erosion in the lower Severn basin. In *Background to Palaeohydrology* (ed. K.J. Gregory), John Wiley, Chichester, 375–97.
- Brown, A.G. (1983c) *Guidelines for Excursions in the Severn Basin*. INQUA Eurosiberian Subcommittee for the study of the Holocene, International Geological Correlation Programme Project 158: Palaeohydrology of the temperate zone in the last 15,000 years, UK Symposium, 19–26 September 1983, Attingham Hall, Shrewsbury.
- Brown, A.G. (1984) The Flandrian vegetation history of Hartlebury Common, Worcestershire. *Proceedings of the Birmingham Natural History Society*, 25, 89–98.
- Brown, A.G. (1987) Holocene floodplain sedimentation and channel response of the lower River Severn, U.K. *Zeitschrift für Geomorphologie*, NF 31, 293–310.
- Brown, A.G. (1988) The palaeoecology of *Alnus* (elder) and the Postglacial history of floodplain vegetation: pollen percentage and influx data from the West Midlands, U.K. *New Phytologist*, 110, 425–36.
- Brown, P.E. (1991) Caledonian and earlier magmatism. In *Geology of Scotland* (ed. G.Y. Craig) (3rd edn), Geological Society, London, 229–95.
- Brunsdon, D. and Thornes, J.B. (1979) Landscape sensitivity and change. *Transactions of the Institute of British Geographers*, New Series, 4, 463–84.
- Buck, S.G. (1978) The sedimentology of a coarse bed-load braided river, the River Feshie, Inverness-shire, Scotland. Unpublished MSc thesis, University of Reading.
- Bull, W.B. (1979) Threshold of critical power in streams. *Bulletin of the Geological Society of America*, 90, 453–64.
- Burrin, P. (1985) Holocene alluviation in south east England and some implications for palaeohydrological studies. *Earth Surface Processes and Landforms*, 10, 257–71.
- Burton, J.H. (1864) *The Cairngorm Mountains*, William Blackwood, Edinburgh.
- Calver, A. (1978) Modelling drainage headwater development. *Earth Surface Processes*, 3, 233–41.
- Campbell, S. and Bowen, D.Q. (1989) *Quaternary of Wales*, Geological Conservation Review Series, 2, Nature Conservancy Council, Petersborough, 238 pp.
- Campbell, S., Hunt, C.O., Scourse, J.D., Keen, D.H. and Stephens, N. *Quaternary of South-West England*, Geological Conservation Review Series, 14, in press, Chapman and Hall, London.
- Carling, P.A. (1986) The Noon Hill flash floods; July 17th 1983. Hydrological and geomorphological aspects of a major formative event in an upland landscape. *Transactions of the Institute of British Geographers*, New Series 11, 105–18.
- Carling, P.A. (1987a) Reconstruction of a flood resulting from a moraine-dam failure using geomorphological evidence and dam break modelling. In *Catastrophic Flooding* (eds L. Mayer and D. Nash), Allen and Unwin, Boston, 181–200.
- Carling, P.A. (1987b) Hydrodynamic interpretation of a boulder berm and associated debris-torrent deposits. *Geomorphology*, 1, 53–67.

- Carling, P.A. (1991) An appraisal of the velocity-reversal hypothesis for stable pool–riffle sequences in the River Severn, England, *Earth Surface Processes and Landforms*, 16, 19–31.
- Carlston, C.W. (1965) The relation of free meander geometry to stream discharge and its geomorphic implications. *American Journal of Science*, 263, 864–85.
- Carson, M.A. and Kirkby, M.J. (1972) *Hillslope Form and Process*, Cambridge University Press, Cambridge, 475pp.
- Charlesworth, J.K. (1929) The South Wales end moraine. *Quarterly Journal of the Geological Society of London*, 85, 335–58.
- Charlesworth, J.K. (1956) The late-glacial history of the Highlands and Islands of Scotland, *Transactions of the Royal Society of Edinburgh*, 62, 769–928.
- Cheetham, G.H. (1980) Late Quaternary palaeohydrology, the Kennet Valley case study. In *The Shaping of Southern Britain* (ed. D.K.C. Jones), Academic Press, London, 203–23.
- Church, M. (1978) Palaeohydrological reconstructions from a Holocene valley fill. In *Fluvial Sedimentology* (ed. A.D. Miall), Memoir of the Canadian Society of Petroleum Geologists, 5, 743–72.
- Church, M. (1983) Patterns of instability in a wandering gravel bed channel. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, 6, 169–80.
- Church, M. (1984) On experimental method in geomorphology. In *Catchment Experiments in Fluvial Geomorphology* (eds T.P. Burt and D.E. Walling), Geobooks, Norwich, pp. 563–80.
- Church, M. and Jones, D.P. (1982) Channel bars in gravel-bed rivers. In *Gravel-bed Rivers: Fluvial Processes, Engineering and Management* (eds R.D. Hey, J.C. Bathurst and C.R. Thorne), John Wiley, Chichester, 291–324.
- Church, M. and Ryder, J.M. (1972) Paraglacial sedimentation: a consideration of fluvial processes conditioned by glaciation, *Bulletin of the Geological Society of America*, 83, 3059–72.
- Clement, P. (1984) The drainage of a marginal ice-dammed lake at Nordbogletscher, Johan Dahl Land, south Greenland. *Arctic and Alpine Research*, 16, 209–16.
- Common, R. (1958) The Border floods, August 1956: observations and comment. *Scottish Geographical Magazine*, 72, 160–2.
- Conelly, U. (1993) Modelling natural pipe flow. Contributions to the stormflow hydrograph. Unpublished PhD thesis, University of Wales, Aberystwyth.
- Conway, V.M. (1954) Stratigraphy and pollen analysis of southern Pennine blanket peats. *Journal of Ecology*, 42, 117–47.
- Cooke, R.U. and Reeves, R.W. (1976) *Arroyos and Environmental Change in the American South-West*, Clarendon Press, Oxford.
- Coope, G.R. and Shotton, F.W. (1981) *The Late-glacial Domain: the Devensian Terraces of the Severn below Ironbridge and the Warwickshire Avon*, IGCP 158A Progress Report.
- Cordiner, C. (1780) Antiquities and scenery of the north of Scotland, Letters to Thomas Pennant Esq., London.
- Crampton, C.B. (1969) The chronology of certain terraced river deposits in the north-east Wales area. *Zeitschrift für Geomorphologie*, 13, 245–59.

- Crowther, P.R. and Wimbledon, W.A. (eds) (1988) The use and conservation of palaeontological sites. *Special Papers in Palaeontology*, 40, 1–200.
- Cryer, R. (1978) A study of the sources and variations of major solutes in selected mid-Wales catchments. Unpublished PhD thesis, University of Wales.
- Cryer, R. (1980) The chemical quality of some pipeflow waters in upland Mid-Wales and its implications. *Cambria*, 6 (2), 1–19.
- Cullingford, R.A. and Gregory, K.J. (1978) Till ridges in Wensleydale, Yorkshire. *Proceedings of the Geologists' Association*, 89, 67–79.
- Cundill P.R. (1976) Late Flandrian vegetation and soils in Carlingill Valley, Howgill Fells. *Transactions of the Institute of British Geographers*, New Series 1, 301–9.
- Dalrymple, J.B., Long, R.J. and Conacher, A. (1968) An hypothetical nine-unit landsurface model. *Zeitschrift für Geomorphologie*, 12, 60–76.
- Darby, S.E. and Thorne, C.R. (1992) Impact of channelisation on the Mimmshall Brook, Hertfordshire, U.K. *Regulated Rivers: Research and Management*, 7, 193–204.
- Davies, J.H., Holroyd, J., Lumley, R.G. and Owen-Roberts, D. (1983) *Geology of Powys in Outcrop—A Field Guide to the Geology of Powys*, Merioneth Field Study Press, Dolgellau.
- Davies, M. (1967) *Brecon Beacons—National Park*, HMSO, London.
- Davis, R.J. and Gregory, K.J. (1994) A new distinct mechanism of river bank erosion in a forested catchment. *Journal of Hydrology*, 157, 1–11.
- Davis, W.M. (1899) The geographical cycle. *Geographical Journal*, 14, 481–504.
- Davis, W.M. (1893) The topographic maps of the United States Geological Survey. *Science*, 21, 225–7.
- Dawson, A.G. (1983) Glacier-dammed lake investigations in the Hullet lake area, South Greenland. *Meddelelser om Growlland, Geoscience*, 11, 22 pp.
- Dawson, M. (1985) Environmental reconstruction of a late Devensian terrace sequence. Some preliminary findings. *Earth Surface Processes and Landforms*, 10, 237–46.
- Dawson, M.R. (1986) Late Devensian fluvial environments of the lower Severn basin, U.K. Unpublished PhD thesis, University of Leicester.
- Dawson, M.R. and Gardiner, V. (1987) River terraces: The general model and a palaeohydrological and sedimentological interpretation of the terraces of the lower Severn. In *Palaeohydrology in Practice* (eds K.S. Gregory, J. Lewin and J.B. Thornes) John Wiley, Chichester.
- Dawson, A.G., Matthews, J.A. and Shakesby, R.A. (1987) Rock platform erosion on periglacial shores: a modern analogue for Pleistocene rock platforms in Britain. In *Periglacial Processes and Landforms in Britain and Ireland* (ed. J. Boardman). Cambridge University Press, Cambridge, pp. 173–82.
- De Jong, C. (1991) A reappraisal of the significance of obstacle clasts in cluster bedform dispersal. *Earth Surface Processes and Landforms*, 16, 737–44.
- Delderfield, E.R. (1981) *The Lynmouth Flood Disaster, Exmoor*, 10th edn, E.R.D. Publications, Exmouth, 160 pp.

- Dewey, H. (1916) On the origin of some river gorges in Cornwall and Devon. *Quarterly Journal of the Geological Society of London*, 72, 63–76.
- Dixon, E.E.L. (1921) The Geology of the South Wales Coalfield, Part 8. The country around Pembroke and Tenby. *Memoirs of the Geological Survey of Great Britain*, HMSO.
- Dobbie, U. and Wolf, P.O. (1953) The Lynmouth flood of August 1952. *Proceedings of the Institution of Civil Engineers*, 2, 522–88.
- Dobson, M.R. and Whittington, R.J. (1987) The geology of Cardigan Bay. *Proceedings of the Geologists' Association*, 98, 331–53.
- Downs, P.W. and Gregory, K.J. (1992) The sensitivity of river channels in the landscape system. In *Landscape Sensitivity* (eds D.S.G. Thomas and R.J. Allison), John Wiley, Chichester, 15–30.
- Downs, P.W. and Gregory, K.J. (1994) Evaluation of river conservation sites: the context for a drainage basin approach. In *Geological and Landscape Conservation* (eds D. O'Halloran, C. Green, M. Harley, M. Stanley and J. Knill), Geological Society, London, 139–43.
- Downs, P.W. and Gregory, K.J. (1995) Approaches to river channel sensitivity. *Professional Geographer*, 47, 168–75.
- Downward, S.R., Gurnell, A.M. and Brookes, A. (1994) A methodology for quantifying river planform change using G.I.S. In *Variability in Stream Erosion and Sediment Transport* (eds L.J. Olive, R.J. Loughran and J.A. Kesby), International Association of Hydrological Sciences Publication 224, 449–56.
- Dreghorn, W. (1968) *Geology Explained in the Forest of Dean and Wye Valley*, David and Charles, Newton Abbot.
- Drew, I.D. (1992) Bedload transport, vertical exchange and sediment storage in two Scottish Highland gravel-bed streams. Unpublished PhD thesis, University of St Andrews.
- Duck, R.W. (1984) Sediments of Loch Lubnaig. Abstract of a paper presented to the Forth Study Group at Stirling University on 7 February 1984.
- Duck, R.W. and McManus, J. (1990) Relationships between catchment characteristics, land use and sediment yield in the Midland Valley of Scotland. In *Soil Erosion on Agricultural Land* (ed. J. Boardman), John Wiley, Chichester, 284–99.
- Dunham, K.C. (1944) The production of galena and associated metals in the northern Pennines; with comparative statistics for Great Britain. *Transactions of the Institution of Mining and Metallurgy*, 53, 181–252.
- Dunham, K.C. (1990) *Geology of the Northern Pennine Orefield, Volume 1. Tyne to Stainmore*, 2nd edn, Memoir of the British Geological Survey, HMSO, London.
- Dury, G.H. (1953) A note on the upper Cherwell. *Journal of the Northamptonshire Natural History, Science and Field Club*, 32, 236.
- Dury, G.H. (1954) Contribution to a general theory of meandering valleys. *American Journal of Science*, 152, 193–224.
- Dury, G.H. (1961) Bankfull discharge—an example of its statistical relationships. *International Association of Hydrology Bulletin*, 6, 48–55.
- Dury, G.H. (1964) Principles of under-fit streams. *United States Geological Survey Professional Paper*, 452-A.
- Dury, G.H. (1966) Incised valley meanders on the lower Colo River, New South Wales. *Australian Geographer*, 10, 17–25.



- Dury, G.H. (1977) Underfit streams: Retrospect, perspect and prospect. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, pp.281–93.
- Dury, G.H. (1980) Neocatastrophism? A further look. *Progress in Physical Geography*, 4, 391–413.
- Dury, G.H. (1983) Osage-type underfitness on the River Severn near Shrewsbury, Shropshire, England. In *Background to Palaeohydrology* (ed. K.J. Gregory), John Wiley, Chichester, 399–412.
- Dury, G.H. (1984) Abrupt variation in channel width along part of the River Severn near Shrewsbury, Shropshire, England. *Earth Surface Processes and Landforms*, 9, 485–92.
- Dury, G.H., Sinker, C.A. and Pannett, D.J. (1972) Climatic change and arrested meander development on the River Severn. *Area*, 4, 81–5.
- Ellis, N.V. (ed.), Bowen, D.Q., Campbell, S., Knill, J.L., McKirdy, A.P., Prosser, C.D., Vincent, M.A. and Wilson, R.C.L. (1996) *An Introduction to the Geological Conservation Review*. Geological Conservation Review Series, 1. Joint Nature Conservation Committee, Peterborough, 131pp.
- Embleton, C. (1957) Some stages in the drainage evolution of part of north-east Wales. *Transactions of the Institute of British Geographers*, 23, 19–35.
- Evans, D.J.A. and Hansom, J.D. (1991) Scottish landform examples — 1. The Parallel Roads of Glen Roy. *Scottish Geographical Magazine*, 107, 63–6.
- Fairbairn, W.A. (1967) Erosion in the River Findhorn. *Scottish Geographical Magazine*, 83, 46–52.
- Ferguson, R.I. (1973) Channel patterns and sediment type. *Area*, 5, 38–41.
- Ferguson, R.I. (1976) Disturbed periodic model for river meanders. *Earth Surface Processes*, 1, 337–47.
- Ferguson, R.I. (1981) Channel forms and channel changes. In *British Rivers* (ed. J. Lewin), George Allen and Unwin, London, 90–125.
- Ferguson, R.I. (1984) The threshold between meandering and braiding. *Proceedings of the First International Conference on Hydraulic Design in Water Resources Engineering: Channels and Channel Control Structures*. University of Southampton, 6, 15–29.
- Ferguson, R.I. (1987) Hydraulic and sedimentary controls of channel pattern. In *River Channels: Environment and Processes* (ed. K.S. Richards), Blackwell, Oxford, pp. 129–58.
- Ferguson, R.I. and Ashworth, P. (1991) Slope-induced changes in channel character along a gravel-bed stream: the Allt Dubhaig, Scotland. *Earth Surface Processes and Landforms*, 16, 65–82.
- Ferguson, R.I. and Werritty, A. (1983) Bar development and channel changes in the gravelly River Feshie, Scotland. In *Modern and Ancient Fluvial Systems* (eds. J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication 6, Blackwell Scientific, London, pp. 181–95.
- Ferguson, R.I. and Werritty, A. (1991) Channel change and sedimentology in the River Feshie: a wandering gravel-bed river, Scottish Highlands. In *Fluvial Processes in Scottish Highland Rivers*, Field Excursion Guide (ed. A. Werritty), BGRG/COMTAG Joint International Symposium on 'Theory in Geomorphology', Leeds and St Andrews, September 1991, 17–36.
- Ferguson, R.I., Hoey, T.B., Wathen, S.J. and Werritty, A. (1996). Field evidence for rapid downstream fining of river gravels through selective transport. *Geology*, 24, 179–82.

- Firth, C.R. 1993. Fort Augustus. In *Quaternary of Scotland. Geological Conservation Review* (eds J.E. Gordon and D.G. Sutherland). Chapman and Hall, London, 192–6.
- Forestry Commission (1951) *Strathyre* (Britain's Forests), Forestry Commission, London.
- Francis, T.J.G. (1964) A seismic refraction survey of preglacial Teifi valley near Cenarth. *Geological Magazine*, 101, 108–12.
- Frostick, L.E. and Reid, I. (1977) Sorting mechanisms in coarse-grained alluvial sediments: fresh evidence from a basalt plateau gravel in Kenya. *Quarterly Journal of the Geological Society of London*, 137, 431–41.
- Gale, S.J. (1985) The late and post-glacial environmental history of the southern Cumbrian massif and its surrounding lowlands. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 282–98.
- Gardiner, J.L. (ed.) (1991) *River Projects and Conservation. A Manual for Holistic Appraisal*. John Wiley, Chichester, 236 pp.
- Garrard, R.A. (1977) The sediments of the south Irish Sea and Nympe Bank area of the Celtic Sea. In *The Quaternary History of the Irish Sea* (eds C. Kidson and M.J. Tooley), Seel House, Liverpool, 69–92.
- Gaunt, G.D. (1981) Quaternary history of the southern part of the Vale of York. In *The Quaternary in Britain* (eds J. Neale and J. Flenley), Pergamon Press, Oxford, 82–97.
- Geikie, A. (1865) *The Scenery of Scotland Viewed in Connexion with its Physical Geology*, 1st edn, Macmillan, London, 360pp.
- Geikie, A. (1901) *The Scenery of Scotland Viewed in Connection with its Physical Geology*, 3rd edn, Macmillan, London, 540pp.
- George, T.N. (1958) The geology and geomorphology of the Glasgow district. In *The Glasgow Region* (eds R. Miller and J. Tivy), University of Glasgow, 17–61.
- George, T.N. (1960) The stratigraphical evolution of the Midland Valley. *Transactions of the Geological Society of Glasgow*, 24, 32–107.
- George, T.N. (1965) The geological growth of Scotland. In *The Geology of Scotland* (ed. G.Y. Craig). Oliver and Boyd, Edinburgh, pp. 1–48.
- Gilbert, G.K. (1877) Report on the geology of the Henry Mountains. *U.S. Geological Survey, Rocky Mountain Region Report*, 160 pp.
- Gilman, K. and Newson, M.D. (1980) *Soil Pipes and Pipe Flow—a Hydrological Study in Upland Wales*, British Geomorphological Research Group Research Monograph No. 1, Geo-books, Norwich.
- Glasspoole, J. and Douglas, C.K.M. (1949) Tweed valley floods: heavy rainfall of August 11–12th, 1948. *Meteorological Magazine*, 82, 344–7.
- Godwin, H. (1981) *The Archives of Peat Bogs*, Cambridge University Press, Cambridge.
- Godwin, H. and Mitchell, G.F. (1938) Stratigraphy and development of two raised bogs near Tregaron, Cardiganshire. *New Phytologist*, 37, 425–54.
- Gordon, J.E. (1993a) The Cairngorms. In *Quaternary of Scotland* (eds J.E. Gordon and D.G. Sutherland), Geological Conservation Review Series, Chapman and Hall, London, 259–76.

- Gordon, J.E. (1993b) Glen Roy and the Parallel Roads of Lochaber. In *Quaternary of Scotland* (eds J.E. Gordon and D.G. Sutherland), Geological Conservation Review Series, Chapman and Hall, London, 328–43.
- Gordon, J.E. (1993c) Loch Skene. In *Quaternary of Scotland* (eds J.E. Gordon and D.G. Sutherland), Geological Conservation Review Series, Chapman and Hall, London, 578–81.
- Gordon, J.E. (1994) Geomorphology and conservation in the uplands: framework for a developing role in sustaining Scotland's natural heritage. In *Conserving our Landscape: Evolving Landforms and Ice-Age heritage* (eds C. Stevens, C. P. Green, J.E. Gordon and M.G. Macklin). English Nature, Peterborough.
- Gordon, J.E. and Campbell, S. (1992) Conservation of glacial deposits in Great Britain: a framework for assessment and protection of Sites of Special Scientific Interest. *Geomorphology*, 6, 89–97.
- Gordon, J.E. and McEwen, U. (1993) North Esk and West Water Glaciofluvial landforms. In *Quaternary of Scotland* (eds J.E. Gordon and D.G. Sutherland). Geological Conservation Review Series, Chapman and Hall, London, 499–502.
- Gordon, J.E. and Sutherland, D.G. (1993) *Quaternary of Scotland*. Geological Conservation Review Series, 6. Chapman and Hall, London, 695pp.
- Gottschalk, L.C. (1964) Reservoir sedimentation. In *Handbook of Applied Hydrology* (ed. V.T. Chow), McGraw-Hill, New York, 17.1–17.34.
- Gray, J.M. (1978) Report of a short field meeting at Oban. *Quaternary Newsletter*, 26, 14–6.
- Green, F.H.W. (1958) The Moray floods of July and August, 1956. *Scottish Geographical Magazine*, 74, 48–50.
- Green, F.H.W. (1971) History repeats itself —flooding in Moray, August, 1970. *Scottish Geographical Magazine*, 87, 150–2.
- Greenwood, G. (1857) *Rain and Rivers or Hutton and Playfair Against Lyell and All Comers*, Longman Brum, Green Longmans and Roberts, London.
- Gregory, K.J. (1976) Changing drainage basins. *Geographical Journal*, 142, 237–47.
- Gregory, K.J. (1978) Fluvial processes in British basins. In *Geomorphology: Present Problems and Future Prospects* (eds C. Embleton, D. Brunson and D.K.C. Jones), Oxford University Press, Oxford, 40–72.
- Gregory, K.J. (ed.) (1983) *Background to Palaeohydrology*, John Wiley, Chichester, 486pp.
- Gregory, K.J. (1984) Why rivers change their course. *Geographical Magazine*, 55, 120–8.
- Gregory, K.J. (1987) Environmental effects of river channel changes. *Regulated Rivers*, 1, 349–75.
- Gregory, K.J. (1992) Vegetation and river channel process interactions. In *River Conservation and Management* (eds P.J. Boon, P. Calow and G.E. Petts), John Wiley, Chichester, 207–35.
- Gregory, K.J. and Davis, R.J. (1992) Coarse woody debris in stream channels in relation to river channel management in woodland areas. *Regulated Rivers Research and Management*, 7, 117–36.
- Gregory, K.J. and Gurnell, A.M. (1988) Vegetation and river channel form and process. In *Biogeomorphology* (ed. H. Viles), Blackwell, Oxford, 11–12.
- Gregory, K.J. and Lewin, J. (1987) Conclusions: Palaeohydrological synthesis and application, In *Palaeohydrology in Practice* (eds K.J. Gregory, J. Lewin and J.B. Thornes), John Wiley, Chichester, 341–60.

- Gregory, K.J., Davis, R.J. and Tooth, S. (1993) Spatial distribution of coarse woody debris dams in the Lymington basin, Hampshire, U.K. *Geomorphology*, 6, 207–24.
- Gregory, K.J., Gurnell, A.M. and Hill, C.T. (1985) The permanence of debris dams related to river channel process. *Hydrological Sciences Journal*, 30, 371–81.
- Gregory, K.J., Gurnell, A.M., Hill, C.T. and Tooth, S. (1994) Stability of the pool–riffle sequence in changing river channels. *Regulated Rivers: Research and Management*, 9, 35–43.
- Gregory, K.J., Lewin, J. and Thornes, J.B. (eds) (1987) *Palaeohydrology in Practice*. John Wiley, Chichester.
- Grove, A.T. (1955) The mouth of the Spey. *Scottish Geographical Magazine*, 71, 104–6.
- Gurnell, A.M. (1996) Hydrological and geomorphological change on the River Dee meanders. *Proceedings of Rivertech 96*, the first international conference on new/ emerging concepts for rivers. International Water Resources Association, Volume 2, 484–91.
- Gurnell, A.M. (1997a) Channel change on the River Dee, 1946 to 1992, from the analysis of air photographs. *Regulated Rivers: Research and Management* (in press).
- Gurnell, A.M. (1997b) Adjustments in river channel geometry associated with hydraulic discontinuities across the fluvial-tidal transition of a regulated river. *Earth Surface Processes and Landforms* (in press).
- Gurnell, A.M. and Gregory, K.J. (1984) The influence of vegetation on stream channel processes. In *Catchment Experiments in Fluvial Geomorphology* (eds T.P. Burt and D.E. Walling), Geo-books, Norwich, 515–35.
- Gurnell, A.M., Clark, M.J., Hill, C.T., Downward, S.R., Petts, G.E., Scaife, R.G. and Wainwright, J. (1993) *The River Dee Meanders (Holt to Worthenbury)*. Report prepared for the Countryside Council for Wales by the GeoData Institute, University of Southampton, 69 pp.
- Gurnell, A.M., Downward, S.R. and Jones, R. (1994) Channel planform change on the River Dee meanders, 1876–1992. *Regulated Rivers: Research and Management*, 9, 187–204.
- Gurnell, A.M., Gregory, K.J., Hollis, S. and Hill, C.T. (1985) Detrended correspondence analysis of heathland vegetation: the identification of runoff contributing areas. *Earth Surface Processes and Landforms*, 10, 343–51.
- Gustayson, T.C., Ashley, G.H. and Boothroyd, J.C. (1975) Depositional sequences in glaciolacustrine deltas. In *Glaciofluvial and Glaciolacustrine Sedimentation* (eds A.V. Jopling and B.C. McDonald), Society of Economic Paleontologists and Mineralogists, No. 23, 264–80.
- Hadfield, C. (1969) *The Canals of South and South-East England*, David and Charles, Newton Abbott.
- Hamblin, R.J.O. (1986) The Pleistocene sequence of the Telford district. *Proceedings of the Geologists' Association*, 97, 365–77.
- Harmer, F.W. (1907) On the origin of certain canyon-like valleys associated with lake-like areas of depression. *Quarterly Journal of the Geological Society of London*, 63, 470–514.
- Harold, C.H.H. (1937) The flow and bacteriology of the underground water in the Lee Valley. In *The Results of the Chemical and Bacteriological Examination of the London Waters for the 12 Months Ended 31st December 1937*, 32nd Annual Report of the Metropolitan Water Board, 89–99.
- Harris, R. (1985) Variations in the Durham rainfall and temperature record. In *The Climate Scene* (eds M.J. Tooley and G.M. Sheail) George Allen and Unwin, London, 39–59.

- Harrison, S.S. (1970) Note on the importance of frost weathering in the disintegration and erosion of till in east central Wyoming. *Bulletin of the Geological Society of America*, 81, 3407–10.
- Harvey, A.M. (1969) Channel capacity and the adjustment of streams to hydrological regime. *Journal of Hydrology*, 8, 82–98.
- Harvey, A.M. (1974) Gully erosion and sediment yield in the Howgill Fells, Westmorland. In *Fluvial Processes in Instrumented Watersheds* (eds K.J. Gregory and D.E. Walling), Institute of British Geographers Special Publication, 6, 45–58.
- Harvey, A.M. (1975) Some aspects of the relations between channel characteristics and riffle spacing in meandering streams. *American Journal of Science*, 275, 470–8.
- Harvey, A.M. (1977) Event frequency in sediment production and channel change. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 301–15.
- Harvey, A.M. (1985a) The river systems of northwest England. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 122–42.
- Harvey, A.M. (1985b) Holocene and contemporary erosion and deposition in the Howgill Fells, Cumbria. In *Guide to Field Excursions in North-West England* (ed. A.M. Harvey),  
First International Conference on Geomorphology, British Geomorphological Research Group, Manchester, 25–30.
- Harvey, A.M. (1986) Geomorphic effects of a 100 year storm in the Howgill Fells, north-west England. *Zeitschrift für Geomorphologie*, 30, 71–91.
- Harvey, A.M. (1987a) Sediment supply to upland streams; influence in channel adjustment. In *Sediment Transport in Gravel Bed Rivers* (eds C.R. Thorne, J.C. Bathurst and R.D. Hey), John Wiley, Chichester, 121–50.
- Harvey, A.M. (1987b) Seasonality of processes on eroding gullies, a twelve year record of erosion rates. In *Processes et Mesure de L'erosion* (eds A. Goddard and A. Rapp), CNRS, Paris, 438–54.
- Harvey, A.M. (1989) Reading the landscape: A.M. Harvey looks at the interactions between slope and channel form in the Howgill Fells. *Geographical Magazine, Analysis*, GM Supplement, 19, 6–7.
- Harvey, A.M. (1991) The influence of sediment supply on the channel morphology of upland streams: Howgill Fells, Northwest England. *Earth Surface Processes and Landforms*, 16, 675–84.
- Harvey, A.M. (1992a) Process interactions, temporal scales and the development of hillslope gully systems: Howgill Fells, Northwest England. *Geomorphology*, 5, 323–44.
- Harvey, A.M. (1992b) Controls on sedimentary styles on alluvial fans. In *Dynamics of Gravel-bed Rivers*, (eds P. Billi, R.D. Hey, C.R. Thorne and P. Tacconi), John Wiley, Chichester, 519–35.
- Harvey, A.M. (1992c) The influence of sedimentary style on the morphology and development of alluvial fans. *Israel Journal of Earth Sciences*, 41, 123–37.
- Harvey, A.M. (1994) Influence of slope/stream coupling on process interaction on eroding gully slopes: Howgill Fells, Northwest England. In *Process Models and Theoretical Geomorphology* (ed. M.J. Kirkby), John Wiley, Chichester, 247–70.
- Harvey, A.M. (1996), Holocene hillslope gully systems in the Howgill Fells, Cumbria. In *Advances in Hillslope Processes, Volume 2* (eds M.G. Anderson and S.M. Brooks, (Wiley) Chichester, 731–52.

- Harvey, A.M. (1997), Coupling between hillslope gully systems and stream channels in the Howgill Fells, northwest England: temporal implications. *Geomorphologie: Relief processus, environment*, 1, 3–20.
- Harvey, A.M. and Calvo-Cases, A. (1991) Process interactions and rill development on badland and gully slopes. *Zeitschrift für Geomorphologie, Supplementband*, 83, 175–94.
- Harvey, A.M. and Renwick, W.H. (1987) Holocene alluvial fan and terrace formation in the Bowland Fells, northwest England. *Earth Surface Processes and Landforms*, 12, 249–57.
- Harvey, A.M., Alexander, R.W. and James, P.A. (1984) Lichens, soil development and the age of Holocene valley floor landforms, Howgill Fells, Cumbria. *Geografiska Annaler*, 66A, 353–66.
- Harvey, A.M., Hitchcock, D.H. and Hughes, D.J. (1979) Event frequency and morphological adjustment of fluvial systems in upland Britain. In *Adjustments of the Fluvial System* (eds D.D. Rhodes and G.P. Williams), Kendall-Hunt, Dubuque, Iowa, 139–67.
- Harvey, A.M., Oldfield, F., Baron, A.F. and Pearson, G.W. (1981) Dating of postglacial landforms in the central Howgills. *Earth Surface Processes and Landforms*, 6, 401–12.
- Haworth, E.Y. and Allen, P.V. (1982) Temporal changes in the composition of a postglacial diatom profile from Ullswater. *Seventh Diatom Symposium*, 431–42.
- Hay, T. (1926) Delta formation in the English Lakes. *Geological Magazine*, 63, 292–301.
- Heathwaite, A.L. (1993) Disappearing peat-regenerating peat? The impact of climatic change on British peatlands. *Geographical Journal*, 159 (2), 203–8.
- Hey, R.D. (1975) Design discharges for natural channels. In *Science Technology and Environmental Management* (eds R.D. Hey and T.D. Davies), Saxon House, Farnborough, 73–88.
- Hey, R.D. (1976) Impact prediction in the physical environment. In *Environmental Impact Assessment* (eds T. O'Riordan and R.D. Hey), Saxon House, Farnborough, 71–81.
- Hey, R.D. (1979) Flow resistance in gravel-bed rivers. *Journal of the Hydraulics Division, American Society of Civil Engineers*, 105, HY4, 365–79.
- Hey, R.D. (1980) Final report on channel stability. Craig Goch Joint Committee (unpublished report).
- Hey, R.D. (1986) River response to inter-basin water transfers; Craig Goch feasibility study. *Journal of Hydrology*, 85, 407–21.
- Hey, R.D., Heritage, G.L. and Patterson, M. (1994) Impact of flood alluviation schemes on aquatic macrophytes. *Regulated Rivers: Research and Management*, 9, 103–19.
- Hey, R.D., Lewin, J., Newson, M. and Wood, R. (1981) River management and process studies on the River Severn. In *Field Guide to Ancient and Modern Fluvial Systems in Britain and Spain* (ed. T. Elliot), International Fluvial Sediments Conference, University of Keele, 6.1–6.20.
- Hickin, E.J. (1969) A newly identified process of point bar formation in natural streams. *American Journal of Science*, 267, 999–1010.
- Higgs, G. (1987) Environmental change and flood hazard on the Upper River Severn. Unpublished PhD thesis, University of Wales, Aberystwyth.

- Higgs, G. and Petts, G.E. (1988) Hydrological changes and river regulation in the UK. *Regulated Rivers: Research and Management*, 2, 349–68.
- Hinxman, L.W. (1901) The River Spey. *Scottish Geographical Magazine*, 17, 185–93.
- Hitchcock, D.H. (1977a) Channel pattern changes in divided reaches: an example in the coarse bed material of the Forest of Bowland. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, pp. 206–20.
- Hitchcock, D.H. (1977b) Channel pattern changes in divided streams. Unpublished PhD thesis, University of Liverpool.
- HMSO (1885) *British Rainfall*, HMSO, London. Hoey, T.B. and Ferguson, R.I. (1994) Numerical simulation of downstream fining by selective transport in gravel-bed rivers: model development and illustration. *Water Resources Research*, 30, 2251–60.
- Hollingworth, S.E. (1929) Evolution of the Eden drainage in the south and west. *Proceedings of the Geologists' Association*, 40, 115–38.
- Hollingworth, S.E. (1931) The glaciation of western Edenside and adjoining areas, and the drumlins of Edenside and the Solway basin. *Quarterly Journal of the Geological Society of London*, 87, 281–359.
- Hooke, J.M. (1977) The distribution of changes in river channel patterns: the example of Devon. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 265–80.
- Hooke, J.M. (1980) Magnitude and distribution of rates of river erosion. *Earth Surface Processes and Landforms*, 5, 143–57.
- Hooke, J.M. (1984a) Meander behaviour in relation to slope characteristics. In *River Meandering* (ed. C.M. Elliott), American Society of Civil Engineers, New York, 67–76.
- Hooke, J.M. (1984b) Changes in river meanders. *Progress in Physical Geography*, 8, 473–508. .
- Hooke, J.M. (1985) Meander evolution and change on the River Dane, Cheshire. In *Guide to Field Excursions in North-West England* (ed. A.M. Harvey). First International Conference on Geomorphology, British Geomorphological Research Group, Manchester, 69–72.
- Hooke, J.M. (1986) The significance of mid-channel bars in an active meandering river. *Sedimentology*, 33, 839–50.
- Hooke, J.M. (1987) Changes in meander morphology. *International Geomorphology 1986, Part I*, (ed. V. Gardiner), John Wiley, Chichester, 591–609.
- Hooke, J.M. (1995) Processes of channel planform change on meandering channels in the UK. In *Changing River Channels* (eds A.M. Gurnell and G.E. Petts), John Wiley, Chichester, 87–116.
- Hooke, J.M. (1996) River channel adjustment to meander cutoffs on the River Bollin and River Dane, northwest England. *Geomorphology*, 14, 235–53.
- Hooke, J.M. and Harvey, A.M. (1983) Meander changes in relation to bend morphology and secondary flows. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, 6, Blackwell Scientific, Oxford, 121–32.
- Hooke, J.M. and Kain, P.J.P. (1982) *Historical Change in the Physical Environment*. Studies in physical geography. Butterworths Scientific, London, 236 pp.
- Hooke, J.M. and Redmond, C.E. (1992) Causes and nature of river planform change. In *Dynamics of Gravel Bed Rivers*, (eds P. Billi, R.D. Hey, C.R. Thorne and P. Tacconi), John Wiley, Chichester, pp. 549–63.

- Hooke, J.M., Harvey, A.M., Miller, S.Y. and Redmond, C.E. (1990) The chronology and stratigraphy of the alluvial terraces of the River Dane valley, Cheshire, N.W. England. *Earth Surface Processes and Landforms*, 15, 717–37.
- Hooke, J.M., Horton, B.P., Moore, J. and Taylor, M.P. (1994) *Upper River Severn (Caersws) channel study*. Report commissioned by the Countryside Council for Wales. University of Portsmouth, 158 pp.
- Hooper, I.D. (1992) Relationships between vegetation and hydrogeomorphic characteristics of British riverine environments: a remote sensed perspective. Unpublished PhD thesis, University of Southampton, 308 pp.
- Horne, J. (1923) *The Geology of the Lower Findhorn and Lower Strathnairn: Including Part of the Black Isle near Fortrose*. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 128 pp.
- Horne, J. and Hinxman, L.W. (1914) *The Geology of the Country Around Beaulieu and Inverness*. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 108pp.
- Howe, G.M. and Thomas, J. M. (1963) *Welsh Landforms and Scenery*, Macmillan, London.
- Howell, H.H., Geikie, A. and Young, J. (1866) *The Geology of East Lothian*. Memoirs of the Geological Survey of Great Britain.
- Howells, M.F., Francis, E.H., Leveridge, B.E. and Evans, C.D.R. (1978) *Capel Curig and Betws-y-Coed*. Description of 1:25, 000 Sheet SH 75, Classical Areas of British Geology, HMSO, London.
- Howson, J.S. (1898) *The River Dee, Its Aspect and History*. J.S. Virtue and Co., London.
- Huggett, R. (1989) *Cataclysms and Earth History. The Development of Diluvialism*, Clarendon Press, Oxford.
- Hughes, E. (1983) *River*, Poems by Ted Hughes, photographs by Peter Keen, Faber and Faber, London.
- Humphries, A.M. (1979) The Quaternary deposits of the upper Severn basin and adjoining areas. Unpublished PhD thesis, University of Wales, Aberystwyth.
- Hyett, G.A. (1990) The effect of accelerated throughflow on the water yield chemistry under polluted rainfall. Unpublished PhD thesis, University of Wales, Aberystwyth.
- IGCP (1983) Project 158. *Palaeohydrology of the Temperate Zone in the Last 15,000 Years*. Guide book for excursions in the Severn basin, UK Symposium, September 1983, Shrewsbury.
- Imeson, A.C. (1974) The origin of sediment in a moorland catchment with particular reference to the role of vegetation. In *Fluvial Processes in Instrumented Watersheds* (eds K.J. Gregory and D.E. Walling), Institute of British Geographers Special Publication, 6, 59–72.
- Inglis, D.J., McEwen, U. and MacLean, A.G. (1988) Channel stability and flooding in The River Spey. *Proceedings of the Symposium on Land Use on the River Spey*, Aberdeen Centre for Landuse, pp. 10–8.
- Innes, J. (1982) Debris Flow Activity in the Scottish Highlands. Unpublished PhD thesis, University of Cambridge.
- Innes, J. (1983) Lichenometric dating of debris flow deposits in the Scottish Highlands. *Earth Surface Processes and Landforms*, 8, 579–88.
- Innes, J.L. (1985) Magnitude-frequency relations of debris flows in north-west Europe, *Geografiska Annaler*, 67A, 23–32.
- Jackson, R.G. (1976) Depositional model of point bars on the Lower Wabash River. *Journal of Sedimentary Petrology*, 46, 579–94.



- Jamieson, T.F. (1863) On the Parallel Roads of Glen Roy, and their place in the history of the glacial period. *Quarterly Journal of the Geological Society of London*, 19, 235–59.
- Jamieson, T.F. (1892) Supplementary remarks on Glen Roy. *Quarterly Journal of the Geological Society of London*, 48, 5–28.
- Jennings, J.N. (1952) The origin of the Broads. *Royal Geographical Society Research Series No. 2*.
- Johnson, R.H. (1969) A reconnaissance survey of some river terraces in part of the Mersey and Weaver catchments. *Memoirs and Proceedings of the Manchester Literary and Philosophical Society*, 112, 1–35.
- Johnson, R.H. (ed.) (1985a) *The Geomorphology of North-West England*, University Press, Manchester.
- Johnson, R.H. (1985b) The impact of glaciation on the west Pennine uplands. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 237–262.
- Jones, J.A.A. (1971) Soil piping and stream channel initiation. *Water Resources Research*, 7, 602–10.
- Jones, J.A.A. (1975) Soil piping and the subsurface initiation of stream channel networks. Unpublished PhD thesis, University of Cambridge.
- Jones, J.A.A. (1978) Soil pipe networks: distribution and discharge. *Cambria*, 5 (1), 1–21
- Jones, J.A.A. (1979) Extending the Hewlett model of runoff generation. *Area*, 11, 110–4.
- Jones, J.A.A. (1981) *The Nature of Soil Piping — a Review of Research*, British Geomorphological Research Group Research Monograph No. 3, Geo-books, Norwich.
- Jones, J.A.A. (1982) Experimental studies of pipe hydrology. In *Badland Geomorphology and Piping* (eds R.B. Bryan and A. Yair), Geo-books, Norwich, 355–70.
- Jones, J.A.A. (1986) Some limitations to the *a/s* index for predicting basinwide patterns of soil water drainage. *Zeitschrift für Geomorphologie, Supplementband*, 60, 7–20.
- Jones, J.A.A. (1987a) The effects of soil piping on contributing areas and erosion patterns. *Earth Surface Processes and Landforms*, 12, 229–48.
- Jones, J.A.A. (1987b) The initiation of natural drainage networks. *Progress in Physical Geography*, 11, 207–45.
- Jones, J.A.A. (1988) Modelling pipeflow contributions to stream run off. *Hydrological Processes*, 2, 1–17.
- Jones, J.A.A. (1990) Piping effects in humid lands. In *Groundwater geomorphology: the role of subsurface water in earth-surface processes and landforms*, (eds C.G. Higgins and D.R. Coates), Geological Society of America, Boulder, Colorado, Special Paper 252, 111–38.
- Jones, J.A.A. (1994) Soil piping and its hydrogeomorphic function. *Cuaternario y Geomorfología*, 8 (3–4), 77–102.
- Jones, J.A.A. (1997a) Pipeflow contributing areas and runoff response. *Hydrological Processes*, 11 (1), 35–42.
- Jones, J.A.A. (1997b) Subsurface flow and subsurface erosion: further evidence on forms and controls. In *Process and Form in Geomorphology* (ed. D.R. Stoddart), Routledge, London, 74–120.
- Jones, J.A.A. and Crane, F.G. (1982) New evidence of rapid interflow contributions to the streamflow hydrograph. *Beitrage zur Hydrologie, Sonderheft 3*, 219–32.

- Jones, J.A.A. and Crane, F.G. (1984) Pipeflow and pipe erosion in the Maesnant experimental catchment. In *Catchment Experiments in Fluvial Geomorphology*, (eds T.P. Burt and D.E. Walling), Geobooks, Norwich, 55–72.
- Jones, J.A.A. and Hyett, G.A. (1987) *The Effect of Natural Soil Piping on Streamwater Quality in Upland Wales*. XIX General Assembly of the International Union of Geology and Geophysics, Vancouver. Abstracts Volume 3, p. 998.
- Jones, J.A.A., Richardson, J.M. and Jacob, H. (in press) Factors controlling the distribution of piping in Britain: a reconnaissance survey. *Geomorphology*, Special Edition on Piping Erosion, Elsevier.
- Jones, J.A.A., Wathern, P., Connolly, L.J. and Richardson, J.M. (1991) Modelling flow in natural soil pipes and its impact on plant ecology in mountain wetlands. In *Hydrological Basis of Ecologically Sound Management of Soil and Groundwater*, (ed. P. Nachtnebel) International Association of Hydrological Sciences, Publication No. 202, 131–42.
- Jones, M. (1949) The development of the Teifi drainage system. *Geography*, 34, 136–45.
- Jones, M.D. (1982) The palaeogeography and palaeohydrology of the River Severn, Shropshire, during the Late-Devensian glacial stage and the early Holocene. Unpublished MPhil. thesis, University of Reading.
- Jones, O.T. (1965) The glacial and post glacial history of the Lower Teifi valley. *Quarterly journal of the Geological Society of London*, 121, 247–81.
- Jones, O.T. and Pugh, W.J. (1935) The geology of the districts around Machynlleth and Aberystwyth. *Proceedings of the Geologists' Association*, 46, 247–300.
- Keller, E.A. (1971) Areal sorting of bed-load material: the hypothesis of velocity reversal. *Bulletin of the Geological Society of America*, 82, 753–6.
- Keller, E.A. (1976) Channelization: environmental, geomorphic and engineering aspects. In *Geomorphology and Engineering* (ed. D.R. Coates) George Allen and Unwin, London, pp. 115–40.
- Kellerhals, R., Church, M. and Bray, D.I. (1976) Classification and analysis of river processes. *Journal of the Hydrological Division, American Society of Civil Engineers*, 102 (HY7), 813–29.
- Kelly, J.L. (1976) Superficial deposits in the two abandoned meanders of the River Dee, near Llangollen. Unpublished dissertation, University of Wales, Aberystwyth.
- Kennedy, B.A. (1972) 'Bankfull' discharge and meander forms. *Area*, 4, 209–12.
- Kidson, C. (1953) The Exmoor storm and the Lynmouth floods. *Geography*, 38, 1–9.
- King, C.A.M. (1976) *The Geomorphology of the British Isles: Northern England*, Methuen, London, 213 pp.
- King, W.B.R. (1935) The upper Wensleydale River system. *Proceedings of the Yorkshire Geological Society*, 23, 10–24.
- Kirk, W., Rice, R.J. and Synge, F.M. (1966) Deglaciation and vertical displacement of shorelines in Wester and Easter Ross. *Transactions of the Institute of British Geographers*, 39, 65–78.
- Kirkaldy, J.F. (1950) Solution of the chalk in the Mimms Valley, Herts. *Proceedings of the Geologists' Association*, 61, 219–23.
- Kirkby, M.J. (1972) Alluvial and non-alluvial meanders. *Area*, 4, 284–8.
- Kirkby, M.J. (1978) Implications for sediment transport. In *Hillslope Hydrology* (ed. M.J. Kirkby), John Wiley, Chichester, 325–64.
- Knighton, A.D. (1972) Changes in a braided reach. *Bulletin of the Geological Society of America*, 83, 3813–22.

- Knowles, A. (1985) The Quaternary history of North Staffordshire. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 222–36.
- Knox, J. (1987) Stratigraphic evidence of large floods in the upper Mississippi Valley. In *Catastrophic Flooding* (eds L. Mayer and D. Nash), Allen and Unwin, London, 155–80.
- Komar, P.D. (1987) Selective grain entrainment from a bed of mixed sizes: a re-analysis. *Journal of Sedimentary Petrology*, 57, 203–11.
- Lake, P. (1900) Bala lake and the river systems of North Wales. *Geological Magazine*, 7, 141, 204–15 and 241–5.
- Lamb, H.H. and Frydendahl, K. (1991) *Historic Storms of the North Sea, British Isles and Northwest Europe*, Cambridge University Press, Cambridge.
- Lambert, C.P. and Walling, D.E. (1987) Floodplain sedimentation: a preliminary investigation of contemporary deposition within the lower reaches of the River Culm, Devon, U.K. *Geografiska Annaler*, 69A (3–4), 393–404.
- Lambert, J.H., Jennings, J.N., Smith, C.T., Green, C. and Hutchinson, J.N. (1970) The making of the Broads: a reconsideration of their origin in the light of new evidence. *Royal Geographical Society Research Series No.3*.
- Langbein, W.B. (1964) Geometry of river channels. *Journal of the Hydraulics Division, American Society of Civil Engineers*, 90, 301–12.
- Lapworth, (1898) Long excursion to the Birmingham District. *Proceedings of the Geological Association*, 15, 417–28
- Lauder, T.D. (1830) *An Account of the Great Floods of August, 1829 in the Province of Moray and Adjoining District*, Adam Black, Edinburgh.
- Lawler, D.M. and Leeks, G.L.J. (1992) River bank erosion in the Upper Severn detected by the Photo-Electronic Erosion Pin (PEEP) system. In *Erosion and Sediment Transport Monitoring Programmes in River Basins*, Proceedings of the Oslo Symposium, August 1992, IAHS Publication 210, 95–105.
- Laxton, J.L. and Nickless, E.F.P. (1980) *The Sand and Gravel Resources of the Country Around Lanark, Strathclyde Region*. Description of 1:25,000 sheet NS 94 and part of NS 84, Mineral Assessment Report, Institute of Geological Sciences, No. 49, 144 pp.
- Lear, D.L. (1986) The Quaternary deposits of the lower Teifi Valley. Unpublished PhD thesis, University of Wales, Aberystwyth.
- Learmonth, A.T.A. (1950) The floods of 12th August 1948 in S.E. Scotland. *Scottish Geographical Magazine*, 66, 147–53.
- Leeks, G.J.L. (1983) Development of field techniques for assessment of river erosion and deposition in mid-Wales. In *Catchment Experiments in Fluvial Geomorphology* (eds T.P. Burt and D.E. Walling), Geo-books, Norwich, 299–309.
- Leeks, G.J.L. (1986) Fluvial sediment responses to high water discharge from a regulating reservoir—The effects of the 5 March 1985 test release from Llyn Clywedog on the upper Severn. Report to Severn-Trent Water Authority.
- Leeks, G.J., Lewin, J. and Newson, M.D. (1988) Channel change, fluvial geomorphology and river engineering: the case of the Afon Trannon, mid-Wales. *Earth Surface Processes and Landforms*, 13, 207–23.
- Leopold, L.B. (1962) The vigil network. *Bulletin of the International Association of Scientific Hydrology*, 7, 6–9.
- Leopold, L.B. (1969) Quantitative comparison of some esthetic factors among rivers. *U.S. Geological Survey Circular*, 620, 16pp.

- Leopold, L.B. and Wolman, M.G. (1957) River channel patterns — braided, meandering and straight. *United States Geological Survey Professional Paper*, 282-B.
- Leopold, L.B. and Wolman, M.G. (1960) River meanders. *Bulletin of the Geological Society of America*, 71, 764–9.
- Lewin, J. (1976) Initiation of bedforms and meanders in coarse grained sediment. *Bulletin of the Geological Society of America*, 87, 281–5.
- Lewin, J. (1980) Available and appropriate timescales in geomorphology. In *Timescales in Geomorphology* (eds R.A. Cullingford, D.A. Davidson and J. Lewin), John Wiley, Chichester, 3–10.
- Lewin, J. (ed.) (1981a) *British Rivers*, George Allen and Unwin, London, 216pp.
- Lewin, J. (1981b) Contemporary erosion and sedimentation. In *British Rivers* (ed. J. Lewin), George Allen and Unwin, London, 34–58.
- Lewin, J. (1983) Changes of channel patterns and floodplains. In *Background to Palaeohydrology* (ed. K.J. Gregory), John Wiley, Chichester, 303–20.
- Lewin, J. (1987) Historical river channel changes. In *Palaeohydrology in Practice* (eds K.J. Gregory, J. Lewin and J.B. Thornes), John Wiley, Chichester, 161–75.
- Lewin, J. (1992) Alluvial sedimentation style and archaeological sites: the lower Vyrnwy, Wales. In *Alluvial Archaeology in Britain* (eds S. Needham and M.G. Macklin), Oxbow Monograph 27, Oxbow Press, Oxford, 103–9.
- Lewin, J. and Brindle, B. (1977) Confined meanders. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 221–33.
- Lewin, J. and Hughes, D. (1976) Assessing channel change on Welsh rivers. *Cambria*, 3, 3–10.
- Lewin, J. and Hughes, D. (1980) Welsh floodplain studies. II. Application of a qualitative inundation model. *Journal of Hydrology*, 46, 35–49.
- Lewin, J. and Macklin, M.G. (1987) Metal mining and floodplain sedimentation in Britain. In *International Geomorphology 1986* (ed. V. Gardiner), Part 1. John Wiley, Chichester, 1009–27.
- Lewin, J. and Manton, M.H.M. (1975) Welsh flood-plain studies — the nature of floodplain geometry. *Journal of Hydrology*, 25, 37–50.
- Lewin, J. and Weir, M.J.C. (1977) Morphology and recent history on the lower Spey. *Scottish Geographical Magazine*, 93, 45–51.
- Lewin, J., Bradley, S.B. and Macklin, M.G. (1983) Historical valley alluviation in mid-Wales. *Geological Journal*, 18, 331–50.
- Lewin, J., Cryer, R. and Harrison, D.I. (1974) Sources of sediments and solutes in mid-Wales. In *Fluvial Processes in Instrumented Watersheds* (eds K.J. Gregory and D.E. Walling), British Geomorphological Research Group Special Publication 6, 73–85.
- Lewin, J., Davies, B.E. and Wolfenden, P. (1977) Interactions between channel change and historic mining sediment. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 355–367.
- Lewis, G.W. (1982) The geomorphology of alluvial cutoffs: geometry, processes, development rates and sedimentation. Unpublished PhD thesis, University of Aberystwyth.

- Lewis, G.W. and Lewin, J. (1983) Alluvial cutoffs in Wales and the borderlands. In *Ancient and Modern Fluvial Systems* (eds J.D. Collinson and J. Lewin). Special Publication of the International Association of Sedimentologists, 6, 145–54.
- Lewis, G. and Williams, G. (1984) *Rivers and Wildlife Handbook*. RSPB, Sandy, Bedfordshire.
- Liestol, O. (1956) Glacier dammed lakes in Norway. *Norsk Geografisk Tidsskrift*, 15, 122–49.
- Linton, D.L. (1949) Some Scottish river captures re-examined. *Scottish Geographical Magazine*, 65, 123–32.
- Linton, D.L. (1951) Watershed breaching by ice in Scotland, *Transactions of the Institute of British Geographers*, 15, 1–15.
- Linton, D.L. (1963) The forms of glacial erosion. *Transactions of the Institute of British Geographers*, 33, 1–28.
- Lisle, T.F. (1987) Overview: channel morphology and sediment transport in streams. *International Association of Hydrological Sciences Publication No. 165*.
- Longworth, D. (1985) The Quaternary history of the Lancashire Plain. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 178–200.
- Lowe, J.J. and Cairns, P. (1989) Palynological investigations: biostratigraphy. In *Glen Roy Area: Field Guide* (eds J.D. Peacock and R. Cornish). Quaternary Research Association, Cambridge, 10–11.
- Lowe, J.J. and Cairns, P. (1991) New Pollen–stratigraphic evidence for the deglaciation and lake drainage chronology of the Glen Roy–Glen Spean area. *Scottish Journal of Geology*, 27, 41–56.
- Lowe, J.J. and Walker, M.J.C. (1980) Problems associated with radiocarbon dating the close of the Lateglacial period in the Rannoch Moor area, Scotland. In *Studies in the Lateglacial of North West Europe* (eds J.J. Lowe, J.M. Gray and J.E. Robinson), Pergamon, Oxford, 123–38.
- Lyell, C. (1834) *Principles of Geology, Being an Inquiry How Far the Former Changes of the Earth's surface are Referable to Causes Now in Operation* (3rd edn), 4 volumes, John Murray, London.
- Macklin, M.G. (1986) Channel and floodplain metamorphosis in the River Nent, Cumberland. In *Quaternary River Landforms and Sediments in the Northern Pennines, England* (eds M.G. Macklin and J. Rose), Quaternary Research Association, Cambridge, 19–33.
- Macklin, M.G. (1992) Metal contaminated soils and sediment: a geographical perspective. In *Managing the Human Impact on the Natural Environment: Patterns and Processes* (ed. M.D. Newson), Belhaven Press, London, 172–95.
- Macklin, M.G. (1996) Fluxes and storage of sediment-associated heavy metals in floodplain systems: assessment and river basin management issues at a time of rapid environmental change. In *Floodplain Processes* (eds M.G. Anderson, D.E. Walling and P.D. Bates), John Wiley, Chichester, 441–60..
- Macklin, M.G. and Aspinall, R.J. (1986) Historic floodplain sedimentation in the River West Allen, Northumberland: a case study of channel change in an upland, gravel-bed river in the northern Pennines. In *Quaternary River Landforms and Sediments in the Northern Pennines, England* (eds M.G. Macklin and J. Rose), Quaternary Research Association, Cambridge, 7–17.
- Macklin, M.G. and Dowsett, R.B. (1989) The chemical and physical speciation of trace metals in fine grained overbank flood sediments in the Tyne basin, north-east England. *Catena*, 16, 135–51.
- Macklin, M.G. and Lewin, J. (1986) Terraced fills of Pleistocene and Holocene age in the Rheidol valley, Wales. *Journal of Quaternary Science*, 1, 24–34.

- Macklin, M.G. and Lewin, J. (1989) Sediment transfer and transformation of an alluvial valley floor: the River South Tyne, Northumbria, U.K. *Earth Surface Processes and Landforms*, 14, 233–46.
- Macklin, M.G. and Lewin, J. (1994) Holocene river alluviation in Britain. *Zeitschrift für Geomorphologie, Supplementband*, 88, 109–22.
- Macklin, M.G. and Smith, R.S. (1990) Historic riparian vegetation development and alluvial metallophyte plant communities in the Tyne basin, north-east England, U.K. In *Vegetation and Erosion* (ed. J.B. Thornes), John Wiley, Chichester, 239–56.
- Macklin, M.G. and Needham, S. (1992) Studies in British alluvial archaeology: potential and prospect. In *Alluvial Archaeology in Britain*, (eds S. Needham and M.G. Macklin), Oxbow Monograph 27, Oxbow Press, Oxford, 9–23.
- Macklin, M.G., Passmore, D.G. and Newson, M.D. (in press) Controls of short and long term river instability: processes and patterns in gravel-bed rivers, the Tyne basin, northern England. In *Gravel-Bed Rivers in the Environment*, John Wiley, Chichester.
- Macklin, M.G., Passmore, D.G. and Rumsby, B.T. (1992a) Climatic and cultural signals in Holocene alluvial sequences: the Tyne basin, northern England. In *Alluvial Archaeology in Britain* (eds S. Needham and M.G. Macklin), Oxbow Monograph 27, Oxbow Press, Oxford, 123–39.
- Macklin, M.G., Passmore, D.G., Stevenson, A.C., Cowley, D.C., O'Brien, C.F. and Edwards, D. (1991) Holocene alluviation and land-use change on Callaly Moor, Northumberland. *Journal of Quaternary Science*, 6 (3), 225–32.
- Macklin, M.G., Ridgway, J., Passmore, D.G. and Rumsby, B.T. (1994a) The use of overbank sediment for geochemical mapping and contamination assessment: results from selected English and Welsh floodplains. *Applied Geochemistry*, 9, 689–700.
- Macklin, M.G., Rumsby, B.T. and Heap, T. (1992b) Flood alluviation and entrenchment: Holocene valley floor development and transformation in the British uplands. *Bulletin of the Geological Society of America*, 104, 631–43.
- Macklin, M.G., Rumsby, B.T. and Newson, M.D. (1992c) Historic overbank floods and vertical accretion of fine-grained alluvium in lower Tyne valley, north east England. In *Dynamics of Gravel-Bed Rivers* (eds P. Billi, R.D. Hey, C.R. Thorne and P. Tacconi), John Wiley, Chichester, pp. 573–89.
- Macklin, M.G., Rumsby, B.T., Heap, T. and Passmore, D.G. (1994b) Thinhope Burn, Northumberland. In *The Quaternary of Cumbria: Field Guide* (eds J. Boardman and J. Walden), Quaternary Research Association, Oxford, 50–7.
- Maizels, J.K. (1976) A comparison of Pleistocene and present-day proglacial environments with particular reference to morphology and sedimentology. Unpublished PhD thesis, University of London.
- Maizels, J.K. (1983a) Channel changes, palaeohydrology and deglaciation: evidence from some late glacial sandur deposits of northeast Scotland. *Quaternary Studies in Poland*, 4, 171–87.
- Maizels, J.K. (1983b) Proglacial channel systems: change and thresholds for change over long, intermediate and short time-scales. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, 6, 251–66.
- Maizels, J.K. (1983c) Palaeovelocity and palaeodischarge determination for coarse gravel deposits. In *Background to Palaeohydrology* (ed. K.J. Gregory), John Wiley, Chichester, pp. 101–39.
- Maizels, J.K. (1985) The physical background of the River Dee. In *The Biology and Management of the River Dee* (ed. D. Jenkins), Institute of Terrestrial Ecology, Huntingdon, 7–22.

- Maizels, J.K. (1986) Modelling of palaeohydrologic change during deglaciation. *Geographie Physique et Quaternaire*, 40, 263–77.
- Maizels, J.K. (1988) Sediment size and channel changes in braided and meandering gravel-bed streams, upper Deeside, Scotland. In *International Conference on River Regime* (ed. W.R. White), Hydraulics Research Limited, John Wiley, Chichester, 215–30.
- Maizels, J.K. and Aitken, J.F. (1991) Palaeohydrological change during deglaciation in upland Britain: case study from northeast Scotland. In *Temperate Palaeohydrology* (eds L. Starkel, K.J. Gregory and J.B. Thornes), John Wiley, Chichester, 105–45.
- Malkin, B. (1907) *The Scenery, Antiquities and Biography of South Wales*, Longman, London.
- Marr, J.E. and Fearnside, W.G. (1909) The Howgill Fells and their topography. *Quarterly Journal of the Geological Society of London*, 65, 587–610.
- Marshall, W.A.L. (1952) The Lynmouth floods. *Weather*, 7, 338–67.
- Mathews, W.H. (1973) Record of two jökulhlaups. *International Association for Scientific Hydrology Publication*, No. 95, 99–110.
- Matthews, J.A., Dawson, A.G. and Shakesby R.A. (1986) Lake shoreline development, frost weathering and rock platform erosion in an alpine periglacial environment, Jotunheimen, southern Norway. *Boreas*, 15, 33–50.
- May, J. (1981) The Glaciation and Deglaciation of Upper Nithsdale and Annandale. Unpublished PhD thesis, University of Glasgow.
- McCaig, M. (1983) Contributions to storm quickflow in a small headwater catchment —the role of natural pipes and soil macropores. *Earth Surface Processes and Landforms*, 8 (3), 239–52.
- McEwen, L.J. (1981) An assessment of the geomorphic significance of the flash flood, occurring on 4th August 1978 on the Allt Mor, Glenmore, Inverness-shire. Unpublished MA dissertation, Department of Geography, University of St Andrews.
- McEwen, L.J. (1986) River channel planform changes in upland Scotland with specific reference to climatic fluctuations and landuse changes over the last 250 years. Unpublished PhD thesis, University of St Andrews.
- McEwen, L.J. (1987) The use of long term rainfall records for augmenting historical flood series: a case study on the upper Dee, Aberdeenshire, Scotland. *Transactions of the Royal Society of Edinburgh*, 78, 275–85.
- McEwen, L.J. (1989a) River channel changes in response to flooding in the upper River Dee catchment, Aberdeenshire, over the last 200 years. In *Floods: Hydrological, Sedimentological and Geomorphological Implications* (eds K. Beven and P. Carling), John Wiley, Chichester, 219–38.
- McEwen, L.J. (1989b) Extreme rainfall and its implications for flood frequency: a case-study of the middle River Tweed basin, Scotland. *Transactions of the Institute of British Geographers*, 14 (3), 287–98.
- McEwen, L.J. (1990) The establishment of a historical flood chronology for the River Tweed catchment, Berwickshire, Scotland. *Scottish Geographical Magazine*, 106 (1), 37–48.
- McEwen, L.J. (1994a) Site assessment criteria for the conservation of fluvial systems: the Scottish experience. In *Conserving our Landscape* (eds C. Stevens, J.E. Gordon, C.P. Green and M.G. Macklin). Proceedings of the Conference 'Conserving our Landscape: Evolving Landforms and Ice-Age Heritage', Crewe, May 1992, English Nature, Peterborough, 131–6.

- McEwen, L.J. (1994b) Channel planform adjustment and stream power variations on the middle River Coe, Western Grampian Highlands, Scotland. *Catena*, 21, 357–74.
- McEwen, U. and Werritty, A. (1988) The hydrology and long-term geomorphic significance of a flash flood in the Cairngorm Mountains, Scotland. *Catena*, 15, 361–77.
- McManus, J. and Duck, R.W. (1988) Scottish freshwater lochs and reservoirs: a physical perspective. *Scottish Geographical Magazine*, 104, 97–107.
- McLellan, A.G. (1969) The last glaciation of central Lanarkshire, *Scottish Journal of Geology*, 5, 248–68.
- Meigh, J.R. (1987) Transport of bed material in a gravel-bed river. Unpublished PhD thesis, University of East Anglia, 272pp.
- Miall, A.D. (1978) Lithofacies types and vertical profile models in braided river deposits: a summary. In *Fluvial Sedimentology* (ed. A.D. Miall). *Memoirs of the Canadian Society of Petroleum Geologists*, 5, 597–604.
- Miall, A.D. (1985) Architectural-element analysis: a new method of facies analysis applied to fluvial deposits. *Earth Science Reviews*, 22, 261–308.
- Miller, A.A. (1935) The entrenched meanders of the Herefordshire Wye. *Geological Journal*, 85, 160–78.
- Miller, A.A. (1937) Entrenched meanders of the Herefordshire Wye. *Geological Journal*, 90, 1148.
- Miller, H. (1887) The Black Rock of Novar. *Transactions of the Inverness Scientific Society*, 3, 308.
- Miller, M. (1987) Laminated sediments in Glen Roy, Inverness-shire. Unpublished MSc thesis, City of London Polytechnic.
- Miller S.Y. (1991) Soil chronosequences and fluvial landform development: studies in SE Spain and NW England. PhD thesis, University of Liverpool.
- Millward, R. and Robinson, A. (1978) *Aspects of the North Wales Landscape*. David and Charles, Newton Abbot.
- Milne, J.A. (1982) River channel change in Harthope valley, Northumberland, since 1897. *Department of Geography, University of Newcastle upon Tyne, Research Series*, 13.
- Mosley, M.P. (1972) Gully systems in blanket peat, Bleaklow, north Derbyshire. *East Midland Geographer*, 5 (5), 235–44.
- Mosley, M.P. (1975a) Channel changes on the River Bollin, Cheshire, 1872–1973. *East Midland Geographer*, 6, 189–99.
- Mosley, M.P. (1975b) Meander cut-offs on the River Bollin, Cheshire, in June 1973. *Revue de Géomorphologie Dynamique*, 24, 21–31.
- Moss, C.E. (1913) *Vegetation of the Peak District*, Cambridge.
- Murray, J. and Pullar, L. (1910) *Bathymetrical Survey of the Scottish Freshwater Lochs*, 6 volumes, Challenger Office, Edinburgh.
- Musk, L.F. (1985) Glacial and Post-Glacial climatic conditions in North-west England. In *The Geomorphology of North-west England*, (ed. R.H. Johnson), University Press, Manchester, 59–79.
- Nairne, D. (1895) *Memorable Floods in the Highlands During the 19th Century with Some Accounts of the Great Frost of 1895*, Northern Counties Printing and Publishing Company Limited, Inverness.



- Nanson, G. and Page, K. (1983) Lateral accretion of fine-grained concave benches on meandering rivers. In *Modern and Ancient Fluvial Systems* (eds J.D. Collinson and J. Lewin), International Association of Sedimentologists Special Publication, Blackwell Scientific, London, 6, 133–43.
- Nanson, G.C. and Young, R.W. (1981) Downstream reduction of river channel size with contrasting urban effects in small coastal streams of southeastern Australia. *Journal of Hydrology*, 52, 239–55.
- National Museum of Wales (1979) *Brecon Beacons National Park Scenery — a Geological Interpretation*, National Museum of Wales, Cardiff.
- Natural Environment Research Council (NERC) (1975) *Flood Studies Report*, HMSO, London, volume 2.
- Nature Conservancy Council (NCC) (1968) *Cors Tregaron National Nature Reserve*, Nature Conservancy Council, London.
- Newson, M.D. (1980) The erosion of drainage ditches and its effects on bed-load yields in Mid Wales: reconnaissance case studies. *Earth Surface Processes*, 5, 275–90.
- Newson, M.D. (1981) Mountain streams. In *British Rivers* (ed. J. Lewin), George Allen and Unwin, London, 59–89.
- Newson, M.D. (1987) River basin engineering — fluvial geomorphology. *Journal of the Institution of Water Engineers and Scientists*, 40, pp. 307–24.
- Newson, M.D. (1989) Flood effectiveness in river basins: progress in Britain during a decade of drought. In *Floods: Hydrological, Sedimentological and Geomorphological Implications* (eds K. Beven and P. Carling), John Wiley, Chichester, 151–69.
- Newson, M.D. (1992) Geomorphic thresholds in gravel-bed rivers — refinement for an era of environmental change. In *Dynamics of Gravel-Bed Rivers*, (eds P. Billi, R.D. Hey, C.R. Thorne and P. Tacconi), John Wiley, Chichester, pp. 3–20.
- Newson, M.D. and Leeks, G.J.L. (1985) Mountain bedload yields in the United Kingdom. Further information from undisturbed fluvial environments. *Earth Surface Processes and Landforms*, 10, 412–6.
- Newson, M.D. and Leeks, G.J.L. (1987) Transport processes at a catchment scale: a regional study of increasing sediment yield and its effects in mid-Wales, U.K. In *Sediment Transport in Gravel Bed Rivers* (eds C.R. Thorne, J.C. Bathurst and R.D. Hey), John Wiley, Chichester, 187–218.
- Newson, M.D. and Macklin, M.G. (1990) The geomorphologically-effective flood and vertical instability in river channels — a feedback mechanism in the flood series for gravel-bed rivers. In *International Conference on River Flood Hydraulics* (ed. W.R. White), John Wiley, Chichester, 123–40.
- Nicholas, A.P. and Walling, D.E. (1995) Modelling contemporary overbank sedimentation on floodplains: some preliminary results. In *River Geomorphology* (ed. E.J. Hickin), John Wiley, Chichester, 131–53.
- Nicholas, A.P., Ashworth, P.J., Kirkby, M.J., Macklin, M.G. and Murray, T. (1995) Sediment slugs: large-scale fluctuations in fluvial transport rates and storage volumes. *Progress in Physical Geography*, 19, 500–19.
- North, F.J. (1930) *The Evolution of the Bristol Channel*. National Museum of Wales, Cardiff, 103pp.
- North, F.J. (1955) The geological history of Brecknock. *Brycheiniog*, 1, 9–77.
- North, F.J. (1962) *The River Scenery at the Head of the Vale of Neath*, National Museum of Wales, Cardiff.
- Oldfield, F. (1963) Pollen analysis and Man's role in the ecological history of the south-east Lake District. *Geografiska Annaler*, 45, 23–40.

- Ovenden, J.C. and Gregory, K.J. (1980) The permanence of stream networks in Britain. *Earth Surface Processes*, 5, 47–60.
- Palmer, J. (1956) Tor formation at the Bridestones in north east Yorkshire and its significance in relation to valley side development and regional glaciation. *Transactions of the Institute of British Geographers*, 22, 55–71.
- Palmer, W.J. (1882) *The Tyne and its Tributaries*. George Bell, London.
- Passmore, D.G. (1994) River response to Holocene environmental change: the Tyne basin, northern England. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Passmore, D.G. and Macklin, M.G. (1994) Provenance of fine-grained alluvium and late Holocene land-use change in the Tyne basin, northern England. *Geomorphology*, 9, 127–42.
- Passmore, D.G., Macklin, M.G., Brewer, P.A., Lewin, J., Rumsby, B.T. and Newson, M.D. (1993) Variability of late Holocene braiding in Britain. In *Braided Rivers* (eds J.L. Best and C.S. Bristow), Geological Society Special Publication 75, London, 205–29.
- Passmore, D.G., Macklin, M.G., Stevenson, A.C., O'Brien, C.F. and Davies, B.A.S. (1992) A Holocene alluvial sequence in the lower Tyne valley, northern Britain. *The Holocene*, 2 (2), 138–47.
- Peach, B.N., Gunn, W., Clough, C.T., Hinxman, L.W., Crampton, C.B. and Anderson, E.M. (1912) *The Geology of Ben Wyvis, Cam Chuinneag, Inchbae and the Surrounding Country, including Garve, Evanton, Alness and Kincardine*. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 189pp.
- Peach, B.N., Horne, J., Gunn, W., Clough, C.T. and Greenly, E. (1913a) *The Geology of the Fannich Mountains and the Country around Upper Loch Maree and Strath Broom*. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 127pp.
- Peach, B.N., Horne, J., Hinxman, L.W., Crampton, C.B., Anderson, E.M. and Carruthers, R.G. (1913b) *The Geology of Central Ross-shire*. Explanation of Sheet 82. Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh, 114pp.
- Peacock, J.D. (1970) Glacial Geology of the Lochy–Spean area. *Bulletin of the Geological Survey of Great Britain*, 33, 43–56.
- Peacock, J.D. (1986) Alluvial fans and an outwash fan in upper Glen Roy, Lochaber. *Scottish Journal of Geology*, 22, 347–66.
- Peacock, J.D. (1989) Survey of Quaternary land-forms and deposits of Glen Roy, Glen Gloy and Glen Spean, Lochaber District, and recommendations for conservation. Nature Conservancy Council, Peterborough, CSD Report, No. 923, 59 pp.
- Peacock, J.D. and Cornish, R. (1989) *Field Guide to the Glen Roy Area*, Quaternary Research Association, Cambridge, 69 pp.
- Penn, I.E. (1987) Geophysical logs in the stratigraphy of Wales and adjacent offshore and onshore areas. *Proceedings of the Geologists' Association*, 98, 275–314.
- Pennington, W. (1970) Vegetational history in the north-west of England. A regional synthesis. In *Studies in the Vegetational History of the British Isles* (eds D. Walker and R.G. West), Cambridge University Press, Cambridge, 41–79.
- Perrault, P. (1674) *De l'Origine des Fontaines*, Paris, Trans. A. LaRocque, Hafner, New York, 1967.
- Petts, G.E. (1977) Channel response to flow regulation. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 145–64.

- Petts, G.E. (1988a) Accumulations of fine sediment within substrate gravels along two regulated rivers, U.K. *Regulated Rivers: Research and Management*, 2, 141–53.
- Pens, G.E. (1988b) The regulation of the Derbyshire Derwent. *East Midland Geographer*, 10 (2), 54–63.
- Petts, G. and Foster, I. (1985) *Rivers and Landscape*. Edward Arnold, London, 274 pp.
- Pocock, T.I. (1938) Glacial deposits between North Wales and the Pennine range. *Zeit Gletscherk, Eiszeitforsch. Gesch. Klimas*. 26, 52–69.
- Pocock, R.W., Whitehead, T.H., Wedd, C.B. and Robertson, T. (1938) Shrewsbury District including the Hanwood Coalfield. *Memoirs of the Geological Surevy of Great Britain*, sheet 152.
- Poole, E.G. and Whiteman, A.J. (1961) The Shropshire–Cheshire basin. *Quarterly Journal of the Geological Society of London*, 117, 91–130.
- Price, A. (1977) Quaternary deposits between Llanllioni and Pentreawart, middle Teifi valley, Dyfed. Unpublished MSc thesis, University of Wales, Aberystwyth.
- Probst, J.L. (1989) Hydroclimatic fluctuations of some European rivers since 1800. In *Historic changes of large alluvial rivers: Western Europe* (eds G.E. Petts, H. Moller and A.L. Roux), John Wiley, Chichester, 41–55.
- Pugh, J.C. (undated) Provisional checklist of sites of geomorphological interest. Unpublished manuscript, Kings College, London.
- Radley, J. (1962) Peat erosion on the high moors of Derbyshire and West Yorkshire. *East Midland Geographer*, 3, 40–50.
- Raistrick, A. (1926) Glaciation of Wensleydale, Swaledale and adjoining parts of the Pennines, *Proceedings of the Yorkshre Geological Society*, 20, 366–411.
- Raistrick, A. and Jennings, B. (1965) *A History of Lead Mining in the Pennines*. Longmans, London.
- Ramsay, A.C. (1876) On the physical history of the Dee, Wales. *Quarterly Journal of the Geological Society of London*, 32, 219–29.
- Read, H.H., Phemister, J. and Ross, G. (1926) *The Geology of Strath Oykeil and Lower Loch Shin*, Memoirs of the Geological Survey of Scotland, HMSO, Edinburgh.
- Richards, A.J., Lefebvre, C., Macklin, M.G., Nicholson, A. and Vekemans, X. (1989) The population genetics of *Ameria maritima (mill) willd*, on the River South Tyne, U.K. *New Phytologist*, 112, 281–93.
- Richards, K.S. (1972) Meanders and valley slope. *Area*, 4, 288–90.
- Richards, K.S. (1981) Evidence of Flandrian valley alluviation in Staindale, North York Moors. *Earth Surface Processes and Landforms*, 6, 183–6.
- Richards, K.S. (1982) *Rivers: Form and Process in Alluvial Channels*, Cambridge University Press, Cambridge, 358pp.
- Richards, K.S. and Wood, R. (1977) Urbanisation, water redistribution and their effect on channel processes. In *River Channel Changes* (ed. K.J. Gregory), John Wiley, Chichester, 369–88.
- Richards, K.S., Peters, N.R., Robertson-Rintoul, M.S.E. and Switsur, V.R. (1986) Recent valley sediments in the North York Moors, evidence and interpretation. In *International Geomorphology 1986 Part 1* (ed. V. Gardiner), John Wiley, Chichester, 869–83.

- Richardson, J.M. (1992) Catchment characteristics and the distribution of natural soil piping. Unpublished MPhil dissertation, University of Wales, Aberystwyth, 276 pp.
- Richardson, L. (1929) *The Country Around Moreton-in-Marsh*, Memoirs of the Geological Survey of Great Britain.
- Ringrose, P.S. (1987a) Investigations into the Aukhorn peat mounds, Keiss, Caithness: pollen, plant macrofossil and charcoal analyses. *New Phytologist*, 106, 185–200.
- Ringrose, P.S. (1987b) Fault activity and palaeoseismicity during Quaternary time in Scotland. Unpublished PhD thesis, University of Strathclyde.
- Ringrose, P.S. (1989) Evidence for palaeoseismicity: evidence from lake sediments. In *Glen Roy Area: Field Guide* (eds J.D. Peacock and R. Cornish), Quaternary Research Association, Cambridge, 8–9.
- Roberts, B.K., Turner, J. and Ward, P.F. (1973) Recent forest history and land use in Weardale, northern England. In *Quaternary Plant Ecology* (eds H.J.B. Birks and R.G. West), Blackwell, Oxford, 207–21.
- Roberts, G. (in press) *Progress Report to the Department of the Environment on the Effects of Afforestation on Water Quality*, Institute of Hydrology, Wallingford.
- Roberts, K. (1989) *Mimmshall Brook: Geomorphological and Hydrological Investigation*, Report to Thames Region, National Rivers Authority, 42pp.
- Robertson-Rintoul, M.S.E. (1986a) River planform, soil stratigraphy and the temporal and palaeoenvironmental significance of terraced valley fill deposits in upland Scotland. Unpublished PhD thesis, University of Hull.
- Robertson-Rintoul, M.S.E. (1986b) A quantitative soil–stratigraphic approach to the correlation and dating of post-glacial river terraces in Glen Feshie, Western Cairngorms. *Earth Surface Processes and Landforms*, 11, 605–17.
- Robinson, M.A. and Lambrick, G.H. (1984) Holocene alluviation and hydrology in the upper Thames basin. *Nature*, 306, 809–14.
- Rodda, J.C. (1970) Rainfall excesses in the United Kingdom. *Transactions of the Institute of British Geographers*, 49, 49–59.
- Rodda, J.C., Downing, R.A. and Law, J.F.M. (1976) *Systematic Hydrology*, Newnes–Butterworth, London.
- Ross, G. (1927) The superficial deposits in the Clyde Valley at Bonnington, 12 miles south of Lanark. Geological Survey of Great Britain. *Summary of Progress of the Geological Survey of Great Britain and the Museum of Geology for the Year of 1926*, HMSO, London, 158–60.
- RSPB, NRA and RSNC (1994) *The New Rivers and Wildlife Handbook*, RSPB, Sandy, 426 pp.
- Rudeforth, C.C. (1970) *Soils of North Cardiganshire*, Memoirs of the Soil Survey of Great Britain.
- Rumsby, B.T. (1991) Flood frequency and magnitude estimates based on valley floor morphology and floodplain sedimentary sequences: the Tyne basin, northeast England. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Rumsby, B.T. and Macklin, M.G. (1994) Channel and floodplain response to abrupt climate change: the Tyne basin, northern England. *Earth Surface Processes and Landforms*, 19, 499–515.
- Russell, A.J. (1989) A comparison of two recent jökulhlaups from an ice-dammed lake, Sondre Stromqord, West Greenland. *Journal of Glaciology*, 35, 157–62.

- Rust, B.R. (1978) Depositional models for braided alluvium. In *Fluvial Sedimentology* (ed. A.D. Miall). *Memoir of the Canadian Society of Petroleum Geologists*, 5, 605–25.
- Ryder, J.M. (1971) The stratigraphy and morphology of paraglacial alluvial fans in south central British Columbia. *Canadian Journal of Earth Sciences*, 8, 279–98.
- Ryder, J.M. and Church, M. (1986) The Lillooet terraces of Fraser River: a palaeoenvironmental enquiry, *Canadian Journal of Earth Sciences*, 8, 869–84.
- Sambrook-Smith, G. and Ferguson, R.I. (1995) The gravel–sand transition along alluvial channels. *Journal of Sedimentary Research*, A65, 423–30.
- Sawyer, M.S. (1987) The rainfall of 25–6 August 1986. *Weather*, 42 (4), 114–7.
- Schirmer, W. (1983) Criteria for the differentiation of Late Quaternary river terraces. *Quaternary Studies in Poland*, 4, 199–204.
- Schumm, S.A. (1977) *The Fluvial System*, John Wiley, New York, 338pp.
- Schumm, S.A. (1991) *To Interpret the Earth: Ten Ways to be Wrong*, Cambridge University Press, Cambridge, 131pp.
- Schumm, S.A. and Hadley, R.F. (1957) Arroyos and the semiarid cycle of erosion. *American Journal of Science*, 225, 161–74.
- Schumm, S.A., Harvey, M.D. and Watson, C.C. (1984) *Incised Channels; Morphology, Dynamics and Control*, Water Resources Publication, Denver, Colorado.
- Sear, D.A. (1992) Impact of hydroelectric power releases on sediment transport processes in pool–riffle sequences. In *Dynamics of Gravel-Bed Rivers* (eds P. Billi, R.D. Hey, C.R. Thorne and P Tacconi), John Wiley, Chichester, 629–50.
- Sear, D.A. and Newson, M.D. (1991) Sediment and gravel transportation in rivers including the use of gravel traps. *National Rivers Authority Project Report 232/1/1991*, 93 pp.
- Sear, D.A., Darby, S.E., Thorne, C.R. and Brookes, A. (1994) Geomorphological approach to stream stabilisation and restoration: case study of the Mimms Hall Brook, Hertfordshire, U.K. *Regulated Rivers: Research and Management*, 9 (4) 205–23.
- Shakesby, R.A. (1985) Geomorphological effects of jökulhlaups and ice-dammed lakes, Jotunheimen, Norway, *Norsk Geografisk Tidsskrift*, 39, 1–16.
- Shakesby, R.A. and Matthews, J.A. (1987) Frost weathering and rock platform erosion on periglacial lake shorelines: a test of a hypothesis. *Boreas*, 67, 197–203.
- Shaw, J. (1969) Aspects of glacial sedimentation with special reference to the area around Shrewsbury. Unpublished PhD thesis, University of Reading.
- Shaw, J. (1972) The Irish Sea Ice glaciation of north Shropshire — some environmental reconstructions. *Field Studies*, 3, 603–31.
- Sherlock, R.L. (1912) *Manners Geological Agent*, Witherby, London, 372 pp.
- Shotton, F.W. (1953) The Pleistocene deposits of the area between Coventry, Rugby and Leamington, and their bearing upon the topographic development of the Midlands. *Philosophical Transactions of the Royal Society of London*, B, 237, 209–60.

- Shotton, F.W. (1968) The Pleistocene succession around Brandon, Warwickshire. *Philosophical Transactions of the Royal Society of London, Series B.*, 254, 387–400.
- Shotton, F.W. (ed.) (1977) *The English Midlands*, INQUA Xth Congress, Guidebook for Excursion A2, Geo Abstracts, Norwich.
- Shotton, F.W. and Coope, G.R. (1983) Exposures in the Power House terrace of the River Stour at Wilden, Worcestershire, England. *Proceedings of the Geologists' Association*, 94, 33–44.
- Simpson, S. (1953) The development of the Lyn drainage system and its relation to the origin of the coast between Coombe Martin and Porlock. *Proceedings of the Geologists' Association*, 64, 14–23.
- Sissons, J.B. (1967) *The Evolution of Scotland's Scenery*, Oliver and Boyd, Edinburgh, 259 pp.
- Sissons, J.B. (1974a) A Lateglacial ice-cap in the central Grampians. *Transactions of the Institute of British Geographers*, 62, 95–114.
- Sissons, J.B. (1974b) The Quaternary in Scotland, a review. *Scottish Journal of Geology*, 10, 34–7.
- Sissons, J.B. (1976) *The Geomorphology of the British Isles. Scotland*. Methuen, London, 150 pp.
- Sissons, J.B. (1977a) Former ice-dammed lakes in Glen Moriston, Inverness-shire, and their significance in upland Britain. *Transactions of the Institute of British Geographers*, NS 2, 224–42.
- Sissons, J.B. (1977b) *Glen Roy National Nature Reserve: the Parallel Roads of Glen Roy*. Nature Conservancy Council, London, 12pp.
- Sissons, J.B. (1977c) The Loch Lomond Readvance in southern Skye and some palaeoclimatic implications. *Scottish Journal of Geology*, 13, 23–36.
- Sissons, J.B. (1978) The Parallel Roads of Glen Roy and adjacent glens, Scotland. *Boreas* 7, 229–44.
- Sissons, J.B. (1979a) The later lakes and associated fluvial terraces of Glen Roy, Glen Spean and vicinity. *Transactions of the Institute of British Geographers*, NS 4, 12–29.
- Sissons, J.B. (1979b) The limit of the Loch Lomond Advance in Glen Roy and vicinity, *Scottish Journal of Geology*, 15, 31–42.
- Sissons, J.B. (1979c) Catastrophic lake drainage in Glen Spean and the Great Glen, Scotland. *Journal of the Geological Society of London*, 136, 215–24.
- Sissons, J.B. (1980) The Loch Lomond Advance in the Lake District, northern England. *Transactions of the Royal Society of Edinburgh*, 71, 13–27.
- Sissons, J.B. (1981a) Lateglacial marine erosion and a jökulhlaup deposit in the Beaully Firth. *Scottish Journal of Geology*, 17, 7–19.
- Sissons, J.B. (1981b) Ice-dammed lakes in Glen Roy and vicinity: a summary. In *The Quaternary in Britain* (eds J. Neale and J. Flenley). Pergamon Press, Oxford, 174–83.
- Sissons, J.B. (1982) A former ice-dammed lake and associated glacier limits in the Achnasheen area, central Ross-shire. *Transactions of the Institute of British Geographers*, NS, 7, 98–116.
- Sissons, J.B. and Cornish, R. (1982a) Rapid localized glacio-isostatic uplift at Glen Roy, *Nature*, 297, 213–4.

- Sissons, J.B. and Cornish, R. (1982b) Differential glacio-isostatic uplift of coastal blocks at Glen Roy, Scotland. *Quaternary Research*, 18, 268–88.
- Sissons, J.B. and Cornish, R. (1983) Fluvial landforms associated with ice-dammed lake drainage in upper Glen Roy, Scotland. *Proceedings of the Geologists' Association*, 94, 45–52.
- Smith, I. and Lyle, A. (1979) *Distribution of Freshwaters in Great Britain*. Institute of Terrestrial Ecology, Edinburgh, 44 pp.
- Smith, K. and Bennett, A.M. (1994) Recently increased river discharge in Scotland: effects of flow hydrology and some implications for water management. *Applied Geography*, 14, 123–33.
- Smith, N.D. (1974) Sedimentology and bar formation in the upper Kicking Horse River, a braided outwash stream. *Journal of Geology*, 82, 203–23.
- Sohag, M.A. (1994) Morphological estimates of sediment transport in gravel-bed rivers. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Starkel, L., Gregory, K.J. and Thornes, J.B. (eds) (1990) *Temperate Palaeohydrology. Fluvial Processes in the Temperate Zone During the Last 15, 000 years*. John Wiley, Chichester.
- Statham, I. (1976) Debris flows in vegetated screes in the Black Mountains, Carmarthenshire. *Earth Surface Processes*, 1, 173–80.
- Steel, C. (1984) Downstream variation in cross-sectional geometry on the River Nairn, Inverness-shire. Unpublished BSc Dissertation, Department of Geography, University of St Andrews.
- Steven, H.M. and Carlisle, A. (1959) *The Native Pinewoods of Scotland*, Oliver and Boyd, Edinburgh.
- Stone, K.H. (1963) Alaskan ice-dammed lakes. *Annals of the Association of American Geographers*, 53, 332–49.
- Straw, A. (1979) Eastern England. In *Eastern and Central England* (eds A. Straw and K.M. Clayton), Methuen, London, 1–139.
- Sugden, D.E. (1970) Landforms of deglaciation in the Cairngorm Mountains. *Transactions of the Institute of British Geographers*, 51, 201–19.
- Sutherland, D.G. (1984) The Quaternary deposits and landforms of Scotland and the neighbouring shelves; a review. *Quaternary Science Reviews*, 3, 157–254.
- Sutherland, D.G. (1987) Corrieshalloch Gorge. In *Wester Ross Field Guide* (eds C.K. Ballantyne and D.G. Sutherland). Quaternary Research Association, Cambridge, pp. 94–7.
- Synge, F.M. (1956) The glaciation of north-east Scotland. *Scottish Geographical Magazine*, 72, 129–43.
- Tanis, J.H. (1964) Studies in southern Pennine peats. II. The pattern of erosion. *Journal of Ecology*, 52, 333–44.
- Tanis, J.H. (1965) Studies in southern Pennine peats. IV. Evidence of recent erosion. *Journal of Ecology*, 53, 509–20.
- Tallis, J.H. (1985) Mass movement and erosion of a southern Pennine blanket peat. *Journal of Ecology*, 73, 283–315.
- Tanis, J.H. (1987) Fire and flood at Holme Moss: erosion processes in an upland blanket mire. *Journal of Ecology*, 75, 1099–129.
- Taylor, M.P. (1993) Holocene sedimentation in River Severn catchments. Unpublished PhD thesis. University of Wales, Aberystwyth.

- Taylor, M.P. and Lewin, J. (1997) Non-synchronous response of adjacent floodplain systems to Holocene environmental change. *Geomorphology*, 18, 251–64.
- Thomas, G.S.P. (1985) The Quaternary of the Northern Irish Sea Basin. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 159–77.
- Thomas, G.S.P., Summers, A.J. and Dackombe, R.V. (1982) The late Quaternary deposits of the middle Dyfi valley. *Geological Journal*, 17, 297–309.
- Thomas, T.H. (1902) The upper Vale of Neath. *Transactions of Cardiff Naturalists' Society*, 34, 86–9.
- Thomas, T.M. (1956) Gully erosion in the Brecon Beacons area, south Wales. *Geography*, 41, 99–107.
- Thomas, T.M. (1974) The south Wales interstratal karst. *Transactions of the British Cave Research Association*, 1, 131–52.
- Thompson, A. (1984) Long and short-term channel changes in gravel bed rivers. Unpublished PhD thesis, University of Liverpool.
- Thompson, A. (1985) Channel patterns and channel change in upland streams of the Bowland Fells. In *Guide to Field Excursions in North-West England* (ed. A.M. Harvey), First International Conference on Geomorphology, British Geomorphological Research Group, Manchester, 43–8.
- Thompson, A. (1986) Secondary flows and the pool–riffle unit: a case study of the processes of meander development. *Earth Surface Processes and Landforms*, 11, 631–41.
- Thompson, A. (1987) Channel response to flood events in a divided upland stream. In *International Geomorphology 1986, Part I* (ed. V. Gardiner), John Wiley, Chichester, 691–709.
- Thompson, K.S.R. (1972) The last glaciers in western Perthshire. Unpublished PhD thesis, University of Edinburgh.
- Thompson, T.R.E. (1982) *Soils in Powys II. Sheet SJ 21 (Ardleen)*, Soil Survey of Great Britain Record, 75.
- Thorez, J., Bullock, P., Catt, J.A. and Weir, A.H. (1971) The petrography and origin of deposits filling solution pipes in the Chalk near South Mimms, Hertfordshire. *Geological Magazine*, 108, 413–23.
- Thorne, C.R. and Hey, R.D. (1979) Direct measurement of secondary currents at a river inflexion point. *Nature*, 280, 226–8.
- Thorne, C.R. and Lewin, J. (1979) Bank processes, bed material movement and planform development in a meandering river. In *Adjustments to the Fluvial System* (eds D.D. Rhodes and G.P. Williams), Kendall/Hunt, Dubuque, Iowa, 117–36.
- Thorne, C.R. and Tovey, N.K. (1981) Stability of composite river banks. *Earth Surface Processes and Landforms*, 6, 469–84.
- Thorp, P.W. (1981) A trimline method for determining the upper limit of the Loch Lomond Advance glaciers: examples from the Loch Leven and Glencoe areas. *Scottish Journal of Geology*, 17, 49–64.
- Thorp, P.W. (1986) A mountain icefield of Loch Lomond Stadial age, western Grampians, Scotland. *Boreas*, 15, 83–97.
- Tipping, R.C. (1992) The determination of cause in the generation of major prehistoric valley fills in the Cheviot Hills, Anglo-Scottish border. In *Alluvial Archaeology in Britain* (eds S. Needham and M.G. Macklin), Oxbow Monograph 27, Oxbow Press, Oxford, 111–21.
- Tipping, R.C. and Halliday S.P. (1994) The age of alluvial fan deposition at a site in the Southern Uplands of Scotland. *Earth Surface Processes and Landforms* 19, 333–48.



- Tomlinson, M.E. (1925) River terraces of the lower valley of the Warwickshire Avon. *Quarterly Journal of the Geological Society of London*, 81, 137–69.
- Tooley, M.J. (1985) Sea-level changes and coastal morphology in North-West England. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 94–121.
- Tuckfield, C.G. (1964) Gully erosion in the New Forest, Hampshire. *American Journal of Science*, 262, 795–807.
- Tuckfield, C.G. (1980) Stream channel stability and forest drainage in the New Forest, Hampshire. *Earth Surface Processes and Landforms*, 5, 317–29.
- Turner, J. (1964) The anthropogenic factor in vegetational history. I. Tregaron and Whixall Mosses. *New Phytologist*, 63, 73–90.
- Turner, J. (1979) The environment of northeast England during Roman times as shown by pollen analysis. *Journal of Archaeological Science*, 6, 285–90.
- Twidale, C.R. (1964) Erosion of an alluvial bank at Birdwood, South Australia. *Zeitschrift für Geomorphologie*, 8, 189–211.
- Vincent, P. (1985) Quaternary geomorphology of the southern Lake District and Morecambe Bay area. In *The Geomorphology of North-West England*, (ed. R.H. Johnson), University Press, Manchester, 159–177.
- Walker, M.J.C. (1975) A pollen diagram from the Pass of Drumochter, central Grampian Highlands, Scotland. *Transactions of the Royal Society of Edinburgh*, 42, 335–43
- Walker, H.M. and Arnborg, L. (1966) Permafrost and ice-wedge effect on river bank erosion. In *Proceedings of the International Conference on Permafrost*, Proceedings National Academy of Sciences — National Research Council Publication 1247, Washington, D.C., 164–71.
- Walling, D.E. (1984) Physical hydrology. *Progress in Physical Geography*, 8 (1), 129–38.
- Walling, D.E. (1991) Drainage basin studies. In *Field Experiments and Measurements Programs in Geomorphology*, (ed. O. Slaymaker), Balkema, Rotterdam, 17–59.
- Walling, D.E. and Bradley, S.B. (1989) Rates and patterns of contemporary floodplain sedimentation: a case study of the River Culm, Devon, U.K. *GeoJournal*, 19 (1), 53–62.
- Walling D.E. and Webb B.W. (1981) Water quality. In *British Rivers* (ed. J. Lewin), Allen and Unwin, London, 126–169.
- Walsh, P.T. and Ockenden, A.C. (1982) Hydrogeological observations at the Water End swallow hole complex, North Mimms, Hertfordshire. *Transactions of the British Cave Research Association*, 9 (3), 184–94.
- Waltham, A.C., Simms, M.J., Farrant, A.R. and Goldie, H.S. (1996) *Karst and Caves of Great Britain*. Geological Conservation Review Series, 12. Chapman and Hall, London, 358pp.
- Walton, I. (1653) *The Compleat Angler or the Contemplative Man's Recreation*. T. Maxey, London.
- Ward, R.C. (1975) *Principles of Hydrology*. 2nd edn, McGraw-Hill, London, 367pp.
- Ward, R.C. (1980) Water: a geographical issue. In *Geography Yesterday and Tomorrow*. Oxford University Press, 130–45.
- Ward, R.C. (1981) River systems and river regimes. In *British Rivers* (ed. J. Lewin), George Allen and Unwin, London, pp. 1–33.

- Ward, R.C. (1982) *The Foundations of the Deep and the Windows of Heaven*. University of Hull Press, Hull.
- Waters, R.S. and Johnson, R.H. (1958) The terraces of the Derbyshire Derwent. *East Midland Geographer*, 2, 3–15.
- Wathen, S.J. (1995) The effect of sediment storage upon sediment transfer processes in a small Scottish gravel-bed river. Unpublished PhD thesis, University of St Andrews.
- Wathen, S.J., Ferguson, R.I., Hoey, T.B. and Werritty, A. (1995) Unequal mobility of gravel and sand in weakly bi-modal sediments. *Water Resources Research*, 31, 2087–96.
- Watson, E. (1970) The Cardigan Bay Area. In *The Glaciations of Wales and Adjoining Regions* (ed. C.A. Lewis), Longman, London, 125–45.
- Wells, S.G. and Harvey, A.M. (1987) Sedimentologic and geomorphic variations in storm-generated alluvial fans, Howgill Fells, north-west England. *Bulletin of the Geological Society of America*, 98, 182–98.
- Welsh Water Authority (1987) Llyn Brianne Acid Waters Project — First Technical Summary Report. Unpublished report to Department of Environment and Welsh Office.
- Werritty, A. (1984) Stream response to flash floods in upland Scotland. In *Catchment Experiments in Fluvial Geomorphology* (ed. T.P. Burt and D.E. Walling), Geo-books, Norwich, 537–60.
- Werritty, A. and Acreman, M. (1984) The flood hazard in Scotland. In *Climatic Hazards in Scotland* (ed. S.J. Harrison), Geo-books, Norwich, 25–40.
- Werritty, A. and Brazier, V. (1991a) *The Geomorphology, Conservation and Management of the River Feshie SSSI*, Report to the Nature Conservancy Council, Peterborough.
- Werritty, A. and Brazier, V. (1991b) *Geomorphological Aspects of the Proposed Strathspey Flood Alleviation Scheme*. Report to the Institute of Hydrology, Wallingford, 41 pp.
- Werritty, A. and Brazier, V. (1994) Geomorphic sensitivity and the conservation of fluvial geomorphology SSSIs. In *Conserving our Landscape* (eds C. Stevens, J.E. Gordon, C.P. Green and M.G. Macklin). Proceedings of the Conference 'Conserving our Landscape: Evolving Landforms and Ice-Age Heritage', Crewe, May 1992, English Nature, Peterborough, 100–9.
- Werritty, A. and Ferguson, R.I. (1980) Pattern changes in a Scottish braided river over 1, 30 and 200 years. In *Timescales in Geomorphology* (eds R.A. Cullingford, D.A. Davidson and J. Lewin), John Wiley, Chichester, 53–68.
- Werritty, A. and Inglis, G.E. (1985) Variations in size and shape of coarse-grained bedload sediments on the R. Findhorn, Scotland. Paper presented at the *Third International Fluvial Sediments Conference*, Fort Collins, Colorado, Abstracts Volume, p. 23.
- Werritty, A. and Kirkbride, M. (1992) *The Geomorphology, Conservation and Management of the Clyde Meanders SSSI*. Report to the Nature Conservancy Council of Scotland.
- Werritty, A., Brazier, V., Gordon, J.E. and McManus, J. (1994) Geomorphology. In *The Fresh Waters of Scotland. A National Resource of International Significance* (eds P.S. Maitland, P.J. Boon, D.S. McLusky), John Wiley, Chichester, 65–88.
- Werritty, A., Harper, F. and Burns, J. (1993) Rainfall and runoff response in the Loch Dee sub-catchments. In *Acidification, Forestry, Fisheries and Management in Upland Galloway*. Proceedings of the Loch Dee Symposium, December 1992 (ed. F. Lees), Foundation for Water Research, Marlow, pp. 13–21.

- Wharton, G.M., Arnell, N.W., Gregory, K.J. and Gurnell, A.M. (1988) River discharge estimated from channel dimensions. *Journal of Hydrology*, 106, 365–76.
- Whitaker, W. (1921) The water supply of Buckinghamshire and Hertfordshire from underground sources. *Memoirs of the Geological Survey of England and Wales*, 86–9.
- White, D.A. (1970) In *Man Shapes The Earth* (ed. E.H. Brown) *Geographical Journal*, 136, 81.
- Whittow, J.B. (1977) *Geology and Scenery in Scotland*, Penguin, Harmondsworth, 362 pp.
- Wilcock, D.N. (1967a) Coarse bedload as a factor determining bedslope. *International Association of Scientific Hydrology*, Berne, 143–50.
- Wilcock, D.N. (1967b) The bedload characteristics and channel morphology of the River Hodder. Unpublished PhD thesis, University of Liverpool.
- Wilcock, D.N. (1971) Investigations in the relations between bedload transport and channel slope. *Bulletin of the Geological Society of America*, 82, 2159–76.
- Wilkinson, H.R. and Gregory, S. (1956) Aspects of the evolution of the drainage pattern of northeast Wales. *Liverpool and Manchester Geological Journal*, 1, 543–58.
- Wilkinson, T.P. (1971) The transport of rock debris in upland streams, with particular reference to northern England. Unpublished PhD thesis, University of Newcastle upon Tyne.
- Williams, G.J. (1968) The buried channel and superficial deposits of the lower Usk and their correlation with similar features in the lower Severn. *Proceedings of the Geologists' Association*, 79, 325–48.
- Wills, L.J. (1912) Late glacial and post-glacial changes in the lower Dee valley. *Quarterly Journal of the Geological Society of London*, 69, 180–98.
- Wills, U. (1924) The development of the Severn Valley in the neighbourhood of Ironbridge and Bridgnorth. *Quarterly Journal of the Geological Society of London*, 80, 274–314.
- Wills, U. (1938) The Pleistocene development of the Severn from Bridgnorth to the sea. *Quarterly Journal of the Geological Society of London*, 94, 161–242.
- Wimbledon, W.A., Benton, M.J., Bevins, R.E., Black, G.P., Bridgland, D.R., Cleal, C.J., Cooper, R.G. and May, V.J. (1995) The development of a methodology for the selection of British geological sites for conservation: Part 1. *Modern Geology*, 20, 159–202.
- Winkley, B.R. (1972) River regulation with the aid of nature. *International Commission on Irrigation and Drainage*, Eighth Congress, Verna Transactions, Volume V, 29.1, 433–7.
- Wolfenden, P.J. and Lewin, L. (1977) Distribution of metal pollutants in floodplain sediments. *Catena*, 4, 309–17.
- Wolman, G. (1959) Factors influencing erosion of a cohesive river bank. *American Journal of Science*, 257, 204–16.
- Wolman, M.G. and Gerson, R. (1978) Relative scales of time and effectiveness of climate in watershed geomorphology. *Earth Surface Processes*, 3, 189–208.
- Wolman, M.G. and Leopold, L.B. (1957) River flood plains: some observations on their formation. *United States Geological Survey Professional Paper* 282-C.
- Wolman, M.G. and Miller, J.P. (1960) Magnitude and frequency of forces on geomorphic processes. *Journal of Geology*, 68, 54–74.

Wooldridge, S.W. and Kirkaldy, J.F. (1937) The geology of the Mimms valley. *Proceedings of the Geologists' Association*, 39, 1–26.

Worsley, P. (1985) Pleistocene history of the Cheshire–Shropshire Plain. In *The Geomorphology of North-West England* (ed. R.H. Johnson), University Press, Manchester, 201–21.

Young, J.A.T. (1974) Ice-wastage in Glenmore, upper Spey valley, Inverness-shire. *Scottish Journal of Geology*, 10, 147–57.

Young, J.A.T. (1975) Ice-wastage in Glen Feshie, Inverness-shire. *Scottish Geographical Magazine*, 91, 91–101.

Young, J.A.T. (1976) The terraces of Glen Feshie, Inverness-shire. *Transactions of the Royal Society of Edinburgh*, 69, 501–12.

Young, J.A.T. (1980) The fluvioglacial landforms of mid-Strathdearn, Inverness-shire. *Scottish Journal of Geology*, 16, 209–20.

Young, L.W. (1835) *Guide to the Beaches of Glyn Neath*, Longman, London.

## References